



ELSEVIER

International Journal of Mass Spectrometry 192 (1999) 447–451



Subject index

Ab initio calculations

Electron-transfer and neutral-loss reactions in collisions of CF_3^{2+} with argon, 205

Gas phase reactions of dianions. 2. The effect of a second charge on S_N2 potential energy surfaces: an ab initio study, 185

Heat of formation of the SiF_2^{++} dication: a theoretical prediction, 165

Magnesium- and calcium-containing molecular dications: a high-level theoretical study, 173

Adduct ions

A possible origin of $[\text{M} - n\text{H} + m\text{X}]^{(m-n)+}$ ions ($\text{X} =$ alkali metal ions) in electrospray mass spectrometry of peptides, 303

Alkali metal

A possible origin of $[\text{M} - n\text{H} + m\text{X}]^{(m-n)+}$ ions ($\text{X} =$ alkali metal ions) in electrospray mass spectrometry of peptides, 303

Atomic lifetimes

Photon observations on excited multiply charged ions, 347

Atomic spectra

Photon observations on excited multiply charged ions, 347

Atoms

Multiple ionization of negative and positive ions, neutral atoms, and molecules under electron impact: data and databases, 75

Auger transitions

Formation and cascading decay of hollow Ar atoms at a Si surface, 425

Binary encounter approximation

Multiple K - and L -shell ionizations of target atoms by collisions with high-energy heavy ions, 49

B3LYP calculations

Redox properties of charged and neutral iron chlorides FeCl_m^n ($m = 1-3$; $n = -1, 0, +1, \text{ and } +2$), 125

Calcium

Magnesium- and calcium-containing molecular dications: a high-level theoretical study, 173

Charge inversion

Redox properties of charged and neutral iron chlorides FeCl_m^n ($m = 1-3$; $n = -1, 0, +1, \text{ and } +2$), 125

Charge reduction

Low energy collisionally activated dissociation of $\text{Cu}^{2+}(\text{glycine})(\text{H}_2\text{O})$, $\text{Cu}^{2+}(\text{glycine})(\text{H}_2\text{O})_2$, $\text{Cu}^{2+}(\text{glycine})_2$, and $\text{Cu}^{2+}(\text{glycylglycine})_2$, 289

Charge resonance ionization

Laser control of molecular ionization with intense short laser pulses, 379

Charge stripping

Long lived CH^{2+} and CD^{2+} dications, 157

Redox properties of charged and neutral iron chlorides FeCl_m^n ($m = 1-3$; $n = -1, 0, +1, \text{ and } +2$), 125

Chloride transfer

Selected-ion flow tube studies of reactions of C_{60}^{n+} ($n = 1, 2, 3$) with chlorinated ethylenes, 215

Chlorinated ethylenes

Selected-ion flow tube studies of reactions of C_{60}^{n+} ($n = 1, 2, 3$) with chlorinated ethylenes, 215

Classical over barrier model

Beam capillary spectroscopy, 437

Close coupling

Absolute cross sections for near-threshold electron-impact excitation of Be-like C^{2+} , N^{3+} , and O^{4+} ions, 39

Cluster-cluster collisions

Multifragmentation after multi-ionization of hydrogen clusters in high

energy cluster-atom and cluster-cluster collisions, 259

Cluster multifragmentation

Multifragmentation after multi-ionization of hydrogen clusters in high energy cluster-atom and cluster-cluster collisions, 259

Clusters

Femtosecond laser interactions with methyl iodide clusters. 2. Coulomb explosion at 397 nm, 327

Coherent control

Laser control of molecular ionization with intense short laser pulses, 379

Collision

Absolute cross sections for near-threshold electron-impact excitation of Be-like C^{2+} , N^{3+} , and O^{4+} ions, 39

Collisional activation

A possible origin of $[\text{M} - n\text{H} + m\text{X}]^{(m-n)+}$ ions ($\text{X} =$ alkali metal ions) in electrospray mass spectrometry of peptides, 303

Collisionally activated dissociation (CAD)

Low energy collisionally activated dissociation of $\text{Cu}^{2+}(\text{glycine})(\text{H}_2\text{O})$, $\text{Cu}^{2+}(\text{glycine})(\text{H}_2\text{O})_2$, $\text{Cu}^{2+}(\text{glycine})_2$, and $\text{Cu}^{2+}(\text{glycylglycine})_2$, 289

Cooled highly charged ions

Recombination of cooled highly charged ions with low-energy electrons, 225

Copper(II)

Low energy collisionally activated dissociation of $\text{Cu}^{2+}(\text{glycine})(\text{H}_2\text{O})$, $\text{Cu}^{2+}(\text{glycine})(\text{H}_2\text{O})_2$, $\text{Cu}^{2+}(\text{glycine})_2$, and $\text{Cu}^{2+}(\text{glycylglycine})_2$, 289

Coulomb explosion

Doubly charged ions in the electron ionization mass spectra of 4,6-di(substituted)amino s -triazines, 99

Coulomb explosions

- Femtosecond laser interactions with methyl iodide clusters. 2. Coulomb explosion at 397 nm, 327
- Coulomb potential
Gas phase reactions of dianions. 2. The effect of a second charge on S_N2 potential energy surfaces: an ab initio study, 185
- Cross section
Calculation of cross sections and rate coefficients for the electron impact multiple ionization of beryllium, boron, carbon, and oxygen atoms, 1
Electron-impact ionization of Fe^{5+} ions, 27
- Dianion
Gas phase reactions of dianions. 2. The effect of a second charge on S_N2 potential energy surfaces: an ab initio study, 185
- Dications
Electron-transfer and neutral-loss reactions in collisions of CF_3^{2+} with argon, 205
Heat of formation of the SiF_2^{++} dication: a theoretical prediction, 165
Long lived CH_2^{2+} and CD_2^{2+} dications, 157
Magnesium- and calcium-containing molecular dications: a high-level theoretical study, 173
- Double charged ions
Fragmentation dynamics of SO_2^{2+} , 281
- Double-charge-transfer (DCT) spectroscopy
An experimental and computational study of the double ionization of CH_3Cl , CH_2Cl_2 , and $CHCl_3$ molecules to singlet and triplet electronic states of their dications, 111
- Double ionization
Time ordering in fast double ionization, 65
- Double ionization energies
An experimental and computational study of the double ionization of CH_3Cl , CH_2Cl_2 , and $CHCl_3$ molecules to singlet and triplet electronic states of their dications, 111
- Doubly charged ions
Doubly charged ions in the electron ionization mass spectra of 4,6-di(substituted)amino *s*-triazines, 99
- Doubly charged molecules
 D_2^{2+} dication as a probe of spatial alignment of D_2 molecules in intense laser light, 367
- Electron beam ion trap (EBIT)
Precision and accuracy of lifetimes of metastable levels using the Kingdon trap technique, 149
- Electron collisions
Plasma rate coefficients for highly charged ion–electron collisions: new experimental access via ion storage rings, 9
- Electron correlation
Time ordering in fast double ionization, 65
- Electron cyclotron resonance
Electron cyclotron resonance ion sources of highly charged ions: from classical to superconducting sources, 87
- Electron impact ionization
Application of the Deutsch-Märk formalism to the calculation of cross sections for the multiple ionization of beryllium, boron, carbon, and oxygen atoms by electron impact, 1
Doubly charged ions in the electron ionization mass spectra of 4,6-di(substituted)amino *s*-triazines, 99
Electron-impact ionization of Fe^{5+} ions, 27
Fully relativistic calculations of cross sections for electron impact ionization of carbon-like uranium ions, 23
- Electron-induced dissociation
Spontaneous and induced dissociation of singly and multiply charged fullerene ions, 267
- Electron ionization
Calculation of cross sections and rate coefficients for the electron impact multiple ionization of beryllium, boron, carbon, and oxygen atoms, 1
- Electron spectroscopy
Formation and cascading decay of hollow Ar atoms at a Si surface, 425
- Electron transfer
Electron-transfer and neutral-loss reactions in collisions of CF_3^{2+} with argon, 205
Redox properties of charged and neutral iron chlorides $FeCl_m^+$ ($m = 1-3$; $n = -1, 0, +1$, and $+2$), 125
- Electrostatic repulsion
Gas phase reactions of dianions. 2. The effect of a second charge on S_N2 potential energy surfaces: an ab initio study, 185
- Elementary reactions of molecular dications
Dynamics of chemical and charge transfer reactions of molecular dications: beam scattering and total cross section data on CF_2D^+ (CF_2H^+), CF_2^+ , and CF^+ formations in $CF_2^{2+} + D_2(H_2)$ collisions, 191
- Excitation
Absolute cross sections for near-threshold electron-impact excitation of Be-like C^{2+} , N^{3+} , and O^{4+} ions, 39
- Femtosecond lasers
Femtosecond laser interactions with methyl iodide clusters. 2. Coulomb explosion at 397 nm, 327
- Few-electron transitions
Time ordering in fast double ionization, 65
- Fourier transform ion cyclotron resonance (FTICR)
Gas-phase memory of solution-phase protein conformation: H/D exchange and Fourier transform ion cyclotron resonance mass spectrometry of the N-terminal domain of cardiac troponin C, 319
- Fragmentation
Electronic versus vibrational excitation in He^{q+} collisions with fullerenes, 245
Fragmentation dynamics of SO_2^{2+} , 281
- Fullerene ions
Electronic versus vibrational excitation in He^{q+} collisions with fullerenes, 245
Selected-ion flow tube studies of reactions of C_{60}^{n+} ($n = 1, 2, 3$) with

- chlorinated ethylenes, 215
 Spontaneous and induced dissociation of singly and multiply charged fullerene ions, 267
- Gas phase reactions
 Gas phase reactions of dianions 2.
 The effect of a second charge on S_N2 potential energy surfaces: an ab initio study, 185
- Glycine
 Low energy collisionally activated dissociation of $\text{Cu}^{2+}(\text{glycine})(\text{H}_2\text{O})$, $\text{Cu}^{2+}(\text{glycine})(\text{H}_2\text{O})_2$, $\text{Cu}^{2+}(\text{glycine})_2$, and $\text{Cu}^{2+}(\text{glycylglycine})_2$, 289
- Glycylglycine
 Low energy collisionally activated dissociation of $\text{Cu}^{2+}(\text{glycine})(\text{H}_2\text{O})$, $\text{Cu}^{2+}(\text{glycine})(\text{H}_2\text{O})_2$, $\text{Cu}^{2+}(\text{glycine})_2$, and $\text{Cu}^{2+}(\text{glycylglycine})_2$, 289
- Green's function calculations
 An experimental and computational study of the double ionization of CH_3Cl , CH_2Cl_2 , and CHCl_3 molecules to singlet and triplet electronic states of their dications, 111
- Heat of formation
 Heat of formation of the SiF_2^{++} dication: a theoretical prediction, 165
- Heavy ion-atom collision
 Multiple *K*- and *L*-shell ionizations of target atoms by collisions with high-energy heavy ions, 49
- Herbicides
 Doubly charged ions in the electron ionization mass spectra of 4,6-di(substituted)amino *s*-triazines, 99
- High energy cluster collisions
 Multifragmentation after multi-ionization of hydrogen clusters in high energy cluster-atom and cluster-cluster collisions, 259
- Highly charged ions
 Electron cyclotron resonance ion sources of highly charged ions: from classical to superconducting sources, 87
 Electronic versus vibrational excitation in He^{9+} collisions with fullerenes, 245
 Plasma rate coefficients for highly charged ion–electron collisions: new experimental access via ion storage rings, 9
- Hollow atoms
 Formation and cascading decay of hollow Ar atoms at a Si surface, 425
- Hollow atoms
 Potential sputtering: desorption from insulator surfaces by impact of slow multicharged ions, 415
- Hollow ions
 Beam capillary spectroscopy, 437
- Hydrogen cluster ions
 Multifragmentation after multi-ionization of hydrogen clusters in high energy cluster-atom and cluster-cluster collisions, 259
- Hydrogen/deuterium exchange
 Gas-phase memory of solution-phase protein conformation: H/D exchange and Fourier transform ion cyclotron resonance mass spectrometry of the N-terminal domain of cardiac troponin C, 319
- Inner-shell ionization
 Multiple *K*- and *L*-shell ionizations of target atoms by collisions with high-energy heavy ions, 49
- Intense laser fields
 D_2^{2+} dication as a probe of spatial alignment of D_2 molecules in intense laser light, 367
 Metal clusters under strong laser field conditions, 387
- Ion-induced electron emission
 Kinetic electron emission in the near-threshold region studied for different projectile charges, 407
- Ion-molecule collisions
 An experimental and computational study of the double ionization of CH_3Cl , CH_2Cl_2 , and CHCl_3 molecules to singlet and triplet electronic states of their dications, 111
- Ion-molecule reaction
 Electron-transfer and neutral-loss reactions in collisions with CF_3^{2+} with argon, 205
- Ions
 Electron impact ionization of Fe^{5+} ions, 27
- Femtosecond laser interactions with methyl iodide clusters. 2. Coulomb explosion at 397 nm, 327
 Fully relativistic calculations of cross sections for electron impact ionization of carbon-like uranium ions, 23
 Multiple ionization of negative and positive ions, neutral atoms, and molecules under electron impact: data and databases, 75
- Ion scattering
 Dynamics of chemical and charge transfer reactions of molecular dications: beam scattering and total cross section data on CF_2D^+ (CF_2H^+), CF_2^+ , and CF^+ formations in $\text{CF}_2^{2+} + \text{D}_2(\text{H}_2)$ collisions, 191
- Ion sources
 Electron cyclotron resonance ion sources of highly charged ions: from classical to superconducting sources, 87
- Ion spectroscopy
 Fragmentation dynamics of SO_2^{2+} , 281
- Iron chlorides
 Redox properties of charged and neutral iron chlorides FeCl_m^n ($m = 1-3$; $n = -1, 0, +1, \text{ and } +2$), 125
- Kinetic emission
 Kinetic electron emission in the near-threshold region studied for different projectile charges, 407
- Kinetics, charge separation
 Selected-ion flow tube studies of reactions of C_{60}^{n+} ($n = 1, 2, 3$) with chlorinated ethylenes, 215
- Kingdon ion trap technique
 Precision and accuracy of lifetimes of metastable levels using the Kingdon trap technique, 149
- K*-shell ionization
 Multiple *K*- and *L*-shell ionizations of target atoms by collisions with high-energy heavy ions, 49
- Landau-Zener
 Electron-transfer and neutral-loss reactions in collisions of CF_3^{2+} with argon, 205
- Laser control

- Laser control of molecular ionization with intense short laser pulses, 379
- Lifetimes
Precision and accuracy of lifetimes of metastable levels using the Kingdon trap technique, 149
- Long lived
Long lived CH^{2+} and CD^{2+} dications, 157
- Low energy electron capture (SSEC)
Excited state formation in studies of electron capture by state prepared doubly charged atomic ions, 141
- Low-energy electrons
Recombination of cooled highly charged ions with low-energy electrons, 225
- Magnesium
Magnesium- and calcium-containing molecular dications: a high-level theoretical study, 173
- Merged beams
Absolute cross sections for near-threshold electron-impact excitation of Be-like C^{2+} , N^{3+} , and O^{4+} ions, 39
- Metal clusters
Metal clusters under strong laser field conditions, 387
- Metastable levels
Precision and accuracy of lifetimes of metastable levels using the Kingdon trap technique, 149
- Microcapillary
Beam capillary spectroscopy, 437
- Multicharged-ion surface interaction
Potential sputtering: desorption from insulator surfaces by impact of slow multicharged ions, 415
- Multiple ionization
Multiple ionization of negative and positive ions, neutral atoms, and molecules under electron impact: data and databases, 75
- Multiply charged ions
Calculation of cross sections and rate coefficients for the electron impact multiple ionization of beryllium, boron, carbon, and oxygen atoms, 1
Excited state formation in studies of electron capture by state prepared doubly charged atomic ions, 141
Kinetic electron emission in the near-threshold region studied for different projectile charges, 407
Multiple ionization of negative and positive ions, neutral atoms, and molecules under electron impact: data and databases, 75
Photon observations on excited multiply charged ions, 347
Scattering of multiply charged ions from surfaces, 393
Spontaneous and induced dissociation of singly and multiply charged fullerene ions, 267
- Optical properties of clusters
Metal clusters under strong laser field conditions, 387
- Peptides
A possible origin of $[\text{M} - n\text{H} + m\text{X}]^{(m-n)+}$ ions (X = alkali metal ions) in electrospray mass spectrometry of peptides, 303
- Photoionization
Fragmentation dynamics of SO_2^{2+} , 281
- Plasma rate coefficients
Plasma rate coefficients for highly charged ion–electron collisions: new experimental access via ion storage rings, 9
- Pollutants
Doubly charged ions in the electron ionization mass spectra of 4,6-di(substituted)amino *s*-triazines, 99
- Potential emission
Kinetic electron emission in the near-threshold region studied for different projectile charges, 407
- Potential sputtering
Potential sputtering: desorption from insulator surfaces by impact of slow multicharged ions, 415
- Primordial distribution
Beam capillary spectroscopy, 437
- Protein conformation in vacuo
Gas-phase memory of solution-phase protein conformation: H/D exchange and Fourier transform ion cyclotron resonance mass spectrometry of the N-terminal domain of cardiac troponin C, 319
- Radiative processes
Photon observations on excited multiply charged ions, 347
- Rate coefficient
Calculation of cross sections and rate coefficients for the electron impact multiple ionization of beryllium, boron, carbon, and oxygen atoms, 1
- Reaction dynamics
Dynamics of chemical and charge transfer reactions of molecular dications: Beam scattering and total cross section data on CF_2D^+ (CF_2H^+), CF_2^+ , and CF^+ formations in $\text{CF}_2^{2+} + \text{D}_2(\text{H}_2)$ collisions, 191
- Recombination
Recombination of cooled highly charged ions with low-energy electrons, 225
- Redox properties
Redox properties of charged and neutral iron chlorides FeCl_m^n ($m = 1-3$; $n = -1, 0, +1, \text{ and } +2$), 125
- Relativistic
Fully relativistic calculations of cross sections for electron impact ionization of carbon-like uranium ions, 23
- Resonant coherent excitation (RCE)
Scattering of multiply charged ions from surfaces, 393
- Selected-ion flow tube (SIFT)
Selected-ion flow tube studies of reactions of C_{60}^{n+} ($n = 1, 2, 3$) with chlorinated ethylenes, 215
- Short laser pulses
Laser control of molecular ionization with intense short laser pulses, 379
- SiF_2^{++}
Heat of formation of the SiF_2^{++} dication: a theoretical prediction, 165
- S_N2 reactions
Gas phase reactions of dianions. 2. The effect of a second charge on S_N2 potential energy surfaces: an ab initio study, 185
- Slow highly charged ions
Beam capillary spectroscopy, 437

- SO_2^{2+}
 Fragmentation dynamics of SO_2^{2+} , 281
- Solvent
 Gas-phase memory of solution-phase protein conformation: H/D exchange and Fourier transform ion cyclotron resonance mass spectrometry of the N-terminal domain of cardiac troponin C, 319
- Spatial alignment
 D_2^{2+} dication as a probe of spatial alignment of D_2 molecules in intense laser light, 367
- Spontaneous decay
 Spontaneous and induced dissociation of singly and multiply charged fullerene ions, 267
- Stopping power
 Electronic versus vibrational excitation in He^{q+} collisions with fullerenes, 245
- Storage rings
 Plasma rate coefficients for highly charged ion–electron collisions: new experimental access via ion storage rings, 9
- Superconduction
 Electron cyclotron resonance ion sources of highly charged ions: from classical to superconducting sources, 87
- Surface channeling
 Scattering of multiply charged ions from surfaces, 393
- Surface-induced processes
 Spontaneous and induced dissociation of singly and multiply charged fullerene ions, 267
- Time-dependent Schrodinger equation
 Laser control of molecular ionization with intense short laser pulses, 379
- Time ordering
 Time ordering in fast double ionization, 65
- Total cross sections
 Dynamics of chemical and charge transfer reactions of molecular dications: Beam scattering and total cross section data on CF_2D^+ (CF_2H^+), CF_2^+ , and CF^+ formations in $\text{CF}_2^{2+} + \text{D}_2(\text{H}_2)$ collisions, 191
- Translational energy spectroscopy
 Excited state formation in studies of electron capture by state prepared doubly charged atomic ions, 141
- Uranium
 Fully relativistic calculations of cross sections for electron impact ionization of carbon-like uranium ions, 23
- X-rays
 Multiple *K*- and *L*-shell ionizations of target atoms by collisions with high-energy heavy ions, 49