



ELSEVIER

International Journal of Mass Spectrometry 197 (2000) 301–304



Subject index

Ab initio trajectory

Direct ab initio dynamics study of the photoelectron detachment processes of the H_3O^- anion, 243

Absolute isotope amount ratio

The preparation of two synthetic isotope mixtures for the calibration of isotope amount ratio measurements of sulfur, 131

Archaeology

Comment on: “Natural variations detected in the isotopic composition of copper: possible applications to archaeology and geochemistry,” 279

Boron hydroxide

Generation and characterization of ionic and neutral dihydroxy boron $\text{B}(\text{OH})_2^+/\text{O}$ in the gas phase, 105

Bracketing

Intermolecular proton transfer from visible laser light-excited indene radical cations to reference bases in the gas phase, 211

Catalysis

Some reactions and thermochemistry of NbO_3^- : oxidation and reduction, hydrogen bond strength, and catalytic activation of primary alcohols, 95

Chemical damage

Secondary ion emission from keV energy atomic and polyatomic projectile impacts on sodium iodate, 149

Chemical ionization

Computational and experimental studies of chemical ionization mass spectrometric detection techniques for atmospherically relevant peroxides, 219

Cluster ions

Generation of metal-ligand cluster ion beams through pulsed discharge ionization and ablation, 71

Computational studies

Computational and experimental studies of chemical ionization mass spectrometric detection techniques for atmospherically relevant peroxides, 219

Copper

Comment on: “Natural variations detected in the isotopic composition of copper: possible applications to archaeology and geochemistry,” 279

Cross section calculations

Theoretical determination of absolute electron-impact ionization cross sections of molecules, 37

Dihydroxyborinium ions

Generation and characterization of ionic and neutral dihydroxy boron $\text{B}(\text{OH})_2^+/\text{O}$ in the gas phase, 105

Dioxins

Erratum to “A comparison of three mass spectrometric methods for the determination of dioxins/furans,” 281

Duffing equation

Frequency perturbation in nonlinear Paul traps: a simulation study of the effect of geometric aberration, space charge, dipolar excitation, and damping on ion axial secular frequency, 263

Electron detachment

Direct ab initio dynamics study of the photoelectron detachment processes of the H_3O^- anion, 243

Electron-impact ionization

Electron impact ionization energies, 237
Theoretical determination of absolute electron-impact ionization cross sections of molecules, 37

Electron transfer

Generation and characterization of ionic and neutral dihydroxy boron $\text{B}(\text{OH})_2^+/\text{O}$ in the gas phase, 105

Electrospray ionization

Influence of metal ion and coordination geometry on the gas phase dissociation and stereochemical differentiation of N-glycosides, 139
Separation of protein conformers using electrospray-high field asymmetric waveform ion mobility spectrometry-mass spectrometry, 163

FAIMS

Comparison of high-field ion mobility obtained from drift tubes and a FAIMS apparatus, 123
Separation of protein conformers using electrospray-high field asymmetric waveform ion mobility spectrometry-mass spectrometry, 163

Fe-isotopes

High precision measurement of iron isotopes by plasma source mass spectrometry, 191

Femtosecond pulses

Single photon and femtosecond multiphoton ionisation of the dipeptide valyl-valine, 197

Fourier transform ion cyclotron resonance (FTICR)

Intermolecular proton transfer from visible laser light-excited indene radical cations to reference bases in the gas phase, 211

Some reactions and thermochemistry of NbO_3^- : oxidation and reduction, hydrogen bond strength, and catalytic activation of primary alcohols, 95

Fractionation

Thermal ionization mass spectrometry of molybdenum isotopes, 253

Frequencies

Frequency perturbation in nonlinear Paul traps: a simulation study of the effect of geometric aberration, space charge, dipolar excitation, and damping on ion axial secular frequency, 263

Peak structure with a quadrupole mass filter operated in the third stability region, 113

Furans

Erratum to "A comparison of three mass spectrometric methods for the determination of dioxins/furans," 281

G2 calculations

Generation and characterization of ionic and neutral dihydroxy boron $\text{B}(\text{OH})_2^+/\text{O}$ in the gas phase, 105

Geochemistry

Comment on: "Natural variations detected in the isotopic composition of copper: possible applications to archaeology and geochemistry," 279

 H_3O^-

Direct ab initio dynamics study of the photoelectron detachment processes of the H_3O^- anion, 243

Indene radical cation

Intermolecular proton transfer from visible laser light-excited indene radical cations to reference bases in the gas phase, 211

Inorganic mass spectrometry

Inorganic mass spectrometric methods for trace, ultra-trace, isotope, and surface analysis, 1

Ion formation

Secondary ion emission from keV energy atomic and polyatomic projectile impacts on sodium iodate, 149

Ionization energies

Electron impact ionization energies, 237

Ion mobility

Comparison of high-field ion mobility obtained from drift tubes and a FAIMS apparatus, 123

Separation of protein conformers using electrospray-high field asymmetric waveform ion mobility spectrometry-mass spectrometry, 163

Ion-molecule reactions

Intermolecular proton transfer from visible laser light-excited indene radical cations to reference bases in the gas phase, 211

Some reactions and thermochemistry of NbO_3^- : oxidation and reduction, hydrogen bond strength, and catalytic activation of primary alcohols, 95

Ion optics

Perfect space and time focusing ion optics for multitransit time of flight mass spectrometers, 179

Isotope analysis

Inorganic mass spectrometric methods for trace, ultra-trace, isotope, and surface analysis, 1

Isotope measurements

Comment on: "Natural variations detected in the isotopic composition of copper: possible applications to archaeology and geochemistry," 279

Precise Os isotope ratio and Re-Os isotope dilution measurements down to the picogram level using multi-collector inductively coupled plasma mass spectrometry, 85

Isotopic composition

Thermal ionization mass spectrometry of molybdenum isotopes, 253

Kinetics

Computational and experimental studies of chemical ionization mass spectrometric detection techniques for atmospherically relevant peroxides, 219

Light-induced proton transfer

Intermolecular proton transfer from visible laser light-excited indene radical cations to reference bases in the gas phase, 211

Mass spectrometry

Erratum to "A comparison of three mass spectrometric methods for the determination of dioxins/furans," 281

Generation and characterization of ionic and neutral dihydroxy boron $\text{B}(\text{OH})_2^+/\text{O}$ in the gas phase, 105

The preparation of two synthetic isotope mixtures for the calibration of isotope amount ratio measurements of sulfur, 131

Thermal ionization mass spectrometry of molybdenum isotopes, 253

Metal oxide anions

Some reactions and thermochemistry of NbO_3^- : oxidation and reduction, hydrogen bond strength, and catalytic activation of primary alcohols, 95

- Molecules
Theoretical determination of absolute electron-impact ionization cross sections of molecules, 37
- Molybdenites
Thermal ionization mass spectrometry of molybdenum isotopes, 253
- Molybdenum
Thermal ionization mass spectrometry of molybdenum isotopes, 253
- Multicollector inductively coupled plasma mass spectrometry (MC-ICP-MS)
Precise Os isotope ratio and Re-Os isotope dilution measurements down to the picogram level using multicollector inductively coupled plasma mass spectrometry, 85
- Multiturn
Perfect space and time focusing ion optics for multiturn time of flight mass spectrometers, 179
- Nonlinear traps
Frequency perturbation in nonlinear Paul traps: a simulation study of the effect of geometric aberration, space charge, dipolar excitation, and damping on ion axial secular frequency, 263
- Peak shape
Peak structure with a quadrupole mass filter operated in the third stability region, 113
- Peak structure
Peak structure with a quadrupole mass filter operated in the third stability region, 113
- Perfect focusing
Perfect space and time focusing ion optics for multiturn time of flight mass spectrometers, 179
- Peroxides
Computational and experimental studies of chemical ionization mass spectrometric detection techniques for atmospherically relevant peroxides, 219
- Perturbed secular frequency
Frequency perturbation in nonlinear Paul traps: a simulation study of the effect of geometric aberration, space charge, dipolar excitation, and damping on ion axial secular frequency, 263
- Photoelectron spectroscopy
Electron impact ionization energies, 237
- Photofragmentation
Single photon and femtosecond multiphoton ionisation of the dipeptide valyl-valine, 197
- Photoionisation
Single photon and femtosecond multiphoton ionisation of the dipeptide valyl-valine, 197
- Plasma source mass spectrometry
High precision measurement of iron isotopes by plasma source mass spectrometry, 191
- Polyatomic primary ions
Secondary ion emission from keV energy atomic and polyatomic projectile impacts on sodium iodate, 149
- Protein conformation
Separation of protein conformers using electrospray-high field asymmetric waveform ion mobility spectrometry-mass spectrometry, 163
- Pulsed discharge
Generation of metal-ligand cluster ion beams through pulsed discharge ionization and ablation, 71
- Quadrupole ion trap
Influence of metal ion and coordination geometry on the gas phase dissociation and stereochemical differentiation of N-glycosides, 139
- Quadrupole mass filter
Peak structure with a quadrupole mass filter operated in the third stability region, 113
- Reaction dynamics
Direct ab initio dynamics study of the photoelectron detachment processes of the H_3O^- anion, 243
- Re-Os
Precise Os isotope ratio and Re-Os isotope dilution measurements down to the picogram level using multicollector inductively coupled plasma mass spectrometry, 85
- Saccharide
Influence of metal ion and coordination geometry on the gas phase dissociation and stereochemical differentiation of N-glycosides, 139
- Secondary ion mass spectrometry
Secondary ion emission from keV energy atomic and polyatomic projectile impacts on sodium iodate, 149
Separation of protein conformers using electrospray-high field asymmetric waveform ion mobility spectrometry-mass spectrometry, 163
- Space charge
Frequency perturbation in nonlinear Paul traps: a simulation study of the effect of geometric aberration, space charge, dipolar excitation, and damping on ion axial secular frequency, 263
- Stable isotopes
High precision measurement of iron isotopes by plasma source mass spectrometry, 191
- Stereochemistry
Influence of metal ion and coordination geometry on the gas phase dissociation and stereochemical differentiation of N-glycosides, 139

Sulfur

The preparation of two synthetic isotope mixtures for the calibration of isotope amount ratio measurements of sulfur, 131

Sulfur hexafluoride

The preparation of two synthetic isotope mixtures for the calibration of isotope amount ratio measurements of sulfur, 131

Surface studies

Inorganic mass spectrometric methods for trace, ultra-trace, isotope, and surface analysis, 1

Synthetic isotope mixtures

The preparation of two synthetic isotope mixtures for the calibration of isotope amount ratio measurements of sulfur, 131

Thermodynamics

Computational and experimental studies of chemical ionization mass spectrometric detection techniques for atmospherically relevant peroxides, 219

Third stability region

Peak structure with a quadrupole mass filter operated in the third stability region, 113

Time-of-flight mass spectrometry (TIMS)

Comment on: "Natural variations detected in the isotopic composition of copper: possible applications to archaeology and geochemistry," 279

Generation of metal-ligand cluster ion beams through pulsed discharge ionization and ablation, 71

Perfect space and time focusing ion optics for multiturn time of flight mass spectrometers, 179

Trace analysis

Inorganic mass spectrometric methods for trace, ultra-trace, isotope, and surface analysis, 1

Transition metal

Influence of metal ion and coordination geometry on the gas phase dissociation and stereochemical differentiation of N-glycosides, 139

Two-photon dissociation

Intermolecular proton transfer from visible laser light-excited indene radical cations to reference bases in the gas phase, 211

Ubiquitin

Separation of protein conformers using electrospray-high field asymmetric waveform ion mobility spectrometry-mass spectrometry, 163

Vacuum ultraviolet

Single photon and femtosecond multiphoton ionisation of the dipeptide valyl-valine, 197

Yield enhancements

Secondary ion emission from keV energy atomic and polyatomic projectile impacts on sodium iodate, 149