



ELSEVIER

International Journal of Mass Spectrometry 202 (2000) 385–389



Subject Index

Acetaldehyde

“Proton-transport” catalysis in the gas phase. Keto-enol isomerization of ionized acetaldehyde, 161

Actinides

Reactions of actinide ions with pentamethylcyclopentadiene: atypical hydrocarbon activation, 19

Alkali halides

Mass spectrometric study of the molecular and ionic sublimation of cesium iodide single crystals, 121

Alkali metal target

A new technique to study the dissociation of energy-selected neutral intermediates, A1

Americium

Reactions of actinide ions with pentamethylcyclopentadiene: atypical hydrocarbon activation, 19

Analyses

Measurement of lithium isotopic ratios as lithium tetraborate ions, 273

Angiotensin ions

Reactions of angiotensin ions with hydroiodic acid, 299

Atomic weight

Gravimetric preparation of synthetic mixtures of platinum isotopes, 9

Auger deexcitation

On the mechanism of ion stimulated desorption of O⁺ from transition-metal surfaces, 199

B3LYP

How does Fe⁺ activate ethylsilane? A theoretical study in comparison with experiments, 363

Borinium ions

Generation and characterization of ionic and neutral (CH₃OBH)^{+/-} and (CH₃BOH)^{+/-} in the gas phase by tandem mass spectrometry, 315

Carborane

Ion/molecule reactions of o-carborane(12) and a method for identifying overlapped isotopic distributions in complex mass spectra, 37

Cesium iodide

Mass spectrometric study of the molecular and ionic sublimation of cesium iodide single crystals, 121

Charge-inversion mass spectrometry

A new technique to study the dissociation of energy-selected neutral intermediates, A1

Charge transfer

Charge transfer from neutral perfluorocarbons to various cations: long-range versus short-range reaction mechanisms, 323

Chemical ionization

Gas phase reactions of CF₃O⁻ and CF₃O⁻·H₂O and their relevance to the detection of stratospheric HCl, 207

Chemical ionization mass spectrometry (CIMS)

Chemical ionization mass spectrometer for long-term measurements of atmospheric OH and H₂SO₄, 91

Cluster fission

Multicollision-induced dissociation of multiply charged gold clusters, Au_n²⁺, n = 7–35, and Au_n³⁺, n = 19–35, 47

Cluster ions

Secondary cluster ion emission from megaelectron volts ion impacts on NaBF₄. 1. Ion decay fractions and dissociation pathways, 111

Collisionally activated dissociation

A low-energy CAD study of the ions MOH(H₂O)⁺ (M = Mn, Co, Ni, Cu, Zn) and [M(H₂O₂)]⁺ (M = Cr, Fe, La, Pr), 251

Collision induced dissociation

Multicollision-induced dissociation of multiply charged gold clusters, Au_n²⁺, n = 7–35, and Au_n²⁺, n = 19–35, 47

Collision-induced dissociation threshold

Ligand binding energy in [(bipy)Rh(P≡CH)]⁺ by collision-induced dissociation threshold measurements, 1

Crystal defects

Mass spectrometric study of the molecular and ionic sublimation of cesium iodide single crystals, 121

C-Si bond activation

How does Fe⁺ activate ethylsilane? A theoretical study in comparison with experiments, 363

Dehydrogenation

Reactions of actinide ions with pentamethylcyclopentadiene: atypical hydrocarbon activation, 19

Density functional theory calculations

Formation, photodissociation, and structure studies of group 14(Si, Ge, Sn, and Pb)/P binary cluster ions, 261

Detector efficiency

- Ion detection efficiency in SIMS: Dependencies on energy, mass and composition for microchannel plates used in mass spectrometry, 217
- Dissociation energies
- Multicollision-induced dissociation of multiply charged gold clusters, Au_n^{2+} , $n = 7-35$, and Au_n^{2+} , $n = 19-35$, 47
- Dynamic mass analyzer
- Mass spectrometer based on conversion of spectra, 139
- Electric pulse generator
- Mass spectrometer based on conversion of spectra, 139
- Electron transfer
- Generation and characterization of ionic and neutral $(\text{CH}_3\text{OBH})^{+/-}$ and $(\text{CH}_3\text{BOH})^{+/-}$ in the gas phase by tandem mass spectrometry, 315
- Electrospray ionization
- A comparison of electrospray versus nanoelectrospray ionization Fourier transform mass spectrometry for the analysis of synthetic poly(dimethylsiloxane)/poly(ethylene glycol) oligomer blends, 241
- Energy resolution
- Mass spectrometer based on conversion of spectra, 139
- Error estimates
- Chemical ionization mass spectrometer for long-term measurements of atmospheric OH and H_2SO_4 , 91
- Ethylsilane
- How does Fe^+ activate ethylsilane? A theoretical study in comparison with experiments, 363
- Flowing afterglow
- A flowing afterglow selected ion flow tube (FA/SIFT) comparison of SIFT injector flanges and $\text{H}_3^+ + \text{N}$ revisited, 351
- FT/ICR-MS
- A comparison of electrospray versus nanoelectrospray ionization Fourier transform mass spectrometry for the analysis of synthetic poly(dimethylsiloxane)/poly(ethylene glycol) oligomer blends, 241
 - Ion/molecule reactions of *o*-carborane(12) and a method for identifying overlapped isotopic distributions in complex mass spectra, 37
 - “Proton-transport” catalysis in the gas phase. Keto-enol isomerization of ionized acetaldehyde, 161
- Gas-phase chemistry
- How does Fe^+ activate ethylsilane? A theoretical study in comparison with experiments, 363
- G2 calculations
- Generation and characterization of ionic and neutral $(\text{CH}_3\text{OBH})^{+/-}$ and $(\text{CH}_3\text{BOH})^{+/-}$ in the gas phase by tandem mass spectrometry, 315
- Gold clusters
- Multicollision-induced dissociation of multiply charged gold clusters, Au_n^{2+} , $n = 7-35$, and Au_n^{2+} , $n = 19-35$, 47
- Group 14/phosphorus cluster ions
- Formation, photodissociation, and structure studies of group 14(Si, Ge, Sn, and Pb)/P binary cluster ions, 261
- H_3^+
- A flowing afterglow selected ion flow tube (FA/SIFT) comparison of SIFT injector flanges and $\text{H}_3^+ + \text{N}$ revisited, 351
- Hexapole
- Electric hexapoles and octopoles with optimized circular section rods, 31
- High pressure mass spectrometry
- On mass discrimination in high-pressure mass spectrometry: potential errors in measurements leading to absolute ion abundances, 147
- H_2SO_4
- Chemical ionization mass spectrometer for long-term measurements of atmospheric OH and H_2SO_4 , 91
- Hydrates
- A low-energy CAD study of the ions $\text{MOH}(\text{H}_2\text{O})^+$ ($M = \text{Mn, Co, Ni, Cu, Zn}$) and $[\text{M}(\text{H}_2\text{O}_2)]^+$ ($M = \text{Cr, Fe, La, Pr}$), 251
- Hydroiodic acid attachment
- Reactions of angiotensin ions with hydroiodic acid, 299
- Hydroxides
- A low-energy CAD study of the ions $\text{MOH}(\text{H}_2\text{O})^+$ ($M = \text{Mn, Co, Ni, Cu, Zn}$) and $[\text{M}(\text{H}_2\text{O}_2)]^+$ ($M = \text{Cr, Fe, La, Pr}$), 251
- Inductively coupled plasma mass spectrometry
- Gravimetric preparation of synthetic mixtures of platinum isotopes, 9
 - Isotope ratio measurements of magnesium and determination of magnesium concentration by reverse isotope dilution technique on small amounts of ^{26}Mg -spiked nutrient solutions with inductively coupled plasma mass spectrometry, 231
- Ion
- Electron impact ionization and ion chemistry in trimethylaluminum and in trimethylgallium, 345
- Ion detection
- Ion detection efficiency in SIMS: Dependencies on energy, mass and composition for microchannel plates used in mass spectrometry, 217
- Ion energy distribution
- Peak shape for a quadrupole mass spectrometer: comparison of computer simulation and experiment, 81
- Ionization
- Electron impact ionization and ion chemistry in trimethylaluminum and in trimethylgallium, 345
- Ion/molecule reactions

- Gas phase reactions of CF_3O^- and $\text{CF}_3\text{O}^-\cdot\text{H}_2\text{O}$ and their relevance to the detection of stratospheric HCl, 207
- Ion/molecule reactions of o-carborane(12) and a method for identifying overlapped isotopic distributions in complex mass spectra, 37
- Ion-Neutral correlations**
- Secondary cluster ion emission from megaelectron volts ion impacts on NaBF_4 . 1. Ion decay fractions and dissociation pathways, 111
- Ion optics**
- Electric hexapoles and octopoles with optimized circular section rods, 31
- Ion sampling**
- On mass discrimination in high-pressure mass spectrometry: potential errors in measurements leading to absolute ion abundances, 147
- Ion source converter**
- Mass spectrometer based on conversion of spectra, 139
- Ion tomography**
- Theory of dipolar dc excitation and dc tomography in the rf quadrupole ion trap, 175
- Ion trajectory calculations**
- Peak shape for a quadrupole mass spectrometer: comparison of computer simulation and experiment, 81
- Isotope ratio measurements**
- Isotope ratio measurements of magnesium and determination of magnesium concentration by reverse isotope dilution technique on small amounts of ^{26}Mg -spiked nutrient solutions with inductively coupled plasma mass spectrometry, 231
- Laser ablation inductively coupled plasma mass spectrometry for the trace, ultratrace and isotope analysis of long-lived radionuclides in solid samples, 283
- Isotopic abundance sensitivity**
- Peak shape for a quadrupole mass spectrometer: comparison of computer simulation and experiment, 81
- Isotopic reference material**
- Gravimetric preparation of synthetic mixtures of platinum isotopes, 9
- Keto-enol isomerization**
- “Proton-transport” catalysis in the gas phase. Keto-enol isomerization of ionized acetaldehyde, 161
- Kinetics**
- Electron impact ionization and ion chemistry in trimethylaluminum and in trimethylgallium, 345
- Laser ablation**
- Formation, photodissociation, and structure studies of group 14(Si, Ge, Sn, and Pb)/P binary cluster ions, 261
- Laser ablation inductively coupled plasma mass spectrometry
- Laser ablation inductively coupled plasma mass spectrometry for the trace, ultratrace and isotope analysis of long-lived radionuclides in solid samples, 283
- Ligand binding energy**
- Ligand binding energy in $[(\text{bipy})\text{Rh}(\text{P}\equiv\text{CH})]^+$ by collision-induced dissociation threshold measurements, 1
- Lithium**
- Measurement of lithium isotopic ratios as lithium tetraborate ions, 273
- Lithium tetraborate**
- Measurement of lithium isotopic ratios as lithium tetraborate ions, 273
- Long-lived radionuclides**
- Laser ablation inductively coupled plasma mass spectrometry for the trace, ultratrace and isotope analysis of long-lived radionuclides in solid samples, 283
- Long-term atmospheric measurements**
- Chemical ionization mass spectrometer for long-term measurements of atmospheric OH and H_2SO_4 , 91
- Low energy ion scattering**
- On the mechanism of ion stimulated desorption of O^+ from transition-metal surfaces, 199
- Magnesium**
- Isotope ratio measurements of magnesium and determination of magnesium concentration by reverse isotope dilution technique on small amounts of ^{26}Mg -spiked nutrient solutions with inductively coupled plasma mass spectrometry, 231
- Mass discrimination**
- On mass discrimination in high-pressure mass spectrometry: potential errors in measurements leading to absolute ion abundances, 147
- Mass resolution**
- Mass spectrometer based on conversion of spectra, 139
- Mass spectrometry**
- Generation and characterization of ionic and neutral $(\text{CH}_3\text{OBH})^{+/-}$ and $(\text{CH}_3\text{BOH})^{+/-}$ in the gas phase by tandem mass spectrometry, 315
- Mass spectrometric study of the molecular and ionic sublimation of cesium iodide single crystals, 121
- Oxide ion formation of long-lived radionuclides in double-focusing sector field inductively coupled plasma mass spectrometry and their analytical applications, 69
- Mathieu equation**
- Theory of dipolar dc excitation and dc tomography in the rf quadrupole ion trap, 175
- Metal complexes**
- A low-energy CAD study of the ions $\text{MOH}(\text{H}_2\text{O})^+$ ($\text{M} = \text{Mn, Co, Ni, Cu, Zn}$) and $[\text{M}(\text{H}_2\text{O}_2)]^+$ ($\text{M} = \text{Cr, Fe, La, Pr}$), 251
- Metastable dissociation**

- Secondary cluster ion emission from megaelectron volts ion impacts on NaBF_4 . 1. Ion decay fractions and dissociation pathways, 111
- Microchannel plate
Ion detection efficiency in SIMS: Dependencies on energy, mass and composition for microchannel plates used in mass spectrometry, 217
- Multiply charged clusters
Multicollision-induced dissociation of multiply charged gold clusters, Au_n^{2+} , $n = 7-35$, and Au_n^{2+} , $n = 19-35$, 47
- Nanospray
A comparison of electrospray versus nanoelectrospray ionization Fourier transform mass spectrometry for the analysis of synthetic poly(dimethylsiloxane)/poly(ethylene glycol) oligomer blends, 241
- N atoms
A flowing afterglow selected ion flow tube (FA/SIFT) comparison of SIFT injector flanges and $\text{H}_3^+ + \text{N}$ revisited, 351
- Near-resonant electron transfer
A new technique to study the dissociation of energy-selected neutral intermediates, A1
- Neutral intermediate
A new technique to study the dissociation of energy-selected neutral intermediates, A1
- Octopole
Electric hexapoles and octopoles with optimized circular section rods, 31
- OH radical
Chemical ionization mass spectrometer for long-term measurements of atmospheric OH and H_2SO_4 , 91
- Oxide ions
Oxide ion formation of long-lived radionuclides in double-focusing sector field inductively coupled plasma mass spectrometry and their analytical applications, 69
- Oxides
A low-energy CAD study of the ions $\text{MOH}(\text{H}_2\text{O})^+$ ($M = \text{Mn, Co, Ni, Cu, Zn}$) and $[\text{M}(\text{H}_2\text{O}_2)]^+$ ($M = \text{Cr, Fe, La, Pr}$), 251
- Partially deuterated methanol
A new technique to study the dissociation of energy-selected neutral intermediates, A1
- Peak shape
Peak shape for a quadrupole mass spectrometer: comparison of computer simulation and experiment, 81
- Pentamethylcyclopentadiene
Reactions of actinide ions with pentamethylcyclopentadiene: atypical hydrocarbon activation, 19
- Perfluorocarbons
Charge transfer from neutral perfluorocarbons to various cations: long-range versus short-range reaction mechanisms, 323
- Phosphaalkyne
Ligand binding energy in $[(\text{bipy})\text{Rh}(\text{P}\equiv\text{CH})]^+$ by collision-induced dissociation threshold measurements, 1
- Photodissociation
Formation, photodissociation, and structure studies of group 14(Si, Ge, Sn, and Pb)/P binary cluster ions, 261
- Photo dissociation and photodetachment
Formation and photophysics of the van der Waals complex ions $[(\text{NO})_x(\text{N}_2\text{O}_3)_y(\text{FB})_z]^\pm$, 55
- Plasma desorption
Secondary cluster ion emission from megaelectron volts ion impacts on NaBF_4 . 1. Ion decay fractions and dissociation pathways, 111
- Platinum
Gravimetric preparation of synthetic mixtures of platinum isotopes, 9
- Polymers
A comparison of electrospray versus nanoelectrospray ionization Fourier transform mass spectrometry for the analysis of synthetic poly(dimethylsiloxane)/poly(ethylene glycol) oligomer blends, 241
- Potential distribution
Electric hexapoles and octopoles with optimized circular section rods, 31
‘Proton-transport’ catalysis
‘Proton-transport’ catalysis in the gas phase. Keto-enol isomerization of ionized acetaldehyde, 161
- Quadrupole
Electric hexapoles and octopoles with optimized circular section rods, 31
- Quadrupole ion trap
Reactions of angiotensin ions with hydroiodic acid, 299
Theory of dipolar dc excitation and dc tomography in the rf quadrupole ion trap, 175
- Quadrupole mass filter
Peak shape for a quadrupole mass spectrometer: comparison of computer simulation and experiment, 81
- Radionuclides
Oxide ion formation of long-lived radionuclides in double-focusing sector field inductively coupled plasma mass spectrometry and their analytical applications, 69
- Resonance neutralization
On the mechanism of ion stimulated desorption of O^+ from transition-metal surfaces, 199
- Rhodium complexes
Ligand binding energy in $[(\text{bipy})\text{Rh}(\text{P}\equiv\text{CH})]^+$ by collision-induced dissociation threshold measurements, 1

- Secondary ion mass spectrometry
On the mechanism of ion stimulated desorption of O^+ from transition-metal surfaces, 199
- Selected ion flow tube (SIFT)
Charge transfer from neutral perfluorocarbons to various cations: long-range versus short-range reaction mechanisms, 323
A flowing afterglow selected ion flow tube (FA/SIFT) comparison of SIFT injector flanges and $H_3^+ + N$ revisited, 351
- Si-H bond activation
How does Fe^+ activate ethylsilane? A theoretical study in comparison with experiments, 363
- Simulation
Theory of dipolar dc excitation and dc tomography in the rf quadrupole ion trap, 175
- Single crystal
Mass spectrometric study of the molecular and ionic sublimation of cesium iodide single crystals, 121
- Spectral deconvolution
Ion/molecule reactions of o-carborane(12) and a method for identifying overlapped isotopic distributions in complex mass spectra, 37
- Static secondary ion mass spectrometry
Ion detection efficiency in SIMS: Dependencies on energy, mass and composition for microchannel plates used in mass spectrometry, 217
- Stationary afterglow
On mass discrimination in high-pressure mass spectrometry: potential errors in measurements leading to absolute ion abundances, 147
- Stimulated desorption
On the mechanism of ion stimulated desorption of O^+ from transition-metal surfaces, 199
- Stratospheric trace constituents
Gas phase reactions of CF_3O^- and $CF_3O^- \cdot H_2O$ and their relevance to the detection of stratospheric HCl, 207
- Sublimation
Mass spectrometric study of the molecular and ionic sublimation of cesium iodide single crystals, 121
- Synthetic isotope mixtures
Gravimetric preparation of synthetic mixtures of platinum isotopes, 9
- System performance
Chemical ionization mass spectrometer for long-term measurements of atmospheric OH and H_2SO_4 , 91
- Thermionic emission
Mass spectrometric study of the molecular and ionic sublimation of cesium iodide single crystals, 121
- Time-of-flight mass spectrometry
Formation, photodissociation, and structure studies of group 14(Si, Ge, Sn, and Pb)/P binary cluster ions, 261
Formation and photophysics of the van der Waals complex ions $[(NO)_x(N_2O_3)_y(FB)_z]^+$, 55
Ion detection efficiency in SIMS: Dependencies on energy, mass and composition for microchannel plates used in mass spectrometry, 217
Secondary cluster ion emission from megaelectron volts ion impacts on $NaBF_4$. 1. Ion decay fractions and dissociation pathways, 111
- TPEPICO
Charge transfer from neutral perfluorocarbons to various cations: long-range versus short-range reaction mechanisms, 323
- Trace analysis
Isotope ratio measurements of magnesium and determination of magnesium concentration by reverse isotope dilution technique on small amounts of ^{26}Mg -spiked nutrient solutions with inductively coupled plasma mass spectrometry, 231
Laser ablation inductively coupled plasma mass spectrometry for the trace, ultratrace and isotope analysis of long-lived radionuclides in solid samples, 283
- Transition-metal surfaces
On the mechanism of ion stimulated desorption of O^+ from transition-metal surfaces, 199
- Translational excitation
Theory of dipolar dc excitation and dc tomography in the rf quadrupole ion trap, 175
- Transuranics
Reactions of actinide ions with pentamethylcyclopentadiene: atypical hydrocarbon activation, 19
- Trimethylaluminum
Electron impact ionization and ion chemistry in trimethylaluminum and in trimethylgallium, 345
- Trimethylgallium
Electron impact ionization and ion chemistry in trimethylaluminum and in trimethylgallium, 345
- van der Waals complex
Formation and photophysics of the van der Waals complex ions $[(NO)_x(N_2O_3)_y(FB)_z]^+$, 55
- Vaporization
Mass spectrometric study of the molecular and ionic sublimation of cesium iodide single crystals, 121
- Venturi injector
A flowing afterglow selected ion flow tube (FA/SIFT) comparison of SIFT injector flanges and $H_3^+ + N$ revisited, 351