




ELSEVIER

International Journal of Mass Spectrometry 213 (2002) 253-256



www.elsevier.com/locate/ijms

Subject index

Ablation

Delayed extraction experiments using a repulsive potential before ion extraction: Evidence of clusters as ion precursors in UV-MALDI Part I: Dynamical effects with the matrix 2,5-dihydroxybenzoic acid, 203

Aldehydes

A selected ion flow tube study of the reactions of H_3O^+ , NO^+ , and O_2^+ with saturated and unsaturated aldehydes and subsequent hydration of the product ions, 163

Alkylbenzene ions

Half a century of scrambling in organic ions: complete, incomplete, progressive and composite atom interchange, 101

APIMS

Evaluation of micro-electrospray ionization with ion mobility spectrometry/mass spectrometry, 191

Atmospheric speciated measurements

Atmospheric peroxy radicals: ROXMAS, a new mass spectrometric methodology for speciated measurements of HO_2 and ΣRO_2 and first results, 91

Carbon scrambling

Half a century of scrambling in organic ions: complete, incomplete, progressive and composite atom interchange, 101

Carbon surfaces

Energy partitioning in collisions of slow polyatomic ions with carbon surfaces, 145

Charge-directed cleavage

Triply charged bradykinin and gramicidin radical cations: their formation and the selective enhancement of charge-directed cleavage processes, 225

Charge transfer

A selected ion flow tube study of the reactions of H_3O^+ , NO^+ , and O_2^+ with saturated and unsaturated aldehydes and subsequent hydration of the product ions, 163

Chemical flow reactor

Atmospheric peroxy radicals: ROXMAS, a new mass spectrometric methodology for speciated measurements of HO_2 and ΣRO_2 and first results, 91

Chemical ionisation mass spectrometry

A selected ion flow tube study of the reactions of H_3O^+ , NO^+ , and O_2^+ with saturated and unsaturated aldehydes and subsequent hydration of the product ions, 163

Chemical ionization mass spectrometry (CIMS)

Atmospheric peroxy radicals: ROXMAS, a new mass spectrometric methodology for speciated measurements of HO_2 and ΣRO_2 and first results, 91

Clusters

Calculation to determine the mass of daughter ions in metastable decay, 81

Collision cross sections

Drift time mass spectrometric protein hydration experiments, 9

Confinement

Effect of magnetic field on the confinement of ions in a three dimensional radio frequency quadrupole trap, 177

Cross sections

Calculated electron impact cross sections for the K-shell ionization of Fe, Co, Mn, Ti, Zn, Nb, and Mo atoms using the DM formalism, 5

Daughter

Calculation to determine the mass of daughter ions in metastable decay, 81

Dianions

Photoinduced dissociation of anionic and electron detachment of dianionic gold clusters by use of a laser pointer, 157

Dimers

Hydrogen/deuterium exchange of monomers and dimers of leucine enkephalin, 1

Electron affinity

Electron affinity of some trimetallic nitride and conventional metallofullerenes, 183

Electron ionization

Calculated electron impact cross sections for the K-shell ionization of Fe, Co, Mn, Ti, Zn, Nb, and Mo atoms using the DM formalism, 5

Electron stripping

Triply charged bradykinin and gramicidin radical cations: their formation and the selective enhancement of charge-directed cleavage processes, 225

- Electrospray ionization
Drift time mass spectrometric protein hydration experiments, 9
Hydrogen/deuterium exchange of monomers and dimers of leucine enkephalin, 1
- Electrospray Ionization (ESI)
Evaluation of micro-electrospray ionization with ion mobility spectrometry/mass spectrometry, 191
- Endohedral fullerenes
Electron affinity of some trimetallic nitride and conventional metallofullerenes, 183
- Energy partitioning
Energy partitioning in collisions of slow polyatomic ions with carbon surfaces, 145
- Fast flow
Hydrogen/deuterium exchange of monomers and dimers of leucine enkephalin, 1
- Fourier transform ion cyclotron resonance mass spectrometer (FT ICR MS)
The gas-phase sodium basicities of common matrix-assisted laser desorption/ionization matrices, 237
- Fragment kinetic energy
Surface induced dissociation of chromium hexacarbonyl on fluorinated alkanethiolate surface in ion cyclotron resonance mass spectrometer: studies of energetics of the process using recursive internal energy distribution search method, 25
- Gas-phase sodium basicities (GNAB)
The gas-phase sodium basicities of common matrix-assisted laser desorption/ionization matrices, 237
- GLY-HIS-LYS
Evaluation of micro-electrospray ionization with ion mobility spectrometry/mass spectrometry, 191
- H/D exchange
Hydrogen/deuterium exchange of monomers and dimers of leucine enkephalin, 1
- High-energy collisions
Triply charged bradykinin and gramicidin radical cations: their formation and the selective enhancement of charge-directed cleavage processes, 225
- HO₂ radical
Atmospheric peroxy radicals: ROXMAS, a new mass spectrometric methodology for speciated measurements of HO₂ and ΣRO₂ and first results, 91
- Hydride ion transfer
A selected ion flow tube study of the reactions of H₃O⁺, NO⁺, and O₂⁺ with saturated and unsaturated aldehydes and subsequent hydration of the product ions, 163
- Hydrogen exchange, intramolecular
Half a century of scrambling in organic ions: complete, incomplete, progressive and composite atom interchange, 101
- Hydrogen scrambling
Half a century of scrambling in organic ions: complete, incomplete, progressive and composite atom interchange, 101
- ICPMS
Isotopes and concentrations of Zn in human blood and serum by ICP-MS, 217
- Impulsional potential
Effect of magnetic field on the confinement of ions in a three dimensional radio frequency quadrupole trap, 177
- IMS resolution
Evaluation of micro-electrospray ionization with ion mobility spectrometry/mass spectrometry, 191
- Interfering ions
Isotopes and concentrations of Zn in human blood and serum by ICP-MS, 217
- Internal energy deposition
Surface induced dissociation of chromium hexacarbonyl on fluorinated alkanethiolate surface in ion cyclotron resonance mass spectrometer: studies of energetics of the process using recursive internal energy distribution search method, 25
- Intramolecular
Half a century of scrambling in organic ions: complete, incomplete, progressive and composite atom interchange, 101
- Ion cyclotron resonance
Surface induced dissociation of chromium hexacarbonyl on fluorinated alkanethiolate surface in ion cyclotron resonance mass spectrometer: studies of energetics of the process using recursive internal energy distribution search method, 25
- Ion emission mechanisms
High temperature chemistry of molten glass ion emitters, 63
- Ion formation
Delayed extraction experiments using a repulsive potential before ion extraction: Evidence of clusters as ion precursors in UV-MALDI Part I: Dynamical effects with the matrix 2,5-dihydroxybenzoic acid, 203
- Ion mobility
Drift time mass spectrometric protein hydration experiments, 9
- Ion mobility spectrometry (IMS)
Evaluation of micro-electrospray ionization with ion mobility spectrometry/mass spectrometry, 191
- Ion-molecular equilibria
Electron affinity of some trimetallic nitride and conventional metallofullerenes, 183

- Ions
Effect of magnetic field on the confinement of ions in a three dimensional radio frequency quadrupole trap, 177
- Ion-surface collisions
Energy partitioning in collisions of slow polyatomic ions with carbon surfaces, 145
- Isotope ratios
High temperature chemistry of molten glass ion emitters, 63
- Kinetic energy measurements
Simulation of ion beam and optimization of orthogonal tandem ion trap/reflector time-of-flight mass spectrometry, 45
- Knudsen cell mass spectrometry
Electron affinity of some trimetallic nitride and conventional metallofullerenes, 183
- K-shell ionization
Calculated electron impact cross sections for the K-shell ionization of Fe, Co, Mn, Ti, Zn, Nb, and Mo atoms using the DM formalism, 5
- Leucine enkephalin
Hydrogen/deuterium exchange of monomers and dimers of leucine enkephalin, 1
- Magnetic field
Effect of magnetic field on the confinement of ions in a three dimensional radio frequency quadrupole trap, 177
- MALDI
Delayed extraction experiments using a repulsive potential before ion extraction: Evidence of clusters as ion precursors in UV-MALDI Part I: Dynamical effects with the matrix 2,5-dihydroxybenzoic acid, 203
- Mass
Calculation to determine the mass of daughter ions in metastable decay, 81
- Matrix-assisted laser desorption/ionization (MALDI)
The gas-phase sodium basicities of common matrix-assisted laser desorption/ionization matrices, 237
- Mechanisms
Delayed extraction experiments using a repulsive potential before ion extraction: Evidence of clusters as ion precursors in UV-MALDI Part I: Dynamical effects with the matrix 2,5-dihydroxybenzoic acid, 203
- Metal atoms
Calculated electron impact cross sections for the K-shell ionization of Fe, Co, Mn, Ti, Zn, Nb, and Mo atoms using the DM formalism, 5
- Metal clusters
Photoinduced dissociation of anionic and electron detachment of dianionic gold clusters by use of a laser pointer, 157
- Metastable decay
Calculation to determine the mass of daughter ions in metastable decay, 81
- Micro-electrospray
Evaluation of micro-electrospray ionization with ion mobility spectrometry/mass spectrometry, 191
- Molten glass
High temperature chemistry of molten glass ion emitters, 63
- Orthogonal coupling
Simulation of ion beam and optimization of orthogonal tandem ion trap/reflector time-of-flight mass spectrometry, 45
- Penning trap
Photoinduced dissociation of anionic and electron detachment of dianionic gold clusters by use of a laser pointer, 157
- Peptide radical cations
Triply charged bradykinin and gramicidin radical cations: their formation and the selective enhancement of charge-directed cleavage processes, 225
- Phosphor-organic ions
Half a century of scrambling in organic ions: complete, incomplete, progressive and composite atom interchange, 101
- Photodetachment
Photoinduced dissociation of anionic and electron detachment of dianionic gold clusters by use of a laser pointer, 157
- Photodissociation
Photoinduced dissociation of anionic and electron detachment of dianionic gold clusters by use of a laser pointer, 157
- Polyatomic ions
Energy partitioning in collisions of slow polyatomic ions with carbon surfaces, 145
- Protein hydration
Drift time mass spectrometric protein hydration experiments, 9
- Proton exchange
Half a century of scrambling in organic ions: complete, incomplete, progressive and composite atom interchange, 101
- Proton transfer
Half a century of scrambling in organic ions: complete, incomplete, progressive and composite atom interchange, 101

- A selected ion flow tube study of the reactions of H_3O^+ , NO^+ , and O_2^+ with saturated and unsaturated aldehydes and subsequent hydration of the product ions, 163
- Quadrupole ion trap
Simulation of ion beam and optimization of orthogonal tandem ion trap/reflector time-of-flight mass spectrometry, 45
- Quadrupole rf trap
Effect of magnetic field on the confinement of ions in a three dimensional radio frequency quadrupole trap, 177
- Reflectron
Calculation to determine the mass of daughter ions in metastable decay, 81
- RO_2 radical
Atmospheric peroxy radicals: ROXMAS, a new mass spectrometric methodology for speciated measurements of HO_2 and ΣRO_2 and first results, 91
- ROXMAS
Atmospheric peroxy radicals: ROXMAS, a new mass spectrometric methodology for speciated measurements of HO_2 and ΣRO_2 and first results, 91
- Self-assembled monolayers
Surface induced dissociation of chromium hexacarbonyl on fluorinated alkanethiolate surface in ion cyclotron resonance mass spectrometer: studies of energetics of the process using recursive internal energy distribution search method, 25
- Sequencing
Triply charged bradykinin and gramicidin radical cations: their formation and the selective enhancement of charge-directed cleavage processes, 225
- SIFT
A selected ion flow tube study of the reactions of H_3O^+ , NO^+ , and O_2^+ with saturated and unsaturated aldehydes and subsequent hydration of the product ions, 163
- Silica gel
High temperature chemistry of molten glass ion emitters, 63
- Skeletal rearrangements
Half a century of scrambling in organic ions: complete, incomplete, progressive and composite atom interchange, 101
- Surface induced dissociation
Surface induced dissociation of chromium hexacarbonyl on fluorinated alkanethiolate surface in ion cyclotron resonance mass spectrometer: studies of energetics of the process using recursive internal energy distribution search method, 25
- Thermal ionization
High temperature chemistry of molten glass ion emitters, 63
- Time-of-flight
Simulation of ion beam and optimization of orthogonal tandem ion trap/reflector time-of-flight mass spectrometry, 45
- Time-of-flight mass-spectrometer
Calculation to determine the mass of daughter ions in metastable decay, 81
- Time-of-flight mass spectrometry
Delayed extraction experiments using a repulsive potential before ion extraction: Evidence of clusters as ion precursors in UV-MALDI Part I: Dynamical effects with the matrix 2,5-dihydroxybenzoic acid, 203
- Zn isotopes
Isotopes and concentrations of Zn in human blood and serum by ICP-MS, 217