




ELSEVIER

International Journal of Mass Spectrometry 214 (2002) 399–402



www.elsevier.com/locate/ijms

Subject Index

- Ab initio**
Methane elimination from ionized 1-butene, 315
- Ab initio quantum chemistry**
Gas phase nucleophilic substitution, 277
- Actinides**
Gas-phase chemistry of actinide ions: probing the distinctive character of the 5f elements, 1
- Alkane elimination**
Methane elimination from ionized 1-butene, 315
- Aluminium**
Energy distributions of secondary ions sputtered from aluminium and magnesium by Ne^+ , Ar^+ and O_2^+ : a comprehensive study, 327
- Audio-frequency**
Calibration of an audio-frequency ion trap mass spectrometer, 63
- Binding energy**
The binding energies of small Ar, CO and N_2 cluster ions, 175
- Biomolecules**
Coincidence studies of O_2^- , O^- and electron formation in electron-stripping of cationic biomolecules by molecular oxygen, 57
- B3LYP calculations**
Dissociation behavior of ionized valeramide. Part II. Theoretical exploration of the potential-energy surface, 129
- Bond dissociation energies**
Scandium ionization mechanisms in $\text{H}_2\text{-O}_2\text{-N}_2$ flames supported by calculated thermodynamic data, 339
- Calixarenes**
Gas-phase interactions of calixarene- and resorcinarene-cavitands with molecular guests studied by mass spectrometry, 23
- Cation radicals**
Dissociation behavior of ionized valeramide. Part II. Theoretical exploration of the potential-energy surface, 129
Dissociation behavior of ionized valeramide. Part III. An unprecedented temperature effect on the C_3/C_2 branching ratio and its implications for metastable ion dissociations, 155
- Cavitands**
Gas-phase interactions of calixarene- and resorcinarene-cavitands with molecular guests studied by mass spectrometry, 23
- C–H bond activation**
Dissociation behavior of ionized valeramide. Part I. Experimental studies, 105
Dissociation behavior of ionized valeramide. Part II. Theoretical exploration of the potential-energy surface, 129
- C_4H_8^+**
Methane elimination from ionized 1-butene, 315
- Chemical kinetics**
Chemical kinetics of scandium ionization in $\text{H}_2\text{-O}_2\text{-N}_2$ flames, 349
- Chemi-ionization**
Scandium ionization mechanisms in $\text{H}_2\text{-O}_2\text{-N}_2$ flames supported by calculated thermodynamic data, 339
- Cluster**
The binding energies of small Ar, CO and N_2 cluster ions, 175
- Coincidence spectra**
Dissociation behavior of ionized valeramide. Part I. Experimental studies, 105
- Coincidence studies**
Coincidence studies of O_2^- , O^- and electron formation in electron-stripping of cationic biomolecules by molecular oxygen, 57
- Cross-sections**
Calculated absolute electron impact ionization cross-section for the molecules CF_3X ($\text{X} = \text{H}, \text{Br}, \text{I}$), 53
Absolute total and partial electron ionization cross sections of C_2F_6 , 365
- Dendrimer conformation**
Poly(propylene imine) dendrimer conformations in the gas phase: a tandem mass spectrometry study, 75
- Density functional calculations**
Density functional calculations on the loss of acetylene from the naphthalene radical cation, 269
- Dissociation ionization**
The binding energies of small Ar, CO and N_2 cluster ions, 175
- Dissociation of the naphthalene radical cation**
Density functional calculations on the loss of acetylene from the naphthalene radical cation, 269
- Distonic ions**
Dissociation behavior of ionized valeramide. Part I. Experimental studies, 105

- Disulfide-bond structure
The use of multiple ion chromatograms in on-line HPLC-MS for the characterization of post-translational and chemical modifications of proteins, 37
- Double cationization
Single and double cationization of organic molecules in SIMS, 213
- Effluents analysis
Characterization of methyl orange and its photocatalytic degradation products by HPLC/UV-VIS diode array and atmospheric pressure ionization quadrupole ion trap mass spectrometry, 247
- Electron impact ionization
Calculated absolute electron impact ionization cross-section for the molecules CF_3X ($\text{X} = \text{H}, \text{Br}, \text{I}$), 53
- Electron ionization
Absolute total and partial electron ionization cross sections of C_2F_6 , 365
- Electronic structure
Single and double cationization of organic molecules in SIMS, 213
- Electron-stripping
Coincidence studies of O_2^- , O^- and electron formation in electron-stripping of cationic biomolecules by molecular oxygen, 57
- Energy distribution
Energy distributions of secondary ions sputtered from aluminium and magnesium by Ne^+ , Ar^+ and O_2^+ : a comprehensive study, 327
- 5f Elements
Gas-phase chemistry of actinide ions: probing the distinctive character of the 5f elements, 1
- FAIMS
Application of mobility theory to the interpretation of data generated by linear and RF excited ion mobility spectrometers, 95
- Flame ionization
Scandium ionization mechanisms in $\text{H}_2\text{-O}_2\text{-N}_2$ flames supported by calculated thermodynamic data, 339
Chemical kinetics of scandium ionization in $\text{H}_2\text{-O}_2\text{-N}_2$ flames, 349
- Folding
Poly(propylene imine) dendrimer conformations in the gas phase: a tandem mass spectrometry study, 75
- FT/ICR-MS
 $\text{Ga}_{19}(\text{C}(\text{SiMe}_3)_3)_6^-$ as a precursor for pure and silicon-doped gallium clusters: a mass spectrometric study of a Ga_{13}^- and a $\text{Ga}_{12}\text{Si}^-$ anion, 383
- Gallium cluster
 $\text{Ga}_{19}(\text{C}(\text{SiMe}_3)_3)_6^-$ as a precursor for pure and silicon-doped gallium clusters: a mass spectrometric study of a Ga_{13}^- and a $\text{Ga}_{12}\text{Si}^-$ anion, 383
- Gas isotope mass spectrometry
A method to induce and assess isotopic equilibrium of oxygen, 233
- Gas phase
Chemical kinetics of scandium ionization in $\text{H}_2\text{-O}_2\text{-N}_2$ flames, 349
- Gas-phase ion chemistry
Gas-phase interactions of calixarene- and resorcinarene-cavitands with molecular guests studied by mass spectrometry, 23
- N-Glycosylation
The use of multiple ion chromatograms in on-line HPLC-MS for the characterization of post-translational and chemical modifications of proteins, 37
- Gridless
Improved method for designing a cylindrical Zhang-Enke ion mirror, 89
- Hexafluoroethane
Absolute total and partial electron ionization cross sections of C_2F_6 , 365
- High-energy collisions
Coincidence studies of O_2^- , O^- and electron formation in electron-stripping of cationic biomolecules by molecular oxygen, 57
- Host-guest complexes
Gas-phase interactions of calixarene- and resorcinarene-cavitands with molecular guests studied by mass spectrometry, 23
- HPLC/MS
Characterization of methyl orange and its photocatalytic degradation products by HPLC/UV-VIS diode array and atmospheric pressure ionization quadrupole ion trap mass spectrometry, 247
- Ion chemistry
Calculated absolute electron impact ionization cross-section for the molecules CF_3X ($\text{X} = \text{H}, \text{Br}, \text{I}$), 53
- Ion mirror
Improved method for designing a cylindrical Zhang-Enke ion mirror, 89
- Ion mobility spectrometry (IMS)
Application of mobility theory to the interpretation of data generated by linear and RF excited ion mobility spectrometers, 95
- Ion sputtering
Energy distributions of secondary ions sputtered from aluminium and magnesium by Ne^+ , Ar^+ and O_2^+ : a comprehensive study, 327
- Ionization energy
The binding energies of small Ar, CO and N_2 cluster ions, 175
- Ion-neutral complex
Methane elimination from ionized 1-butene, 315
- Isotope amount ratio
A method to induce and assess isotopic equilibrium of oxygen, 233
- Isotopic equilibrium of oxygen
A method to induce and assess isotopic equilibrium of oxygen, 233
- Jellium model
 $\text{Ga}_{19}(\text{C}(\text{SiMe}_3)_3)_6^-$ as a precursor for pure and silicon-doped gallium clusters: a mass spectrometric study of a Ga_{13}^- and a $\text{Ga}_{12}\text{Si}^-$ anion, 383

- Kinetic energy release
The binding energies of small Ar, CO and N₂ cluster ions, 175
- Lanthanides
Gas-phase chemistry of actinide ions: probing the distinctive character of the 5f elements, 1
- LDI
Ga₁₉(C(SiMe₃)₃)₆⁻ as a precursor for pure and silicon-doped gallium clusters: a mass spectrometric study of a Ga₁₃⁻ and a Ga₁₂Si⁻ anion, 383
- Light scattering
Calibration of an audio-frequency ion trap mass spectrometer, 63
- Magnesium
Energy distributions of secondary ions sputtered from aluminium and magnesium by Ne⁺, Ar⁺ and O₂⁺: a comprehensive study, 327
- MALDI vs. ESI
Poly(propylene imine) dendrimer conformations in the gas phase: a tandem mass spectrometry study, 75
- Mass calibration
Calibration of an audio-frequency ion trap mass spectrometer, 63
- Mass spectrometry
Gas-phase interactions of calixarene- and resorcinarene-cavitands with molecular guests studied by mass spectrometry, 23
Dissociation behavior of ionized valeramide. Part I. Experimental studies, 105
Dissociation behavior of ionized valeramide. Part III. An unprecedented temperature effect on the C₃/C₂ branching ratio and its implications for metastable ion dissociations, 155
Gas phase nucleophilic substitution, 277
Chemical kinetics of scandium ionization in H₂-O₂-N₂ flames, 349
- Mass-energy analysis
Energy distributions of secondary ions sputtered from aluminium and magnesium by Ne⁺, Ar⁺ and O₂⁺: a comprehensive study, 327
- Metal ion chemistry
Gas-phase chemistry of actinide ions: probing the distinctive character of the 5f elements, 1
- Mobility theory
Application of mobility theory to the interpretation of data generated by linear and RF excited ion mobility spectrometers, 95
- Molecular dynamics
Single and double cationization of organic molecules in SIMS, 213
- Monte-Carlo simulations
Single and double cationization of organic molecules in SIMS, 213
- Nitrogenous salts
Thermal decomposition of nitrogenous salts under vacuum, 375
- Organometallic ions
Single and double cationization of organic molecules in SIMS, 213
- Oxides of nitrogen
Thermal decomposition of nitrogenous salts under vacuum, 375
- Oxygen
A method to induce and assess isotopic equilibrium of oxygen, 233
- Peptide mapping
The use of multiple ion chromatograms in on-line HPLC-MS for the characterization of post-translational and chemical modifications of proteins, 37
- Photoaffinity labeling
The use of multiple ion chromatograms in on-line HPLC-MS for the characterization of post-translational and chemical modifications of proteins, 37
- Physical organic chemistry
Gas phase nucleophilic substitution, 277
- Plasma etching
Absolute total and partial electron ionization cross sections of C₂F₆, 365
- Poly(propylene imine) dendrimer
Poly(propylene imine) dendrimer conformations in the gas phase: a tandem mass spectrometry study, 75
- Polymers
Single and double cationization of organic molecules in SIMS, 213
- Quadrupole mass spectrometry (QMS)
Thermal decomposition of nitrogenous salts under vacuum, 375
- Reaction mechanisms
Gas phase nucleophilic substitution, 277
- Reaction schemes
Density functional calculations on the loss of acetylene from the naphthalene radical cation, 269
- Rearrangements
Dissociation behavior of ionized valeramide. Part II. Theoretical exploration of the potential-energy surface, 129
Dissociation behavior of ionized valeramide. Part III. An unprecedented temperature effect on the C₃/C₂ branching ratio and its implications for metastable ion dissociations, 155
- RF-IMS
Application of mobility theory to the interpretation of data generated by linear and RF excited ion mobility spectrometers, 95
- Scandium
Scandium ionization mechanisms in H₂-O₂-N₂ flames supported by calculated thermodynamic data, 339
Chemical kinetics of scandium ionization in H₂-O₂-N₂ flames, 349
- Secondary ion emission
Energy distributions of secondary ions sputtered from aluminium and magnesium by Ne⁺, Ar⁺ and O₂⁺: a comprehensive study, 327
- Selected ion extraction
The use of multiple ion chromatograms in on-line HPLC-MS for the characterization of post-translational and chemical modifications of proteins, 37

- SIMS
Single and double cationization of organic molecules in SIMS, 213
- Single particle
Calibration of an audio-frequency ion trap mass spectrometer, 63
- S_N1
Gas phase nucleophilic substitution, 277
- S_N2
Gas phase nucleophilic substitution, 277
- Solvent effects
Poly(propylene imine) dendrimer conformations in the gas phase: a tandem mass spectrometry study, 75
- Sulfonated azo dyes
Characterization of methyl orange and its photocatalytic degradation products by HPLC/UV-VIS diode array and atmospheric pressure ionization quadrupole ion trap mass spectrometry, 247
- Supramolecular interactions
Gas-phase interactions of calixarene- and resorcinarene-cavitands with molecular guests studied by mass spectrometry, 23
- Synthetic isotope mixtures
A method to induce and assess isotopic equilibrium of oxygen, 233
- Temperature effects
Dissociation behavior of ionized valeramide. Part III. An unprecedented temperature effect on the C_3/C_2 branching ratio and its implications for metastable ion dissociations, 155
- Tetrafluoromethane
Absolute total and partial electron ionization cross sections of C_2F_6 , 365
- Thermal decomposition of salts
Thermal decomposition of nitrogenous salts under vacuum, 375
- Thermodynamic data
Scandium ionization mechanisms in $H_2-O_2-N_2$ flames supported by calculated thermodynamic data, 339
- Time-of-flight
Improved method for designing a cylindrical Zhang-Enke ion mirror, 89
- Traceability
A method to induce and assess isotopic equilibrium of oxygen, 233
- Vacuum decomposition
Thermal decomposition of nitrogenous salts under vacuum, 375
- Valeramide
Dissociation behavior of ionized valeramide. Part I. Experimental studies, 105
Dissociation behavior of ionized valeramide. Part II. Theoretical exploration of the potential-energy surface, 129
Dissociation behavior of ionized valeramide. Part III. An unprecedented temperature effect on the C_3/C_2 branching ratio and its implications for metastable ion dissociations, 155