

## Subject index Volume 230

### Ablation

A time-of-flight mass spectrometric study of laser fluence dependencies in SnO<sub>2</sub> ablation: implications for pulsed laser deposited tin oxide thin films, 11

### Accurate mass

A tandem mass spectrometric study of the *N*-oxides, quinoline *N*-oxide, carbadox, and olaquinox, carried out at high mass accuracy using electrospray ionization, 123

### Ammonium affinities

Characterization of anomeric differences of ammonium-bound monomeric and dimeric complex ions of 1 $\alpha$ - and 1 $\beta$ -azido-pentofuranosyl derivatives by kinetic method, 141

### Ammonium-bound dimers and trimers

Characterization of anomeric differences of ammonium-bound monomeric and dimeric complex ions of 1 $\alpha$ - and 1 $\beta$ -azido-pentofuranosyl derivatives by kinetic method, 141

### Angle

Calculation of the effect of collisional broadening on high-resolution translational energy loss spectra, 185

### Anomeric pentofuranosyl azides

Characterization of anomeric differences of ammonium-bound monomeric and dimeric complex ions of 1 $\alpha$ - and 1 $\beta$ -azido-pentofuranosyl derivatives by kinetic method, 141

### Association

A SIFT study of the reactions of H<sub>2</sub>ONO<sup>+</sup> ions with several types of organic molecules, 1

### Autodetachment

Long-lived negative ion formation by Alq<sub>3</sub>, 41

### Barium oxide

Mass spectrometric determination of the ionisation cross-sections of BaO, Ba, BaF<sub>2</sub> and BaI<sub>2</sub> by electron impact, 99

### Boron clusters

Reactions of boron cluster anions: implication of site-specific chemical neutralization pathways, 71

### Charge reversal

Does ionized diacetylene have a positive proton affinity?, 113

### Charge stripping

Does ionized diacetylene have a positive proton affinity?, 113

### Charge transfer

A SIFT study of the reactions of H<sub>2</sub>ONO<sup>+</sup> ions with several types of organic molecules, 1

### Chemometrics

High energy collision-induced dissociation (CID) product ion spectra of isomeric polyhydroxy sugars, 201

### CID

High energy collision-induced dissociation (CID) product ion spectra of isomeric polyhydroxy sugars, 201

### CID-MIKE spectra

Characterization of anomeric differences of ammonium-bound monomeric and dimeric complex ions of 1 $\alpha$ - and 1 $\beta$ -azido-pentofuranosyl derivatives by kinetic method, 141

### Cluster reactivity

Reactions of boron cluster anions: implication of site-specific chemical neutralization pathways, 71

### C<sub>m</sub>N<sub>2</sub> charged clusters

Theoretical study of structures and stabilities of C<sub>m</sub>N<sub>2</sub> (*m* = 1–14) ions, 33

### Cobalt

Clustering and activation in reactions of CoCp<sup>+</sup> with hydrogen and methane, 161

### Collision

Calculation of the effect of collisional broadening on high-resolution translational energy loss spectra, 185

### Collision-induced dissociation

Electron loss and dissociation in high energy collisions between multiply charged oligonucleotide anions and noble gases, 19  
Gas-phase dissociation pathways of a tetrameric protein complex, 193

### Complex

Does the radical Me<sub>3</sub>O<sup>•</sup> exist in the gas phase? A joint experimental and theoretical study, 77

### Cyclopentadienyl ligand

Clustering and activation in reactions of CoCp<sup>+</sup> with hydrogen and methane, 161

### Cylindrical ion trap

Characteristics of cylindrical ion trap, 25

### Decomposition

Does the radical Me<sub>3</sub>O<sup>•</sup> exist in the gas phase? A joint experimental and theoretical study, 77

### Density functional theory

Does ionized diacetylene have a positive proton affinity?, 113  
Clustering and activation in reactions of CoCp<sup>+</sup> with hydrogen and methane, 161  
The kinetic method reveals secondary deuterium isotope effects on the proton affinity and gas-phase basicity of glycine and alanine methyl esters, 175

### Deuterium isotope effect

The niobium and tantalum riddle: gas-phase monocation reactions with pyrene and pyrene-D<sub>10</sub>, 135

### DFT theory

Theoretical study of structures and stabilities of C<sub>m</sub>N<sub>2</sub> (*m* = 1–14) ions, 33

### Dications

Does ionized diacetylene have a positive proton affinity?, 113

### DNA adducts

Fragmentation patterns of DNA–benzo(*a*)pyrene diol epoxide adducts characterized by nanoflow LC/quadrupole time-of-flight mass spectrometry, 45

### Duty cycle

Stability of ion motion in the quadrupole ion trap driven by rectangular waveform voltages, 65

### Electroactive molecule

Long-lived negative ion formation by Alq<sub>3</sub>, 41

### Electron capture

Long-lived negative ion formation by Alq<sub>3</sub>, 41

- Electron loss  
Electron loss and dissociation in high energy collisions between multiply charged oligonucleotide anions and noble gases, 19
- Electrospray ionization  
Characterization of anomeric differences of ammonium-bound monomeric and dimeric complex ions of 1 $\alpha$ - and 1 $\beta$ -azido-pentofuranosyl derivatives by kinetic method, 141
- Energy  
Does the radical Me<sub>3</sub>O<sup>•</sup> exist in the gas phase? A joint experimental and theoretical study, 77
- Energy transfer  
Efficiency of energy transfer in protonated diglycine and dialanine SID. Effects of collision angle, peptide ion size, and intramolecular potential, 57
- Equation of motion  
Characteristics of cylindrical ion trap, 25
- ES  
A tandem mass spectrometric study of the *N*-oxides, quinoline *N*-oxide, carbadox, and olaquinox, carried out at high mass accuracy using electrospray ionization, 123
- FTMS  
The niobium and tantalum riddle: gas-phase monocation reactions with pyrene and pyrene-D<sub>10</sub>, 135
- Gas-phase reactions  
The niobium and tantalum riddle: gas-phase monocation reactions with pyrene and pyrene-D<sub>10</sub>, 135
- Geometries  
Theoretical study of structures and stabilities of C<sub>*m*</sub>N<sub>2</sub> (*m* = 1–14) ions, 33
- Glycine  
The kinetic method reveals secondary deuterium isotope effects on the proton affinity and gas-phase basicity of glycine and alanine methyl esters, 175
- High energy  
High energy collision-induced dissociation (CID) product ion spectra of isomeric polyhydroxy sugars, 201
- Hydrogen  
Clustering and activation in reactions of CoCp<sup>+</sup> with hydrogen and methane, 161
- Ion stability  
Characteristics of cylindrical ion trap, 25
- Ion/surface collision  
Differentiation of isomeric oxygenated adsorbates using low-energy ion/surface collisions, 151
- Ionisation cross-section  
Mass spectrometric determination of the ionisation cross-sections of BaO, Ba, BaF<sub>2</sub> and BaI<sub>2</sub> by electron impact, 99
- Ionization energy  
Double-ionization energies of some *n*-alkyl isocyanate molecules; studies with double-charge-transfer spectrometry and ab initio propagator theory, 85
- Isomer  
High energy collision-induced dissociation (CID) product ion spectra of isomeric polyhydroxy sugars, 201
- Kinetic energy  
Double-ionization energies of some *n*-alkyl isocyanate molecules; studies with double-charge-transfer spectrometry and ab initio propagator theory, 85
- Kinetic method  
Characterization of anomeric differences of ammonium-bound monomeric and dimeric complex ions of 1 $\alpha$ - and 1 $\beta$ -azido-pentofuranosyl derivatives by kinetic method, 141
- Knudsen cell  
Mass spectrometric determination of the ionisation cross-sections of BaO, Ba, BaF<sub>2</sub> and BaI<sub>2</sub> by electron impact, 99
- Laser  
A time-of-flight mass spectrometric study of laser fluence dependencies in SnO<sub>2</sub> ablation: implications for pulsed laser deposited tin oxide thin films, 11
- Long-lived negative ion  
Long-lived negative ion formation by Alq<sub>3</sub>, 41
- Mass analysis  
Stability of ion motion in the quadrupole ion trap driven by rectangular waveform voltages, 65
- Mass isolation  
Stability of ion motion in the quadrupole ion trap driven by rectangular waveform voltages, 65
- Mass spectrometer  
Characteristics of cylindrical ion trap, 25  
Stability of ion motion in the quadrupole ion trap driven by rectangular waveform voltages, 65
- Mass spectrometry  
Theoretical study of structures and stabilities of C<sub>*m*</sub>N<sub>2</sub> (*m* = 1–14) ions, 33
- Metal monocation ligation by PAHs  
The niobium and tantalum riddle: gas-phase monocation reactions with pyrene and pyrene-D<sub>10</sub>, 135
- Metastable decomposition  
Gas-phase dissociation pathways of a tetrameric protein complex, 193
- Methane  
Clustering and activation in reactions of CoCp<sup>+</sup> with hydrogen and methane, 161
- Nanoflow LC/Q-TOF-MS  
Fragmentation patterns of DNA–benzo(*a*)pyrene diol epoxide adducts characterized by nanoflow LC/quadrupole time-of-flight mass spectrometry, 45
- Nitrosohydronium ions  
A SIFT study of the reactions of H<sub>2</sub>ONO<sup>+</sup> ions with several types of organic molecules, 1
- Noncovalent interaction  
Gas-phase dissociation pathways of a tetrameric protein complex, 193
- Oligonucleotide  
Electron loss and dissociation in high energy collisions between multiply charged oligonucleotide anions and noble gases, 19
- N*-oxides  
A tandem mass spectrometric study of the *N*-oxides, quinoline *N*-oxide, carbadox, and olaquinox, carried out at high mass accuracy using electrospray ionization, 123
- PCA  
High energy collision-induced dissociation (CID) product ion spectra of isomeric polyhydroxy sugars, 201
- Peptide ions  
Efficiency of energy transfer in protonated diglycine and dialanine SID. Effects of collision angle, peptide ion size, and intramolecular potential, 57
- Product ion  
High energy collision-induced dissociation (CID) product ion spectra of isomeric polyhydroxy sugars, 201
- Propagator theory  
Double-ionization energies of some *n*-alkyl isocyanate molecules; studies with double-charge-transfer spectrometry and ab initio propagator theory, 85
- Protein complex  
Gas-phase dissociation pathways of a tetrameric protein complex, 193

- Proton affinities  
Does ionized diacetylene have a positive proton affinity?, 113
- Proton affinity  
The kinetic method reveals secondary deuterium isotope effects on the proton affinity and gas-phase basicity of glycine and alanine methyl esters, 175
- Proton transfer  
A SIFT study of the reactions of  $\text{H}_2\text{ONO}^+$  ions with several types of organic molecules, 1
- Protonated nitrous acid  
A SIFT study of the reactions of  $\text{H}_2\text{ONO}^+$  ions with several types of organic molecules, 1
- Radical anions  
Electron loss and dissociation in high energy collisions between multiply charged oligonucleotide anions and noble gases, 19
- Reactive scattering  
Differentiation of isomeric oxygenated adsorbates using low-energy ion/surface collisions, 151
- Rectangular waveforms  
Stability of ion motion in the quadrupole ion trap driven by rectangular waveform voltages, 65
- Scattered  
Calculation of the effect of collisional broadening on high-resolution translational energy loss spectra, 185
- Secondary deuterium isotope effect  
The kinetic method reveals secondary deuterium isotope effects on the proton affinity and gas-phase basicity of glycine and alanine methyl esters, 175
- Self-assembled monolayer  
Differentiation of isomeric oxygenated adsorbates using low-energy ion/surface collisions, 151
- SIFT  
A SIFT study of the reactions of  $\text{H}_2\text{ONO}^+$  ions with several types of organic molecules, 1
- Sigma bond activation  
Clustering and activation in reactions of  $\text{CoCp}^+$  with hydrogen and methane, 161
- Stability  
Theoretical study of structures and stabilities of  $\text{C}_m\text{N}_2$  ( $m = 1-14$ ) ions, 33
- Sugar  
High energy collision-induced dissociation (CID) product ion spectra of isomeric polyhydroxy sugars, 201
- Surface analysis  
Differentiation of isomeric oxygenated adsorbates using low-energy ion/surface collisions, 151
- Surface-induced dissociation  
Efficiency of energy transfer in protonated diglycine and dialanine SID. Effects of collision angle, peptide ion size, and intramolecular potential, 57  
Differentiation of isomeric oxygenated adsorbates using low-energy ion/surface collisions, 151
- Switching  
A SIFT study of the reactions of  $\text{H}_2\text{ONO}^+$  ions with several types of organic molecules, 1
- Tandem mass spectrometry  
A tandem mass spectrometric study of the *N*-oxides, quinoline *N*-oxide, carbadox, and olaquinox, carried out at high mass accuracy using electrospray ionization, 123
- Time-of-flight  
A tandem mass spectrometric study of the *N*-oxides, quinoline *N*-oxide, carbadox, and olaquinox, carried out at high mass accuracy using electrospray ionization, 123
- Trajectory simulations  
Efficiency of energy transfer in protonated diglycine and dialanine SID. Effects of collision angle, peptide ion size, and intramolecular potential, 57
- Transition metal  
Clustering and activation in reactions of  $\text{CoCp}^+$  with hydrogen and methane, 161
- Vapour pressure  
Mass spectrometric determination of the ionisation cross-sections of  $\text{BaO}$ ,  $\text{Ba}$ ,  $\text{BaF}_2$  and  $\text{BaI}_2$  by electron impact, 99