

Subject index Volume 232

- Ab initio**
Theoretical characterizations of novel $C_2H_5O^+$ reactions, 17
- Ab initio calculations**
Gas phase nitrosation of substituted benzenes, 31
- Accuracy**
Accurate and precise Pb isotope ratio measurements in environmental samples by MC-ICP-MS, 205
- Accurate mass**
A fragmentation study of an isoflavone glycoside, genistein-7-*O*-glucoside, using electrospray quadrupole time-of-flight mass spectrometry at high mass resolution, 171
- Alkali metal**
Intracluster cyclization reaction producing a benzene derivative: photo-ionization mass spectrometric study of alkali metal–methyl propiolate clusters, 41
- 2-Aminobenzamide**
Nano-scale liquid chromatography-mass spectrometry of 2-aminobenzamide-labeled oligosaccharides at low femtomole sensitivity, 51
- Ammonia**
Gas-phase ion chemistry of the propyne/ammonia and silane/propyne/ammonia systems, 139
- 5- and 6-CIU**
Electron impact ionization of 5- and 6-chlorouracil: appearance energies, 99
- Anti-malarial drug**
Fast atom bombardment mass spectral analysis of three new oxidative products of primaquine, 151
- Appearance energy**
Electron impact ionization of 5- and 6-chlorouracil: appearance energies, 99
Dissociative electron impact ionization of N_2O_5 , 147
- Aromatic**
The effect of ozone in positive ion mode ion mobility spectrometry, 95
- Atmospheric pressure ionization**
Atmospheric pressure ionization and gas phase ion mobility studies of isomeric dihalogenated benzenes using different ionization techniques, 117
- Benzene**
The effect of ozone in positive ion mode ion mobility spectrometry, 95
- Binary cluster anions**
A density functional study of the structures and energies of $C_nP_5^-$ ($n = 1-7$) clusters, 165
- Binding energies**
Blackbody infrared radiative dissociation at low temperature: hydration of $X^{2+}(H_2O)_n$, for $X = Mg, Ca$, 59
- BIRD**
Blackbody infrared radiative dissociation at low temperature: hydration of $X^{2+}(H_2O)_n$, for $X = Mg, Ca$, 59
- Bond enthalpies**
Gas-phase clustering reactions of NO_2^- , $C_2H_3NO_2^-$, $C_2H_4NO_2^-$, $C_2H_5NO_2^-$ and $C_2H_5NO_4^-$ with $C_2H_5NO_2$, 185
- Branching ratio**
Isomer effect in the branching ratio of anions for thermal electron attachment to chlorinated phenols, 265
Branching ratios for the dissociative recombination of hydrocarbon ions. II. The cases of $C_4H_n^+$ ($n = 1-9$), 195
- Carbocation stability**
The fragmentation mechanism of five-membered lactones by electrospray ionisation tandem mass spectrometry, 271
- Carminic acid**
Matrix-assisted laser desorption and electrospray ionization mass spectrometry of carminic acid isolated from cochineal, 225
- Catenanes**
Mass spectrometric evidence for catenanes and rotaxanes from negative-ESI FT-ICR tandem-MS-experiments, 249
- Cavity ring down spectroscopy**
Mass spectrometric and laser spectroscopic characterization of a supersonic planar plasma expansion, 25
- Charge separation processes**
Ruthenium diimine complexes in unusual charge states formed in collisional electron transfer, 79
- Charge transfer**
Surface impact induced fragmentation and charging of neat and mixed clusters of SO_2 and H_2O , 1
- Chemical ionization**
Gas phase nitrosation of substituted benzenes, 31
- Chlorinated phenol**
Isomer effect in the branching ratio of anions for thermal electron attachment to chlorinated phenols, 265
- Chlorine position**
Mass spectrometric elucidation of chlorine location in dichloro fatty acids following 4,4-dimethylloxazoline derivatization, and its application to chlorinated fatty acids in fish, 127
- $C_2H_5O^+$**
Theoretical characterizations of novel $C_2H_5O^+$ reactions, 17
- Cluster ions**
Gas-phase clustering reactions of NO_2^- , $C_2H_3NO_2^-$, $C_2H_4NO_2^-$, $C_2H_5NO_2^-$ and $C_2H_5NO_4^-$ with $C_2H_5NO_2$, 185
- Cluster impact**
Surface impact induced fragmentation and charging of neat and mixed clusters of SO_2 and H_2O , 1
- Cluster ions thermodynamics**
Kinetics, thermodynamics, and ab initio calculations of $HS_2O_7^-$ ($(H_2SO_4)_x$ ($x = 1-3$)) cluster ions, 9
- Cochineal**
Matrix-assisted laser desorption and electrospray ionization mass spectrometry of carminic acid isolated from cochineal, 225
- Collisional activation**
Gas phase nitrosation of substituted benzenes, 31
- Collision-induced dissociation**
Tandem mass spectrometry study of protonated methanol–water aggregates, 67
Generation and characterization of ionic and neutral selenocumulene $HC_3Se^{+/}$ by tandem mass spectrometry and computational study, 231
Mass spectrometric evidence for catenanes and rotaxanes from negative-ESI FT-ICR tandem-MS-experiments, 249
- Computational chemistry**
Generation and characterization of ionic and neutral selenocumulene $HC_3Se^{+/}$ by tandem mass spectrometry and computational study, 231
- Corona discharge**
The effect of ozone in positive ion mode ion mobility spectrometry, 95

- $C_nP_5^-$
A density functional study of the structures and energies of $C_nP_5^-$ ($n = 1-7$) clusters, 165
- Cyclization
Intracluster cyclization reaction producing a benzene derivative: photoionization mass spectrometric study of alkali metal–methyl propiolate clusters, 41
- Density functional study
A density functional study of the structures and energies of $C_nP_5^-$ ($n = 1-7$) clusters, 165
- Dichloro fatty acid
Mass spectrometric elucidation of chlorine location in dichloro fatty acids following 4,4-dimethyloxazoline derivatization, and its application to chlorinated fatty acids in fish, 127
- Dihalogenated benzenes
Atmospheric pressure ionization and gas phase ion mobility studies of isomeric dihalogenated benzenes using different ionization techniques, 117
- Dinitrogen pentoxide
Dissociative electron impact ionization of N_2O_5 , 147
- Dissociation
Blackbody infrared radiative dissociation at low temperature: hydration of $X^{2+}(H_2O)_n$, for $X = Mg, Ca$, 59
- Dissociative recombination
Branching ratios for the dissociative recombination of hydrocarbon ions. II. The cases of $C_4H_n^+$ ($n = 1-9$), 195
- DMOX derivatization
Mass spectrometric elucidation of chlorine location in dichloro fatty acids following 4,4-dimethyloxazoline derivatization, and its application to chlorinated fatty acids in fish, 127
- EIMS
Mass spectrometric elucidation of chlorine location in dichloro fatty acids following 4,4-dimethyloxazoline derivatization, and its application to chlorinated fatty acids in fish, 127
- Electron affinity
Isomer effect in the branching ratio of anions for thermal electron attachment to chlorinated phenols, 265
- Electron impact ionization
Electron impact ionization of 5- and 6-chlorouracil: appearance energies, 99
- Electron ionization
Dissociative electron impact ionization of N_2O_5 , 147
- Electron transfer
Ruthenium diimine complexes in unusual charge states formed in collisional electron transfer, 79
- Electrospray ionisation-collision induced dissociation/mass spectrometry (ESI-CID/MS)
Fragmentation pattern of regioselectively *O*-methylated maltooligosaccharides in electrospray ionisation-mass spectrometry/collision induced dissociation, 107
- Electrospray ionization
A fragmentation study of an isoflavone glycoside, genistein-7-*O*-glucoside, using electrospray quadrupole time-of-flight mass spectrometry at high mass resolution, 171
Matrix-assisted laser desorption and electrospray ionization mass spectrometry of carminic acid isolated from cochineal, 225
- Electrospray mass spectrometry
The fragmentation mechanism of five-membered lactones by electrospray ionisation tandem mass spectrometry, 271
- Elimination reactions
Theoretical characterizations of novel $C_2H_5O^+$ reactions, 17
- Environmental samples
Accurate and precise Pb isotope ratio measurements in environmental samples by MC-ICP-MS, 205
- ESI/MSⁿ spectra
ESI/MSⁿ in the structural characterisation of some nitrido-Re hetero-complexes, 239
- FAB mass spectrometry
Fast atom bombardment mass spectral analysis of three new oxidative products of primaquine, 151
- Flavonoid glycoside
A fragmentation study of an isoflavone glycoside, genistein-7-*O*-glucoside, using electrospray quadrupole time-of-flight mass spectrometry at high mass resolution, 171
- Fragmentation mechanism
The fragmentation mechanism of five-membered lactones by electrospray ionisation tandem mass spectrometry, 271
- Gas-phase enantioselectivity
Enantioselectivity in gas-phase ion–molecule reactions, 277
- Gas-phase equilibria
Gas-phase clustering reactions of NO_2^- , $C_2H_3NO_2^-$, $C_2H_4NO_2^-$, $C_2H_5NO_2^-$ and $C_2H_5NO_4^-$ with $C_2H_5NO_2$, 185
- Genistein-7-*O*-glucoside
A fragmentation study of an isoflavone glycoside, genistein-7-*O*-glucoside, using electrospray quadrupole time-of-flight mass spectrometry at high mass resolution, 171
- Glucose units
Nano-scale liquid chromatography-mass spectrometry of 2-amino-benzamide-labeled oligosaccharides at low femtomole sensitivity 51
- High-pressure mass spectrometer
Gas-phase clustering reactions of NO_2^- , $C_2H_3NO_2^-$, $C_2H_4NO_2^-$, $C_2H_5NO_2^-$ and $C_2H_5NO_4^-$ with $C_2H_5NO_2$, 185
- Hydration
Blackbody infrared radiative dissociation at low temperature: hydration of $X^{2+}(H_2O)_n$, for $X = Mg, Ca$, 59
- Hypervalent ions
Theoretical characterizations of novel $C_2H_5O^+$ reactions, 17
- IMS
The effect of ozone in positive ion mode ion mobility spectrometry 95
- In vitro
Fast atom bombardment mass spectral analysis of three new oxidative products of primaquine, 151
- In vivo
Fast atom bombardment mass spectral analysis of three new oxidative products of primaquine, 151
- Inductively coupled plasma mass spectrometry
Determination of Pu in urine at ultratrace level by sector field inductively coupled plasma mass spectrometry, 217
- Intracluster reaction
Intracluster cyclization reaction producing a benzene derivative: photoionization mass spectrometric study of alkali metal–methyl propiolate clusters, 41
- Intrinsic reaction coordinates
Theoretical characterizations of novel $C_2H_5O^+$ reactions, 17
- Ion mobility spectrometry
Atmospheric pressure ionization and gas phase ion mobility studies of isomeric dihalogenated benzenes using different ionization techniques, 117
- Ion trap
Nano-scale liquid chromatography-mass spectrometry of 2-amino-benzamide-labeled oligosaccharides at low femtomole sensitivity 51
- Ion trap mass spectrometry
Gas-phase ion chemistry of the propyne/ammonia and silane/propyne/ammonia systems, 139

- Ion–molecule reaction
Gas phase nitrosation of substituted benzenes, 31
The effect of ozone in positive ion mode ion mobility spectrometry, 95
- Ion–neutral complexes
Theoretical characterizations of novel $C_2H_5O^+$ reactions, 17
- Isomer effect
Isomer effect in the branching ratio of anions for thermal electron attachment to chlorinated phenols, 265
- Isomers
Branching ratios for the dissociative recombination of hydrocarbon ions. II. The cases of $C_4H_n^+$ ($n = 1-9$), 195
- Keyhole limpet hemocyanin
Nano-scale liquid chromatography-mass spectrometry of 2-aminobenzamide-labeled oligosaccharides at low femtomole sensitivity, 51
- Kinetic energy release
Ruthenium diimine complexes in unusual charge states formed in collisional electron transfer, 79
- Knots
Mass spectrometric evidence for catenanes and rotaxanes from negative-ESI FT-ICR tandem-MS-experiments, 249
- Lactones
The fragmentation mechanism of five-membered lactones by electrospray ionisation tandem mass spectrometry, 271
- Lipid analysis
Mass spectrometric elucidation of chlorine location in dichloro fatty acids following 4,4-dimethyloxazoline derivatization, and its application to chlorinated fatty acids in fish, 127
- Macrocycles
Mass spectrometric evidence for catenanes and rotaxanes from negative-ESI FT-ICR tandem-MS-experiments, 249
- Mass bias
The effect of instrumental mass bias on $\delta^{11}B$ measurements: a comparison between thermal ionisation mass spectrometry and multiple-collector ICP-MS, 259
- Mass spectra
Electron impact ionization of 5- and 6-chlorouracil: appearance energies, 99
- Mass spectrometry
Atmospheric pressure ionization and gas phase ion mobility studies of isomeric dihalogenated benzenes using different ionization techniques, 117
Dissociative electron impact ionization of N_2O_5 , 147
Mass spectrometric evidence for catenanes and rotaxanes from negative-ESI FT-ICR tandem-MS-experiments, 249
Enantioselectivity in gas-phase ion–molecule reactions, 277
- Matrix effect
Fast atom bombardment mass spectral analysis of three new oxidative products of primaquine, 151
- Matrix separation
Determination of Pu in urine at ultratrace level by sector field inductively coupled plasma mass spectrometry, 217
- Matrix-assisted laser desorption
Matrix-assisted laser desorption and electrospray ionization mass spectrometry of carminic acid isolated from cochineal, 225
- MC-ICPMS
Application of MC-ICPMS to the precise determination of tellurium isotope compositions in chondrites, iron meteorites and sulfides, 83
- MC-ICP-MS
Accurate and precise Pb isotope ratio measurements in environmental samples by MC-ICP-MS, 205
- Mechanism of daughter ion formation
Fragmentation pattern of regioselectively *O*-methylated maltooligosaccharides in electrospray ionisation-mass spectrometry/collision induced dissociation, 107
- Metal ion complexes
Ruthenium diimine complexes in unusual charge states formed in collisional electron transfer, 79
- Metal ions
Blackbody infrared radiative dissociation at low temperature: hydration of $X^{2+}(H_2O)_n$, for $X = Mg, Ca$, 59
- Meteorites
Application of MC-ICPMS to the precise determination of tellurium isotope compositions in chondrites, iron meteorites and sulfides 83
- O*-Methyl- β -cyclodextrins
Fragmentation pattern of regioselectively *O*-methylated maltooligosaccharides in electrospray ionisation-mass spectrometry/collision induced dissociation, 107
- Molecular ions
Mass spectrometric and laser spectroscopic characterization of a supersonic planar plasma expansion, 25
- Molecular clusters
Surface impact induced fragmentation and charging of neat and mixed clusters of SO_2 and H_2O , 1
- Multiple-collector ICP-MS
The effect of instrumental mass bias on $\delta^{11}B$ measurements: a comparison between thermal ionisation mass spectrometry and multiple-collector ICP-MS, 259
- Negative chemical ionization
Isomer effect in the branching ratio of anions for thermal electron attachment to chlorinated phenols, 265
- Neutralization–reionization
Gas phase nitrosation of substituted benzenes, 31
Generation and characterization of ionic and neutral selenocumulene $HC_3Se^{+/-}$ by tandem mass spectrometry and computational study 231
- N-Glycans
Nano-scale liquid chromatography-mass spectrometry of 2-aminobenzamide-labeled oligosaccharides at low femtomole sensitivity 51
- Nitrido-Re heterocomplexes
ESI/MSⁿ in the structural characterisation of some nitrido-Re heterocomplexes, 239
- Non-covalent complexes
Mass spectrometric evidence for catenanes and rotaxanes from negative-ESI FT-ICR tandem-MS-experiments, 249
- Noncovalent interactions
Enantioselectivity in gas-phase ion–molecule reactions, 277
- Pb isotope ratios
Accurate and precise Pb isotope ratio measurements in environmental samples by MC-ICP-MS, 205
- Phosphorus-doped carbon clusters
A density functional study of the structures and energies of $C_nP_5^-$ ($n = 1-7$) clusters, 165
- Photoionization
Intracluster cyclization reaction producing a benzene derivative: photoionization mass spectrometric study of alkali metal–methyl propiolate clusters, 41
- Planar plasma expansion
Mass spectrometric and laser spectroscopic characterization of a supersonic planar plasma expansion, 25
- Plutonium
Determination of Pu in urine at ultratrace level by sector field inductively coupled plasma mass spectrometry, 217
- Polymerization
Intracluster cyclization reaction producing a benzene derivative: photoionization mass spectrometric study of alkali metal–methyl propiolate clusters, 41

- Precision
Accurate and precise Pb isotope ratio measurements in environmental samples by MC-ICP-MS, 205
- Propyne
Gas-phase ion chemistry of the propyne/ammonia and silane/propyne/ammonia systems, 139
- Protonated benzenes
Gas phase nitrosation of substituted benzenes, 31
- Pyrosulfuric acid
Kinetics, thermodynamics, and ab initio calculations of HS_2O_7^- (H_2SO_4)_x ($x = 1-3$) cluster ions, 9
- Radiolysis
Enantioselectivity in gas-phase ion–molecule reactions, 277
- Regioselectively *O*-methylated maltooligosaccharides
Fragmentation pattern of regioselectively *O*-methylated maltooligosaccharides in electrospray ionisation-mass spectrometry/collision induced dissociation, 107
- Rotaxanes
Mass spectrometric evidence for catenanes and rotaxanes from negative-ESI FT-ICR tandem-MS-experiments, 249
- Sample preparation
Accurate and precise Pb isotope ratio measurements in environmental samples by MC-ICP-MS, 205
- Selenocumulene
Generation and characterization of ionic and neutral selenocumulene $\text{HC}_3\text{Se}^{+/-}$ by tandem mass spectrometry and computational study 231
- Silane
Gas-phase ion chemistry of the propyne/ammonia and silane/propyne/ammonia systems, 139
- Source assessment
Accurate and precise Pb isotope ratio measurements in environmental samples by MC-ICP-MS, 205
- Structural characterisation
ESI/MSⁿ in the structural characterisation of some nitrido-Re hetero-complexes, 239
- Sulfur trioxide
Kinetics, thermodynamics, and ab initio calculations of HS_2O_7^- (H_2SO_4)_x ($x = 1-3$) cluster ions, 9
- Sulfuric acid
Kinetics, thermodynamics, and ab initio calculations of HS_2O_7^- (H_2SO_4)_x ($x = 1-3$) cluster ions, 9
- Supramolecular chemistry
Mass spectrometric evidence for catenanes and rotaxanes from negative-ESI FT-ICR tandem-MS-experiments, 249
- Tandem mass spectrometry
A fragmentation study of an isoflavone glycoside, genistein-7-*O*-glucoside, using electrospray quadrupole time-of-flight mass spectrometry at high mass resolution, 171
- Tellurium isotopes
Application of MC-ICPMS to the precise determination of tellurium isotope compositions in chondrites, iron meteorites and sulfides, 83
- Temperature dependence
Isomer effect in the branching ratio of anions for thermal electron attachment to chlorinated phenols, 265
- Time-of-flight mass spectrometry
Mass spectrometric and laser spectroscopic characterization of a supersonic planar plasma expansion, 25
- TIMS
The effect of instrumental mass bias on $\delta^{11}\text{B}$ measurements: a comparison between thermal ionisation mass spectrometry and multiple-collector ICP-MS, 259
- Triple quadrupole
Tandem mass spectrometry study of protonated methanol–water aggregates, 67
- Urine
Determination of Pu in urine at ultratrace level by sector field inductively coupled plasma mass spectrometry, 217
- Water–methanol clusters
Tandem mass spectrometry study of protonated methanol–water aggregates, 67