

## Subject index Volume 235

- Absolute isotope amount ratio**  
Synthetic isotope mixtures for the calibration of isotope amount ratio measurements of carbon, 255
- Acetonitrile ion**  
Isomerization and dissociation of the acetonitrile molecular cation 15
- Adduct ion**  
Development of a screening technique for noncovalent complex formation between guanidinium- and phosphonate-functionalized amino acids by electrospray ionization ion trap mass spectrometry: assessing ionization and functional group interaction, 213
- Appearance energies**  
Electron impact ionization of  $C_2H_6$ : ionization energies and temperature effects, 155
- Arginine**  
Development of a screening technique for noncovalent complex formation between guanidinium- and phosphonate-functionalized amino acids by electrospray ionization ion trap mass spectrometry: assessing ionization and functional group interaction, 213
- Argon cluster**  
Argon clusters produced in a nozzle beam at low pressure:  $Ar_2$  ionisation cross-section measurement, 179
- Argon dimer**  
Argon clusters produced in a nozzle beam at low pressure:  $Ar_2$  ionisation cross-section measurement, 179
- Boron isotopes**  
Effective elimination of isobaric ions interference and precise thermal ionization mass spectrometer analysis for boron isotope, 187
- Branching ratio**  
The branching ratio of anions in thermal electron attachment to chlorinated fluorobenzenes, 1  
Branching ratios for the dissociative recombination of hydrocarbon ions. III: the cases of  $C_3H_n^+$  ( $n = 1-8$ ), 7
- Carbon isotopes**  
Synthetic isotope mixtures for the calibration of isotope amount ratio measurements of carbon, 255
- Carbon tetrafluoride**  
Synthetic isotope mixtures for the calibration of isotope amount ratio measurements of carbon, 255
- Cations**  
Cation- $\pi$  interactions in gaseous  $\omega$ -phenylalkyloxonium ions, 145
- Cereulide**  
Molecular diversity of cereulide detected by means of nano-HPLC-ESI-Q-TOF-MS, 123
- Chlorinated fluorobenzenes**  
The branching ratio of anions in thermal electron attachment to chlorinated fluorobenzenes, 1
- Chlorofluoromethanes dissociative ionisation**  
Electron-impact ionisation cross-sections of the  $CClF_3$  and  $CCl_3F$  molecules, 223
- CID**  
Investigation of fragmentation pattern of bis(trimethylsilyl) ester of 3-mercaptopropionic acid, 163
- Cluster**  
Argon clusters produced in a nozzle beam at low pressure:  $Ar_2$  ionisation cross-section measurement, 179
- Clusters at liquid surface**  
Cluster composition distribution at the liquid surface of alcohol-water mixtures and evaporation processes studied by liquid ionization mass spectrometry, 229
- COFCI**  
Electron impact dissociative ionization of carbonyl chlorofluoride, 207
- Collision-induced dissociation**  
Complexation of nickel(II) by ethylenediamine investigated by means of electrospray ionization mass spectrometry, 33
- Complex mixture analysis**  
Structure characterization of polyaromatic hydrocarbons in Arabian mix vacuum residue by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry, 49
- Covariance mapping**  
Electron impact dissociative ionization of carbonyl chlorofluoride, 207
- Cycloaddition reactions**  
Gas-phase polar cycloadditions, 263
- Derivatization**  
Investigation of fragmentation pattern of bis(trimethylsilyl) ester of 3-mercaptopropionic acid, 163
- DFT calculation**  
Isomerization and dissociation of the acetonitrile molecular cation, 15
- Dication**  
Optical spectroscopy and photodissociation dynamics of multiply charged ions, 131
- Diethylzinc**  
Ion chemistry in diethylzinc, 83
- Difluorobenzene**  
Structure-sensitive dissociation scheme for three isomers of difluorobenzene, 43
- Dispirocycloperazinium dibromides**  
Fragmentation patterns of novel dispirocycloperazinium dibromides with strong analgesic activity under electrospray ionization tandem mass spectrometry conditions, 111
- Dissociative charge transfer**  
Experimental values of rate constants and ion product distributions for reactions of a series of ions with  $CS_2$ , 199
- Dissociative ionisation**  
Electron-impact ionisation cross-sections of the  $CClF_3$  and  $CCl_3F$  molecules, 223
- Dissociative ionisation partial cross-sections**  
Electron-impact ionisation cross-sections of the  $CClF_3$  and  $CCl_3F$  molecules, 223
- Dissociative recombination**  
Branching ratios for the dissociative recombination of hydrocarbon ions. III: the cases of  $C_3H_n^+$  ( $n = 1-8$ ), 7
- Electron affinity**  
The branching ratio of anions in thermal electron attachment to chlorinated fluorobenzenes, 1
- Electron collision**  
Ion chemistry in diethylzinc, 83

- Electron impact ionisation  
 Electron impact ionization of  $C_2H_6$ : ionization energies and temperature effects, 155  
 Electron impact dissociative ionization of carbonyl chlorofluoride, 207  
 Electron-impact ionisation cross-sections of the  $CClF_3$  and  $CCl_3F$  molecules, 223
- Electrospray  
 Structure characterization of polyaromatic hydrocarbons in Arabian mix vacuum residue by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry, 49  
 Optical spectroscopy and photodissociation dynamics of multiply charged ions, 131  
 Development of a screening technique for noncovalent complex formation between guanidinium- and phosphonate-functionalized amino acids by electrospray ionization ion trap mass spectrometry: assessing ionization and functional group interaction, 213
- Electrospray ionization  
 Complexation of nickel(II) by ethylenediamine investigated by means of electrospray ionization mass spectrometry, 38
- Ethane ( $C_2H_6$ )  
 Electron impact ionization of  $C_2H_6$ : ionization energies and temperature effects, 155
- Ethanol–water clusters  
 Cluster composition distribution at the liquid surface of alcohol–water mixtures and evaporation processes studied by liquid ionization mass spectrometry, 229
- Ethylenediamine  
 Complexation of nickel(II) by ethylenediamine investigated by means of electrospray ionization mass spectrometry, 33
- Evaporation processes  
 Cluster composition distribution at the liquid surface of alcohol–water mixtures and evaporation processes studied by liquid ionization mass spectrometry, 229
- Excitation  
 A modular data and control system to improve sensitivity, selectivity, speed of analysis, ease of use, and transient duration in an external source FTICR-MS, 243
- Expansion jet  
 Argon clusters produced in a nozzle beam at low pressure:  $Ar_2$  ionisation cross-section measurement, 179
- Femtosecond  
 Multielectron dissociative ionization of  $SF_6$  in an intense femtosecond laser field, 117
- Fragmentation  
 Charge-state selective fragmentation analysis for protonated peptides in infrared multiphoton dissociation, 25
- Fragmentation pathway  
 Fragmentation patterns of novel dispirocyclopiperazinium dibromides with strong analgesic activity under electrospray ionization tandem mass spectrometry conditions, 111  
 Electron impact dissociative ionization of carbonyl chlorofluoride, 207
- FT-ICR  
 Structure characterization of polyaromatic hydrocarbons in Arabian mix vacuum residue by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry, 49
- FTICR MS  
 Charge-state selective fragmentation analysis for protonated peptides in infrared multiphoton dissociation, 25
- FTMS  
 A modular data and control system to improve sensitivity, selectivity, speed of analysis, ease of use, and transient duration in an external source FTICR-MS, 243
- Gas mass spectrometry  
 Synthetic isotope mixtures for the calibration of isotope amount ratio measurements of carbon, 255
- Gas-phase reactions  
 Cation– $\pi$  interactions in gaseous  $\omega$ -phenylalkyloxonium ions, 145
- Graphical user interface  
 A modular data and control system to improve sensitivity, selectivity, speed of analysis, ease of use, and transient duration in an external source FTICR-MS, 243
- H/D exchange processes  
 Cation– $\pi$  interactions in gaseous  $\omega$ -phenylalkyloxonium ions, 145
- Hf  
 Multidynamic isotope ratio analysis using MC–ICP–MS and the causes of secular drift in Hf, Nd and Pb isotope ratios, 59
- High precision  
 Precise Re isotope ratio measurements by negative thermal ionization mass spectrometry (NTI-MS) using total evaporation technique, 97
- High sensitivity  
 Precise Re isotope ratio measurements by negative thermal ionization mass spectrometry (NTI-MS) using total evaporation technique, 97
- Homolog  
 Molecular diversity of cereulide detected by means of nano-HPLC-ESI-Q-TOF-MS, 123
- HPLC-ESI-Q-TOF-MS  
 Molecular diversity of cereulide detected by means of nano-HPLC-ESI-Q-TOF-MS, 123
- Hydrocarbon  
 Urban air measurements using PTR-MS in Tokyo area and comparison with GC-FID measurements, 103
- Hydrocarbon detection  
 Structure characterization of polyaromatic hydrocarbons in Arabian mix vacuum residue by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry, 49
- Hydrocarbon ions  
 Branching ratios for the dissociative recombination of hydrocarbon ions. III: the cases of  $C_3H_n^+$  ( $n = 1-8$ ), 7
- Ion cyclotron resonance  
 A modular data and control system to improve sensitivity, selectivity, speed of analysis, ease of use, and transient duration in an external source FTICR-MS, 243
- Ion isolation  
 A modular data and control system to improve sensitivity, selectivity, speed of analysis, ease of use, and transient duration in an external source FTICR-MS, 243
- Ionisation cross-section  
 Ion chemistry in diethylzinc, 83  
 Argon clusters produced in a nozzle beam at low pressure:  $Ar_2$  ionisation cross-section measurement, 179
- Ionization depressor  
 Effective elimination of isobaric ions interference and precise thermal ionization mass spectrometer analysis for boron isotope, 187
- Ionization energy  
 Electron impact ionization of  $C_2H_6$ : ionization energies and temperature effects, 155
- Ion–molecule reaction  
 Ion chemistry in diethylzinc, 83  
 Experimental values of rate constants and ion product distributions for reactions of a series of ions with  $CS_2$ , 199
- IRMPD  
 Charge-state selective fragmentation analysis for protonated peptides in infrared multiphoton dissociation, 25
- Isobaric ions interference  
 Effective elimination of isobaric ions interference and precise thermal ionization mass spectrometer analysis for boron isotope, 187
- Isomerization  
 Isomerization and dissociation of the acetonitrile molecular cation, 15
- Isomers  
 Branching ratios for the dissociative recombination of hydrocarbon ions. III: the cases of  $C_3H_n^+$  ( $n = 1-8$ ), 7

- Structure-sensitive dissociation scheme for three isomers of difluorobenzene, 43
- Isotopic reference material  
Synthetic isotope mixtures for the calibration of isotope amount ratio measurements of carbon, 255
- Laser vaporization  
Multiphoton fragmentation spectra of zirconium and niobium cluster cations, 91
- Liquid ionization mass spectrometry  
Cluster composition distribution at the liquid surface of alcohol–water mixtures and evaporation processes studied by liquid ionization mass spectrometry, 229
- Mass bias  
Multidynamic isotope ratio analysis using MC–ICP–MS and the causes of secular drift in Hf, Nd and Pb isotope ratios, 59
- Mass spectrometry  
Complexation of nickel(II) by ethylenediamine investigated by means of electrospray ionization mass spectrometry, 33  
Fragmentation patterns of novel dispirocyclopiperazinium dibromides with strong analgesic activity under electrospray ionization tandem mass spectrometry conditions, 111  
Gas-phase polar cycloadditions, 263
- MC–ICP–MS  
Multidynamic isotope ratio analysis using MC–ICP–MS and the causes of secular drift in Hf, Nd and Pb isotope ratios, 59
- MEDI  
Multielectron dissociative ionization of SF<sub>6</sub> in an intense femtosecond laser field, 117
- Methanol–water clusters  
Cluster composition distribution at the liquid surface of alcohol–water mixtures and evaporation processes studied by liquid ionization mass spectrometry, 229
- Modular data station  
A modular data and control system to improve sensitivity, selectivity, speed of analysis, ease of use, and transient duration in an external source FTICR-MS, 243
- Multidynamic  
Multidynamic isotope ratio analysis using MC–ICP–MS and the causes of secular drift in Hf, Nd and Pb isotope ratios, 59
- Multiphoton fragmentation  
Multiphoton fragmentation spectra of zirconium and niobium cluster cations, 91
- Multiply ionized molecule  
Electron impact dissociative ionization of carbonyl chlorofluoride, 207
- Nd  
Multidynamic isotope ratio analysis using MC–ICP–MS and the causes of secular drift in Hf, Nd and Pb isotope ratios, 59
- Negative chemical ionization  
The branching ratio of anions in thermal electron attachment to chlorinated fluorobenzenes, 1
- Negative thermal ionization mass spectrometry  
Precise Re isotope ratio measurements by negative thermal ionization mass spectrometry (NTI-MS) using total evaporation technique, 97
- Nickel  
Complexation of nickel(II) by ethylenediamine investigated by means of electrospray ionization mass spectrometry, 33
- Niobium  
Multiphoton fragmentation spectra of zirconium and niobium cluster cations, 91
- Noncovalent complex  
Development of a screening technique for noncovalent complex formation between guanidinium- and phosphonate-functionalized amino acids by electrospray ionization ion trap mass spectrometry: assessing ionization and functional group interaction, 213
- Non-covalent interactions  
Cation– $\pi$  interactions in gaseous  $\omega$ -phenylalkyloxonium ions, 145
- Non-dissociative charge transfer  
Experimental values of rate constants and ion product distributions for reactions of a series of ions with CS<sub>2</sub>, 199
- Nozzle beam  
Argon clusters produced in a nozzle beam at low pressure: Ar<sub>2</sub> ionisation cross-section measurement, 179
- Oxygenated volatile organic carbon  
Urban air measurements using PTR-MS in Tokyo area and comparison with GC-FID measurements, 103
- Peptide  
Charge-state selective fragmentation analysis for protonated peptides in infrared multiphoton dissociation, 25
- Pericyclic reactions  
Gas-phase polar cycloadditions, 263
- Phosphonic acid  
Development of a screening technique for noncovalent complex formation between guanidinium- and phosphonate-functionalized amino acids by electrospray ionization ion trap mass spectrometry: assessing ionization and functional group interaction, 213
- Photo chemical reaction  
Urban air measurements using PTR-MS in Tokyo area and comparison with GC-FID measurements, 103
- Photodissociation  
Optical spectroscopy and photodissociation dynamics of multiply charged ions, 131
- Plutonium  
Resonance ionization mass spectrometry for ultratrace analysis of plutonium with a new solid state laser system, 171
- Position-sensitive  
Structure-sensitive dissociation scheme for three isomers of difluorobenzene, 43
- Product distribution  
Experimental values of rate constants and ion product distributions for reactions of a series of ions with CS<sub>2</sub>, 199
- Rate constant  
Experimental values of rate constants and ion product distributions for reactions of a series of ions with CS<sub>2</sub>, 199
- Re isotope ratio  
Precise Re isotope ratio measurements by negative thermal ionization mass spectrometry (NTI-MS) using total evaporation technique, 97
- Reaction mechanisms  
Cation– $\pi$  interactions in gaseous  $\omega$ -phenylalkyloxonium ions, 145  
Gas-phase polar cycloadditions, 263
- Rearrangement  
Investigation of fragmentation pattern of bis(trimethylsilyl) ester of 3-mercaptopropionic acid, 163
- Resonance ionization mass spectrometry  
Resonance ionization mass spectrometry for ultratrace analysis of plutonium with a new solid state laser system, 171
- SF<sub>6</sub>  
Multielectron dissociative ionization of SF<sub>6</sub> in an intense femtosecond laser field, 117
- Spectroscopy  
Optical spectroscopy and photodissociation dynamics of multiply charged ions, 131
- Stored waveform inverse fourier transform  
A modular data and control system to improve sensitivity, selectivity, speed of analysis, ease of use, and transient duration in an external source FTICR-MS, 243
- Structure selective gas-phase ion/molecule reactions  
Gas-phase polar cycloadditions, 263

- Synthetic isotope mixture
  - Synthetic isotope mixtures for the calibration of isotope amount ratio measurements of carbon, 255
- Tandem mass spectrometry
  - Investigation of fragmentation pattern of bis(trimethylsilyl) ester of 3-mercaptopropionic acid, 163
- Temperature dependence
  - The branching ratio of anions in thermal electron attachment to chlorinated fluorobenzenes, 1
- Thermal ionization mass spectrometer
  - Effective elimination of isobaric ions interference and precise thermal ionization mass spectrometer analysis for boron isotope, 187
- Time-of-flight
  - Structure-sensitive dissociation scheme for three isomers of difluorobenzene, 43
  - Multielectron dissociative ionization of SF<sub>6</sub> in an intense femtosecond laser field, 117
- Time-of-flight mass spectroscopy
  - Multiphoton fragmentation spectra of zirconium and niobium cluster cations, 91
- TIMS
  - Multidynamic isotope ratio analysis using MC-ICP-MS and the causes of secular drift in Hf, Nd and Pb isotope ratios, 59
- Titanium-sapphire laser
  - Resonance ionization mass spectrometry for ultratrace analysis of plutonium with a new solid state laser system, 171
- TMS derivatives
  - Investigation of fragmentation pattern of bis(trimethylsilyl) ester of 3-mercaptopropionic acid, 163
- Total evaporation
  - Precise Re isotope ratio measurements by negative thermal ionization mass spectrometry (NTI-MS) using total evaporation technique 97
- Ultratrace detection
  - Resonance ionization mass spectrometry for ultratrace analysis of plutonium with a new solid state laser system, 171
- Unimolecular dissociation
  - Isomerization and dissociation of the acetonitrile molecular cation 15
- Urban pollution
  - Urban air measurements using PTR-MS in Tokyo area and comparison with GC-FID measurements, 103
- Vacuum residue
  - Structure characterization of polyaromatic hydrocarbons in Arabian mix vacuum residue by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry, 49
- Valinomycin
  - Molecular diversity of cereulide detected by means of nano-HPLC-ESI-Q-TOF-MS, 123
- Yb
  - Multidynamic isotope ratio analysis using MC-ICP-MS and the causes of secular drift in Hf, Nd and Pb isotope ratios, 59
- Zirconium
  - Multiphoton fragmentation spectra of zirconium and niobium cluster cations, 91