

Subject index Volume 238

- Ab initio calculation
Ab initio study of the isomerization and photodissociation of the $C_3H_6O^{+\bullet}$ cation radicals, 1
- ADME screening
Generic approach to high throughput ADME screening for lead candidate optimization, 107
- Affinity selection–mass spectrometry
An affinity selection–mass spectrometry method for the identification of small molecule ligands from self-encoded combinatorial libraries.
Discovery of a novel antagonist of *E. coli* dihydrofolate reductase, 77
- Affinity tags
An integrated strategy for the discovery of drug targets by the analysis of protein–protein interactions, 119
- Anionic polymerization
Probing chain-end functionalization reactions in living anionic polymerization via matrix-assisted laser desorption ionization time-of-flight mass spectrometry, 245
- Array detectors
Recent advances in detector-array technology for mass spectrometry, 33
- Bioanalysis
Effective strategies for the development of specific, sensitive and rapid multiple-component assays for cassette dosing pharmacokinetic screening, 131
- Biomarkers
Differential expression profiling of serum proteins and metabolites for biomarker discovery, 163
- Brain tissue
Quantitative bioanalysis: an integrated approach for drug discovery and development, 139
- C_{60}
Coincidental emission of molecular ions from keV carbon cluster impacts, 59
- Cassette dosing
Effective strategies for the development of specific, sensitive and rapid multiple-component assays for cassette dosing pharmacokinetic screening, 131
- Chemisorption
Chemical properties of mass-selected coinage metal cluster anions: towards obtaining molecular-level understanding of nanocatalysis, 17
- $C_3H_6O^{+\bullet}$ cation radical
Ab initio study of the isomerization and photodissociation of the $C_3H_6O^{+\bullet}$ cation radicals, 1
- Cluster projectiles
Coincidental emission of molecular ions from keV carbon cluster impacts, 59
- Collision induced dissociation
Translational spectroscopy of N^+ produced by collision induced dissociation of N_2^+ on He and Ar, 55
- Collision-induced dissociation
Characterisation of poly(alkyl methacrylate)s by means of electrospray ionisation–tandem mass spectrometry (ESI–MS/MS), 265
- Column-switching
Quantitative bioanalysis: an integrated approach for drug discovery and development, 139
- Combinatorial chemistry
An affinity selection–mass spectrometry method for the identification of small molecule ligands from self-encoded combinatorial libraries.
Discovery of a novel antagonist of *E. coli* dihydrofolate reductase, 77
- Copolymer
Calibration for determining monomer ratios in copolymers by electrospray ionization mass spectrometry, 207
- Coupling methods
Analysis of modified polyamide 6.6 using coupled liquid chromatography and MALDI–TOF–mass spectrometry, 235
- Differential proteomics
Differential expression profiling of serum proteins and metabolites for biomarker discovery, 163
- Drug discovery
An integrated strategy for the discovery of drug targets by the analysis of protein–protein interactions, 119
High throughput drug discovery with ESI–FTICR, 197
- Drug targets
An integrated strategy for the discovery of drug targets by the analysis of protein–protein interactions, 119
- Electron impact
Threshold electron impact ionization studies of uracil, 47
- Electrospray
Calibration for determining monomer ratios in copolymers by electrospray ionization mass spectrometry, 207
- Electrospray ionisation–tandem mass spectrometry
Characterisation of poly(alkyl methacrylate)s by means of electrospray ionisation–tandem mass spectrometry (ESI–MS/MS), 265
- End group analysis
Probing chain-end functionalization reactions in living anionic polymerization via matrix-assisted laser desorption ionization time-of-flight mass spectrometry, 245
- ESI FTICR mass spectrometry
High throughput drug discovery with ESI–FTICR, 197
- ESI–MS/MS
Microstructural and conformational studies of polyether copolymers, 287
- Ethoxylated surfactants
MALDI PSD of low molecular weight ethoxylated polymers, 257
- Fragmentation
MALDI PSD of low molecular weight ethoxylated polymers, 257
- Fragmentation mechanism
Translational spectroscopy of N^+ produced by collision induced dissociation of N_2^+ on He and Ar, 55
- FT–ICR
Improved protein identification using automated high mass measurement accuracy MALDI FT–ICR MS peptide mass fingerprinting, 189

- Gas phase
Sequence dependent conformations of glycidyl methacrylate/butyl methacrylate copolymers in the gas phase, 279
- Gas-phase reactions
Free electrons, the simplest radicals of them all: chemistry of aqueous electrons as studied by mass spectrometry, 65
- Generic methods
Generic approach to high throughput ADME screening for lead candidate optimization, 107
- Genetic discovery
MALDI-TOF MS: a platform technology for genetic discovery, 173
- Genotyping
MALDI-TOF MS: a platform technology for genetic discovery, 173
- Glycidyl methacrylate/butyl methacrylate
Sequence dependent conformations of glycidyl methacrylate/butyl methacrylate copolymers in the gas phase, 279
- GPC-MALDI-TOF
A perspective on relative quantitation of a polydisperse polymer using chromatography and mass spectrometry, 227
- Hydrated electrons
Free electrons, the simplest radicals of them all: chemistry of aqueous electrons as studied by mass spectrometry, 65
- Implant device material
A perspective on relative quantitation of a polydisperse polymer using chromatography and mass spectrometry, 227
- Ion fragmentation energies
Translational spectroscopy of N^+ produced by collision induced dissociation of N_2^+ on He and Ar, 55
- Ion mobility
Sequence dependent conformations of glycidyl methacrylate/butyl methacrylate copolymers in the gas phase, 279
Microstructural and conformational studies of polyether copolymers, 287
- Ionization
Threshold electron impact ionization studies of uracil, 47
- Isomerization
Ab initio study of the isomerization and photodissociation of the $C_3H_6O^{+\bullet}$ cation radicals, 1
- LC/MS/MS
Effective strategies for the development of specific, sensitive and rapid multiple-component assays for cassette dosing pharmacokinetic screening, 131
- Lead candidate optimization
Generic approach to high throughput ADME screening for lead candidate optimization, 107
- Liquid chromatography
Quantitative bioanalysis: an integrated approach for drug discovery and development, 139
Analysis of modified polyamide 6.6 using coupled liquid chromatography and MALDI-TOF-mass spectrometry, 235
- Liquid chromatography-mass spectrometry
Differential expression profiling of serum proteins and metabolites for biomarker discovery, 163
- MALDI
Improved protein identification using automated high mass measurement accuracy MALDI FT-ICR MS peptide mass fingerprinting, 189
MALDI PSD of low molecular weight ethoxylated polymers, 257
Sequence dependent conformations of glycidyl methacrylate/butyl methacrylate copolymers in the gas phase, 279
- MALDI mass spectrometry
Probing chain-end functionalization reactions in living anionic polymerization via matrix-assisted laser desorption ionization time-of-flight mass spectrometry, 245
- MALDI-TOF MS
MALDI-TOF MS: a platform technology for genetic discovery, 173
The influence of matrix and laser energy on the molecular mass distribution of synthetic polymers obtained by MALDI-TOF-MS, 215
Analysis of modified polyamide 6.6 using coupled liquid chromatography and MALDI-TOF-mass spectrometry, 235
- Mass accuracy
Improved protein identification using automated high mass measurement accuracy MALDI FT-ICR MS peptide mass fingerprinting, 189
- Mass spectrometry
Recent advances in detector-array technology for mass spectrometry, 33
SFC/MS in drug discovery at Pfizer, La Jolla, 85
Quantitative bioanalysis: an integrated approach for drug discovery and development, 139
- Matrix-assisted laser desorption/ionization
MALDI PSD of low molecular weight ethoxylated polymers, 257
- Metal cluster
Chemical properties of mass-selected coinage metal cluster anions: towards obtaining molecular-level understanding of nanocatalysis, 17
- Molecular mass distribution
The influence of matrix and laser energy on the molecular mass distribution of synthetic polymers obtained by MALDI-TOF-MS, 215
- Monomer ratio
Calibration for determining monomer ratios in copolymers by electrospray ionization mass spectrometry, 207
- MS/MS
An integrated strategy for the discovery of drug targets by the analysis of protein-protein interactions, 119
- Multidimensional chromatography
An affinity selection-mass spectrometry method for the identification of small molecule ligands from self-encoded combinatorial libraries.
Discovery of a novel antagonist of *E. coli* dihydrofolate reductase, 77
- Multi-ion emission
Coincidental emission of molecular ions from keV carbon cluster impacts, 59
- Multiple detectors
Recent advances in detector-array technology for mass spectrometry, 33
- Multiple-component assays
Effective strategies for the development of specific, sensitive and rapid multiple-component assays for cassette dosing pharmacokinetic screening, 131
- N_2^+
Translational spectroscopy of N^+ produced by collision induced dissociation of N_2^+ on He and Ar, 55
- Nanodroplets
Free electrons, the simplest radicals of them all: chemistry of aqueous electrons as studied by mass spectrometry, 65
- Noncovalent complexes
High throughput drug discovery with ESI-FTICR, 197
- Oligomer
Microstructural and conformational studies of polyether copolymers, 287
- Oxygen
Chemical properties of mass-selected coinage metal cluster anions: towards obtaining molecular-level understanding of nanocatalysis, 17
- Peptide
SFC/MS in drug discovery at Pfizer, La Jolla, 85
- Peptide mass fingerprinting
Improved protein identification using automated high mass measurement accuracy MALDI FT-ICR MS peptide mass fingerprinting, 189
- Phosphatase
Using mass spectrometry to study the photo-affinity labeling of protein tyrosine phosphatase 1B, 99

- Photo-affinity
Using mass spectrometry to study the photo-affinity labeling of protein tyrosine phosphatase 1B, 99
- Photodissociation
Ab initio study of the isomerization and photodissociation of the $C_3H_6O^{+•}$ cation radicals, 1
- Photoelectron spectroscopy
Chemical properties of mass-selected coinage metal cluster anions: towards obtaining molecular-level understanding of nanocatalysis, 17
- Photoionization
SFC/MS in drug discovery at Pfizer, La Jolla, 85
- Photoprobe
Using mass spectrometry to study the photo-affinity labeling of protein tyrosine phosphatase 1B, 99
- Plasma
Quantitative bioanalysis: an integrated approach for drug discovery and development, 139
- Poly(alkyl methacrylate)
Characterisation of poly(alkyl methacrylate)s by means of electrospray ionisation–tandem mass spectrometry (ESI–MS/MS), 265
- Poly(*n*-butyl methacrylate)
Characterisation of poly(alkyl methacrylate)s by means of electrospray ionisation–tandem mass spectrometry (ESI–MS/MS), 265
- Polyatomic projectiles
Coincidental emission of molecular ions from keV carbon cluster impacts, 59
- Polymers
Probing chain-end functionalization reactions in living anionic polymerization via matrix-assisted laser desorption ionization time-of-flight mass spectrometry, 245
- Post-source decay
MALDI PSD of low molecular weight ethoxylated polymers, 257
- Protein interactions
An integrated strategy for the discovery of drug targets by the analysis of protein–protein interactions, 119
- PSD
MALDI PSD of low molecular weight ethoxylated polymers, 257
- Quantification
Differential expression profiling of serum proteins and metabolites for biomarker discovery, 163
- Quantitation
Quantitative bioanalysis: an integrated approach for drug discovery and development, 139
Probing chain-end functionalization reactions in living anionic polymerization via matrix-assisted laser desorption ionization time-of-flight mass spectrometry, 245
- Quantitative polymer analysis
A perspective on relative quantitation of a polydisperse polymer using chromatography and mass spectrometry, 227
- Radical ions
Free electrons, the simplest radicals of them all: chemistry of aqueous electrons as studied by mass spectrometry, 65
- RNA
High throughput drug discovery with ESI-FTICR, 197
- Secondary ion emission
Coincidental emission of molecular ions from keV carbon cluster impacts, 59
- Simultaneous detection
Recent advances in detector-array technology for mass spectrometry, 33
- Solvated electrons
Free electrons, the simplest radicals of them all: chemistry of aqueous electrons as studied by mass spectrometry, 65
- Supercritical fluid
SFC/MS in drug discovery at Pfizer, La Jolla, 85
- Surfynol[®] surfactants
MALDI PSD of low molecular weight ethoxylated polymers, 257
- Synthetic polymers
The influence of matrix and laser energy on the molecular mass distribution of synthetic polymers obtained by MALDI-TOF-MS, 215
- Threshold
Threshold electron impact ionization studies of uracil, 47
- Time-of-flight mass spectrometry
MALDI PSD of low molecular weight ethoxylated polymers, 257
- TOFMS
MALDI PSD of low molecular weight ethoxylated polymers, 257
- Translational energy spectroscopy
Translational spectroscopy of N_2^+ produced by collision induced dissociation of N_2^+ on He and Ar, 55
- Turbulent flow chromatography
Generic approach to high throughput ADME screening for lead candidate optimization, 107
Quantitative bioanalysis: an integrated approach for drug discovery and development, 139
- Uracil
Threshold electron impact ionization studies of uracil, 47
- UV curable PDMS
A perspective on relative quantitation of a polydisperse polymer using chromatography and mass spectrometry, 227
- Whole genome association study
MALDI-TOF MS: a platform technology for genetic discovery, 173