

Subject index Volume 240

- Ab initio**
Ab initio molecular orbital investigation of SiOH^+-XH , SiOH^+-X_2 and $\text{SiOH}^+-\text{XY}(\text{YX})$ ($\text{X} = \text{Y} = \text{F}, \text{Cl}$ and Br) proton-bond complexes, 1
- Ab initio molecular orbital electronic structure theory**
Theoretical methods that help understanding the structure and reactivity of gas phase ions, 37
- Acidity**
Insights into nucleic acid reactivity through gas-phase experimental and computational studies, 261
- Adducts**
Investigation of the mechanism of matrix adduct formation in MALDI at elevated pressure, 101
- Adiabatic electron affinity**
The aluminum phosphides Al_mP_n ($m + n = 2-5$) and their anions: structures, electron affinities and vibrational frequencies, 149
- Aldose–ketose isomers**
Kinetic measurements of phosphoglucose isomerase and phosphomannose isomerase by direct analysis of phosphorylated aldose–ketose isomers using tandem mass spectrometry, 291
- Alkali cations**
Sequential bond energies of water to sodium glycine cation, 233
- Amide H^2H exchange**
Protein–protein interaction dynamics by amide H^2H exchange mass spectrometry, 285
- Amino acids**
Sequential bond energies of water to sodium glycine cation, 233
- Ammonium group**
Hydration of small peptides, 221
- AMT**
Ultra-sensitive, high throughput and quantitative proteomics measurements, 195
- Archaea**
Top-down, bottom-up, and side-to-side proteomics with virtual 2-D gels, 317
- Association constant**
PLIMSTEX: a novel mass spectrometric method for the quantification of protein–ligand interactions in solution, 213
- Biopolymers**
Ion mobility–mass spectrometry: a new paradigm for proteomics, 301
- Bond dissociation energies**
Sequential bond energies of water to sodium glycine cation, 233
- Carbon clusters**
Reactions of C_n ($n = 1-3$) with ions stored in a temperature-variable radio-frequency trap, 139
- Carboxylate group**
Hydration of small peptides, 221
- C_2D^+**
Reactions of C_n ($n = 1-3$) with ions stored in a temperature-variable radio-frequency trap, 139
- C_3D^+**
Reactions of C_n ($n = 1-3$) with ions stored in a temperature-variable radio-frequency trap, 139
- CD^+**
Reactions of C_n ($n = 1-3$) with ions stored in a temperature-variable radio-frequency trap, 139
- CH activation**
Competitive reactions and diastereoselective CH bond activation in the McLafferty rearrangement of photoionized 3-methyl valeramide, 121
- Charge transfer**
Ab initio molecular orbital investigation of SiOH^+-XH , SiOH^+-X_2 and $\text{SiOH}^+-\text{XY}(\text{YX})$ ($\text{X} = \text{Y} = \text{F}, \text{Cl}$ and Br) proton-bond complexes, 1
- Clusters**
Investigation of the mechanism of matrix adduct formation in MALDI at elevated pressure, 101
- C_n^+**
Reactions of C_n ($n = 1-3$) with ions stored in a temperature-variable radio-frequency trap, 139
- Collisional cooling**
Investigation of the mechanism of matrix adduct formation in MALDI at elevated pressure, 101
- Conformational change**
PLIMSTEX: a novel mass spectrometric method for the quantification of protein–ligand interactions in solution, 213
- Conformations**
Structural motifs of DNA complexes in the gas phase, 183
- Coral**
Uranium-series dating of corals in situ using laser-ablation MC-ICPMS, 27
- Density functional theory**
Theoretical methods that help understanding the structure and reactivity of gas phase ions, 37
The aluminum phosphides Al_mP_n ($m + n = 2-5$) and their anions: structures, electron affinities and vibrational frequencies, 149
- Distonic ions**
Competitive reactions and diastereoselective CH bond activation in the McLafferty rearrangement of photoionized 3-methyl valeramide, 121
- DNA**
Structural motifs of DNA complexes in the gas phase, 183
Insights into nucleic acid reactivity through gas-phase experimental and computational studies, 261
- Drift correction**
Secondary ion mass spectrometry measurements of isotopic ratios: correction for time varying count rate, 107
- ECD**
Is it biologically relevant to measure the structures of small peptides in the gas-phase?, 273
- Electron ionization**
Fragmentation and skeletal rearrangements of products of the reaction between fluorobenzenes and bicyclic N-bases studied by electron ionization mass spectrometry, 7
- Enzyme nucleobase**
Insights into nucleic acid reactivity through gas-phase experimental and computational studies, 261

ESI-MS

PLIMSTEX: a novel mass spectrometric method for the quantification of protein–ligand interactions in solution, 213

Fluoronitroaniline derivatives

Fragmentation and skeletal rearrangements of products of the reaction between fluorobenzenes and bicyclic N-bases studied by electron ionization mass spectrometry, 7

Fragmentation pathways

Fragmentation and skeletal rearrangements of products of the reaction between fluorobenzenes and bicyclic N-bases studied by electron ionization mass spectrometry, 7

FT-ICR

Is it biologically relevant to measure the structures of small peptides in the gas-phase?, 273

Guanidinium group

Hydration of small peptides, 221

Guided ion beam mass spectrometry

Sequential bond energies of water to sodium glycine cation, 233

H/D exchange

PLIMSTEX: a novel mass spectrometric method for the quantification of protein–ligand interactions in solution, 213

Helix

Structural motifs of DNA complexes in the gas phase, 183

2-Heptanone

Electron impact ionisation cross-sections of 2-heptanone, 161

Hydration

Sequential bond energies of water to sodium glycine cation, 233
Protein–protein interaction dynamics by amide H²H exchange mass spectrometry, 285

Hydrogen exchange

Probing protein dynamics and function under native and mildly denaturing conditions with hydrogen exchange and mass spectrometry, 249

Immobilized pH gradient gels

Top-down, bottom-up, and side-to-side proteomics with virtual 2-D gels, 317

Interpolation

Secondary ion mass spectrometry measurements of isotopic ratios: correction for time varying count rate, 107

Ion mobility

Structural motifs of DNA complexes in the gas phase, 183
Is it biologically relevant to measure the structures of small peptides in the gas-phase?, 273
Ion mobility–mass spectrometry: a new paradigm for proteomics, 301

Ion mobility–mass spectrometry

Ion mobility–mass spectrometry: a new paradigm for proteomics, 301

Ion trap

Reactions of C_n (n = 1–3) with ions stored in a temperature-variable radio-frequency trap, 139

Ionisation cross-section

Electron impact ionisation cross-sections of 2-heptanone, 161

Ion-molecule reactions

Investigation of the mechanism of matrix adduct formation in MALDI at elevated pressure, 101

Ion-neutral complexes

Competitive reactions and diastereoselective CH bond activation in the McLafferty rearrangement of photoionized 3-methyl valeramide, 121

ISM molecules

Reactions of C_n (n = 1–3) with ions stored in a temperature-variable radio-frequency trap, 139

Isotope effects

Competitive reactions and diastereoselective CH bond activation in the McLafferty rearrangement of photoionized 3-methyl valeramide, 121

Isotope fractionation

A method for determining isotopic composition of elements by thermal ionization source mass spectrometry, 17

Isotope ratios

A method for determining isotopic composition of elements by thermal ionization source mass spectrometry, 17

Isotopic ratio

Secondary ion mass spectrometry measurements of isotopic ratios: correction for time varying count rate, 107

Kinetic measurements

Kinetic measurements of phosphoglucose isomerase and phosphomannose isomerase by direct analysis of phosphorylated aldose–ketose isomers using tandem mass spectrometry, 291

Laboratory astrochemistry

Reactions of C_n (n = 1–3) with ions stored in a temperature-variable radio-frequency trap, 139

Laser ablation

Uranium-series dating of corals in situ using laser-ablation MC-ICPMS, 27

LC–MS

Ultra-sensitive, high throughput and quantitative proteomics measurements, 195

Linear model

A method for determining isotopic composition of elements by thermal ionization source mass spectrometry, 17

Low and high temperature ion-molecule collisions

Reactions of C_n (n = 1–3) with ions stored in a temperature-variable radio-frequency trap, 139

MALDI

Investigation of the mechanism of matrix adduct formation in MALDI at elevated pressure, 101

MALDI-TOF mass spectrometry

Protein–protein interaction dynamics by amide H²H exchange mass spectrometry, 285

Mass spectrometry

A method for determining isotopic composition of elements by thermal ionization source mass spectrometry, 17

Competitive reactions and diastereoselective CH bond activation in the McLafferty rearrangement of photoionized 3-methyl valeramide, 121

Electron impact ionisation cross-sections of 2-heptanone, 161

Probing protein dynamics and function under native and mildly denaturing conditions with hydrogen exchange and mass spectrometry, 249

Ion mobility–mass spectrometry: a new paradigm for proteomics, 301

MC-ICPMS

Uranium-series dating of corals in situ using laser-ablation MC-ICPMS, 27

Methanosarcina acetivorans

Top-down, bottom-up, and side-to-side proteomics with virtual 2-D gels, 317

NBO

Ab initio molecular orbital investigation of SiOH⁺–XH, SiOH⁺–X₂ and SiOH⁺–XY(YX) (X = Y = F, Cl and Br) proton-bond complexes, 1

Nucleic acids

Insights into nucleic acid reactivity through gas-phase experimental and computational studies, 261

Peptide conformation

Hydration of small peptides, 221

Peptides

Is it biologically relevant to measure the structures of small peptides in the gas-phase?, 273

- Phosphoglucose isomerase
Kinetic measurements of phosphoglucose isomerase and phosphomannose isomerase by direct analysis of phosphorylated aldose–ketose isomers using tandem mass spectrometry, 291
- Phosphomannose isomerase
Kinetic measurements of phosphoglucose isomerase and phosphomannose isomerase by direct analysis of phosphorylated aldose–ketose isomers using tandem mass spectrometry, 291
- Protein conformation
Probing protein dynamics and function under native and mildly denaturing conditions with hydrogen exchange and mass spectrometry, 249
- Protein dynamics
Probing protein dynamics and function under native and mildly denaturing conditions with hydrogen exchange and mass spectrometry, 249
- Protein folding
Probing protein dynamics and function under native and mildly denaturing conditions with hydrogen exchange and mass spectrometry, 249
- Protein interface
Protein–protein interaction dynamics by amide H²H exchange mass spectrometry, 285
- Protein–ligand interaction
PLIMSTEX: a novel mass spectrometric method for the quantification of protein–ligand interactions in solution, 213
- Proteomic measurements
Ultra-sensitive, high throughput and quantitative proteomics measurements, 195
- Proteomics
Ion mobility–mass spectrometry: a new paradigm for proteomics, 301
Top-down, bottom-up, and side-to-side proteomics with virtual 2-D gels, 317
- Proton affinity
Insights into nucleic acid reactivity through gas-phase experimental and computational studies, 261
- Proton transfer
Reactions of C_n (n = 1–3) with ions stored in a temperature-variable radio-frequency trap, 139
- Proton-bond complexes
Ab initio molecular orbital investigation of SiOH⁺–XH, SiOH⁺–X₂ and SiOH⁺–XY(YX) (X = Y = F, Cl and Br) proton-bond complexes, 1
- Quantum Monte Carlo theory
Theoretical methods that help understanding the structure and reactivity of gas phase ions, 37
- RNA
Insights into nucleic acid reactivity through gas-phase experimental and computational studies, 261
- Secondary ion mass spectrometry
Secondary ion mass spectrometry measurements of isotopic ratios: correction for time varying count rate, 107
- Stability
Ab initio molecular orbital investigation of SiOH⁺–XH, SiOH⁺–X₂ and SiOH⁺–XY(YX) (X = Y = F, Cl and Br) proton-bond complexes, 1
- Steric effects
Competitive reactions and diastereoselective CH bond activation in the McLafferty rearrangement of photoionized 3-methyl valeramide, 121
- Sulfonation
The curved-field reflectron: PSD and CID without scanning, stepping or lifting, 169
- Surface hopping
Theoretical methods that help understanding the structure and reactivity of gas phase ions, 37
- Tandem
The curved-field reflectron: PSD and CID without scanning, stepping or lifting, 169
- Tandem mass spectrometry
Kinetic measurements of phosphoglucose isomerase and phosphomannose isomerase by direct analysis of phosphorylated aldose–ketose isomers using tandem mass spectrometry, 291
- Temporal variation
Secondary ion mass spectrometry measurements of isotopic ratios: correction for time varying count rate, 107
- Thermal ionization
A method for determining isotopic composition of elements by thermal ionization source mass spectrometry, 17
- Time dependent density functional theory
Theoretical methods that help understanding the structure and reactivity of gas phase ions, 37
- Time-of-flight
The curved-field reflectron: PSD and CID without scanning, stepping or lifting, 169
- TOF/TOF
The curved-field reflectron: PSD and CID without scanning, stepping or lifting, 169
- Two-state reactivity
Theoretical methods that help understanding the structure and reactivity of gas phase ions, 37
- Uncertainty analysis
Secondary ion mass spectrometry measurements of isotopic ratios: correction for time varying count rate, 107
- U-series dating
Uranium-series dating of corals in situ using laser-ablation MC-ICPMS, 27
- Vertical detachment energy
The aluminum phosphides Al_mP_n (m + n = 2–5) and their anions: structures, electron affinities and vibrational frequencies, 149
- Vertical electron affinity
The aluminum phosphides Al_mP_n (m + n = 2–5) and their anions: structures, electron affinities and vibrational frequencies, 149
- Vibrational frequencies
The aluminum phosphides Al_mP_n (m + n = 2–5) and their anions: structures, electron affinities and vibrational frequencies, 149
- Virtual 2-D gel electrophoresis
Top-down, bottom-up, and side-to-side proteomics with virtual 2-D gels, 317
- VOC decomposition
Electron impact ionisation cross-sections of 2-heptanone, 161
- Water binding energy
Hydration of small peptides, 221
- Water binding site
Hydration of small peptides, 221
- Zwitterion
Hydration of small peptides, 221