

Subject index Volume 243

- [12]aneS₄
Gas-phase C—S bond cleavage and crown opening versus nitrogen heterocycle loss from Ru^{II} complex ions with 1,4,7,10-tetrathia-cyclododecane and bidentate diimines, 257
- Ab initio
H₂S-CIMS: Theoretical calculations of the energies and structures of secondary ions in the ion source, 241
- Applications
Applications, features, and mechanistic aspects of liquid water beam desorption mass spectrometry, 177
- Aroma
Direct atmospheric pressure chemical ionisation ion trap mass spectrometry for aroma analysis: Speed, sensitivity and resolution of isobaric compounds, 269
- Association rate
Association and charge transfer reactions of Xe⁺ and O₂⁺ with acetonitrile, 135
- Atmospheric
Using chemical ionization mass spectrometry for detection of HNO₃, HCl, and ClONO₂ in the atmosphere, 63
- Atoms
A detailed comparison of calculated and measured electron-impact ionization cross sections of atoms using the Deutsch–Märk (DM) formalism, 215
- Breath test
Headspace screening of fluid obtained from the gut during colonoscopy and breath analysis by proton transfer reaction-mass spectrometry: A novel approach in the diagnosis of gastro-intestinal diseases, 151
- Catalysis
Gas-phase kinetics and catalytic reactions of small silver and gold clusters, 1
- Cation radical dimers
Kinetics of secondary ion complexes in O₂⁺CH₃CN and Xe⁺CH₃CN systems. Formation of nonprotonated ion complexes of acetonitrile, 127
- Charge-exchange
Ion-molecule reactions in quadrupole ion trap mass spectrometry: implications for lightweight gas analysis, 31
- Chemical ionisation
Using chemical ionization mass spectrometry for detection of HNO₃, HCl, and ClONO₂ in the atmosphere, 63
- Chemical-ionization mass spectrometry
H₂S-CIMS: Theoretical calculations of the energies and structures of secondary ions in the ion source, 241
- Chloride
A new high-pressure mass spectrometer with improved reaction temperature measurement, 49
- CIMS
A laminar and turbulent ion flow reactor for studying ion/molecule reactions at variable pressures and temperatures, 141
- Cluster desorption
Secondary ion emission from CO₂–H₂O ice irradiated by energetic heavy ions. Part I. Measurement of the mass spectra, 85
- Clusters
Gas-phase kinetics and catalytic reactions of small silver and gold clusters, 1
Kinetics of secondary ion complexes in O₂⁺CH₃CN and Xe⁺CH₃CN systems. Formation of nonprotonated ion complexes of acetonitrile, 127
- CO₂–H₂O ice
Secondary ion emission from CO₂–H₂O ice irradiated by energetic heavy ions. Part I. Measurement of the mass spectra, 85
- Collision energy transfer
Very high critical energy fragmentations observed in CID, 41
- Collision induced decomposition (CID)
Very high critical energy fragmentations observed in CID, 41
- Colonoscopy
Headspace screening of fluid obtained from the gut during colonoscopy and breath analysis by proton transfer reaction-mass spectrometry: A novel approach in the diagnosis of gastro-intestinal diseases, 151
- Condensed gases
Secondary ion emission from CO₂–H₂O ice irradiated by energetic heavy ions. Part I. Measurement of the mass spectra, 85
- Copper phthalocyanine sheet polymer
GC–MS studies on degradation of copper phthalocyanine sheet polymer, 199
- Cross sections
A detailed comparison of calculated and measured electron-impact ionization cross sections of atoms using the Deutsch–Märk (DM) formalism, 215
- Cyclohexylamine
Ring opening fragmentations of ionized cyclohexylamines, 249
- Degradation mechanism
GC–MS studies on degradation of copper phthalocyanine sheet polymer, 199
- DFT calculations
Mass spectral and theoretical characterisation of non-symmetric Mo(V) dithiolene complexes, 205
- Dianions
Mass spectrometry, photoelectron spectroscopy, and quantum chemical studies of fluorofullerene dianions, 223
- Diatomic and linear triatomic molecules
Characteristics of dynamic alignment for diatomic and linear triatomic molecules in intense femtosecond laser fields, 155
- Dicyclohexylamine
Ring opening fragmentations of ionized cyclohexylamines, 249
- Diimine loss
Gas-phase C—S bond cleavage and crown opening versus nitrogen heterocycle loss from Ru^{II} complex ions with 1,4,7,10-tetrathia-cyclododecane and bidentate diimines, 257

- Diimines**
 Gas-phase C—S bond cleavage and crown opening versus nitrogen heterocycle loss from Ru^{II} complex ions with 1,4,7,10-tetrathiacyclododecane and bidentate diimines, 257
- Dimer**
 Electron impact ionization of glycolaldehyde, 171
- Doubly charged ions**
 Binding of molecular oxygen and alkenes to coordinatively unsaturated bipyridinium metal complexes in the gas phase, 231
- Dy@C₈₂**
 Photoion yield curves of Dy@C₈₂ in the vacuum UV region, 121
- Dynamic alignment**
 Characteristics of dynamic alignment for diatomic and linear triatomic molecules in intense femtosecond laser fields, 155
- Electron ELF analysis**
 Mass spectral and theoretical characterisation of non-symmetric Mo(V) dithiolene complexes, 205
- Electron impact ionization**
 A detailed comparison of calculated and measured electron-impact ionization cross sections of atoms using the Deutsch–Märk (DM) formalism, 215
- Electronic sputtering**
 Secondary ion emission from CO₂–H₂O ice irradiated by energetic heavy ions. Part I. Measurement of the mass spectra, 85
- Electrospray ionisation**
 Mass spectral and theoretical characterisation of non-symmetric Mo(V) dithiolene complexes, 205
- Electrospray ionization mass spectrometry**
 A mass spectrometric study of glucose, sucrose, and fructose using an inductively coupled plasma and electrospray ionization, 71
 A sensitive negative-ion electrospray ionization mass spectrometry detection for metallothionein in tris(hydroxymethyl)aminomethane acetate buffer, 163
- Electrospray ionization**
 Experimental and computational study of the gas-phase interactions between lead(II) ions and two pyrimidic nucleobases: Uracil and thymine, 279
- Electrospray mass spectrometry**
 Mass spectrometry, photoelectron spectroscopy, and quantum chemical studies of fluorofullerene dianions, 223
- Energy dependence**
 Association and charge transfer reactions of Xe⁺ and O₂⁺ with acetonitrile, 135
- Energy-resolved mass spectrometry**
 Mass spectral and theoretical characterisation of non-symmetric Mo(V) dithiolene complexes, 205
- ESMS**
 Gas-phase C—S bond cleavage and crown opening versus nitrogen heterocycle loss from Ru^{II} complex ions with 1,4,7,10-tetrathiacyclododecane and bidentate diimines, 257
- Ether**
 Intracluster ion–molecule reactions of Ti⁺ with ether clusters, 97
- Field ionization**
 Ionization/dissociation processes in some alkyl iodides induced by strong picosecond laser beam, 189
- Fitting**
 Kinetics of secondary ion complexes in O₂⁺CH₃CN and Xe⁺CH₃CN systems. Formation of nonprotonated ion complexes of acetonitrile, 127
- Fluid**
 Headspace screening of fluid obtained from the gut during colonoscopy and breath analysis by proton transfer reaction-mass spectrometry: A novel approach in the diagnosis of gastro-intestinal diseases, 151
- Fluorinated fullerenes**
 Mass spectrometry, photoelectron spectroscopy, and quantum chemical studies of fluorofullerene dianions, 223
- Fragmentation**
 A mass spectrometric study of glucose, sucrose, and fructose using an inductively coupled plasma and electrospray ionization, 71
- Frequency calculations**
 Infrared multiphoton dissociation spectroscopy of protonated *N*-acetyl-alanine and alanyl-histidine, 105
- Fructose**
 A mass spectrometric study of glucose, sucrose, and fructose using an inductively coupled plasma and electrospray ionization, 71
- FTMS**
 Ring opening fragmentations of ionized cyclohexylamines, 249
- G3B3**
 H₂S-CIMS: Theoretical calculations of the energies and structures of secondary ions in the ion source, 241
- Gas phase acetic acid dimer**
 A mass spectrometric study of glucose, sucrose, and fructose using an inductively coupled plasma and electrospray ionization, 71
- Gas-phase reactions**
 Binding of molecular oxygen and alkenes to coordinatively unsaturated bipyridinium metal complexes in the gas phase, 231
- GC–MS**
 GC–MS studies on degradation of copper phthalocyanine sheet polymer, 199
- Glucose**
 A mass spectrometric study of glucose, sucrose, and fructose using an inductively coupled plasma and electrospray ionization, 71
- Glycolaldehyde**
 Electron impact ionization of glycolaldehyde, 171
- Gold**
 Gas-phase kinetics and catalytic reactions of small silver and gold clusters, 1
- HCl**
 Using chemical ionization mass spectrometry for detection of HNO₃, HCl, and ClONO₂ in the atmosphere, 63
- Heterocluster**
 Intracluster ion–molecule reactions of Ti⁺ with ether clusters, 97
- H₂S plasma**
 H₂S-CIMS: Theoretical calculations of the energies and structures of secondary ions in the ion source, 241
- High-pressure mass spectrometry**
 A new high-pressure mass spectrometer with improved reaction temperature measurement, 49
- Hot plasma**
 A mass spectrometric study of glucose, sucrose, and fructose using an inductively coupled plasma and electrospray ionization, 71
- HPMS**
 A new high-pressure mass spectrometer with improved reaction temperature measurement, 49
- Hydration**
 A new high-pressure mass spectrometer with improved reaction temperature measurement, 49
- Icewine**
 A mass spectrometric study of glucose, sucrose, and fructose using an inductively coupled plasma and electrospray ionization, 71
- In vivo**
 Direct atmospheric pressure chemical ionisation ion trap mass spectrometry for aroma analysis: Speed, sensitivity and resolution of isobaric compounds, 269
- Inductively coupled plasma mass spectrometry**
 A mass spectrometric study of glucose, sucrose, and fructose using an inductively coupled plasma and electrospray ionization, 71

- Inflammatory bowel disease**
Headspace screening of fluid obtained from the gut during colonoscopy and breath analysis by proton transfer reaction-mass spectrometry: A novel approach in the diagnosis of gastro-intestinal diseases, 151
- Infrared spectroscopy**
Infrared multiphoton dissociation spectroscopy of protonated *N*-acetyl-alanine and alanyl-histidine, 105
- Insertion**
Binding of molecular oxygen and alkenes to coordinatively unsaturated bipyridinium metal complexes in the gas phase, 231
- Intense femtosecond laser field**
Characteristics of dynamic alignment for diatomic and linear triatomic molecules in intense femtosecond laser fields, 155
- Internal energy**
Very high critical energy fragmentations observed in CID, 41
- Interstellar medium**
A selected ion flow tube study of the reactions of a sequence of ions with amines, 115
- Ion trap MS**
Direct atmospheric pressure chemical ionisation ion trap mass spectrometry for aroma analysis: Speed, sensitivity and resolution of isobaric compounds, 269
- Ion trap**
Ion-molecule reactions in quadrupole ion trap mass spectrometry: implications for lightweight gas analysis, 31
- Ion/molecule reaction**
Kinetics of secondary ion complexes in $O_2^{*+}CH_3CN$ and $Xe^{*+}CH_3CN$ systems. Formation of nonprotonated ion complexes of acetonitrile, 127
Association and charge transfer reactions of Xe^{*+} and O_2^{*+} with acetonitrile, 135
A laminar and turbulent ion flow reactor for studying ion/molecule reactions at variable pressures and temperatures, 141
- Ionization**
Electron impact ionization of glycolaldehyde, 171
- Ion-molecule reaction**
Ion-molecule reactions in quadrupole ion trap mass spectrometry: implications for lightweight gas analysis, 31
- Ion–molecule reaction**
Intracluster ion–molecule reactions of Ti^+ with ether clusters, 97
A selected ion flow tube study of the reactions of a sequence of ions with amines, 115
- IR-laser**
Applications, features, and mechanistic aspects of liquid water beam desorption mass spectrometry, 177
- IRMPD**
Infrared multiphoton dissociation spectroscopy of protonated *N*-acetyl-alanine and alanyl-histidine, 105
- Irritable bowel syndrome**
Headspace screening of fluid obtained from the gut during colonoscopy and breath analysis by proton transfer reaction-mass spectrometry: A novel approach in the diagnosis of gastro-intestinal diseases, 151
- Isobaric**
Direct atmospheric pressure chemical ionisation ion trap mass spectrometry for aroma analysis: Speed, sensitivity and resolution of isobaric compounds, 269
- Lead(II) ions**
Experimental and computational study of the gas-phase interactions between lead(II) ions and two pyrimidic nucleobases: Uracil and thymine, 279
- Liquid beam desorption mass spectrometry**
Applications, features, and mechanistic aspects of liquid water beam desorption mass spectrometry, 177
- Liquid water beam in vacuum**
Applications, features, and mechanistic aspects of liquid water beam desorption mass spectrometry, 177
- Mass spectrometry**
Headspace screening of fluid obtained from the gut during colonoscopy and breath analysis by proton transfer reaction-mass spectrometry: A novel approach in the diagnosis of gastro-intestinal diseases, 151
Ionization/dissociation processes in some alkyl iodides induced by strong picosecond laser beam, 189
- Mechanisms**
Applications, features, and mechanistic aspects of liquid water beam desorption mass spectrometry, 177
- Metal endohedral fullerenes**
Photoion yield curves of $Dy@C_{82}$ in the vacuum UV region, 121
- Metallofullerenes**
Photoion yield curves of $Dy@C_{82}$ in the vacuum UV region, 121
- Metallothionein**
A sensitive negative-ion electrospray ionization mass spectrometry detection for metallothionein in tris(hydroxymethyl)aminomethane acetate buffer, 163
- Mo(V) dithiolene complexes**
Mass spectral and theoretical characterisation of non-symmetric Mo(V) dithiolene complexes, 205
- Monomer**
Electron impact ionization of glycolaldehyde, 171
- MS–MS**
Direct atmospheric pressure chemical ionisation ion trap mass spectrometry for aroma analysis: Speed, sensitivity and resolution of isobaric compounds, 269
- Multiphoton ionization**
Ionization/dissociation processes in some alkyl iodides induced by strong picosecond laser beam, 189
- Multiply charged ions**
Ionization/dissociation processes in some alkyl iodides induced by strong picosecond laser beam, 189
- Negative-ion**
A sensitive negative-ion electrospray ionization mass spectrometry detection for metallothionein in tris(hydroxymethyl)aminomethane acetate buffer, 163
- Nitric acid**
Using chemical ionization mass spectrometry for detection of HNO_3 , HCl , and $ClONO_2$ in the atmosphere, 63
- Nucleobases**
Experimental and computational study of the gas-phase interactions between lead(II) ions and two pyrimidic nucleobases: Uracil and thymine, 279
- Oxygen binding**
Binding of molecular oxygen and alkenes to coordinatively unsaturated bipyridinium metal complexes in the gas phase, 231
- Permanent gas analysis**
Ion-molecule reactions in quadrupole ion trap mass spectrometry: implications for lightweight gas analysis, 31
- Photoabsorption**
Photoion yield curves of $Dy@C_{82}$ in the vacuum UV region, 121
- Photoelectron spectroscopy**
Mass spectrometry, photoelectron spectroscopy, and quantum chemical studies of fluorofullerene dianions, 223
- Polyatomic ions**
A mass spectrometric study of glucose, sucrose, and fructose using an inductively coupled plasma and electrospray ionization, 71
- Positive-ion**
A sensitive negative-ion electrospray ionization mass spectrometry detection for metallothionein in tris(hydroxymethyl)aminomethane acetate buffer, 163
- Pressure dependence**
Association and charge transfer reactions of Xe^{*+} and O_2^{*+} with acetonitrile, 135

- Proton transfer
Ion-molecule reactions in quadrupole ion trap mass spectrometry: implications for lightweight gas analysis, 31
- Protonated acid
A selected ion flow tube study of the reactions of a sequence of ions with amines, 115
- Protonated peptides
Infrared multiphoton dissociation spectroscopy of protonated *N*-acetyl-alanine and alanyl-histidine, 105
- PTR-MS
Headspace screening of fluid obtained from the gut during colonoscopy and breath analysis by proton transfer reaction-mass spectrometry: A novel approach in the diagnosis of gastro-intestinal diseases, 151
- Rate coefficient
A selected ion flow tube study of the reactions of a sequence of ions with amines, 115
- Reaction kinetics
Gas-phase kinetics and catalytic reactions of small silver and gold clusters, 1
- Ring opening fragmentation
Ring opening fragmentations of ionized cyclohexylamines, 249
- Ru(II) complexes
Gas-phase C—S bond cleavage and crown opening versus nitrogen heterocycle loss from Ru^{II} complex ions with 1,4,7,10-tetrathiacyclododecane and bidentate diimines, 257
- Salt-cluster
Very high critical energy fragmentations observed in CID, 41
- Sample matrix
A mass spectrometric study of glucose, sucrose, and fructose using an inductively coupled plasma and electrospray ionization, 71
- Secondary ions
Secondary ion emission from CO₂–H₂O ice irradiated by energetic heavy ions. Part I. Measurement of the mass spectra, 85
- SF₆[−] ion
A laminar and turbulent ion flow reactor for studying ion/molecule reactions at variable pressures and temperatures, 141
- SIFT
A selected ion flow tube study of the reactions of a sequence of ions with amines, 115
- Silver
Gas-phase kinetics and catalytic reactions of small silver and gold clusters, 1
- SO₂
A laminar and turbulent ion flow reactor for studying ion/molecule reactions at variable pressures and temperatures, 141
- Strong laser fields
Ionization/dissociation processes in some alkyl iodides induced by strong picosecond laser beam, 189
- Sucrose
A mass spectrometric study of glucose, sucrose, and fructose using an inductively coupled plasma and electrospray ionization, 71
- Switching reactions
Kinetics of secondary ion complexes in O₂⁺⁺CH₃CN and Xe⁺⁺CH₃CN systems. Formation of nonprotonated ion complexes of acetonitrile, 127
- Terpene
Direct atmospheric pressure chemical ionisation ion trap mass spectrometry for aroma analysis: Speed, sensitivity and resolution of isobaric compounds, 269
- Terpenoid
Direct atmospheric pressure chemical ionisation ion trap mass spectrometry for aroma analysis: Speed, sensitivity and resolution of isobaric compounds, 269
- Theoretical calculations
Experimental and computational study of the gas-phase interactions between lead(II) ions and two pyrimidic nucleobases: Uracil and thymine, 279
- Thermal stability
GC–MS studies on degradation of copper phthalocyanine sheet polymer, 199
- Thiacrown fragmentation
Gas-phase C—S bond cleavage and crown opening versus nitrogen heterocycle loss from Ru^{II} complex ions with 1,4,7,10-tetrathiacyclododecane and bidentate diimines, 257
- Titanium
Intracluster ion–molecule reactions of Ti⁺ with ether clusters, 97
- TOF SIMS
Secondary ion emission from CO₂–H₂O ice irradiated by energetic heavy ions. Part I. Measurement of the mass spectra, 85
- Tris(hydroxymethyl)aminomethane
A sensitive negative-ion electrospray ionization mass spectrometry detection for metallothionein in tris(hydroxymethyl)aminomethane acetate buffer, 163
- Turbulent flow reactor
A laminar and turbulent ion flow reactor for studying ion/molecule reactions at variable pressures and temperatures, 141
- Unsaturated metal complexes
Binding of molecular oxygen and alkenes to coordinatively unsaturated bipyridinium metal complexes in the gas phase, 231
- Vacuum ultraviolet
Photoion yield curves of Dy@C₈₂ in the vacuum UV region, 121