Corrigenda

Barzegar-Jalali, M., Prediction of infinity value of cumulative drug amount excreted via urine in tri-exponential processes, 8 (1981) 235-238

In Eqn. 39, on p. 238, the running on of the equation over four lines was incorrectly indicated and should read as:

$$U_{\infty} = \frac{U_{4}[R_{3}(R_{2}R_{4} - R_{3}^{2}) - R_{4}(R_{1}R_{4} - R_{2}R_{3}) + R_{5}(R_{1}R_{3} - R_{2}^{2})] - }{[R_{3}(R_{2}R_{4} - R_{3}^{2}) - R_{4}(R_{1}R_{4} - R_{2}R_{3}) + R_{5}(R_{1}R_{3} - R_{2}^{2})] - }$$

$$\frac{U_{3}[R_{4}(R_{2}R_{4} - R_{3}^{2}) - R_{5}(R_{1}R_{4} - R_{2}R_{3}) + R_{6}(R_{1}R_{3} - R_{2}^{2})] + }{[R_{4}(R_{2}R_{4} - R_{3}^{2}) - R_{5}(R_{1}R_{4} - R_{2}R_{3}) + R_{6}(R_{1}R_{3} - R_{2}^{2})] + }$$

$$\frac{U_{2}[R_{3}(R_{3}R_{5} - R_{2}R_{6}) - R_{4}(R_{3}R_{4} - R_{1}R_{6}) + R_{5}(R_{2}R_{4} - R_{1}R_{5})] - }{[R_{3}(R_{3}R_{5} - R_{2}R_{6}) - R_{4}(R_{3}R_{4} - R_{1}R_{6}) + R_{5}(R_{2}R_{4} - R_{1}R_{5})] - }$$

$$\frac{U_{1}[R_{3}(R_{4}R_{5} - R_{3}R_{6}) - R_{4}(R_{4}^{2} - R_{2}R_{6}) + R_{5}(R_{3}R_{4} - R_{2}R_{5})]}{[R_{3}(R_{4}R_{5} - R_{3}R_{6}) - R_{4}(R_{4}^{2} - R_{2}R_{6}) + R_{5}(R_{3}R_{4} - R_{2}R_{5})]}$$

$$(39)$$

İzgü. E. and Güngör, Ü., The use of natural membranes for in vitro determination of absorbtion rates of drugs from suppository bases, 9 (1981) 107-120

On p. 109, in the last paragraph 4 lines from the bottom, '0.5 cm from the anal end...' should read '5 cm from the anal end...'.