

Author Index

- Acree, W.E., Jr. and Rytting, J.H., Solubility in binary solvent systems. IV. Prediction of naphthalene solubilities using the UNIFAC group contribution model, 197
- Ahmed, M.A., Hadgraft, J. and Kellaway, I.W., Phenothiazine transport across liquid-lipid, phospholipid and soft polymer membrane, 227
- Attwood, D., see Rassing, J., 47
- Babhair, S. and Hussain, A., O-Acylsalicylamides as possible prodrugs for salicylamide I. Kinetics and mechanisms of their degradation and reaction with enzymes and sodium bisulfite, 273
- Badwan, A.A., El-Khordagui, L.K., Saleh, A.M. and Khalil, S.A., The solubility of benzodiazepines in sodium salicylate solution and a proposed mechanism for hydrotropic solubilization, 67
- Barzegar-Jalali, M., On the calculation of absorption rate constant of linear one-compartment open models using peak blood level of peak urinary excretion rate and post-absorptive data, 99
- Barzegar-Jalali, M., Some methods for estimating absorption rate constant of linear one-compartment open models, 103
- Barzegar-Jalali, M., A theoretical justification for the superposition principle, 239
- Benjamin, E.J. and Conley, D.L., On-line HPLC method for clean-up and analysis of hydrocortisone and sulconazole nitrate in a cream, 205
- Bentele, V., Berg, U.E. and Kreuter, J., Molecular weights of poly(methyl methacrylate) nanoparticles, 109
- Bentele, V., see El-Egakey, M.A., 349
- Berg, U.E., see Bentele, V., 109
- Bialer, M., Estimation of pharmacokinetic parameters in extravascular multiple dose administration in the one-compartment open body model with equal absorption and elimination first-order rate constants, 345
- Bolhuis, G.K., see Proost, J.H., 287
- Bundgaard, H., see Johansen, M., 89
- Burnham, W.R., Hansrani, P.K., Knott, C.E., Cook, J.A. and Davis, S.S., Stability of a fat emulsion based intravenous feeding mixture, 9
- Cabana, B.E., see Prasad, V.K., 1
- Cacini, W., see Ritschel, W.A., 353
- Carless, J.E., see Rowe, J.S., 313
- Cavrini, V., Di Pietra, A.M. and Raggi, M.A., High-performance liquid chromatographic (HPLC) analysis of methenolone esters in pharmaceutical formulations, 333
- Conley, D.L., see Benjamin, E.J., 205
- Cook, J.A., see Burnham, W.R., 9
- Cradock, J.C., see Poochikian, G.K., 219
- Davignon, J.P., see Poochikian, G.K., 219
- Davis, S.S., see Burnham, W.R., 9
- de Haan, F.H.N., de Vringer, T., van de Waterbeemd, J.T.M. and Jansen, A.C.A., Transport rate constants and transport rate parameters in various organic solvent-water systems, 75
- de Vringer, T., see de Haan, F.H.N., 75
- Di Pietra, A.M., see Cavrini, V., 333
- El-Egakey, M.A., Bentele, V. and Kreuter, J., Molecular weights of polycyanoacrylate nanoparticles, 349
- El Gindy, N.A. and Samaha, M.W., Tensile strength of some pharmaceutical compacts and their relation to surface free energy, 35
- El-Khordagui, L.K., see Badwan, A.A., 67
- El-Samaligy, M. and Rohdewald, P., Polyacrylamide microbeads, a sustained release drug delivery system, 23
- El-Sayed, A.-A.A. and Repta, A.J., Solubilization and stabilization of an investigational anti-neoplastic drug (NSC no. 278214) in an intravenous formulation using an emulsion vehicle, 303
- Falch, E., see Johansen, M., 89
- Grant, D.J.W., see Liversidge, G.G., 243

- Hadgraft, J. see Ahmed, M.A., 227
Hansrani, P.K. see Burnham, W.R., 9
Hikal, A.H., Assay of fusidic acid in plasma by high-performance liquid chromatography, 297
Hirayama, F., see Uekama, K., 253
Hussain, A., see Babhair, S., 273
- Jansen, A.C.A., see de Haan, F.H.N., 75
Johansen, M., Bundgaard, H. and Falch, E., Spectrophotometric determination of the rates of hydrolysis of aldehyde-releasing pro-drugs in aqueous solution and plasma, 89
- Kawano, K., see Uekama, K., 253
Kayes, J.B., see Rawlins, D.A., 145
Kayes, J.B., see Rawlins, D.A., 159
Kayes, J.B., see Rawlins, D.A., 171
Kellaway, I.W., see Ahmed, M.A., 227
Khalil, S.A., see Badwan, A.A., 67
Knight, P., see Prasad, V.K., 1
Knott, C.E., see Burnham, W.R., 9
Kreuter, J., see Bentele, V., 109
Kreuter, J., see El-Egakey, M.A., 349
- Lee, V.H.L., Stratford, R.E., Jr. and Morimoto, K.W., Age-related changes in esterase activity in rabbit eyes, 183
Lee, V.H.L., see Stratford, R.E., Jr., 263
Lerk, C.F., see Proost, J.H., 287
Liversidge, G.G. and Grant, D.J.W., Influence of physicochemical interactions on the properties of suppositories IV. Factors influencing the *in vivo* release of ketoprofen and metronidazole from fatty suppository bases, 243
- Malinowski, H., see Prasad, V.K., 1
Meyer, M.C., see Prasad, V.K., 1
Morimoto, K.W., see Lee, V.H.L., 183
Muranishi, S., see Yoskikawa, H., 321
- Narisawa, S., see Uekama, K., 253
- Ogino, H., see Uekama, K., 253
Ohtani, T., see Uekama, K., 253
Otagiri, M., see Uekama, K., 253
- Poochikian, G.K., Cradock, J.C. and Davignon, J.P., Heroin: stability and formulation approaches, 219
Prasad, V.K., Shah, V.P., Knight, P., Malinowski, H., Cabana, B.E. and Meyer, M.C., Importance of media selection in establishment of *in vitro*-*in vivo* relationships for quinidine gluconate, 1
- Proost, J.H., Bolhuis, G.K. and Lerk, C.F., The effect of the swelling capacity of disintegrants on the *in vitro* and *in vivo* availability of diazepam tablets, containing magnesium stearate as a lubricant, 287
- Raggi, M.A., see Cavrini, V., 333
Rassing, J. and Attwood, D., Ultrasonic velocity and light-scattering studies on the polyoxyethylene-polyoxypropylene copolymer Pluronic F127 in aqueous solution, 47
Rawlins, D.A. and Kayes, J.B., Pharmaceutical suspension studies. I. A comparison of adsorption of polyvinylalcohol at the diloxanide furoate B.P. and polystyrene latex-water interface, 145
Rawlins, D.A. and Kayes, J.B., Pharmaceutical suspension studies. II. The interaction between particles of diloxanide furoate B.P. coated with an adsorbed polymeric layer, 159
Rawlins, D.A. and Kayes, J.B., Pharmaceutical suspension studies. III. The redispersibility of suspensions, 171
Redell, M.A., see Stratford, R.E., Jr., 263
Repta, A.J., see El-Sayed, A.-A.A., 303
Ritschel, W.A. and Cacini, W., Biological model for the study of the digoxin-quinidine drug interaction, 353
Rohdewald, P., see El-Samaligy, M., 23
Rowe, J.S. and Carless, J.E., The influence of the microcapsule wall on the assay of indomethacin microcapsules in the presence of antacids — implications for product stability, 313
Rytting, J.H., see Acree, W.E., Jr., 197
- Saleh, A.M., see Badwan, A.A., 67
Samaha, M.W., see El Gindy, N.A., 35
Sezaki, H., see Yoshikawa, H., 321
Shah, V.P., see Prasad, V.K., 1
Stratford, R.E., Jr., Yang, D.C., Redell, M.A. and Lee, V.H.L., Effects of topically applied liposomes on disposition of epinephrine and inulin in the albino rabbit eye, 263
Stratford, R.E., Jr., see Lee, V.H.L., 183
- Tomlinson, E., Enthalpy-entropy compensation analysis of pharmaceutical, biochemical and biological systems, 115
- Uekama, K., Narisawa, S., Hirayama, F., Otagiri, M., Kawano, K., Ohtani, T. and Ogino, H., Improvement of thermal and photochemical stability of benzaldehyde by cyclodextrin complexation, 253

van de Waterbeemd, J.T.M., see de Haan, F.H.N.,
75

Yang, D.C., see Stratford, R.E., Jr., 263

Yoshikawa, H., Sezaki, H. and Muranishi, S.,
Mechanism for selective transfer of bleomy-

cin into lymphatics by a bifunctional delivery
system via the lumen of the large intestine,
321

Zimmermann, I., Determination of pK_a values
from solubility data, 57