

Author Index

- Aizawa, K., see Watari, N., 85
- Akhter, A.S., Bennett, S.L., Waller, J.L. and Barry, B.W., An automated diffusion apparatus for studying skin penetration, 17
- Andersen, F.M., Bundgaard, H. and Mengel, H.B., Formation, bioavailability and organoleptic properties of an inclusion complex of fenoxytine with β -cyclodextrin, 51
- Barnhill, J., see Boxenbaum, H., 135
- Barry, B.W., see Akhter, S.A., 17
- Baswell, B., see Pollack, G.M., 3
- Bennett, C.E., Hardy, J.G. and Wilson, C.G., The influence of posture on the gastric emptying of antacids, 341
- Bennett, S.L., see Akhter, S.A., 17
- Bhise, S.B., Subrahmanyam, C.V.S. and Srivastava, R.C., Liquid membrane phenomena in cimetidine, ranitidine and disodium cromoglycate, 27
- Boxenbaum, H. and Barnhill, J., Rates of pharmacokinetic literature obsolescence, 135
- Bundgaard, H., see Andersen, F.M., 51
- Bundgaard, H., see Buur, A., 349
- Buur, A. and Bundgaard, H., Products of 5-fluorouracil. I. Hydrolysis kinetics and physicochemical properties of various N-acyl derivatives of 5-fluorouracil, 349
- Byron, P.R. and Rathbone, M.J., Prediction of interfacial transfer kinetics. I. Relative importance in two-phase transfer cell, 107
- Caldwell, L.J., see Nishihata, T., 239
- Capone, G., see Carli, F., 317
- Carli, F., Capone, G., Colombo, I., Magarotto, L. and Motta, A., Surface and transport properties of acrylic polymers influencing drug release from porous matrices, 317
- Colombo, I., see Carli, F., 317
- Dave, S.D., see Muhammed, N.A., 295
- Davis, S.S., Hardy, J.G., Taylor, M.J., Whalley, D.R. and Wilson, C.G., A comparative study of the gastrointestinal transit of a pellet and tablet formulation, 167
- Davis, S.S., Hardy, J.G., Taylor, M.J., Whalley, D.R. and Wilson, C.G., The effect of food on the gastrointestinal transit of pellets and an osmotic device (Osmet), 331
- Devleeschouwer, M.J., see Vincke, B.J., 265
- Dony, J., see Vincke, B.J., 265
- Florence, A.T., see Halbert, G.W., 219
- Florence, A.T., see Law, T.K., 277
- Fox, J.L., see Lamson, M.L., 143
- Fox, L., see Muhammed, N.A., 295
- Funaki, T., see Watari, N., 85
- Gode, K.D., see Pandit, J.K., 129
- Gordon, R.E., VanKoevering, C.L. and Reits, D.J., Utilization of differential scanning calorimetry in the compatibility screening of ibuprofen with the stearate lubricants and construction of phase diagrams, 99
- Grünbauer, H.J.M. and Tomlinson, E., Local composition models in pharmaceutical chemistry. I. Liquid-liquid distribution coefficients from COMMON UNIQUAC parameters, 61
- Gupta, S.K., see Pandit, J.K., 129
- Halbert, G.W., Stuart, J.F.B. and Florence, A.T., The incorporation of lipid-soluble antineoplastic agents into microemulsions-protein-free analogues of Low Density Lipoprotein, 219
- Hamaguchi, T., see Shinkuma, D., 187
- Hardy, J.G., see Davis, S.S., 167
- Hardy, J.G., see Davis, S.S., 331
- Hardy, J.G., see Bennett, C.E., 341
- Higuchi, T., see Nishihata, T., 239
- Higuchi, W.I., see Lamson, M.L., 143
- Higuchi, W.I., see Muhammed, N.A., 295
- Huang, C.-H., see Hussain, A., 233
- Huang, C.-H., see Hussain, A., 289
- Huhtikangas, A., see Lindholm, T., 119
- Hussain, A., Kimura, R., Huang, C.-H. and Kashihara, T., Nasal absorption of naloxone and buprenorphine in rats, 233

- Hussain, A., Kimura, R., Huang, C.-H. and Mustafa, R., Nasal absorption of ergotamine tartrate in rats, 289
- Irwin, W.J., Masuda, Q.N. and Li Wan Po, A., Transesterification of salicylate esters used as topical analgesics, 35
- James, K.C., Calculation of molecular surface areas and aqueous solubilities at ambient temperatures, 123
- James, K.C., see Saket, M.M., 155
- Johansen, M. and Larsen, C., Stability and kinetics of hydrolysis of metronidazole monosuccinate in aqueous solution and in plasma, 201
- Johansson, M.E., Granular magnesium stearate as a lubricant in tablet formulations, 307
- Kamada, A., see Kim, S., 179
- Kaneniwa, N., see Watari, N., 85
- Karba, R., see Kmetec, V., 211
- Kashihara, T., see Hussain, A., 233
- Kawabe, S., see Kim, S., 179
- Kawamori, R., see Kim, S., 179
- Kellaway, I.W., see Saket, M.M., 155
- Kim, S., Nishihata, T., Kawabe, S., Okamura, Y., Kamada, A., Yagi, T., Kawamori, R. and Shichiri, M., Effect of gelatin in the formulation on rectal insulin absorption in the presence of enameine in normal rats and depancreatized dogs, 179
- Kimura, R., see Hussain, A., 233
- Kimura, R., see Hussain, A., 289
- Kmetec, V., Mrhar, A., Karba, R. and Kozjec, F., Evaluation of drug stability data by analog-hybrid computer: application to lorazepam, 211
- Koch, S.A.M., see Sloan, K.B., 251
- Kozjec, F., see Kmetec, V., 211
- Lamson, M.L., Fox, J.L. and Higuchi, W.I., Calcium and 1-hydroxyethylidene-1,1-biphosphonic acid: polynuclear complex formation in the physiological range of pH, 143
- Larsen, C., see Johansen, M., 201
- Law, T.K., Whateley, T.L. and Florence, A.T., Some chemically modified poloxamer hydrogels: preparation, morphology and swelling properties, 277
- Lindholm, T., Huhtikangas, A. and Saarikivi, P., Organic solvent residues in free ethyl cellulose films, 119
- Li Wan Po, A., see Irwin, W.J., 35
- Magarotto, L., see Carli, F., 317
- Masuda, Q.N., see Irwin, W.J., 35
- Mengel, H.B., see Andersen, F.M., 51
- Mishra, B., see Pandit, J.K., 129
- Mizuno, N., see Shinkuma, D., 187
- Motta, A., see Carli, F., 317
- Mrhar, A., see Kmetec, V., 211
- Muhammed, N.A., Dave, S.D., Fox, L. and Higuchi, W.I., The influence of ion activity product on remineralization behavior of carbonate-apatite pellets, hydroxyapatite pellets and hydroxyapatite powder, 295
- Mustafa, R., see Hussain, A., 289
- Nishihata, T., Ryting, J.H., Higuchi, T., Caldwell, L.J. and Selk, S.J., Enhancement of rectal absorption of water-soluble antibiotics in dogs, 239
- Nishihata, T., see Kim, S., 179
- Okamura, Y., see Kim, S., 179
- Pandit, J.K., Gupta, S.K., Gode, K.D. and Mishra, B., Effect of crystal form on the oral absorption of phenylbutazone, 129
- Patriarche, G.J., see Vincke, B.J., 265
- Pollack, G.M., Baswell, B., Szeffler, S.J. and Shen, D.D., Comparison of inter- and intra-subject variation in oral absorption of theophylline from sustained-release products, 3
- Rathbone, M.J., see Byron, P.R., 107
- Reits, D.J., see Gordon, R.E., 99
- Rogers, J.A., Lipid monolayer interaction behavior of sympathomimetic amines, 75
- Ryting, J.H., see Nishihata, T., 239
- Saarikivi, P., see Lindholm, T., 119
- Saket, M.M., James, K.C. and Kellaway, I.W., Partitioning of some 21-alkyl esters of hydrocortisone and cortisone, 155
- Selk, S.J., see Nishihata, T., 239
- Shen, D.D., see Pollack, G.M., 3
- Shichiri, M., see Kim, S., 179
- Shinkuma, D., Hamaguchi, T., Yamanaka, Y. and Mizuno, N., Correlation between dissolution rate and bioavailability of different commercial mefenamic acid capsules, 187
- Siver, K.G., see Sloan, K.B., 251
- Sloan, K.B., Koch, S.A.M. and Siver, K.G., Mannich base derivatives of theophylline and 5-fluorouracil: syntheses, properties and topical delivery characteristics, 251

- Srivastava, R.C., see Bhise, S.B., 27
Stuart, J.F.B., see Halbert, G.W., 219
Subrahmanyam, C.V.S., see Bhise, S.B., 27
Szeffler, S.J., see Pollack, G.M., 3
- Taylor, M.J., see Davis, S.S., 331
Tomlinson, E., see Grünbauer, H.J.M., 61
- VanKoevering, C.L., see Gordon, R.E., 99
Vincke, B.J., Devleeschouwer, M.J., Dony, J. and Patriarche, G.J., Analytical determination of nicotinamide using bacterial electrodes, 265
- Waller, I.L., see Akhter, S.A., 17
- Watari, N., Funaki, T., Aizawa, K. and Kaneniwa, N., A flip-flop model for nitrofurantoin disposition in the rabbit following oral administration, 85
Whalley, D.R., see Davis, S.S., 167
Whalley, D.R., see Davis, S.S., 331
Whateley, T.L., see Law, T.K., 277
Wilson, C.G., see Davis, S.S., 167
Wilson, C.G., see Davis, S.S., 331
Wilson, C.G., see Bennett, C.E., 341
- Yagi, T., see Kim, S., 179
Yamanaka, Y., see Shinkuma, D., 187