

AUTHOR INDEX

- Adams, W.P. and Kostenbauder, H.B., Phenoxybenzamine stability in aqueous ethanolic solutions. I. Application of potentiometric pH stat analysis to determine kinetics, 293
- Adams, W.P. and Kostenbauder, H.B., Phenoxybenzamine stability in aqueous ethanolic solutions. II. Solvent effects upon kinetics, 313
- Arase, K., see Mukai, E., 95
- Balant, L.P., see Jonkman, J.H.G., 113
- Bundgaard, H. and Falch, E., Allopurinol prodrugs. III. Water-soluble N-acyloxymethyl allopurinol derivatives for rectal or parenteral use, 27
- Burguillo, F.J., see Pedraz, J.L., 147
- Carstensen, J.T., see Hou, X.P., 207
- Chaubal, M.G., see Vaidyanathan, R., 85
- Chien, Y.W., see Liu, J.-C., 265
- Chou, C.K.H. and Vasavada, R.C., Evaluation of propylene glycol monostearate-ethoxylated stearyl alcohol films and kinetics of cortisol release, 199
- Chow, K.Y., Go, J., Wang Zhongshan, Mehdi-zadeh, M. and Grant, D.J.W., Modification of adipic acid crystals. II. Influence of growth in the presence of oleic acid on crystal properties, 41
- Costello, B., see Francoeur, M.L., 275
- D'Arcy, P.F., see Yahya, A.M., 217
- Denyer, S.P., Hugo, W.B. and Harding, V.D., Synergy in preservative combinations, 245
- Dominguez-Gil, A., see Pedraz, J.L., 147
- El-Falahi, B.M.A., Russell, A.D., Furr, J.R. and Rogers, D.T., Activity of benzalkonium chloride and chorhexidine diacetate against wild-type and envelope mutants of *Escherichia coli* and *Pseudomonas aeruginosa*, 329
- El-Samalig, M.S., see Mahmoud, H.A., 121
- Falch, E., see Bundgaard, H., 27
- Francoeur, M.L., Sitek, S.J., Costello, B. and Patton, T.F., Kinetic disposition and distribution of timolol in the rabbit eye. A physiologically based ocular model, 275
- Furr, J.R., see El-Falahi, B.M.A., 329
- Giannaccini, B., see Saettone, M.F., 73
- Go, J., see Chow, K.Y., 41
- Gould, P.L., see Howard, J.R., 359
- Grant, D.J.W., see Chow, K.Y., 41
- Grant, D.J.W., see York, P., 57
- Guiducci, A., see Saettone, M.F., 73
- Hanano, M., see Sakiya, Y., 347
- Harding, V.D., see Denyer, S.P., 245
- Hardy, J.G., see Wood, E., 191
- Hashida, M., see Mukai, E., 95
- Higuchi, T., see Nguyen, T.H., 1
- Himmelstein, K.J., see Nguyen, T.H., 1
- Hou, X.P. and Carstensen, J.T., Compression characteristics of basic tricalcium phosphate $(Ca_3(PO_4)_2, Ca(OH)_2)$, 207
- Howard, J.R. and Gould, P.L., The use of co-solvents in parenteral formulation of low-solubility drugs, 359
- Hugo, W.B., see Denyer, S.P., 245
- Irie, T., see Uekama, K., 339
- Johno, I., Kawakatsu, K., Kuwata, H. and Kitazawa, S., Segmental difference in transmucosal fluid movement and its effect on gastrointestinal drug absorption in rabbits, 255
- Jones, B.D., see Russell, A.D., 105
- Jonkman, J.H.G., van der Boon, W.J.V., Balant, L.P. and Le Cotonnec, J.Y., No effect of food on single dose bioavailability of sustained release theophylline (Sabidal); a comparison between Sabidal and choline theophyllinate solution, 113
- Juslin, M., see Urtti, A., 165
- Kawakatsu, K., see Johno, I., 255

- Kitazawa, S., see Johno, I., 255
 Kostenbauder, H.B., see Adams, W.P., 293
 Kostenbauder, H.B., see Adams, W.P., 313
 Kuwata, H., see Johno, I., 255
- La Marca, F., see Saettone, M.F., 73
 Le Cotonnec, J.Y., see Jonkman, J.H.G., 113
 Liu, J.-C., Sun, Y., Tojo, K. and Chien, Y.W., Membrane permeation kinetics of nortestosterone: effect of methyl groups on thermodynamics, 265
 Loudon, J.D., Patel, H.K. and Rowe, R.C., A preliminary examination of the structure of gels and emulsions containing cetostearyl alcohol and cetyltrimide using Laser Raman Spectroscopy, 179
- Mahmoud, H.A. and El-Samalig, M.S., Optimization of controlled drug release through interfacial polymerization, 121
 Mariño, E.L., see Pedraz, J.L., 147
 Marunaka, T., Sakiya, Y., 347
 McElnay, J.C., see Yahya, A.M., 217
 McMahon, J., see Patel, H.K., 13
 McMahon, J., see Patel, H.K., 237
 Meh dizadeh, M., see Chow, K.Y., 41
 Miinalainen, O., see Urtti, A., 165
 Milburn, P., see Russell, A.D., 105
 Mukai, E., Arase, K., Hashida, M. and Sezaki, H., Enhanced delivery of mitomycin C prodrugs through the skin, 95
 Muranishi, S., see Takada, K., 155
- Nara, T., see Uekama, K., 339
 Nguyen, T.H., Himmelstein, K.J. and Higuchi, T., Some equilibrium and kinetic aspects of water sorption in poly(ortho ester)s, 1
 Nishimiya, Y., see Uekama, K., 339
- Oh, K., see Uekama, K., 339
 Otagiri, M., see Uekama, K., 339
- Patel, H.K., Rowe, R.C., McMahon, J. and Stewart, R.F., A systematic microscopical examination of gels and emulsions containing cetyltrimide and cetostearyl alcohol, 13
 Patel, H.K., Rowe, R.C., McMahon, J. and Stewart, R.F., Properties of cetyltrimide/cetostearyl alcohol ternary gels; preparation effects, 237
 Patel, H.K., see Loudon, J.D., 179
 Patton, T.F., see Francoeur, M.L., 275
 Pedraz, J.L., Mariño, E.L., Burguillo, F.J. and Dominguez-Gil, A., In vitro binding of ketamine to human serum albumin, 147
- Rogers, D.T., see El-Falahi, B.M.A., 329
 Rowe, R.C., see Patel, H.K., 13
 Rowe, R.C., see Loudon, J.D., 179
 Rowe, R.C., see Patel, H.K., 237
 Russell, A.D., Jones, B.D. and Milburn, P., Reversal of the inhibition of bacterial spore germination and outgrowth by antibacterial agents, 105
 Russell, A.D., see El-Falahi, B.M.A., 329
- Saettone, M.F., Giannaccini, B., Guiducci, A., La Marca, F. and Tota, G., Polymer effects on ocular bioavailability. II. The influence of benzalkonium chloride on the mydriatic response of tropicamide in different polymeric vehicles, 73
 Sakiya, Y., Tsuemura, Y., Sawada, Y., Hanano, M., Marunaka, T. and Umeno, Y., Prediction of flunarizine disposition in rats and man by a physiologically based pharmacokinetic model, 347
 Sawada, Y., see Sakiya, Y., 347
 Sezaki, H., see Mukai, E., 95
 Sitek, S.J., see Francoeur, M.L., 275
 Soebagyo, S.S. and Stewart, P.J., The effect of cohesive and non-cohesive ternary components on the homogeneity and stability of a prednisolone interactive mixture, 225
 Stewart, P.J., see Soebagyo, S.S., 225
 Stewart, R.F., see Patel, H.K., 13
 Stewart, R.F., see Patel, H.K., 237
 Streng, W.J. and Tan, H.G.H., General treatment of pH solubility profiles of weak acids and bases. II. Evaluation of thermodynamic parameters from the temperature dependence of solubility applied to a zwitterionic compound, 135
 Sun, Y., see Liu, J.-C., 265
- Takada, K., Yoshikawa, H. and Muranishi, S., Partial avoidance of first-pass elimination of azathioprine in rats by rectal dosing, 155
 Tan, H.G.H., see Streng, W.J., 135
 Tojo, K., see Liu, J.-C., 265
 Tota, G., see Saettone, M.F., 73
 Tsuemura, Y., see Sakiya, Y., 347
- Uekama, K., Oh, K., Irie, T., Otagiri, M., Nishimiya, Y. and Nara, T., Stabilization of isosorbide 5-mononitrate in solid state by β -cyclodextrin complexation, 339
 Umeno, Y., see Sakiya, Y., 347
 Urtti, A., Juslin, M. and Miinalainen, O., Pilocarpine release from hydroxypropyl-cellulose-polyvinylpyrrolidone matrices, 165

- Vaidyanathan, R., Chaubal, M.G. and Vasavada, R.C., Effect of pH and solubility on in vitro skin penetration of methotrexate from a 50% v/v propylene glycol-water vehicle, 85
van der Boon, W.J.V., see Jonkman, J.H.G., 113
Vasavada, R.C., see Vaidyanathan, R., 85
Vasavada, R.C., see Chou, C.K.H., 199

Wang Zhongshan, see Chow, K.Y., 41
Wilson, C.G., see Wood, E., 191

Wood, E., Wilson, C.G. and Hardy, J.G., The spreading of foam and solution enemas, 191

Yahya, A.M., McElnay, J.C. and D'Arcy, P.F., Binding of chloroquine to glass, 217
York, P. and Grant, D.J.W., A disruption index for quantifying the solid state disorder induced by additives or impurities. I. Definition and evaluation from heat of fusion, 57
Yoshikawa, H., see Takada, K., 155