

Author Index

- Ahmed, I. and Patton, T.F., Disposition of timolol and inulin in the rabbit eye following corneal versus non-corneal absorption, 9
- Al-Turk, W., see Shaheen, O., 123
- Amidon, G.E., see Dick, C.F., 23
- Anderson, L., see McCafferty, D.F., 59
- Antonelli, I., see Rochat, M.H., 79
- Aungst, B.J., Myers, M.J., Shefter, E. and Shami, E.G., Pro-drugs for improved oral nalbuphine bioavailability: inter-species differences in the disposition of nalbuphine and its acetylsalicylate and anthranilate esters, 199
- Awidi, A., see Shaheen, O., 123
- Ayres, J.W., see Tavipatana, W., 139
- Beezer, A.E., Gooch, C.A., Hunter, W.H., Lima, M.C.P. and Smith, B.V., Quantitative structure-activity relationships: a group additivity scheme for biological response of *E. coli* to the action of *o*-, *m*- and *p*-alkoxyphenol, 251
- Bjankova, R., see Bogdanova, S., 99
- Bogdanova, S., Bjankova, R., Minkov, E. and Rainova, L., Influence of polyvinylpyrrolidone on the in vitro diffusion characteristics of tetraminol, 99
- Bond, S.W., see Wilson, C.G., 221
- Buckton, G., Dissado, L.A., Hill, R.M. and Newton, J.M., The potential value of dielectric response measurements in the assessment of the wettability of powders, 1
- Calvo, M.V., Lanao, J.M. and Dominguez-Gil, A., Bioavailability of rectally administered naproxen, 117
- Davis, S.S., Illum, L. and Walker, I.M., The in vivo evaluation of emulsion formulations administered intramuscularly, 133
- Davis, S.S., see Farraj, N.F., 39
- Davis, S.S., see Hardy, J.G., 103
- Dick, C.F., Klassen, R.A. and Amidon, G.E., Determination of the sensitivity of a tablet formulation to variations in excipient levels and processing conditions using optimization techniques, 23
- Dissado, L.A., see Buckton, G., 1
- Dominguez-Gil, A., see Calvo, M.V., 117
- Duchêne, D., see Ponchel, G., 65
- Farraj, N.F., Davis, S.S., Parr, G.D. and Withington, R., A new intramuscular formulation of rifamycin SV, 39
- Feely, L.C., see Hardy, J.G., 103
- Gadalla, M.A.F., Ghaly, G.M. and Samaha, M.W., The effect of the composition of binary systems on the solubility and solubility parameter estimation of nalidixic and salicylic acids, 71
- Ghaly, G.M., see Gadalla, M.A.F., 71
- Gooch, C.A., see Beezer, A.E., 251
- Gorman, S.P., see McCafferty, D.F., 59
- Gould, P.L., Holland, S.J. and Tighe, B.J., Polymers for biodegradable medical devices. IV. Hydroxybutyrate-valerate copolymers as non-disintegrating matrices for controlled-release oral dosage forms, 231
- Gumbleton, M., Nicholls, P.J. and Taylor, G., Urethane anaesthesia: altered pharmacokinetics of the renally eliminated organic anion *p*-aminohippuric acid, 261
- Haas, C., see Leuenberger, H., 109
- Hamaguchi, N., see Yoshimura, Y., 179
- Hardy, J.G., Feely, L.C., Wood, E. and Davis, S.S., The application of γ -scintigraphy for the evaluation of the relative spreading of suppository bases in rectal hard gelatin capsules, 103
- Hardy, J.G., see Wilson, C.G., 221
- Heikkilä, T., see Laine, E., 33
- Hill, R.M., see Buckton, G., 1
- Hirayama, F., see Hoshino, T., 265
- Hirayama, F., see Kikuchi, M., 191
- Holland, S.J., see Gould, P.L., 231
- Hoshino, T., Ishida, K., Irie, T., Hirayama, F. and Uekama, K., Alleviation in protriptyline-photosensitized skin irritation by di-*O*-methyl- β -cyclodextrin complexation, 265
- Hunter, W.H., see Beezer, A.E., 251
- Illum, L., see Davis, S.S., 133
- Inagaki, H., see Nishihata, T., 83
- Irie, T., see Hoshino, T., 265
- Ishida, K., see Hoshino, T., 265
- Jalal, I., see Shaheen, O., 123
- Kahela, P., see Laine, E., 33
- Kamada, A., see Nishihata, T., 83
- Karlsen, J., see Tønnesen, H.H., 247
- Kawamori, R., see Nishihata, T., 83
- Kearney, P. and Marriott, C., The effects of mucus glycoproteins on the bioavailability of tetracycline. III. Everted gut studies, 211
- Kikuchi, M., Hirayama, F. and Uekama, K., Improvement of oral and rectal bioavailabilities of carmoform by methylated β -cyclodextrin complexations, 191
- Klassen, R.A., see Dick, C.F., 23

- Laine, E., Kahela, P., Rajala, R., Heikkilä, T., Saarnivaara, K. and Piippo, I., Crystal forms and bioavailability of erythromycin, 33
- Lanao, J.M., see Calvo, M.V., 117
- Launchbury, A.P., see Murphy, A., 257
- Leuenberger, H., Rohera, B.D. and Haas, C., Percolation theory – a novel approach to solid dosage form design, 109
- Lima, M.C.P., see Beezer, A.E., 251
- Linert, W., see Repond, C., 47
- MacGregor, T.R. and Reuning, R.H., The mouse tail-flick method for evaluation of narcotic antagonist sustained release, 171
- Magron, P., Rollet, M., Taverdet, J.L. and Vergnaud, J.M., Spherical oral polymer–drug device with two polymers for constant drug delivery, 91
- Maltby, S., see Murphy, A., 257
- Marriott, C., see Kearney, P., 211
- Mayer, J.M., see Repond, C., 47
- McCafferty, D.F., Woolfson, A.D., Gorman, S.P. and Anderson, L., Chemical behaviour of noxythiolin in biological fluids, 59
- Minkov, E., see Bogdanova, S., 99
- Murphy, A., Maltby, S. and Launchbury, A.P., Dissolution time, on reconstitution, of a new parenteral formulation of doxorubicin (Doxorubicin Rapid Dissolution), 257
- Myers, M.J., see Aungst, B.J., 199
- Nagappa, A.N., see Srivastava, R.C., 239
- Newton, J.M., see Buckton, G., 1
- Nicholls, P.J., see Gumbleton, M., 261
- Nishihata, T., Sudoh, M., Inagaki, H., Kamada, A., Yagi, T., Kawamori, R. and Shichiri, M., An effective formulation for an insulin suppository; examination in normal dogs, 83
- Othman, S., see Shaheen, O., 123
- Ozil, P., see Rochat, M.H., 79
- Parr, G.D., see Farraj, N.F., 39
- Patton, T.F., see Ahmed, I., 9
- Peppas, N.A., see Ponchel, G., 65
- Piippo, I., see Laine, E., 33
- Ponchel, G., Touchard, F., Wouessidjewe, D., Duchêne, D. and Peppas, N.A., Bioadhesive analysis of controlled-release systems. III. Bioadhesive and release behavior of metronidazole-containing poly(acrylic acid)-hydroxypropyl methylcellulose systems, 65
- Pretzer, D. and Repta, A.J., Stability of the experimental anticancer agent [[(4-methoxyphenyl)sulfonyl]hydrozono]acetic acid (NSC-267213). I. Kinetics and mechanism of degradation, 147
- Pretzer, D. and Repta, A.J., Stability of the experimental anticancer agent [[(4-methoxyphenyl)sulfonyl]hydrazono]acetic acid (NSC-267213). II. Effect of structural modification on stability and mechanism of degradation, 161
- Rainova, L., see Bogdanova, S., 99
- Rajala, R., see Laine, E., 33
- Repond, C., Mayer, J.M., Van de Waterbeemd, H., Testa, B. and Linert, W., Thermodynamics and mechanism of partitioning of pyridylalkanamides in *n*-octanol/water and di-*n*-butyl ether/water, 47
- Repta, A.J., see Pretzer, D., 147
- Repta, A.J., see Pretzer, D., 161
- Reuning, R.H., see MacGregor, T.R., 171
- Rochat, M.H., Ozil, P., Antonelli, I. and Verain, A., Modelling of dynamic behaviour for total parenteral nutrition, 79
- Rohera, B.D., see Leuenberger, H., 109
- Rollet, M., see Magron, P., 91
- Rowe, R.C. and Sadeghnejad, G., The rheology of microcrystalline cellulose powder/water mixes – measurement using a mixer torque rheometer, 227
- Saarnivaara, K., see Laine, E., 33
- Sadeghnejad, G., see Rowe, R.C., 227
- Samaha, M.W., see Gadalla, M.A.F., 71
- Sekulović, D. and Zajić, L., Investigation of the properties of Compactrol tablets relative to the type of disintegrant used, 255
- Shaheen, O., Othman, S., Jalal, I., Awidi, A. and Al-Turk, W., Comparison of pharmacokinetics and pharmacodynamics of a conventional and a new rapidly dissolving glibenclamide preparation, 123
- Shami, E.G., see Aungst, B.J., 199
- Shankar, M., see Srivastava, R.C., 239
- Shefter, E., see Aungst, B.J., 199
- Shichiri, M., see Nishihata, T., 83
- Smith, B.V., see Beezer, A.E., 251
- Srivastava, R.C., Shankar, M., Tandon, A. and Nagappa, A.N., Liquid membrane phenomena in anticancer drugs. Studies on 5-fluorouracil and its derivatives, 239
- Sudoh, M., see Nishihata, T., 83
- Tandon, A., see Srivastava, R.C., 239
- Taverdet, J.L., see Magron, P., 91
- Tavipatana, W. and Ayres, J.W., Proxiphylline and theophylline pharmacokinetics when administered concomitantly in rabbits, 139
- Taylor, G., see Gumbleton, M., 261
- Testa, B., see Repond, C., 47
- Tighe, B.J., see Gould, P.L., 231
- Tønnesen, H.H. and Karlsen, J., Studies on curcumin and curcuminoids. X. The use of curcumin as a formulation aid to protect light-sensitive drugs in soft gelatin capsules, 247
- Touchard, F., see Ponchel, G., 65
- Uekama, K., see Hoshino, T., 265
- Uekama, K., see Kikuchi, M., 191
- Van de Waterbeemd, H., see Repond, C., 47
- Verain, A., see Rochat, M.H., 79
- Vergnaud, J.M., see Magron, P., 91
- Walker, I.M., see Davis, S.S., 133

Washington, N., see Wilson, C.G., 221
 Wilson, C.G., Washington, N., Hardy, J.G. and Bond, S.W.,
 The influence of food on the absorption of acyclovir: a
 pharmacokinetic and scintigraphic assessment, 221
 Withington, R., see Farraj, N.F., 39
 Wood, E., see Hardy, J.G., 103
 Woolfson, A.D., see McCafferty, D.F., 59
 Wouessidjewe, D., see Ponchel, G., 65
 Yagi, T., see Nishihata, T., 83

Yashiki, T., see Yoshimura, Y., 179
 Yoshimura, Y., Hamaguchi, N. and Yashiki, T., Synthesis and
 oral absorption of acyloxymethyl esters of 7 β -(2-(2-
 aminothiazol-4-yl)acetamido)-3-(((1-(2-dimethylaminoethyl)-
 1H-tetrazol-5-yl)thio)-methyl)ceph-3-em-4-carboxylic acid
 (cefotiam), 179
 Zajić, L., see Sekulović, D., 225

International Journal of Pharmaceutics, 38 (1987) 271
 Elsevier

Noticeboard

5–6 September 1987

International FIP Satellite Symposium on Disposition and
 Delivery of Peptide Drugs, Leiden, The Netherlands. (Contact:
 Dr. J. Verhoef, Center for Biopharmaceutical Sciences, P.O.
 Box 9502, 2300 RA Leiden, The Netherlands.)

6–11 September 1987

XI World Congress on Sarcoidosis and Other Granulomatous
 Disorders, Università Statale, Milan, Italy. (Contact: Secre-
 tariat, Congress Studio, Via Cappuccio 19, 20123 Milano, Italy.
 Tel. (02) 806262)

6–18 September 1987

Membrane Technology: A Comprehensive Course in the Field
 of Membrane Technology, Amsterdam, The Netherlands.
 (Contact: Delta Institute, P.O. Box 533, 3000 AM Rotterdam,
 The Netherlands. Tel. (01883) 10789.)

28–29 September 1987

International Symposium on Perspectives in Solid Dosage Form
 Design, organized by the Specialization School in Industrial
 Pharmacy, Pavia University and Farmachimici (the Italian
 Association of Pharmaceutical Chemists), at University of
 Pavia, Italy. (Contact: Prof. U. Conte, Dept. Chimica
 Farmaceutica, Via Taramelli 12, 27100 Pavia, Italy. Tel (0382)
 392374.)

2–7 December 1987

The Joint Japanese–United States Congress of Pharmaceutical
 Sciences (JUC Pharm. Sci. '87), Honolulu, Hawaii, U.S.A.
 (Contacts: (1) in Japan – Pharmaceutical Society of Japan,
 12-15-501, Shibuya 2-chome, Shibuya-ku, Tokyo 150, Japan;
 and (2) in U.S. – American Pharmaceutical Association, 2215
 Constitution Ave., Washington, DC 20037, U.S.A.)