

Subject Index

- Absolute retard effect, (39) 267
Absorption, (31) 83; (32) 13; (33) 99; (33) 219; (36) 105
Absorption and desorption of antibiotics, (31) 137
Absorption enhancement, (34) 35
Absorption of interferon from skin, (32) 103
Absorption–partition correlation, (37) 49
Absorption promoter, (31) 231; (33) 235
Absorption rate constant, (31) 33; (34) 9
Absorption site, (31) 119
Acacia, (32) 207
Ac-Di-Sol, (38) 255
Acebutolol, (31) 179
Acetaminophen, (33) 125
Acetonitrile–water, (38) 71
Acetotoluide, (36) 223
Acetylated mitosene degradation products, (32) 111
N-Acetyl-L-cysteine, (40) 85
Acetylsalicylic acid, (34) 259; (37) 203
Acidity constant, (34) 81
Acinetobacter glutaminificans, (34) 225
Acoustic emission, (36) 29; (39) 93; (40) 15
Acrylic polymer, (37) 211
Acrylic resin, (31) 43; (32) 99
Active targeting, (39) 173
Acute toxicity, (38) 99
Acyclovir, (38) 221
Acyloxyalkoxycarbamate, (40) 235
Acyloxymethyl esters of cefotiam, (38) 179
Adhesion distribution, (35) 111
Adhesion profile, (35) 111
Adhesiveness, (34) 75
Adhesivity, (34) 67
Adipic acid, (36) 17
Adjuvant, (31) 185; (33) 89; (33) 253; (34) 157
 β -Adrenoceptor blocking drug, (37) 251
Adriamycin, (38) 257
Adsorbent, (34) 207; (36) 157
Adsorption, (32) 237
Aerosol, (36) 55
Albino rabbit, (34) 163; (38) 9
Albumin microsphere, (33) 137; (39) 129
Albumin nanoparticle, (39) 213
Alginate, (34) 105; (39) 163
Algorithm, (31) 69
Aliphatic esters of metronidazole, (32) 199
Alkaline hydrolysis, (39) 75
Alkanol, (36) 67
Alkylcarbamoil derivative, (36) 147
Alleviation, (38) 265
Alprenolol, (34) 131
Alprenolol hydrochloride, (39) 39
Aluminium, (33) 261
Aluminium hydroxide–magnesium carbonate mixture, (36) 187
Amber set burettes, (31) 65
Amide, (33) 225
Amine prodrug, (40) 235
Amine prodrug, Acyloxyalkoxycarbamate, (40) 249
Aminoglycosides and penicillins, (37) 113
p-Aminohippuric acid, (38) 261
Aminophylline, (33) 55; (40) 223
Amorphous, (35) 29
Amorphous lactose, (39) 201
Amorphous state, (34) 197
Amoxicillin, (31) 137
Ampicillin, (31) 137; (35) 121
Anaesthetic, (38) 261
Analgesic antagonism, (38) 171
Analysis, (38) 39
 Δ 1,4-Androstadiene-3,17-dione, (32) 61
Animal health, (36) 141
Animal model, (37) 97
Anion exchange resin, (37) 127
Antacid, (34) 105; (34) 189; (34) 207; (36) 187
Antibacterial activity, (34) 241
Antibacterial agent, (35) 227
Antibiotic, (36) 55
Antibiotic elution, (31) 137
Anticancer drug, (38) 239
Antidiarrhoeal, (34) 207
Antidiarrhoeal adsorbent, (36) 187
Antidote to organophosphorus poisoning, (40) 157; (40) 193
Antiepileptic drug, (36) 1
Anti-inflammatory agent, (33) 195
Antimicrobial activity, (34) 45; (35) 121
Antiparasitic drug, (40) 215
Antipsychotic, (36) 187
Antipyrine, (37) 163
Antiseptic, (34) 45; (34) 115
Antithrombotic agent, (37) 65
Antitumor activity, (36) 147; (37) 135
Aortic soluble fraction, (33) 1
Apparatus, (31) 247
Aqueous acidic solution, (40) 157
Aqueous and hydrophilic solvents, (40) 193
Aqueous dispersion, (31) 43; (37) 211
Area deviation, (32) 1

- Area deviation method, (39) 267
 Artificial lipid membrane, (39) 149
 Artificial lipoidal membrane, (37) 251
 Arylsulfonylhydrazone, (38) 147; (38) 161
 Ascorbic acid, (31) 83; (36) 233
 L-Asparaginase-L-glutaminase, (34) 225
 Aspirin, (31) 25
 Assay, (34) 183
 Asthma aerosol, (37) 239
 Asthma therapy, (39) 101
 Atropine, (31) 33
 Automation, (34) 1
 Autoradiography on macro-, micro- and electron microscopic level, (39) 213
 Avicel PH-101, (32) 269; (36) 29
 Azathioprine, (35) 165
 Azone, (31) 231; (31) 239; (32) 31
 Azone-permeation enhancement, (33) 37
- Bacterial spore, (34) 51
 Base, (40) 181
Bendomonas aeruginosa, (32) 91
 Benperidol, (34) 23
 Benzaldehyde trace, (35) 13
 Benzalkonium Chloride, (37) 27
 Benzamide, (37) 185
 Benzodiazepine, (36) 113
 Benzoic acid, (32) 223
 Benzoic acid ester, (39) 75
 Benzyl alcohol, (35) 13
 Betamethasone, (32) 47
 Bifunctional acids, (31) 69
 Bifunctional bases, (31) 69
 Bile salts, (31) 193
 Biliary excretion, (31) 119; (36) 131
 Binary mixture, (37) 155
 Binary mixtures, (31) 201
 Binder, (33) 81; (35) 29
 Binding capacity, (37) 127; (39) 207; (40) 51
 Binding to plastic, (34) 137
 Bioadhesion, (38) 65; (39) 189
 Bioavailability, (31) 83; (34) 35; (34) 131; (34) 189; (35) 181; (36) 105; (37) 11; (37) 277; (38) 33; (38) 39; (38) 117; (38) 199; (38) 211; (39) 87; (39) 141; (39) 235; (40) 143
 Bioavailability in rat, (36) 1
 Bioavailability of intradermal interferon, (32) 103
 Biodistribution, (34) 145
 Bioerodible polyhydroxybutyrate-polyhydroxyvalerate copolymer, (38) 231
 Biological fluid, (38) 59
 Bi-phasic zero-order, (33) 137
 Biphenyl solubilities, (31) 225
 Bismuth subnitrate, (34) 207; (36) 187
 Bleomycin, (35) 177
 β -Blocker, (36) 165; (39) 39
 Blood-brain barrier, (32) 79; (35) 47
 Blood concentration, (36) 1
 Blood levels, (32) 1
- Bonding index, (31) 201
 Bovine serum albumin, (32) 237; (37) 103
 Brain-specific delivery, (35) 47
 Brittle/ductile transition, (36) 205
 Brittle fracture index, (31) 99
 Bromazepam adsorption onto PVP, (37) 167
 Bromazepam interaction, (37) 167
 Bromerguride, (31) 69
 Bromocriptine, (32) 1
 BSA microspheres, (33) 147
 Buccal absorption, (40) 119
 Buccal administration, (36) 127
 Buffer, (35) 165
 Buffer effect, (37) 257
 Buffer type and concentration, (37) 19
 Bumadizone calcium, (34) 189
 Buoyancy, (35) 157
 Burette administration set, (31) 65; (36) 199
 Butaperazine, (31) 69
- Cab-O-Sil, (38) 255
 Calcium gluceptate, (32) 213
 Capacity factor, (36) 7
 Capillary rheometry, (35) 235
 Capping, (31) 201; (31) 271
 Capsule, (34) 75; (34) 125
 Carbopol, (40) 111
 6-Carboxyfluorescein, (31) 231
 6-Carboxylfluorescein, (31) 239
 Carboxymethylcellulose (Blanose 7 MD), (39) 47
 Carmofur, (38) 191
 Carrier, (36) 157
 Carrier-bound drug, (40) 215
 Casein, (37) 103
 Cefazolin, (40) 175
 Cefmetazole, (33) 89
 Cefotaxime, (34) 1
 Cefotiam, (38) 179
 Cefoxitin, (32) 151; (33) 99
 Ceftazidime, (36) 55
 Cell immobilization, (32) 61
 Cellular interaction, (37) 135
 Cellulose acetate filter, (34) 137
 Cellulose derivative, (31) 175; (34) 93
 Cellulose hydrogen phthalate, (33) 71
 Cellulose propionate, (34) 137
 Centperazine, (31) 169
 Centrifuge method, (35) 111
 Cephalexin, (32) 99
 Cephalosporin, (32) 151; (34) 1; (34) 241
 Cephalothin, (32) 151
 Cerebrovascular endothelium, (32) 79
 Cetostearyl alcohol, (31) 281
 Cetrimide, (31) 281
 Charge distribution, (36) 243
 Charge transfer complex, (35) 129
 Chemical denaturation, (39) 129
 Chemical hydrolysis kinetics, (33) 15

- Chemical stability, (31) 75; (32) 123; (38) 191
 Chloramphenicol, (32) 91; (37) 11
 Chlorhexidine, (34) 51; (36) 191
 Chloride effect, (37) 257
 Chloroquine, (31) 107; (34) 137
 Chloroquine extraction from biological samples, (35) 173
 Chloroxylenol, (32) 55
 Chloroxylenol, (32) 91
 Choline derivative, (39) 263
 Chondroitin sulfate microsphere, (36) 253
 Chylomicron, (33) 155; (34) 175
 Ciliotoxicity, (31) 193; (31) 275
 Cimetidine, (31) 33; (31) 119; (35) 181
 Clonidine, (35) 21
 Cloud point, (39) 263
 Coarse-fine mixture, (36) 157
 Coating, (37) 203
 Cobalt, (40) 43
 Colistin, (36) 55
 Colloidal solution, (39) 121
 Colonic absorption, (37) 49
 Colonic motility, (31) 151
 Colorectal absorption, (34) 111
 Column dissolution, (36) 17
 Combinative effect, (31) 239
 Compactibility, (31) 201; (35) 29; (39) 207
 Compaction, (36) 99; (40) 267
 Compaction of binary mixture, (38) 109
 Compaction performance parameter, (31) 201
 Compaction pressure, (37) 119
 Compactrol, (38) 255
 Comparative evaluation of hypoglycemics, (38) 123
 Comparison of HAPA-Gentamicin B with inactivation of other aminoglycosides, (37) 113
 Compartment model, (31) 119
 Compensation, (40) 1
 Complement, (32) 165
 Complement activation, (32) 165
 Complexation, (35) 73
 Complex coacervation, (32) 207
 Complex formation, (37) 167
 Composition of binder solution, (37) 155
 Compressed tablet formulation, (40) 129
 Compressibility, (31) 201
 Compression, (37) 203
 Compressional behaviour, (34) 169
 Compression speed, (40) 15
 Computer simulation, (34) 179; (36) 157
 Concomitant administration, (38) 139
 Conjunctival drug delivery, (38) 9
 Consolidation, (35) 29; (36) 99
 Contact angle, (38) 1
 Content uniformity, (31) 145
 Continuous matrix, (34) 169
 Controlled drug release, (32) 143; (40) 33
 Controlled release, (31) 15; (32) 99; (33) 65; (33) 243; (34) 57; (34) 169; (38) 65; (38) 109
 Controlled-release formulation, (32) 85; (36) 73
 Controlled-release pellet, (35) 253
 Conversion of crystalline to amorphous forms by grinding, (32) 213
 Convolution integral, (34) 57
 Coprecipitates - PVP membrane distribution, (38) 99
 Corneal hydrolysis, (37) 27
 Corneal ocular absorption, (38) 9
 Corneal permeability, (37) 27; (39) 229
 Correlation in vitro–in vivo, (39) 235
 Correlation of π values, (36) 7
 Creatinine level, (34) 231
 Creep, (36) 99
 Creep analysis, (40) 267
 Critical volume fraction, (34) 263
 Crospovidone, (33) 115
 Cross-linking, (31) 91
 Crushing strength, (38) 255
 Cryoprotectant, (33) 27
 Cryoscopy, (34) 185
 Crystal, (36) 17
 Crystal forms of erythromycin, (38) 33
 Crystallization, (34) 153
 Crystal violet, (32) 91
 Curcumin, (38) 247
 Cutaneous delivery, (32) 199
 Cyclodextrin, (31) 231; (33) 105
 Cyclodextrin inclusion complex, (36) 223
 Cystitis, (36) 233
 Cytosine arabinoside (31) 185
 Dapsone and derivatives, (32) 21
 Daunorubicin, (31) 75; (34) 247
 Daunorubicin and metabolites, (35) 219
 DDT, (33) 155; (33) 165; (33) 173; (34) 175
 Deceleration, (38) 265
 Decomposition, (31) 25
 Degradation, (31) 125; (34) 1
 Degradation kinetics, (32) 111; (35) 61; (35) 165; (40) 157; (40) 193
 Degradation kinetics in aqueous solution, (31) 75; (32) 123
 Degradation mechanism, (32) 111; (38) 147; (40) 235
 Degradation product of daunorubicin, (34) 247
 Demethylation, (35) 259
 Derivative UV spectroscopy, (35) 13; (40) 85
 Dermal delivery, (35) 243
N-Desmethylflunitrazepam, (36) 113
 Determination, (34) 29; (34) 183
 Dexamethasone, (39) 229
cis-Diamminedichloroplatinum(II), (40) 51
 Diazepam, (33) 37; (39) 213; (40) 223
 Dibromopropamide, (36) 191
 Dibutyl phthalate, (33) 71
 Dicumarol, (37) 103
 Dielectric constant, (35) 91
 Dielectrics, (38) 1
 Diethyl ethoxymethylenemalonate, (33) 89
 Diethyl maleate, (33) 89
 Differential pulse polarographic analysis, (33) 105

- Differential scanning calorimetry, (40) 129
- Diffusion, (32) 71; (32) 79
- Diffusional model, (32) 71
- Diffusion cell, (35) 243; (36) 211; (37) 75
- Diffusion coefficients (water), (31) 247
- Diffusion from matrix, (37) 119
- Diffusion mechanism, (39) 59
- 9-[(1,3-Dihydroxy-2-propoxy)-methyl]guanine, (35) 73
- Dioctyl sodium sulfosuccinate, (37) 179
- Di-*O*-methyl- β -cyclodextrin, (31) 25; (38) 265
- Dioxane–water, (38) 71
- Diphenhydramine, (35) 259; (36) 37
- Dipropionate ester, (35) 73
- DIP value – in vitro/in vivo correlation, (31) 15
- Direct compression, (32) 93; (39) 93
- Discontinuous absorption, (31) 119
- Disinfectant, (34) 115
- Disintegrant, (39) 201
- Disintegrant compactibility, (32) 93
- Disintegration, (37) 179; (39) 201
- Disintegration mechanism, (32) 93
- Disintegration time, (38) 109; (38) 255
- Disodium cromoglycate, (35) 139; (37) 239; (39) 101; (39) 107
- Dispersed matrix, (37) 41
- Dispersion systems, (32) 13
- Disposition, (31) 179
- Disruption index, (39) 243
- Dissolution, (31) 25; (31) 91; (31) 157; (32) 243; (32) 265; (33) 219; (34) 29; (35) 1; (35) 7; (37) 103; (37) 179; (38) 257; (39) 201; (40) 187
- Dissolution in vivo, (40) 165
- Dissolution of transdermal patches, (32) 243
- Dissolution rate, (32) 171; (36) 17; (37) 119; (38) 191
- Dissolution study, (33) 125; (36) 73
- Dissolution testing, (37) 195
- Distribution, (31) 209
- Divalent cation, (31) 231
- Dosage form strategy, (33) 173
- Dose effect, (32) 133
- Double labeling, (36) 17
- Doxorubicin, (32) 123; (38) 257
- Drug, (32) 71; (35) 129
- Drug absorption, (33) 253; (34) 131; (38) 221; (39) 255
- Drug absorption (gastrointestinal), (40) 165
- Drug absorption interactions, (31) 107
- Drug absorption models, (31) 107
- Drug carrier, (36) 121
- Drug delivery, (38) 91
- Drug delivery system, (32) 21; (32) 71; (39) 173
- Drug–excipient interaction, (37) 167; (40) 129
- Drug formulation, (32) 187; (38) 247
- Drug interaction, (36) 233
- Drug lipophilicity, (32) 223
- Drug loading in polymeric carrier, (33) 115
- Drug metabolism, (33) 55; (37) 163
- Drug migration, (34) 125
- Drug–plastic interaction, (36) 199
- Drug–polymer matrix, (38) 231
- Drug release, (37) 41; (40) 111
- Drug release from nanoparticle, (35) 121
- Drug solubility, (32) 187
- Drug sorption, (34) 137; (36) 199
- Dry emulsion, (36) 81
- Dry-powder inhalation, (35) 139
- Dry powder inhaler, (39) 101
- Dynamically modified silica, (32) 7
- Dynamic dialysis, (36) 73
- E. coli* mutant, (36) 191
- EDTA, (33) 89; (35) 227
- [Asu^{1,7}]-Eel calcitonin, (33) 89
- Effect of drug and vehicle on skin, (35) 243
- Effect of fasting, (33) 155
- Effect of food on absorption, (38) 221
- Effect of mixing time on tablet properties, (36) 51
- Effect of mobile phase composition, (36) 7
- Effect of pH on drug release, (32) 143
- Effect of receptor phase pH, (35) 103
- Effect of vehicle on skin, (36) 211
- Elasticity, (36) 99
- Elastic recovery, (31) 99
- Electrical interactive force, (39) 51
- Electric charge, (37) 135; (37) 145
- Electrochemical detection, (32) 7; (35) 219
- Electrolyte, (38) 79
- Electronic indicator, (36) 37
- Electrophoretically controlled dermal drug application, (36) 37
- Electrostatic adhesion, (36) 243
- Electrostatic charge decay, (39) 51
- Electrostatic charge measurement, (36) 243
- Emulsion, (31) 281; (33) 99; (33) 235; (36) 131; (38) 79
- Emulsion flocculation, (39) 33
- Enalapril maleate, (40) 129
- Enamine, (34) 157
- Encapsulated volume, (35) 263
- Endogenous creatinine clearance, (34) 231
- Endotoxin, (40) 173
- Enema spreading, (31) 151
- Enema volume, (31) 151
- Enhanced absorption, (37) 127
- Enteric coated tablet, (32) 251; (37) 245
- Enthalpy, (39) 243; (40) 1
- Entropy, (39) 243; (40) 1
- Entropy–enthalpy compensation, (38) 47
- Enzymatic hydrolysis, (35) 73; (37) 87; (39) 75
- Enzyme catalysis, (40) 249
- Erbium-171, (32) 251
- Erythromycin anhydrate, (38) 33
- Erythromycin dihydrate, (38) 33
- Escherichia coli*, (35) 227
- Ester prodrug, (39) 75
- Estradiol, (35) 47
- Estrogen, (35) 47
- Ether–water, (36) 61; (36) 67
- Ethoxylated amines, (32) 257
- Ethyl acetoacetate, (33) 235; (40) 257

- Ethyl cellulose, (31) 55; (34) 93
 Ethylvinyl acetate, (34) 137
 Eudragit, (38) 91
 Eudragit compound, (32) 143
 Eudragit E 30 D, (31) 43; (37) 211
 Everted intestine, (40) 257
 Everted sac, (38) 211
 Everted sac, Doluisio method, (37) 75
 Excess entropy, (39) 243
 Excretion, (31) 83
 Exogenous creatinine clearance, (34) 231
 Explotab, (32) 269
 Exsorption of griseofulvin, (40) 257
 Extension device, (39) 107
 External imaging, (32) 251
 External scintigraphy, (35) 187
 Extrarenal clearance, (34) 231
 Extrusion, (35) 235
- Facilitated transport, (32) 257
 Factor X-fractionated heparin, (37) 65
 Faraday cage, (36) 243
 Fast dissolving dosage form, (40) 119
 Fat droplet size determination, (34) 173
 Fatigue testing, (39) 93
 Fatty acid, (33) 99; (33) 225; (37) 127
 Fenbufen, (40) 187
 Film coat, (34) 67
 Film coating, (31) 43; (37) 211
 Film coating – polymer film, (39) 1
 Film permeation, (33) 71
 Filtration cell, (36) 223
 First-pass metabolism, (31) 165; (36) 127; (38) 199
 Fixed combination, (31) 179
 Flow injection analysis, (33) 125
 Flow-through dissolution method, (37) 195
 Flucloxacillin, (32) 151
 Flunitrazepam, (36) 113
 Fluocinolone acetonide, (40) 105
 Fluorescence detection, (32) 7
 Fluorescence polarization, (33) 253
 Fluorescent probe, (33) 253; (40) 93
 5-Fluorocytosine, (35) 243
 5-Fluorouracil, (32) 31; (36) 41; (36) 147
 5-Fluorouracil and derivatives, (38) 239
 Fluphenazine, (36) 187
 Food, effects on gastrointestinal transit of controlled-release pellet, (35) 253
 Force-displacement, (36) 99
 Formaldehyde, (31) 91
 Formulation, (31) 99; (36) 91; (36) 233; (38) 39; (39) 1
 Formulation effects, (31) 271
 Formulation influence on bioavailability, (37) 277
 Fourier descriptor, (35) 81
 Fracture energy, (36) 205
 Fragmental values, (31) 209
 Fragmentation propensity, (37) 155
 Free energy, (39) 243; (40) 1
- Free solute mechanism, (34) 179
 Freeze-fracture electron microscopy, (35) 263
 Freezing rate, time and temperature, (33) 27
 Frusemide, (31) 65
Fusarium oxysporum, (32) 61
 Fusion, (39) 243
- Gamma scintigraphy, (32) 85; (37) 245; (39) 189
 Gamma-spectroscopy, (32) 251
 Gas adsorption, (39) 207
 Gas chromatography, (32) 61
 Gastric emptying, (34) 213; (35) 187; (39) 163
 Gastric emptying time, (33) 235
 Gastric retention, (35) 157
 Gastrointestinal absorption, (33) 235
 Gastrointestinal pH, (37) 245
 Gastrointestinal tract, (39) 255
 Gastrointestinal transit, (32) 85; (35) 253
 Gastro-oesophageal reflux, (39) 163
 Gelatin, (31) 91; (34) 125; (35) 177
 Gelation, (34) 263
 Gelucire, (38) 91
 General shape, (37) 41
 Gentamicin, (31) 193; (35) 121
 Germination, (34) 51
 Glibenclamide, (38) 123
 Glucose, (36) 61
 Glucose level, (34) 157
 Glyceride, (33) 181; (37) 127
 Glycerol, (33) 71; (34) 125; (36) 61
 Glyceryl trinitrate, (39) 183
 Glycolic acid derivative, (39) 75
 Glyoxylic acid, (37) 185
 Granulation, (33) 81; (37) 155; (40) 73
 Granulation end-point, (31) 277; (32) 177
 Granulation monitoring, (31) 277; (32) 177
 Granulation of a model system, (33) 81
 Granule, (31) 131
 Granule property, (33) 81
 Griseofulvin, (33) 235; (40) 257
 Ground mixture, (31) 25
 Group additivity parameter, (38) 251
- Hairless mouse skin, (36) 211
 Hairless rat, (32) 31
 Haloperidol, (34) 23
 HAPA-Gentamicin B, (37) 113
 pH-dependent polymer, (33) 71
 Healthy human, (34) 157
 Heat denaturation, (39) 129
 Heat of solution, (40) 1
 pH effect, (37) 257
 Heparin, (37) 65
 Hexachlorobenzene, (34) 175
 Hexobarbital, (34) 9
 Hexyl nicotinate, (36) 91
 HI-6, (40) 193
 High-affinity (HA-FX) fraction, (37) 65

- High-performance liquid chromatography, (31) 75; (32) 111; (32) 123; (33) 55
- High-pressure liquid chromatographic analysis, (32) 133; (35) 219
- Higuchi model, (37) 41
- Histology, (40) 187
- Homogeneity, (31) 145
- Homologous series, (36) 7
- Honeybee venom, (37) 163
- HPLC, (31) 125
- HPLC of the opiates, (32) 7
- HPMC and Na CMC, (39) 39
- pH–rate profile, (35) 165
- Human, (33) 181; (40) 125
- Human growth hormone, (34) 35
- Human interferons α and β , (34) 111
- Human natural interferon β (INF β), (32) 103
- Human recombinant interferon α_2 (IFN α_2), (32) 103
- Human serum albumin, (36) 113
- Human skin (in vivo), (40) 105
- Humidity, (33) 257
- Hyamine method, (34) 29
- Hydration, (31) 247; (34) 153
- Hydrocolloid, (35) 157
- Hydrocortisone, (36) 67
- Hydrodynamically balanced system, (35) 157
- Hydrolysis, (31) 125; (37) 185
- Hydrolysis kinetics, (37) 257
- Hydrolysis rate, (35) 193; (40) 235
- Hydrophilic matrix tablet, (31) 169
- Hydrophilic plasticizer, (33) 71
- Hydrophilic polymer, (38) 65
- Hydrophilic polymer matrix, (35) 201
- Hydrophobic effect, (32) 237
- Hydrophobicity, (34) 131
- Hydrophobic plasticizer, (33) 71
- Hydrophobic polymer, (32) 71
- Hydrotrope, stability, (34) 17
- N*-Hydroxyalkylation, (37) 185
- Hydroxybenzoate, (33) 105; (38) 257
- p*-Hydroxy benzoate esters, (32) 223
- 1(2-Hydroxyiminomethyl-pyridinium)-2-(4-carboxyamido-pyridinium)dimethylether dichloride, (40) 193
- 4-Hydroxyisophthalic acid, (40) 85
- α -Hydroxy-*N*-benzoylglycine derivative, (37) 185
- Hydroxypropyl cellulose, (34) 67
- Hydroxypropyl methylcellulose, (31) 55; (34) 67; (38) 65; (40) 223
- Hygroscopic material, (34) 153
- Hyoscine, (32) 159
- Ibuprofen, (32) 229; (37) 175
- Immunomodulating compound, (37) 33
- Immunomodulator, (39) 255
- Immunonanosphere, (39) 173
- Improved bioavailability, (31) 165
- Improved dissolution system, (33) 115
- Improved drug delivery, (31) 165
- Impurity distribution, (36) 17
- Inactivation of HAPA-gentamicin B by penicillins, (37) 113
- Inclusion complex, (31) 25; (33) 105
- Inclusion complexation, (35) 193; (38) 191; (38) 265
- Indentation hardness, (31) 201
- Indomethacin, (31) 157; (32) 207; (33) 195; (33) 219; (39) 235; (40) 223
- Inert matrix, (35) 21
- Inhalation behaviour, (35) 139
- Inhibition, (35) 73
- Inhibition effect for stress ulcer, (35) 181
- Injector, (36) 141
- Insoluble additives, (31) 43
- Insoluble excipient, (37) 211
- Insulin, (36) 199; (38) 83
- Insulin suppository, (34) 157
- Interaction, (34) 189; (34) 207; (38) 99
- Interaction phenomena, (39) 1
- Interaction terms, (31) 209
- Interactive mixture, (35) 111; (36) 243
- Interactive system, (39) 51
- Interferons, enteric absorption, (34) 111
- Intestinal absorption, (31) 231; (31) 239; (34) 35; (36) 121
- Intestinal transport and degradation, (37) 33
- Intestine, (33) 155
- Intralipid, (39) 33
- Intramesenteric venous injection, (36) 131
- Intramolecular bonding, (34) 23
- Intramuscular formulation, (40) 193
- Intramuscular injection, (36) 147; (37) 145; (38) 39; (38) 133
- Intranasal, (34) 131
- Intranasal drug absorption, (31) 193
- Intraocular pressure, (32) 47; (39) 229
- Intravenous fluid, (33) 261
- Intravenous injection, (37) 145
- Intrinsic dissolution rate, (38) 109
- Inulin, (38) 9
- Inulin clearance, (34) 231
- In vitro degradation, (33) 1
- In vitro diffusion, (35) 91; (35) 103; (38) 99; (40) 93
- In vitro dissolution, (32) 21
- In vitro drug release, (32) 223; (32) 229
- In vitro model, (34) 179
- In vitro release, (39) 129
- In vitro skin model, (39) 149
- In vitro skin models, (32) 257
- In vitro skin penetration, (40) 101
- In vitro transport, (37) 103
- In vivo decomposition, (33) 1
- In vivo kinetics, (40) 201
- In vivo performance, (31) 15
- In vivo release characteristics, (33) 195
- Iodine antiseptic, (34) 45
- Iodine, molecular interaction, (35) 129
- Ion exchange resin, (40) 119
- Ionizing radiation, (37) 1; (40) 173
- Ion pair, (39) 59
- IRI level, (34) 157

- γ -Irradiation sterilization, (32) 151
 Irritable bowel, (40) 151
 Isokinetic relationship, (38) 47
 Isonicotinic acid, (34) 81
 Isopropyl myristate, (39) 149
 Isosorbide dinitrate, (39) 183
 Isotope, (32) 251
 Isotropic system, (31) 271; (34) 169
- Kaolin–pectin mixture, (36) 187
 Kaopectate, (34) 207
 Ketoprofen, (34) 189
 Killing of *Leishmania donovani*, (40) 215
 Kinetic release in vitro, (39) 235
 Kinetics, (31) 125; (38) 147; (38) 161
 Kinetics of hydrolysis, (35) 39
 Kinetics of release, (37) 119
 Kupffer cell, (36) 253
- β -Lactam antibiotics, (32) 151
 Lactose, (35) 29; (39) 207; (40) 15
 Lactose BP, (36) 29
 Lag time, (34) 179
 Lamination, (31) 271
 Laser velocimetry, (36) 91
 Latex, (37) 203
 Lattice disruption, (40) 1
 Lecithin, (33) 181; (38) 83
 Leishmaniasis, (40) 215
 Levamisole, (39) 255
 Lipid digestion, (34) 175
 Lipophilicity, (32) 79; (36) 41
 Lipophilic prodrug, (36) 147
 Lipopolysaccharide (LPS) mutant, (35) 227
 Liposomal entrapment, (37) 75; (40) 143
 Liposome, (33) 27; (34) 163; (34) 179; (36) 147; (36) 165; (37) 233; (39) 213; (40) 51; (40) 81
 Liposome characterization, (35) 263; (37) 171
 Liposome disposition in vivo, (37) 233
 Liquid chromatography, (34) 1
 “Liquid Gaviscon”, (34) 105
 Liquid membrane phenomenon, (32) 39; (38) 239
 Liquid paraffin, (34) 185
 Liver endothelial cell, (36) 253
 Log P, (38) 47
 Long action, (35) 187
 Lorazepam, (40) 119
 Low-affinity (LA-FX) fraction, (37) 65
 Lower urinary tract infection, (36) 233
 LPS mutant, (34) 115
 Lubrication, (31) 131; (40) 15
 Lymphatic absorption, (40) 257
 Lymphatic delivery, (34) 175; (36) 147
 Lymphatic targeting, (31) 185
 Lymphatic transport, (33) 155; (33) 165; (33) 173
 Lyophilisation, (34) 17
- Macromolecular prodrug, (35) 39
- Macromolecules, (32) 171
 Macrophages, (32) 165
 Magnesium stearate, (31) 131; (36) 51
 Magnesium trisilicate, (34) 207; (36) 187
 Magnetic drug targeting, (40) 201; (40) 207
 Magnetic microparticle, (40) 201; (40) 207
N-Mannich base, (35) 243
 Material behavior, (36) 205
 Mathematical modeling, (38) 23
 Mathematical model of drug carrier capture, (40) 201
 Mathematic model of drug kinetics, (40) 207
 Matrix formation, (34) 169
 Matrix tablet, (40) 223
 Measurement of adhesion, (35) 111
 Mechanical activation, (32) 93
 Mechanical property, (39) 1
 Mechanical strength of tablet, (37) 155
 Mechanism, (38) 161
 Mechanism of action, (35) 129
 Mechanism of ciliotoxicity, (31) 275
 Mechanism of dissolution, (34) 197
 Mechanism of drug delivery, (34) 57
 Mechanism of release, (37) 211
 Medium-chain glyceride, (36) 131
 Megaloporous system, (31) 15; (34) 57
 Melphalan, (37) 257
 Membrane permeability modification, (37) 49
 Menadione, (39) 137
 Menadione sodium bisulfite, (39) 137
 6-Mercaptopurine, (35) 165; (36) 211
 Mesenchymal cell, (40) 23
 Metabolism, (39) 23
 Metered dose aerosol, (39) 107
 Methacrylate butadiene styrene, (34) 137
 Methadone, (33) 249
 Methodology, (33) 155
 Methotrexate- α,γ -dialkyl ester, (36) 7
 Methylated β -cyclodextrin, (38) 191
 Methylated cyclodextrin, (35) 193
 Methyl caproate, (33) 235; (40) 257
 2-Methyl-1,4-naphthalene diol, (39) 137
 Methyl propionate, (33) 235; (40) 257
 Methyl salicylate, (35) 91
 Methylxanthine, (33) 55
 Metoclopramide, (31) 33
 Metoprolol, (34) 131; (37) 251
 Metoprolol tartrate, (39) 39
 Metronidazole, (31) 99; (38) 65
 Metronidazole monosuccinate dextran ester conjugate, (35) 39
 Micellar solubilization, (37) 49
 Michaelis-Menten metabolism, (34) 9
 Microanalysis, (31) 131
 Microcalorimetry, (38) 251
 Microcapsule, (32) 207; (33) 243; (40) 165
 Microcrystalline cellulose, (31) 137; (34) 217; (38) 227; (40) 129; (40) 267
 Microdispersed enteric coating, (34) 259
 Microelectrophoresis, (32) 207

- Microencapsulation, (31) 91; (33) 243; (35) 145
 Micro-enema, (33) 249
 Microfilaricidal agent, (31) 169
 Micronization, (35) 81; (35) 139
 Microparticulate ophthalmic delivery system, (40) 81
 Microsphere, (32) 165; (34) 225; (35) 177; (39) 189
 Midazolam maleate, (33) 37
 Miglyol 812, (33) 99
 Mild condition micronization, (32) 265
 Milk, (33) 125; (36) 73; (36) 187
 Mineral oil, (34) 35
 Miosis, (39) 113
 Mitomycin C, (32) 111; (32) 133
 Mitomycin C–dextran conjugate, (37) 135; (37) 145
 Mixed micelle, (31) 231; (39) 263
 Mixed solvents, (32) 187
 Mixer torque rheometer, (38) 227
 Modelling, (38) 79; (39) 141
 Modelling of process, (36) 81; (40) 33
 Modified drug release, (39) 267
 Modified release, (32) 1; (37) 211
 Moisture, (33) 257
 Molecular dispersion, (31) 25
 Molecular weight, (37) 135; (37) 145
 Molecular weight determination, (34) 185
 Monoclonal antibody, (39) 173
 Morphology, (40) 23
 Mouse, (36) 1
 Mouse tail-flick method, (38) 171
 Mucosal barrier, (38) 211
 Mucus glycoprotein, (35) 211
 Mucus layer, (38) 211
 Multilamellar vesicle, (35) 263; (37) 171
 Multiparticulate system, (34) 213
 Multiple emulsion, (38) 133
 Multiple regression analysis, (38) 23
 Multivesicular vesicle, (37) 171
 Multivitaminic preparation, (40) 43
 Murine plasma fibronectin, (37) 233
 Myotic response, (33) 187
- Nadolol, (37) 127
 Nafarelin, (31) 125
 Nafcillin, (32) 151
 Nalbuphine, (38) 199
 Nalidixic acid, (38) 71
 Naloxone, (33) 225; (36) 127
 Naltrexone, (36) 127; (38) 171
 Nanocapsule, (36) 121
 Nanoparticle, (33) 45; (34) 145; (35) 121; (40) 23; (40) 81
 Naphthalene solubilities, (31) 225
 Naphthyl ester hydrolysis, (35) 61
 Naproxen, (32) 85; (37) 245; (38) 117
 Narcotic antagonist, (38) 171
 Nasal absorption, (39) 87
 Nasal delivery, (39) 189
 Nebulisation, (36) 55
 Negatively charged liposomes, (32) 237
 Neoplastic tissue, (35) 219
 Neutral liposomes, (32) 237
 Neutron activation, (32) 251
 Nifedipine, (31) 179
 Nipagin A, (39) 47
 Nipazol M, (39) 47
 Nitrofurantoin, (33) 125; (34) 29; (35) 145; (37) 103
 Nitrofurantoin, macrocrystalline, (36) 105
 Nitroglycerin patches, (32) 243
 Nitroprusside, (33) 1
³¹P-NMR, (35) 263
 Non-aqueous media, (39) 59
 Non-compartmental analysis, (38) 139
 Non-corneal absorption, (34) 163
 Non-corneal ocular absorption, (38) 9
 Non-disintegrating matrix, (38) 231
 Non-isothermal kinetics, (34) 1
 Non-linear least-squares analysis, (31) 33; (34) 9
 Noxythiolin, (38) 59
 NSC-267213, (38) 147; (38) 161
 Numerical deconvolution, (40) 165
 Nutritive mixture, (38) 79
- n*-Octanol, (36) 165
 Octanol/DMF–Water partition coefficient, (36) 7
 Ocular, (34) 163
 Ocular bioavailability, (37) 19; (39) 113
 Ocular hydrolysis, (33) 15
 Oesophageal mucosa, (34) 75
 Oestradiol, (32) 159
 Off-line sampler, (36) 175
 Oil, (33) 99
 Oleic acid, (31) 239; (34) 175
 Oleic acid: Shape factor, (36) 17
 Ophthalmic gels, (32) 47
 Ophthalmic preparation, (37) 11
 Ophthalmic solution, (37) 19
 Ophthalmic vehicles, (31) 261
 Opioid, (38) 199
 Opioid antagonist, (36) 127
 Oposonin, (32) 165
 Optimization techniques, (38) 23
 Oral absorption, (36) 41
 Oral and rectal bioavailability, (38) 191
 Oral bioavailability, (38) 179
 Oral contraceptive, (33) 55
 Oral drug delivery, (37) 75; (40) 143
 Oral floating dosage form, (35) 157
 Oral form, (40) 33
 Ordered mixing, (31) 145; (36) 51
 Ordered mixture, (36) 157
 Organic hydrogels, (31) 261
 Organic solvent, (35) 173
 Osteogenic sarcoma, (40) 23
 Outer membrane, (32) 55
 Outgrowth, (34) 51
 Overcoat, (37) 211
 Overlapping pK_a-values, (31) 69

- Oxazepam, (40) 119
 Oxprenolol, (37) 251
 Oxyphenbutazone, (32) 171
- Packaging, (33) 257
 Paraben, (35) 227
 Paracetamol, (36) 29; (40) 15
 Parameters of drug loading, (40) 63
 Parenchymal cell, (36) 253
 Parenteral, (31) 9; (36) 141
 Parenteral fat emulsion, (34) 173
 Parenteral infusion fluids, (31) 1
 Parenteral nutrition, (38) 79
 Parenteral solution, (40) 175
 Partial and total cohesion parameters, (34) 217
 Partial solubility parameter, (34) 217
 Particle adhesion, (35) 111; (39) 51
 Particle deposition, (37) 239; (39) 101; (39) 107
 Particle detachment, (35) 111
 Particle interaction, (34) 263; (36) 243
 Particle-particle interaction, (37) 167
 Particle size, (35) 29; (35) 81; (36) 205; (40) 111
 Particle size determination, (34) 173
 Particle size of carrier, (36) 51
 Particle texture, (39) 207
 Partition coefficient, (32) 79; (33) 15; (34) 125; (34) 241; (38) 47
 Partitioning, (36) 61; (36) 67
 Paste formation, (40) 73
 Peanut oil, (34) 175
 Pectin, (31) 91
 Pellet, (37) 203
 Penetration enhancer, (32) 31; (32) 257; (33) 225
 Pentobarbitone, (38) 261
 Peppermint oil, (40) 151
 Peptide, (31) 125
 Percolation theory, (38) 109
 Percolation threshold, (38) 109
 Percutaneous absorption, (32) 31; (32) 257; (33) 225; (34) 179; (39) 149; (40) 101; (40) 105; (40) 111
 Permeability, (32) 55; (36) 61; (36) 67
 Permeation, (39) 59
 Perphenazine, (36) 187
 Pharmaceutical, (36) 141
 Pharmaceutical formulation, (40) 85
 Pharmaceutical processing, (40) 1
 Pharmaceutical salts, (33) 201
 Pharmaceutics, (40) 129
 Pharmacodynamics, (38) 123
 Pharmacokinetic behaviour, (37) 145
 Pharmacokinetics, (31) 179; (32) 133; (33) 55; (36) 41; (36) 105; (36) 127; (37) 97; (37) 219; (38) 117; (38) 123; (38) 261; (39) 141; (40) 151
 Pharmacokinetics of intradermal interferon, (32) 103
 Phase transitions of crystalline hydrate and crystalline anhydrate, (32) 213
 Phenacetin, (32) 269
 Phenobarbitone, (31) 107
 Phenolic, (35) 227
 Phenol red, (36) 131; (39) 87
 Phenothiazine, (36) 187
 L-Phenylalanine mustard, (37) 257
 Phenylephrine, (32) 47
 Phenylpropanolamine, (39) 141
 Phenytoin, (32) 171; (34) 29; (35) 7
 Phillips MK II, (36) 141
 Phonophoresis, (40) 105
 Phosphoramidate mustard, (37) 257
 Phosphorylated mitosene degradation products, (32) 111
 Photoaffinity label, (36) 113
 Photoallergy, UV light, (35) 259
 Photobinding, (36) 113
 Photochemical stabilizer, (38) 247
 Photodecomposition, (35) 259
 Photodegradation, (31) 1; (31) 65
 Photolysis, (38) 265
 Photosensitivity, (38) 265
 Physical characterization of drug-polymer system, (40) 63
 Physical property, (35) 139
 Physiological model, (37) 219
 Pig cornea, (37) 27; (39) 229
 Pigskin, (35) 91; (35) 103
 Pilocarpine, (31) 261; (33) 45; (33) 187; (37) 19
 Pilocarpine hydrochloride, (39) 229
 Pilocarpine prodrug, (39) 113
 Plasma concentrations, (33) 181
 Plasma esterase, (40) 249
 Plasma glucose, (38) 83
 Plastic, (39) 183
 Plastic compression, (31) 99
 Plasticity, (36) 99
 Plasticizer, (37) 203
 Plasticizing efficiency, (31) 55
 Plasvita TSM, (38) 255
 Pluronic, (40) 93
 Pluronic F68, (33) 65
 Pluronic F-127, (39) 121
 Pluronic F-127 gels, (32) 223
 Point of zero charge and pH relationship, (34) 263
 Poloxamer 338, (34) 145; (40) 93
 Poloxamer hydrogel, (33) 65
 Poloxamine 908, (34) 145
 Poly(acrylamide), (31) 261
 Polyacrylamide microparticles, (32) 165
 Poly(acrylic acid), (31) 261; (38) 65
 Polyacryl starch microparticle, (40) 215
 Polyacrylstarch microparticles, (32) 165
 Polyalkylcyanoacrylate, (36) 121; (40) 23
 Polyalkylcyanoacrylate nanoparticle, (39) 213
 Poly(butyl 2-cyanoacrylate), (34) 145
 Poly(butylcyanoacrylate) nanoparticle, (33) 45
 Polybutylcyanoacrylate nanoparticles, (33) 187
 Poly(ϵ -caprolactone), (35) 145
 Polyethylene, (36) 99
 Polyethylene glycol, (31) 55; (31) 157; (31) 175; (33) 219; (40) 111

- Polyethylene glycol 6000 blend, (34) 93
 Poly(hexylcyanoacrylate) nanoparticle, (33) 45
 Poly(hydroxybutyrate), (37) 41
 Poly(hydroxyvalerate), (37) 41
 Polymer compression, (34) 169
 Polymeric gel, (40) 93
 Polymeric matrix, (35) 21; (37) 119
 Polymer interaction, (34) 93
 Polymer matrix, (32) 143; (35) 145; (40) 33
 Polymer membrane, (39) 59
 Polymethacrylic nanoparticle, (39) 173
 Polymethylmethacrylate, (35) 177
 Poly(methylmethacrylate) nanoparticle, (33) 45
 Polymorph, (31) 157; (35) 181
 Polymorphism, (34) 23; (40) 1
 Poly(oxyethylene) glycol, (34) 67
 Polypeptide drug, (34) 35
 Polypladone XL, (38) 255
 Polystyrene, (34) 137
 Polystyrene beads, (40) 63
 Polyvinyl alcohol, (33) 219
 Polyvinylchloride, (34) 137; (39) 183
 Polyvinylpyrrolidone, (31) 157; (32) 13; (32) 229; (33) 219; (37) 175; (38) 39; (38) 99
 Polyvinylpyrrolidone interaction, (37) 167
 Polyvinylpyrrolidone molecular weight, (34) 45
 Porosigen, (38) 231
 Porous polymers, (32) 71
 Positively charged liposomes, (32) 237
 Possible antithyroid effect, (35) 129
 Potassium chloride, (35) 201
 Potassium citrate, (36) 233
 ζ -Potential, (39) 33
 Povidone-iodine, (34) 45
 Powder, (38) 1
 Powder mixing, (31) 145
 Powder segregation, (31) 145
 Powder storage, (39) 51
 Powder with very high surface area, (32) 265
 Pralidoxime chloride, (40) 157
 Prediction, (37) 15
 Prediction of solubilities in binary solvents, (31) 225
 Prediction-titration, (37) 19
 Prednisolone, (35) 1; (39) 129
 Preservative, (39) 47; (39) 229
 Pressor activity, (38) 99
 Presystemic metabolism, (31) 165
 Primaquine-microparticle complex, (40) 215
 Primojel, (38) 255
 Prodrug, (31) 165; (32) 199; (33) 15; (35) 243; (36) 41; (37) 87; (37) 185; (38) 179; (38) 199
 Prodrug activation, (36) 233
 Prolongation of release, (37) 119
 Promethazine hydrochloride, (40) 223
 Promotion of intestinal absorption, (36) 131
 Promotive absorption, (31) 239
 Propantheline bromide, (33) 125
 Propranolol, (31) 275; (33) 243; (37) 251
 Propranolol hydrochloride, (39) 39; (40) 223
 Propranolol isomers, (31) 275
 Propylene glycol, (31) 9
 Propylene glycol-water, (38) 71
 Propylphenazone, (37) 179
 Prostacyclin, (35) 193
 Prostaglandin-E₂, (33) 65
 Prostaglandin F_{2 α} , (37) 27
 Prostaglandin F_{2 α} ester, (37) 27
 Protriptyline, (38) 265
 Proxyphylline, (38) 139
 Pseudomonas aeruginosa, (32) 55
 Psoriasis treatment, (35) 61
 Pupil diameter viscosity of ophthalmic gels, (32) 47
 PVP retarding effect, (34) 197
 Pyridylalkanamide, (38) 47

 QSAR study, (38) 251
 Qualitative histology, (40) 181
 Quantification, (32) 1
 Quantitative structure/activity relationship, (34) 241
 Quaternary ammonium compound, (36) 191
 Quinidine, (34) 207

 Rabbit, (39) 87
 Rabbit duodenal epithelium, (37) 33
 Rabbit eye, (32) 47
 Radiolabeled tablet, (35) 187
 Radiolabelled magnetic drug carrier, (40) 201
 Radiotracer method, (33) 257
 Raft-forming antacid, (34) 105; (39) 163
 Rat, (36) 1; (37) 219; (38) 261; (40) 181; (40) 187
 Rat colonic absorption, (33) 89
 Rate constants (water), (31) 247
 Rate-controlled release, (35) 21
 Rate diffusion, (33) 71
 Rat small intestinal epithelial cell, (33) 253
 Reaction kinetics, (31) 1
 Rearrangement, (35) 259
 Rectal absorption, (31) 185; (33) 249; (36) 41
 Rectal administration, (33) 195; (38) 117
 Relative spreading, (38) 103
 Release kinetics, (36) 175
 Release mechanism of theophylline, (40) 63
 Release mechanisms, (33) 137
 Release of adriamycin, (33) 147
 Release rate, (37) 135
 Release rate from suppository, (38) 191
 Remoxipride, (40) 165
 Respiratory tract, (37) 239; (39) 101; (39) 107
 Response-surface modeling, (38) 23
 Reticuloendothelial system, (37) 233
 Reversed-phase HPLC, (35) 13
 Reversed phase liquid chromatography, (36) 7
 RH-composition phase diagram, (32) 213
 Rheological synergism, (39) 39
 Rheology, (38) 227
 Riboflavin, (35) 157

- Rifamycin, (38) 39
 Rotating diffusion cell, (32) 257; (39) 149
 Routine analysis, (39) 137
 RU 41740, (37) 33
- Salicylamide, (31) 165; (33) 125
 Salicylate, (34) 157; (40) 111
 Salicylic acid, (35) 103; (37) 195; (38) 71; (39) 255
 Salicylic acid plasma concentration, (34) 259
Salmonella typhimurium, (34) 115
 Salt, (35) 165
 Salt form selection, (33) 201
 Sample size relationship, (36) 157
 Scanning electron microscopy, (40) 129
 γ -Scintigraphy, (34) 145; (38) 221; (40) 81; (40) 119
 Scleral drug delivery, (38) 9
 Second derivative spectroscopy, (34) 29
 Semi-synthetic penicillins, (32) 151
 Sensitivity and resistance, (36) 191
 Sequential release of metronidazole, (35) 39
 Serum, (39) 141
 Shape feature, (35) 81
 Sheep, (38) 39
 Shelf life, (40) 175
 Silica, (36) 81
 Silicone rubber, (35) 21
 Simeco tablet, (34) 207
 Site of administration, (33) 173
 Size, (36) 157
 Size distribution, (35) 263; (36) 157
 Skin, (36) 61; (36) 67; (39) 23
 Skin enzyme, (39) 23
 Skin penetration cell, (40) 101
 Skin transport, (32) 31
 Small angle X-ray scattering, (35) 263
 Sodium benzoate, (39) 47
 Sodium caprylate, (33) 253
 Sodium carboxymethylcellulose, (34) 183
 Sodium cefazolin, (31) 231
 Sodium chloride, (36) 29; (36) 99; (40) 15
 Sodium cholate, (31) 157; (37) 127
 Sodium cromoglycate, (39) 189
 Sodium diclofenac, (33) 181; (40) 125
 Sodium salicylate, (32) 143; (33) 89; (33) 253; (34) 17; (34) 35; (36) 81; (38) 83; (38) 91; (40) 33
 Solid dispersion, (34) 197; (37) 175; (38) 83
 Solid dispersion system, (31) 157; (33) 219; (34) 29; (35) 1; (35) 7
 Solid drug dispersions, (32) 229
 Solid matrix, (37) 119
 Solid solution, (36) 17; (39) 243
 Solid-state chemistry, (40) 129
 Solid-state interaction, (37) 167
 Solubility, (31) 69; (32) 171; (35) 91; (35) 103; (36) 41; (40) 1
 Solubility in binary solvent, (38) 71
 Solubility parameter, (31) 175; (36) 211; (38) 71
 Solubility study, (36) 223
 Soluble complex, (34) 197
- Sorption, (39) 183
 Specific gravity, (35) 187
 Spectrophotometry, (34) 81; (39) 137; (40) 43
 Spherical form, (36) 81
 Spherical oral dosage device, (38) 91
 Spheric bead, (40) 33
 Spheronisation, (35) 235
 Spray-dried lactose, (39) 201
 Spray drying, (35) 29; (35) 139; (37) 239
 Stability, (31) 9; (31) 125; (31) 281; (33) 27; (37) 87; (37) 257; (38) 59; (38) 79; (38) 147; (38) 161; (40) 175; (40) 235
 Stability and antitumor activity in vitro, (40) 51
 Stability constant, (35) 193; (38) 191
 Stabilization, (35) 73; (35) 193
 Stabilization temperature, (33) 147
 Stagnant diffusion layer, (37) 49
 Standard deviation, (36) 157
 Starch microspheres, (36) 253
 Steady-state assumption, (34) 179
 Sterilization, (37) 1; (40) 173
 Steroids, (32) 61
 Steroid transformation, (32) 61
 Stratum corneum, (31) 247
 Stressing study, (38) 23
 Stress relaxation, (36) 99
 Structural modification, (38) 161
 Structure-activity relationship, (39) 149
 Structure/response correlation, (39) 113
 Substrate-labeled fluorescent immunoassay (SLFIA), (36) 1
 Sulfamethizole, (37) 103
 Sulfanilamide, (39) 255
 Sulfonamide, (37) 87
 Sulfoxide, (33) 225
 Sulphamethizole, (37) 41
 Sulphanilamide, (40) 73
 Sulpiride, (37) 277
 Sulpiride-food interaction, (37) 277
 Sulpiride-propranolol interaction, (37) 277
 Supercritical gases, (32) 265
 Supersaturation phenomena, (34) 197
 Suppository, (33) 195; (33) 249; (38) 83; (39) 235; (40) 181; (40) 187
 Suppository, γ -Scintigraphy, (38) 103
 Surface-active agents, (31) 193
 Surface acylation, (32) 21
 Surface adsorption interactions, (31) 137
 Surface contact, (40) 129
 Surface reaction of particles, (32) 21
 Surfactant, (31) 193; (33) 225; (37) 179; (39) 87; (40) 73
 Surfactant effects on absorption, (37) 49
 Sustained release, (31) 43; (32) 21; (33) 173; (33) 243; (34) 259; (35) 201; (36) 81; (38) 133; (38) 171; (40) 93; (40) 125; (40) 223
 Sustained release dosage form, (37) 97
 Sustained release effect, (33) 187
 Sustained release formulation, (35) 157
 Sustained release preparation, (35) 21; (40) 151
 Sustained release suppositories, (33) 181

- Sustained release tablet, (31) 169
 Swellable matrix tablet, (39) 39
 Swelling, (32) 93; (38) 65
 Synthetic gastric liquid, (32) 143
 Synthetic membrane, (35) 91; (35) 103
 Syringeability, (36) 141
 Syringe pump, (39) 183
- Tablet, (34) 75; (34) 153; (36) 205; (39) 201; (40) 125
 Tablet binding agents, (32) 269
 Tablet compression, (36) 29
 Tablet disintegrating agents, (32) 269
 Tablet formulation, (38) 23
 Tablet friability, (32) 269
 Tablet hardness, (32) 269
 Tableting, (31) 99
 Tableting property, (35) 29
 Tablet strength, (39) 207
 Tablet testing, (39) 93
 Tablet weight, (40) 15
 Technetium-99m labelling, (37) 239; (39) 101; (39) 107
 Technetium-99m–dextran, (34) 145
 Temazepam, (31) 9; (34) 17
 Temperature, (40) 175
 Temperature effect, (35) 165
 Tenoxicam, (37) 219
 Tensile strength, (31) 201; (36) 99
 Testing methods – viscometry and solubility, (39) 1
 Testosterone, (33) 65
 Tetracycline, (38) 211
 Tetracycline binding, (35) 211
 Tetracycline hydrochloride, (40) 223
 1,2,3,4-Tetrahydronaphthaline derivative, (38) 99
 Theolin retard, (31) 15
 Theophylline, (31) 15; (33) 55; (34) 57; (34) 153; (35) 243; (36) 73; (37) 97; (38) 139; (40) 63; (40) 223
 Theoretical partition coefficient, (36) 211
 Thermal analysis, (36) 223; (40) 129
 Thermal analysis – NMR, X-ray, IR, (39) 1
 Thermal gelation, (39) 121
 Thermodynamic activation parameter, (35) 193
 Thermodynamics, (38) 47; (39) 243
 Thermodynamics of partitioning, (36) 165
 Thermogravimetric analysis, (40) 129
 Thiamphenicol glycinate, (40) 85
 Thioridazine, (36) 187
 Thiourea, (36) 61
 Three-compartment open model, (38) 139
 Through-flow cell, (39) 235
 Tiaprofenic acid, (35) 253
 Ticarcillin, (32) 151
 Timolol, (32) 159; (33) 15; (38) 9
 Timolol ester, (33) 15
 Tissue concentration, (37) 219
 Tissue distribution, (39) 213
 Tissue interaction, (39) 213
 Tobacco smoking, (33) 55
 α -Tocopherol, (32) 39
- Topical drug, (39) 23
 Topical effect, (36) 91
 Topical ophthalmic drugs, (31) 261
 Topical selective drug delivery, (34) 163
 Torsional braid pendulum, (31) 55
 Total parenteral nutrition, (39) 33
 Toxicity, (32) 251; (40) 23
 Transdermal application, (36) 37
 Transdermal delivery, (33) 37
 Transdermal drug delivery, (32) 159
 Transdermal opioid, (33) 225
 Transdermal therapy, (39) 23
 Transfer of cationic drugs across lipoidal membrane, (37) 251
 Transformation, (34) 153
 Transient diffusion, (36) 81
 Transmission electron microscope, (34) 173
 Triboelectrification, (36) 243
 Trifluoperazine, (33) 89; (36) 187
 Trifluoperidol, (34) 23
 Two-compartment model, (31) 33
 Two-compartment open model, (38) 139
- Ufasome, (31) 239
 Ulceration, (32) 13
 Ultrafiltration, (32) 171
 Ultrasound, (40) 105
 Ultraviolet absorbance detection, (32) 7
 UNIQAC, (31) 209; (32) 187
 Unit dose, (33) 257
 Urea, (36) 61; (36) 67
 Urethane, (38) 261
 Urinary excretion, (36) 105; (40) 125
 Urine, (39) 141
 Urine acidification, (36) 233
 Urine alkalinisation, (36) 233
 Urine excretion, (33) 181
 USP paddle dissolution method, (37) 195
 UV diode array detection, (35) 13
 UV fluorescence microscopy, (31) 145
 UV radiation, (31) 1
 UV/visible spectroscopy, (35) 129
- Variability, (34) 183
 Vasodilator, (36) 91
 Vehicle, (35) 243
 Vehicle effects, (33) 165
 Vehicle volume, (33) 165
 Vibration analysis, (31) 277; (32) 177
 Viscometry and solubility, (39) 1
 Viscosity, (32) 13; (35) 91; (36) 141; (39) 47; (40) 93
 Vitamin A, (31) 1
 Vitamin C, (31) 83
 Vitamin E, (32) 39
 Vitamin E deficiency, (32) 39
- Water vapor transmission rate (WVTR), (33) 257
 Water vapour, (31) 247
 Wavelength dependence, (31) 1

Wet powder, (35) 235
Wettability, (38) 1
Wetting, (38) 1
Wicking, (32) 93
Work of failure, (39) 93

X-ray, thermal analyses, apparent water solubilities, (32) 213

Xylan, (38) 255

Young's modulus of elasticity, Pharmaceutical material, (37) 15

Zeparox, (36) 29

Zero-order release, (34) 57; (35) 21; (35) 201; (39) 39

Zeta potential, (39) 47