

Author Index

- Acar, N., see Onur, F. (78) 89
- Adam, M.E., see A/Karim, E.I. (76) 261
- Aggarwal, N., see Mukherji, G. (71) 187
- Agyilirah, G.A., Green, M., DuCret, R. and Bunker, G.S.
Evaluation of the gastric retention properties of a cross-linked polymer coated tablet versus those of a non-disintegrating tablet (75) 241
- Ahlneck, C., see Alderborn, G. (73) 249
- Ahmed, S.M., Naggi, A., Guerrini, M. and Focher, B.
Inclusion complexes of bropirimine with β -cyclodextrin in solution and in solid state (77) 247
- A/Karim, E.I., Ibrahim, K.E. and Adam, M.E.
Studies on the photochemical decomposition of metronidazole (76) 261
- Akbuğa, J.
Furosemide-loaded ethyl cellulose microspheres prepared by spherical crystallization technique: Morphology and release characteristics (76) 193
- Al-Hmoud, H., see Buckton, G. (74) 169
- Albers, E., see Müller, B.W. (79) 273
- Aldén, M., see Sjökvist, E. (79) 123
- Alderborn, G. and Ahlneck, C.
Moisture adsorption and tabletting. III. Effect on tablet strength-post compaction storage time profiles (73) 249
- Alhaique, F., see Touitou, E. (78) 85
- Allaben, L., see Wong, O. (76) 171
- Allan, G., see Brain, K.R. (71) R9
- Allwood, M.C.
The influence of buffering on the stability of erythromycin injection in small-volume infusions (80) R7
- Alsina, M.A., see Mestres, C. (76) 145
- Amicosante, G., see Di Giulio, A. (74) 183
- Anderson, B.D., see Oh, I. (73) 23
- Anderson, C., see Wong, O. (76) 171
- Anderson, G.J., see Toth, I. (77) 13
- Anderson, W.K., see Stella, V.J. (71) 157
- Angberg, M., Nyström, C. and Castensson, S.
Evaluation of heat-conduction microcalorimetry in pharmaceutical stability studies. III. Crystallographic changes due to water vapour uptake in anhydrous lactose powder (73) 209
- Angberg, M., Nyström, C. and Castensson, S.
Evaluation of heat-conduction microcalorimetry in pharmaceutical stability studies. IV. The influence of micro-crystalline cellulose on the hydration rate of anhydrous lactose (77) 269
- Anguiano-Igea, S., see Otero-Espinar, F.J. (75) 37
- Anguiano-Igea, S., see Otero-Espinar, F.J. (79) 149
- Anie, S.J., Fell, J.T., Waigh, R.D. and Wood, B.
Gastrointestinal transit studies in the rat using ^{19}F -NMR (76) 183
- Armstrong, D.J., see Ford, J.L. (71) 95
- Armstrong, D.J., see Ford, J.L. (71) 213
- Arnaud, P., see Fontan, J.E. (73) 17
- Arndt, J.W., see Blok, D. (73) 171
- Artursson, P., see Karlsson, J. (71) 55
- Artursson, P., see Lundin, S. (76) R1
- Arwidsson, H. and Johansson, B.
Application of intrinsic viscosity and interaction constant as a formulation tool for film coating. III. Mechanical studies on free ethyl cellulose films, cast from organic solvents (76) 91
- Asuero, A.G., see Gonzalez, A.G. (72) 193
- Athanasiou, A., see Avgoustakis, K. (79) 67
- Athanassiou, G.C., Rekkas, D.M. and Choulis, N.H.
Development of sulphamethoxazole-trimethoprim spheroidal granules: factors affecting drug release in vitro (72) 141
- Atkin, B.P., see Watts, P.J. (76) 55
- Attwood, D., see Cole, S.K. (80) 63
- Audus, K.L. and Tavakoli-Saberi, M.R.
Aminopeptidases of newborn bovine nasal turbinete epithelial cell cultures (76) 247
- Augsburger, L.L., see Cropp, J.W. (71) 127
- Aulton, M.E., see Wong, D.Y.T. (72) 233
- Auriola, S., see Järvinen, T. (75) 249
- Auriola, S., see Järvinen, T. (79) 233
- Austin, P., see Collier, P.J. (74) 195
- Avgoustakis, K., Athanasiou, A. and Georgakopoulos, P.P.
Effect of helix characteristics on the dissolution rate of hard gelatin capsules (79) 67
- Backensfeld, T., Müller, B.W. and Kolter, K.
Interaction of NSA with cyclodextrins and hydroxypropyl cyclodextrin derivatives (74) 85
- Bae, Y.H., see Kwon, G.S. (79) 191
- Baldvinssdóttir, J., see Brewster, M.E. (75) R5
- Baldvinssdóttir, J., see Loftsson, T. (79) 107
- Baldwin, M.A., see Toth, I. (73) 259
- Baldwin, R.W., see Pimm, M.V. (79) 77
- Bunker, G.S., see Agyilirah, G.A. (75) 241
- Bunker, G.S., see Kumar, V. (79) 61
- Barnett, M.I., see Britten, J.R. (71) R5
- Barnwell, S.G., see Cole, S.K. (80) 63
- Barry, B.W., see Williams, A.C. (74) 157

- Barthélemy, J., see Chopineau, J. (73) 191
 Bassani, V., see Doko, M.B. (76) 199
 Bassani, V.L., see Petrovick, P.R. (76) 49
 Bastide, P., see Chopineau, J. (73) 191
 Baszkin, A., see Weingarten, C. (75) 171
 Beall, H.D., see Sloan, K.B. (73) 97
 Beezer, A.E., see Buckton, G. (72) 181
 Beezer, A.E., see Buckton, G. (73) 1
 Beezer, A.E., see Forster, S. (72) 29
 Behari, J.-R. and Gregoriadis, G.
 A comparative study of free and liposome-entrapped diethylenetriaminepentaacetic acid used in the treatment of mice loaded with cadmium (79) 213
 Beijnen, J.H., see Bekers, O. (72) 123
 Bekers, O., Beijnen, J.H., Vis, B.J., Suenaga, A., Otagiri, M.,
 Bult, A. and Underberg, W.J.M.
 Effect of cyclodextrin complexation on the chemical stability of doxorubicin and daunorubicin in aqueous solutions (72) 123
 Bellemare, M., see Juhász, J. (77) 309
 Bendas, C., see Neubert, R. (75) 89
 Benedetti, A., see Stella, V.J. (71) 157
 Benet, L.Z., see Gumbleton, M. (71) 175
 Benita, S., see Santos Magalhaes, N.S. (76) 225
 Benita, S., see Weingarten, C. (75) 171
 Bermejo, M.V., see Garrigues, T.M. (79) 135
 Berner, B., see Yuk, S.H. (77) 221
 Berner, B., see Yuk, S.H. (77) 231
 Besnard, J.C., see Machet, L. (72) R1
 Betteridge, R.F. and Bosanquet, A.G.
 Automated stability determination of anticancer drugs incubated in cell culture medium (71) 73
 Beutner, D., see Hadgraft, J. (73) 125
 Bhatt, P.P., Rytting, J.H. and Topp, E.M.
 Influence of Azone® and lauryl alcohol on the transport of acetaminophen and ibuprofen through shed snake skin (72) 219
 Bhattachar, S.N., Rytting, J.H., Itoh, T. and Nishihata, T.
 The effects of complexation with hydrogenated phospholipid on the transport of salicylic acid, diclofenac and indomethacin across snake stratum corneum (79) 263
 Bidah, D. and Vergnaud, J.M.
 Dosage forms with a polymer matrix and a swelling polymer (77) 81
 Bidah, D. and Vergnaud, J.M.
 New oral dosage form with two polymers: Gelucire and Sumikagel (72) 35
 Bindschaedler, C., see Ibrahim, H. (77) 211
 Björk, E., Bjurström, S. and Edman, P.
 Morphologic examination of rabbit nasal mucosa after nasal administration of degradable starch microspheres (75) 73
 Bjurström, S., see Björk, E. (75) 73
 Blair, T.C., Buckton, G. and Bloomfield, S.F.
 On the mechanism of kill of microbial contaminants during tablet compression (72) 111
 Blanchon, S., Couarraze, G., Rieg-Falson, F., Cohen, G. and Puisieux, F.
 Permeability of progesterone and a synthetic progestin through methacrylic films (72) 1
 Blanco-Méndez, J., see Otero-Espinar, F.J. (75) 37
 Blanco-Méndez, J., see Otero-Espinar, F.J. (79) 149
 Blok, D., Arndt, J.W., De Haan, F.H.N., Vermeij, P., Junginger, H.E. and Pauwels, E.K.J.
 Scintigraphic investigation of the gastric emptying of 3 mm pellets in human volunteers (73) 171
 Bloomfield, S.F., see Blair, T.C. (72) 111
 Boddé, H.E., see De Vries, M.E. (76) 25
 Boddé, H.E., see Hoogstraate, A.J. (76) 37
 Bodor, N., see Brewster, M.E. (75) R5
 Bodor, N., see Brewster, M.E. (79) 289
 Bolhuis, G.K., see Riepma, K.A. (76) 9
 Bonina, F.P., Montenegro, L., De Capraris, P., Bousquet, E. and Tirendi, S.
 1-Alkylazacycloalkan-2-one esters as prodrugs of indomethacin for improved delivery through human skin (77) 21
 Bosanquet, A.G., see Betteridge, R.F. (71) 73
 Bosch, E.H., see Van Doorne, H. (73) 43
 Bousquet, E., see Bonina, F.P. (77) 21
 Boussard, P., Devleeschouwer, M.J. and Dony, J.
 In vitro modification of antimicrobial efficacy by prothrombin (72) 51
 Bouwstra, J.A., Gooris, G.S., Brussee, J., Salomons-de Vries, M.A. and Bras, W.
 The influence of alkyl-azones on the ordering of the lamellae in human stratum corneum (79) 141
 Bouwstra, J.A., see Lehr, C.-M. (78) 43
 Brain, K.R., Hadgraft, J., Lewis, D. and Allan, G.
 The influence of Azone® on the percutaneous absorption of methotrexate (71) R9
 Bras, W., see Bouwstra, J.A. (79) 141
 Breteau, M., see Machet, L. (72) R1
 Brewster, M.E., Loftsson, T., Baldvinssdóttir, J. and Bodor, N.
 Stabilization of aspartame by cyclodextrins (75) R5
 Brewster, M.E., Loftsson, T., Estes, K.S., Lin, J.-L., Fridriksdóttir, H. and Bodor, N.
 Effect of various cyclodextrins on solution stability and dissolution rate of doxorubicin hydrochloride (79) 289
 Britten, J.R. and Barnett, M.I.
 Development and validation of a capsule filling machine simulator (71) R5
 Brunet, C., see Dine, T. (77) 279
 Brussee, J., see Bouwstra, J.A. (79) 141
 Brussee, J., see Hoogstraate, A.J. (76) 37
 Brzokewicz, A., see Rolland, A. (76) 217
 Buckton, G. and Beezer, A.E.
 The applications of microcalorimetry in the field of physical pharmacy (72) 181
 Buckton, G., Beezer, A.E., Denyer, S.P. and Russell, S.J.
 Observations on the biopharmaceutical importance of chain length in chemically related compounds (73) 1

- Buckton, G., Bulpett, R. and Verma, N.
 Surface analysis of pharmaceutical powders: X-ray photo-electron spectroscopy (XPS) related to powder wettability (72) 157
- Buckton, G., Efentakis, M., Al-Hmoud, H. and Rajan, Z.
 The influence of surfactants on drug release from acrylic matrices (74) 169
- Buckton, G., see Blair, T.C. (72) 111
- Buckton, G., see Forster, S. (72) 29
- Buckton, G., see Odidi, I.O. (72) 43
- Bulpett, R., see Buckton, G. (72) 157
- Bult, A., see Bekers, O. (72) 123
- Bundgaard, H., see Drustrup, J. (71) 105
- Bundgaard, H., see Hansen, K.T. (79) 205
- Bundgaard, H., see Jensen, E. (71) 117
- Bundgaard, H., see Kahns, A.H. (71) 31
- Bundgaard, H., see Kahns, A.H. (76) 99
- Bundgaard, H., see Kahns, A.H. (77) 65
- Bundgaard, H., see Kahns, A.H. (78) 199
- Bundgaard, H., see Lokind, K.B. (76) 177
- Bundgaard, H., see Lundin, S. (76) R1
- Bundgaard, H., see Møss, J. (74) 67
- Bundgaard, H., see Rasmussen, G.J. (71) 45
- Bundgaard, H., see Rasmussen, G.J. (76) 113
- Buri, P., see Ibrahim, H. (77) 211
- Bury, M., Gerhards, J. and Erni, W.
 Monitoring sedimentation processes by conductivity measurements (76) 207
- Busquets, M.A., see Mestres, C. (76) 145
- Bye, A., see Watkinson, A.C. (74) 229
- Cadorniga, R., see Francés, C. (77) 193
- Caram-Lelham, N., see Sjökvist, E. (79) 123
- Caramella, C., see Giunchedi, P. (77) 177
- Caramella, C., see Romero, A.P. (73) 239
- Carrupt, P.-A., see Tsai, R.-S. (80) 39
- Casabó, V.G., see Díez-Sales, O. (77) 1
- Casadebaig, J., see Doko, M.B. (76) 199
- Cashman, J.R., see Gumbleton, M. (71) 175
- Castensson, S., see Angberg, M. (73) 209
- Castensson, S., see Angberg, M. (77) 269
- Cavailles, L., see Doko, M.B. (76) 199
- Cave, G., see Santos Magalhaes, N.S. (76) 225
- Cazin, J.C., see Dine, T. (77) 279
- Cazin, M., see Dine, T. (77) 279
- Celebi, N. and Erden, N.
 Interaction of naproxen with β -cyclodextrin in ground mixture (78) 183
- Céolin, R., Dugué, J., Rouland, J.C., Ralambosoa, C. and Lepage, F.
 Solid state studies on Stiripentol: a novel anticonvulsant drug (74) 77
- Chandler, S.G., Illum, L. and Thomas, N.W.
 Nasal absorption in rats. II. Effect of enhancers on insulin absorption and nasal histology (76) 61
- Chang, H.W., Lee, M.G., Lee, H., Park, M.K. and Kim, C.-K.
 Effects of leucovorin on the pharmacokinetics of methotrexate in rabbits (79) 71
- Charro, M.B.D. and Jato, J.L.V.
 In vivo study of sustained-release formulations containing amoxicillin and Gelucire 64/02 (78) 35
- Chaumeil, J.C., see Fontan, J.E. (73) 17
- Cheema, M.S., see Henry, B.T. (73) 81
- Chen, C.-F., see Tsai, T.-H. (80) 75
- Chen, S.H., Kenley, R.A. and Winterle, J.S.
 Sulconazole reactions with peracetic acid and hydrogen peroxide (72) 89
- Chess, E.K., see Jenke, D.R. (78) 115
- Chetoni, P., see Saettone, M.F. (72) 131
- Chi, S.-C., see Oh, I. (73) 23
- Chia, C.G.H., see Wan, L.S.C. (77) 183
- Chien, Y.W., see Toddywala, R.D. (76) 77
- Chiorboli, V., see Gambari, R. (72) 251
- Choi, Y.K., Jeong, S.Y. and Kim, Y.H.
 A glucose-triggered solubilizable polymer gel matrix for an insulin delivery system (80) 9
- Chopineau, J., Barthélémy, J. and Bastide, P.
 Effect of repeated formaldehyde low-temperature steam sterilization on physicomechanical properties of PVC tubing (73) 191
- Chouinard, F., Kan, F.W.K., Leroux, J.-C., Foucher, C. and Lenaerts, V.
 Preparation and purification of polyisohexylcyanoacrylate nanocapsules (72) 211
- Chouinard, F., see Pimienta, C. (80) 1
- Choulis, N.H., see Athanassiou, G.C. (72) 141
- Chow, A.H.L. and Hsia, C.K.
 Modification of phenytoin crystals: influence of 3-acetoxymethyl-5,5-diphenylhydantoin on solution-phase crystallization and related crystal properties (75) 219
- Chow, A.H.L., see Gordon, J.D. (79) 171
- Christensen, J.V., see Hansen, K.T. (79) 205
- Christrup, L., see Drustrup, J. (71) 105
- Chulia, D., see Romero, A.P. (73) 239
- Clark, A.R., see Newman, S.P. (74) 203
- Clarke, J.G., Farr, S.J. and Wicks, S.R.
 Technetium-99m labelling of suspension type pressurised metered dose inhalers comprising various drug/surfactant combinations (80) R1
- Clarke, S.W., see Newman, S.P. (74) 203
- Clarke, S.W., see Newman, S.P. (74) 209
- Clegg, J.A., see Pimm, M.V. (79) 77
- Closson, S.K., see Rush, B.D. (73) 231
- Cochelin, N., see Machet, L. (72) R1
- Cohen, G., see Blanchon, S. (72) 1
- Cole, S.K., Story, M.J., Laudanski, T., Dwyer, M., Attwood, D., Robertson, J. and Barnwell, S.G.
 Targeting drugs to the enterohepatic circulation: A potential drug delivery system designed to enhance the bioavailability of indomethacin (80) 63

- Collier, P.J., Austin, P. and Gilbert, P.
Isothiazolone biocides: enzyme-inhibiting pro-drugs (74) 195
- Connolly, M.A., see Washington, C. (77) 57
- Conte, U., see Giunchedi, P. (77) 177
- Conti, B., see Pavanetto, F. (74) 175
- Copoví, A., see Díez-Sales, O. (77) 1
- Couarrazé, G., see Blanchon, S. (72) 1
- Coupe, A.J., Davis, S.S., Evans, D.F. and Wilding, I.R.
The effect of sleep on the gastrointestinal transit of pharmaceutical dosage forms (78) 69
- Cox, D.M., see Toth, I. (73) 259
- Cox, D.M., see Toth, I. (77) 13
- Craane, W.I.H.M., see De Vries, M.E. (76) 25
- Craig, D.Q.M. and Newton, J.M.
Characterisation of polyethylene glycol solid dispersions using differential scanning calorimetry and solution calorimetry (76) 17
- Craig, D.Q.M. and Newton, J.M.
Characterisation of polyethylene glycols using differential scanning calorimetry (74) 33
- Craig, D.Q.M. and Newton, J.M.
Characterisation of polyethylene glycols using solution calorimetry (74) 43
- Craig, D.Q.M. and Newton, J.M.
The dissolution of nortriptyline HCl from polyethylene glycol solid dispersions (78) 175
- Cremers, H., see Kwon, G.S. (79) 191
- Crommelin, D.J.A., see De Smidt, J.H. (77) 255
- Crommelin, D.J.A., see De Smidt, J.H. (77) 261
- Crommelin, D.J.A., see Talsma, H. (77) 119
- Crommelin, D.J.A., see Van Bommel, E.M.G. (72) 19
- Cropp, J.W., Augsburger, L.L. and Marshall, K.
Simultaneous monitoring of tamping force and pin displacement (F-D) on an Hofliger Karg capsule filling machine (71) 127
- Dalal, P.S. and Narurkar, M.M.
In vitro and in vivo evaluation of sustained release suspensions of ibuprofen (73) 157
- Davies, M.C., see Watts, P.J. (76) 55
- Davis, A.F. and Hadgraft, J.
Effect of supersaturation on membrane transport: 1. Hydrocortisone acetate (76) 1
- Davis, S.S., see Coupe, A.J. (78) 69
- Davis, S.S., see Fisher, A.N. (74) 147
- Davis, S.S., see Henry, B.T. (73) 81
- Davis, S.S., see Jeffery, H. (77) 169
- Davis, S.S., see Price, J.M.C. (76) 123
- Davis, S.S., see Wilding, I.R. (76) 133
- Deasy, P.B. and Quigley, K.J.
Rheological evaluation of deacetylated gellan gum (Gelrite) for pharmaceutical use (73) 117
- De Boer, A.H., see Riepma, K.A. (76) 9
- De Capraris, P., see Bonina, F.P. (77) 21
- De Haan, F.H.N., see Blok, D. (73) 171
- Delatour, P., see Walchshofer, N. (77) 265
- Delgado, A., see Gallardo, V. (71) 223
- Del Olmo Fernandez, E., see Toth, I. (79) 39
- Denyer, S.P., see Buckton, G. (73) 1
- De Ponti, R., see Martini, A. (75) 141
- De Ponti, R., see Torricelli, C. (71) 19
- De Ponti, R., see Torricelli, C. (75) 147
- De Smidt, J.H. and Crommelin, D.J.A.
Viscosity measurement in aqueous polymer solutions by dynamic light scattering (77) 261
- De Smidt, J.H., Offringa, J.C.A. and Crommelin, D.J.A.
Dissolution kinetics of theophylline in aqueous polymer solutions (77) 255
- De Villiers, C., see Munday, D.L. (73) 89
- Devleeschouwer, M.J., see Boussard, P. (72) 51
- De Vries, M.E., Boddé, H.E., Verhoeef, J.C., Ponec, M., Craane, W.I.H.M. and Junginger, H.E.
Localization of the permeability barrier inside porcine buccal mucosa: a combined in vitro study of drug permeability, electrical resistance and tissue morphology (76) 25
- Dezentjé, R.F.R., see Van Bommel, E.M.G. (72) 19
- Díez-Sales, O., Copoví, A., Casabó, V.G. and Herráez, M.
A modelistic approach showing the importance of the stagnant aqueous layers in in vitro diffusion studies, and in vitro-in vivo correlations (77) 1
- Di Giulio, A., Maurizi, G., Odoardi, P., Saletti, M.A., Amicosante, G. and Oratore, A.
Encapsulation of ampicillin in reverse-phase evaporation liposomes: a direct evaluation by derivative spectrophotometry (74) 183
- Dine, T., Luyckx, M., Cazin, J.C., Brunet, C., Cazin, M., Goudaliez, F. and Mallevais, M.L.
Stability and compatibility studies of vinblastine, vincristine, vindesine and vinorelbine with PVC infusion bags (77) 279
- Djuric, Z., see Jovanovic, M. (75) 155
- Doelker, E., see Ibrahim, H. (77) 211
- Doko, M.B., Bassani, V., Casadebaig, J., Cavailles, L. and Jacob, M.
Preparation of proteolytic enzyme extracts from *Ananas comosus* L. Merr. fruit juice using semipermeable membrane, ammonium sulfate extraction, centrifugation and freeze-drying processes (76) 199
- Dony, J., see Boussard, P. (72) 51
- Dowse, R., see Fasshi, A.R. (72) 175
- Drustrup, J., Fullerton, A., Christrup, L. and Bundgaard, H.
Utilization of prodrugs to enhance the transdermal absorption of morphine (71) 105
- DuCret, R., see Agyilrah, G.A. (75) 241
- Dugué, J., see Céolin, R. (74) 77
- Dumont, P., see Mbela, T.K.M. (79) 29
- Du Reau, C., see Ward, A.J.I. (74) 137
- Durig, T. and Fasshi, A.R.
Preformulation study of moisture effect on the physical stability of pyridoxal hydrochloride (77) 315
- Dwyer, M., see Cole, S.K. (80) 63

- Edman, P., see Björk, E. (75) 73
- Eerikäinen, S. and Lindqvist, A.-S.
The behaviour of various fillers in spheronized uncoated and film-coated granules containing slightly water-soluble indomethacin (75) 181
- Eerikäinen, S., Yliruusi, J. and Laakso, R.
The behaviour of the sodium salt of indomethacin in the cores of film-coated granules containing various fillers (71) 201
- Eerikäinen, S.
Effects of spheronization on some properties of uncoated and coated granules containing different kinds of fillers (77) 89
- Efentakis, M., see Buckton, G. (74) 169
- Efstathiou, C.E., see Pentari, J.G. (77) 41
- Egermann, H. and Krumphuber, A.
Mass variation of powder samples of constant volume produced from binary random mixtures. I. Derivation of the equation (73) 37
- El-Khordagui, L.K.
Hydrotrope-gelled starch: Study of some physicochemical properties (74) 25
- Eli, M., see Torricelli, C. (75) 147
- Elliott, P.N.C., see Ford, J.L. (71) 95
- Elliott, P.N.C., see Ford, J.L. (71) 213
- El Tayar, N., see Tsai, R.-S. (80) 39
- Engström, L., see Engström, S. (79) 113
- Engström, S. and Engström, L.
Phase behaviour of the lidocaine-monoolein-water system (79) 113
- Erden, N., see Çelebi, N. (78) 183
- Erni, W., see Bury, M. (76) 207
- Español, O.M., see Francés, C. (77) 193
- Estes, K.S., see Brewster, M.E. (79) 289
- Evans, D.F., see Coupe, A.J. (78) 69
- Fabbri, L., see Santoni, G. (71) 1
- Fabin, B. and Touitou, E.
Localization of lipophilic molecules penetrating rat skin in vivo by quantitative autoradiography (74) 59
- Fairbrother, J.E., see Hollingsbee, D.A. (77) 199
- Farr, S.J., see Clarke, J.G. (80) R1
- Farraj, N.F., see Fisher, A.N. (74) 147
- Fassihi, A.R., Dowse, R. and Robertson, S.S.D.
Influence of sorbitol solution on the bioavailability of theophylline (72) 175
- Fassihi, A.R., see Durig, T. (77) 315
- Fassihi, A.R., see Munday, D.L. (73) 89
- Feijen, J., see Kwon, G.S. (79) 191
- Fell, J.T., see Anie, S.J. (76) 183
- Feriotto, G., see Gambari, R. (72) 251
- Fernández, B., Mosquera, R. and Uriarte, E.
Structure-activity relationships in verapamil and analogues using molecular mechanics calculations (79) 199
- Ferrari, F., see Romero, A.P. (73) 239
- Ferry, J., see Tsai, J.-C. (72) 227
- Fielden, K.E., Newton, J.M. and Rowe, R.C.
Movement of liquids through powder beds (79) 47
- Fielding, R.M., see Guo, L.S.S. (75) 45
- Finne, U., Hannus, M. and Urtti, A.
Mechanisms of timolol release from monoisopropyl PVM-MA matrices with and without a basic salt (78) 237
- Finne, U., Salivirta, J. and Urtti, A.
Sodium acetate improves the ocular/systemic absorption ratio of timolol applied ocularly in monoisopropyl PVM-MA matrices (75) R1
- Fisher, A.N., Farraj, N.F., O'Hagan, D.T., Jabbal-Gill, I., Johansen, B.R., Davis, S.S. and Illum, L.
Effect of L- α -lysophosphatidylcholine on the nasal absorption of human growth hormone in three animal species (74) 147
- Flynn, G.L., see Tsai, J.-C. (72) 227
- Focher, B., see Ahmed, S.M. (77) 247
- Fokkens, J.G., see Van Bommel, E.M.G. (72) 19
- Fontan, J.E., Arnaud, P. and Chaumeil, J.C.
Enhancing properties of surfactants on the release of carbamazepine from suppositories (73) 17
- Ford, J.L., Mitchell, K., Rowe, P., Armstrong, D.J., Elliott, P.N.C., Rostron, C. and Hogan, J.E.
Mathematical modelling of drug release from hydroxypropylmethylcellulose matrices: Effect of temperature (71) 95
- Ford, J.L., Mitchell, K., Sawh, D., Ramdour, S., Armstrong, D.J., Elliott, P.N.C., Rostron, C. and Hogan, J.E.
Hydroxypropylmethylcellulose matrix tablets containing propranolol hydrochloride and sodium dodecyl sulphate (71) 213
- Forster, S., Buckton, G. and Beezer, A.E.
The importance of chain length on the wettability and solubility of organic homologs (72) 29
- Foucher, C., see Chouinard, F. (72) 211
- Francés, C., Veiga, M.D., Españo, O.M. and Cadorniga, R.
Preparation, characterization and dissolution of ciprofloxacin/PEG 6000 binary systems (77) 193
- Franz, R., see Johnson, K. (73) 197
- Fridriksdóttir, H., see Brewster, M.E. (79) 289
- Fuentes, A., see Lu, M.F. (71) 25
- Fullerton, A., see Drstrup, J. (71) 105
- Fürst, W., see Neubert, R. (75) 89
- Gabrielson, G., see Silvestri, S. (71) 65
- Gabrielson, G., see Silvestri, S. (73) 163
- Gallardo, V., Salcedo, J., Parera, A. and Delgado, A.
Effect of the preservatives antipyrin, benzoic acid and sodium metabisulfite on properties of the nitrofurantoin/solution interface (71) 223
- Gambari, R., Chiorboli, V., Feriotto, G. and Nastruzzi, C.
TAPP (tetra-p-amidinophenoxyneopentane) inhibits the binding of nuclear factors to target DNA sequences (72) 251
- García-González, N., see Otero-Espinar, F.J. (75) 37
- García-González, N., see Otero-Espinar, F.J. (79) 149

- Garr, J.S.M. and Rubinstein, M.H.
An investigation into the capping of paracetamol at increasing speeds of compression (72) 117
- Garr, J.S.M. and Rubinstein, M.H.
The effect of rate of force application on the properties of microcrystalline cellulose and dibasic calcium phosphate mixtures (73) 75
- Garrigues, T.M., Pérez-Varona, A.T., Bermejo, M.V. and Martín-Villodre, A.
Absorption-partition relationships for true homologous series of xenobiotics as a possible approach to study mechanisms of surfactants in absorption. IV. Phenylacetic acid derivatives and anionic surfactants (79) 135
- Garvin, K., see Sampath, S.S. (78) 165
- Gaudy, D., see Petrovick, P.R. (76) 49
- Genta, I., see Pavanetto, F. (74) 175
- Georgakopoulos, P.P., see Avgoustakis, K. (79) 67
- Gerber, J.J., VanderWatt, J.G. and Lötter, A.P.
Physical characterisation of solid forms of cyclopentiazide (73) 137
- Gerhards, J., see Bury, M. (76) 207
- Ghanem, A.-H., Mahmoud, H., Higuchi, W.I., Liu, P. and Good, W.R.
The effects of ethanol on the transport of lipophilic and polar permeants across hairless mouse skin: Methods/validation of a novel approach (78) 137
- Ghanem, A.-H., see Kim, Y.-H. (80) 17
- Ghanem, A.-H., see Liu, P. (78) 123
- Giannaccini, B., see Saettone, M.F. (72) 131
- Gibbons, W.A., see Toth, I. (73) 259
- Gibbons, W.A., see Toth, I. (77) 13
- Gibbons, W.A., see Toth, I. (79) 39
- Gienau, B., see Neubert, R. (75) 89
- Gilbert, P., see Collier, P.J. (74) 195
- Gilhar, D., see Touitou, E. (78) 85
- Gilligan, C.A. and Li Wan Po, A.
Factors affecting drug release from a pellet system coated with an aqueous colloidal dispersion (73) 51
- Gilligan, C.A. and Li Wan Po, A.
Oral vaccines: Design and delivery (75) 1
- Giunchedi, P., Maggi, L., Conte, U. and Caramella, C.
Ketoprofen pulsatile absorption from 'multiple unit' hydrophilic matrices (77) 177
- Gonzalez, A.G., Pablos, F. and Asuero, A.G.
Spectrophotometric determination of acidity constants of compounds with unsuitable absorption features (72) 193
- Gonzalez, A.G.
Drug solubility prediction by using solvatochromic parameters (75) R13
- Gonzalez-Rothi, R.J., see Wichert, B.V. (78) 227
- Good, W.R., see Ghanem, A.-H. (78) 137
- Good, W.R., see Liu, P. (78) 123
- Gooris, G.S., see Bouwstra, J.A. (79) 141
- Göpferich, A. and Lee, G.
An improved diffusion/compartmental model for transdermal drug delivery from a matrix-type device (71) 237
- Göpferich, A. and Lee, G.
Measurement of drug diffusivity in stratum corneum membranes and a polyacrylate matrix (71) 245
- Gordon, J.D. and Chow, A.H.L.
Modification of phenytoin crystals. II. Influence of 3-propanoyloxymethyl-5,5-diphenylhydantoin on solution-phase crystallization and related crystal properties (79) 171
- Goudaliez, F., see Dine, T. (77) 279
- Gratteri, P., see Santoni, G. (71) 1
- Greaves, J.L., see Wilson, C.G. (72) 79
- Green, M., see Agyilirah, G.A. (75) 241
- Gregoriadis, G., see Behari, J.-R. (79) 213
- Gren, T. and Nyström, C.
Characterization of surface coverage of coarse particles coated with stearic acid (74) 49
- Griffith, I.P., see Toth, I. (79) 39
- Guerrini, M., see Ahmed, S.M. (77) 247
- Gumbleton, M., Cashman, J.R. and Benet, L.Z.
1,2- and 1,3-dinitrate metabolites of nitroglycerin: Spectroscopic characterization and initial administration to man (71) 175
- Gundu Rao, P., see Subrahmanyam, C.V.S. (78) 17
- Guo, L.S.S., Fielding, R.M., Lasic, D.D., Hamilton, R.L. and Mufson, D.
Novel antifungal drug delivery: stable amphotericin B-cholesteryl sulfate discs (75) 45
- Gurny, R., see Ibrahim, H. (77) 211
- Gutierrez, S.S., see Petrovick, P.R. (76) 49
- Gutiérrez, F., see Veiga, M. (79) 1
- Hadgraft, J., Lewis, D., Beutner, D. and Wolff, H.M.
In vitro assessments of transdermal devices containing nitroglycerin (73) 125
- Hadgraft, J., see Brain, K.R. (71) R9
- Hadgraft, J., see Davis, A.F. (76) 1
- Hadgraft, J., see Marques, H.M.C. (77) 297
- Hadgraft, J., see Marques, H.M.C. (77) 303
- Hadgraft, J., see Rathbone, M.J. (74) 9
- Hadgraft, J., see Walker, M. (71) R1
- Hadgraft, J., see Watkinson, A.C. (74) 229
- Hafeez, R.A., see Toth, I. (79) 39
- Hamilton, R.L., see Guo, L.S.S. (75) 45
- Hancock, B.C., York, P., Rowe, R.C. and Parker, M.D.
Characterization of wet masses using a mixer torque rheometer: I. Effect of instrument geometry (76) 239
- Hannus, M., see Finne, U. (78) 237
- Hansen, K.T., Jansen, J.A., Mengel, H., Christensen, J.V. and Bundgaard, H.
Enhanced bioavailability of a new class of dopamine D-1 antagonists following oral administration of their carbamic acid ester prodrugs to dogs (79) 205
- Hanson, P., see Suryanarayanan, R. (78) 77
- Hardy, J.G., see Wilding, I.R. (76) 133
- Haro, I., see Mestres, C. (76) 145
- Hasegawa, T., see Kawaguchi, T. (77) 71
- Hashida, M., see Masegi, M. (78) 103

- Hatanaka, T., Inuma, M., Sugibayashi, K. and Morimoto, Y.
Prediction of skin permeability of drugs. II. Development of composite membrane as a skin alternative (79) 21
- Hathaway, R., see Johnson, K. (73) 197
- Heller, J., see Singh, M. (76) R5
- Hendriksen, B.A.
Characterization of calcium fenoprofen: 3. Mechanism of dissolution from rotating discs (75) 63
- Heng, P.W.S., see Wan, L.S.C. (73) 111
- Heng, P.W.S., see Wan, L.S.C. (77) 183
- Henry, B.T., Cheema, M.S. and Davis, S.S.
Gel permeation chromatography used to determine the stability of FITC-Dextrans in human saliva and porcine small intestinal mucus (73) 81
- Herbage, D., see Pajean, M. (77) 31
- Herdewijn, P., see Van Schepdael, A. (73) 105
- Herman, C.S., see Suryanarayanan, R. (77) 287
- Hermecz, I., see Takács-Novák, K. (79) 89
- Herráez, M., see Díez-Sales, O. (77) 1
- Heya, T., Okada, H., Ogawa, Y. and Toguchi, H.
Factors influencing the profiles of TRH release from copoly(d,L-lactic/glycolic acid) microspheres (72) 199
- Higuchi, W.I., see Ghanem, A.-H. (78) 137
- Higuchi, W.I., see Kim, Y.-H. (80) 17
- Higuchi, W.I., see Liu, P. (78) 123
- Higuchi, W.I., see Sims, S.M. (77) 107
- Hilbers, H.W., see Jansen, A.C.A. (75) 193
- Hino, T., see Kawashima, Y. (72) 65
- Hirnle, P. and Schubert, R.
Liposomes containing blue dye for preoperative lymph node staining: Distribution and stability in dogs after endolumphantic injection (72) 259
- Hoadley, T., see Wilson, C.G. (72) 79
- Hodgin, L., see Suryanarayanan, R. (78) 77
- Hogan, J.E., see Ford, J.L. (71) 95
- Hogan, J.E., see Ford, J.L. (71) 213
- Holley, J.L., see Toth, I. (79) 39
- Hollingsbee, D.A., Fairbrother, J.E., Martin, G.P., Marriott, C. and Monger, L.
The effect of a hydrocolloid dermatological patch (Actiderm) in potentiating the skin blanching activity of triamcinolone acetonide (77) 199
- Holman, L.E.
The compressibility of pharmaceutical particulate systems. An illustration of percolation (71) 81
- Hoogmartens, J., see Van Schepdael, A. (73) 105
- Hoogstraate, A.J., Verhoef, J., Brussee, J., IJzerman, A.P., Spies, F. and Boddé, H.E.
Kinetics, ultrastructural aspects and molecular modelling of transdermal peptide flux enhancement by *N*-alkylazacycloheptanones (76) 37
- Horibe, K., see Kawashima, Y. (72) 65
- Howard, D.R., see Neau, S.H. (77) 239
- Hsia, C.K., see Chow, A.H.L. (75) 219
- Hsu, L.-R., Tsai, Y.-H. and Huang, Y.-B.
The effect of pretreatment by penetration enhancers on the *in vivo* percutaneous absorption of piroxicam from its gel form in rabbits (71) 193
- Huang, Y.-B., see Hsu, L.-R. (71) 193
- Huc, A., see Pajean, M. (77) 31
- Hudecz, F., see Pimm, M.V. (79) 77
- Hughes, R.A., see Toth, I. (73) 259
- Hughes, R.A., see Toth, I. (77) 13
- Hussain, M.S.H., York, P. and Timmins, P.
Effect of commercial and high purity magnesium stearates on *in-vitro* dissolution of paracetamol DC tablets (78) 203
- Ibrahim, H., Bindschaedler, C., Doelker, E., Buri, P. and Gurny, R.
Concept and development of ophthalmic pseudo-latexes triggered by pH (77) 211
- Ibrahim, K.E., see A/Karim, E.I. (76) 261
- Ichikawa, M., see Nakashima, M. (72) R5
- IJzerman, A.P., see Hoogstraate, A.J. (76) 37
- Illum, L., see Chandler, S.G. (76) 61
- Illum, L., see Fisher, A.N. (74) 147
- Illum, L., see Richardson, J.L. (77) 75
- Inuma, M., see Hatanaka, T. (79) 21
- Iqbal, M., see Irwin, W.J. (75) 211
- Irwin, W.J. and Iqbal, M.
Solid-state stability: the effect of grinding solvated excipients (75) 211
- Irwin, W.J. and Smith, J.C.
Extraction coefficients and facilitated transport: The effect of absorption enhancers (76) 151
- Itoh, T., see Bhattachar, S.N. (79) 263
- Itoh, Y., see Kawashima, Y. (75) 25
- Iula, A.K., see Won, C.M. (79) 183
- Iwamoto, T., see Kawashima, Y. (75) 25
- Izutsu, K., Yoshioka, S. and Takeda, Y.
The effects of additives on the stability of freeze-dried β -galactosidase stored at elevated temperature (71) 137
- Jabbal-Gill, I., see Fisher, A.N. (74) 147
- Jacob, M., see Doko, M.B. (76) 199
- Jacob, M., see Petrovick, P.R. (76) 49
- Jähnke, R.W.O., Kreuter, J. and Ross, G.
Content/container interactions: The phenomenon of haze formation on reconstitution of solids for parenteral use (77) 47
- Jamouille, J.-C., see Rolland, A. (76) 217
- Jansen, A.C.A., Hilbers, H.W., Ni, X.R., Van Helden, S.P. and Janssen, L.H.M.
Some physical-chemical properties of dantrolene and two of its analogues (75) 193
- Jansen, J.A., see Hansen, K.T. (79) 205
- Janssen, L.H.M., see Jansen, A.C.A. (75) 193
- Järvinen, T., see Suhonen, P. (74) 221
- Järvinen, T., Suhonen, P., Auriola, S., Vepsäläinen, J., Urtti, A. and Peura, P.
Bispilocarpic acid monoesters as prodrugs of pilocarpine: I. Preparation and identification (79) 233
- Järvinen, T., Suhonen, P., Urtti, A. and Peura, P.
O,O'-(1,4-Xylylene) bispilocarpic acid esters as new potential double prodrugs of pilocarpine for improved ocular

- delivery. II. Physicochemical properties, stability, solubility and enzymatic hydrolysis (75) 259
- Järvinen, T., Suhonen, P., Urtti, A. and Peura, P.
Bispilocarpic acid monoesters as prodrugs of pilocarpine: II. Physicochemical properties and kinetics of hydrolysis in aqueous solution (79) 243
- Järvinen, T., Suhonen, P., Auriola, S., Vepsäläinen, J., Urtti, A. and Peura, P.
O,O'-(1,4-Xylylene)bispilocarpic acid esters as new potential double prodrugs of pilocarpine for improved ocular delivery. I. Synthesis and analysis (75) 249
- Jato, J.L.V., see Charro, M.B.D. (78) 35
- Jeffery, H., Davis, S.S. and O'Hagan, D.T.
The preparation and characterisation of poly(lactide-co-glycolide) microparticles. I: Oil-in-water emulsion solvent evaporation (77) 169
- Jenke, D.R., Chess, E.K., Zietlow, D.C. and Rabinow, B.E.
Model for estimating the accumulation of solutes leaching from polymeric containers into parenteral solutions (78) 115
- Jensen, E. and Bundgaard, H.
Peptide esters as water-soluble prodrugs for hydroxyl containing agents: Chemical stability and enzymatic hydrolysis of benzyl esters of glycine, diglycine and triglycine (71) 117
- Jeong, S.Y., see Choi, Y.K. (80) 9
- Jie, L., see Van Schepdael, A. (73) 105
- Johansen, B.R., see Fisher, A.N. (74) 147
- Johansson, B., see Arwidsson, H. (76) 91
- Johansson, M.O., see Ragnarsson, G. (79) 223
- Johnson, K., Hathaway, R., Leung, P. and Franz, R.
Effect of triacetin and polyethylene glycol 400 on some physical properties of hydroxypropyl methylcellulose free films (73) 197
- Jones, B.E., see Thomas, M. (71) 147
- Jones, B.E., see Thomas, M. (73) 185
- Jovanović, M., Rakić, R., Djurić, Z. and Živanović, L.
Effect of surfactants on the rheological and electrical properties of carboxymethylcellulose aqueous solution (75) 155
- Józán, M., see Takács-Novák, K. (79) 89
- Juhász, J., Lenaerts, V., Bellemare, M., Pimienta, C. and Ong, H.
Stability and adsorption to polymeric surfaces of rat ANF in poloxamer 407 solutions (77) 309
- Junginger, H.E., see Blok, D. (73) 171
- Junginger, H.E., see De Vries, M.E. (76) 25
- Junginger, H.E., see Lehr, C.-M. (78) 43
- Juni, K., see Kawaguchi, T. (77) 71
- Kahns, A.H. and Bundgaard, H.
N-Acyl derivatives as prodrug forms for amides: Chemical stability and enzymatic hydrolysis of various *N*-acyl and *N*-alkoxycarbonyl amide derivatives (71) 31
- Kahns, A.H. and Bundgaard, H.
Facile α -chymotrypsin-catalyzed degradation of the HIV inhibitor [D -Ala¹]-Peptide T amide (77) 65
- Kahns, A.H. and Bundgaard, H.
Prodrugs of peptides. 14. Bioreversible derivatization of the tyrosine phenol group to effect protection of tyrosyl peptides against α -chymotrypsin (76) 99
- Kahns, A.H., Møss, J. and Bundgaard, H.
Improved oral bioavailability of salicylamide in rabbits by a 1,3-benzoxazine-2,4-dione prodrug (78) 199
- Kan, F.W.K., see Chouinard, F. (72) 211
- Karba, R., see Srčić, S. (73) 221
- Karlsen, J., see Nord, K. (72) 11
- Karlsen, J., see Sande, S.A. (73) 147
- Karlsson, J. and Artursson, P.
A method for the determination of cellular permeability coefficients and aqueous boundary layer thickness in monolayers of intestinal epithelial (Caco-2) cells grown in permeable filter chambers (71) 55
- Kawaguchi, T., Hasegawa, T., Juni, K. and Seki, T.
Rectal absorption of Zidovudine (77) 71
- Kawashima, Y., Hino, T., Takeuchi, H., Niwa, T. and Horibe, K.
Rheological study of w/o/w emulsion by a cone-and-plate viscometer: Negative thixotropy and shear-induced phase inversion (72) 65
- Kawashima, Y., Iwamoto, T., Niwa, T., Takeuchi, H. and Itoh, Y.
Preparation and characterization of a new controlled release ibuprofen suspension for improving suspendability (75) 25
- Kearney, A.S., Mehta, S.C. and Radebaugh, G.W.
The effect of cyclodextrins on the rate of intramolecular lactamization of gabapentin in aqueous solution (78) 25
- Kellaway, I.W., see Marques, H.M.C. (77) 297
- Kellaway, I.W., see Marques, H.M.C. (77) 303
- Kellaway, I.W., see Thomas, M. (71) 147
- Kellaway, I.W., see Thomas, M. (73) 185
- Kenley, R.A., see Chen, S.H. (72) 89
- Khan, M.Z.I., Tucker, I.G. and Opdebeeck, J.P.
Cholesterol and lecithin implants for sustained release of antigen: release and erosion in vitro, and antibody response in mice (76) 161
- Kildsig, D.O., see Spanske, C.W. (75) 231
- Killion, Jr., R.B., see Stella, V.J. (71) 157
- Kim, C.-K. and Lee, E.-J.
The controlled release of blue dextran from alginate beads (79) 11
- Kim, C.-K., see Chang, H.W. (79) 71
- Kim, S.W., see Kwon, G.S. (79) 191
- Kim, S.W., see Yuk, S.H. (77) 221
- Kim, S.W., see Yuk, S.H. (77) 231
- Kim, Y.-H., Ghanem, A.-H., Mahmoud, H. and Higuchi, W.I.
Short chain alkanols as transport enhancers for lipophilic and polar/ionic permeants in hairless mouse skin: Mechanism(s) of action (80) 17
- Kim, Y.H., see Choi, Y.K. (80) 9
- Kipp, J.E., Smith III, W.J. and Myrdal, P.B.
Determination of phosphate functional group acid dissoci-

- ation constants of clindamycin 2-phosphate using ^{31}P Fourier transform NMR spectrometry (74) 215
 Knapczyk, J., Macura, A.B. and Pawlik, B.
 Simple tests demonstrating the antimycotic effect of chitosan (80) 33
 Kobal, E.
 Synthesis and antibacterial activity of fluorobenzoylcephalosporins (75) 131
 Kolter, K., see Backensfeld, T. (74) 85
 Kopecek, J., see Singh, M. (76) R5
 Koupparis, M.A., see Pentari, J.G. (77) 41
 Kreuter, J., see Jähnke, R.W.O. (77) 47
 Kreuter, J., see Ruland, A. (72) 149
 Krumphuber, A., see Egermann, H. (73) 37
 Kumar, V. and Bunker, G.S.
 Incompatibility of polyvinyl acetate phthalate with benzocaine: Isolation and characterization of 4-phthalimidobenzoic acid ethyl ester (79) 61
 Kurihara-Bergstrom, T., see Liu, P. (78) 123
 Kusai, A., see Wakiyama, N. (78) 95
 Kusanoi, Y., see Murakami, M. (79) 159
 Kushla, G.P. and Zatz, J.L.
 Influence of pH on lidocaine penetration through human and hairless mouse skin in vitro (71) 167
 Kwon, G.S., Bae, Y.H., Cremers, H., Feijen, J. and Kim, S.W.
 Release of macromolecules from albumin-heparin microspheres (79) 191
- Laakso, R., see Eerikäinen, S. (71) 201
 Labib, A., see Pimienta, C. (80) 1
 Laghoueg-Derriche, N. and Vergnaud, J.M.
 Drying of dosage forms prepared by a humidity technique using a programmed temperature system (71) 229
 Lai, W.F., see Wan, L.S.C. (72) 163
 Lakings, D.B., see Rush, B.D. (73) 231
 Lasic, D.D., see Guo, L.S.S. (75) 45
 Lattin, G., see Wong, O. (76) 171
 Laudanski, T., see Cole, S.K. (80) 63
 Lee, E.-J., see Kim, C.-K. (79) 11
 Lee, G., see Göpferich, A. (71) 237
 Lee, G., see Göpferich, A. (71) 245
 Lee, G., see Schückler, F. (80) 81
 Lee, H., see Chang, H.W. (79) 71
 Lee, M.G., see Chang, H.W. (79) 71
 Lee, M.-H., see Lee, Y.-H. (76) 71
 Lee, S.J., see Yuk, S.H. (77) 221
 Lee, S.J., see Yuk, S.H. (77) 231
 Lee, Y.-H., Lee, M.-H. and Shim, C.-K.
 Pharmacokinetics of diltiazem and deacetyl diltiazem in rats (76) 71
 Lehr, C.-M., Bouwstra, J.A., Schacht, E.H. and Junginger, H.E.
 In vitro evaluation of mucoadhesive properties of chitosan and some other natural polymers (78) 43
 Lenaerts, V., see Chouinard, F. (72) 211
 Lenaerts, V., see Juhász, J. (77) 309
 Lenaerts, V., see Pimienta, C. (80) 1
 Lepage, F., see Céolin, R. (74) 77
 Lerk, C.F., see Riepma, K.A. (76) 9
 Leroux, J.-C., see Chouinard, F. (72) 211
 Leuenberger, H., see Mumenthaler, M. (72) 97
 Leung, P., see Johnson, K. (73) 197
 Lewis, D., see Brain, K.R. (71) R9
 Lewis, D., see Hadgraft, J. (73) 125
 Lin, J.-L., see Brewster, M.E. (79) 289
 Lin, T., see Lu, M.F. (71) 25
 Lindenbaum, S., see Oliyai, R. (73) 33
 Lindenbaum, S., see Tan, X. (74) 127
 Lindqvist, A.-S., see Eerikäinen, S. (75) 181
 Lindstedt, B., see Ragnarsson, G. (79) 223
 Lipschitz, S., see Wanwimolruk, S. (75) 55
 Liu, P., Higuchi, W.I., Ghanem, A.-H., Kurihara-Bergstrom, T. and Good, W.R.
 Assessing the influence of ethanol on simultaneous diffusion and metabolism of β -estradiol in hairless mouse skin for the 'asymmetric' situation in vitro (78) 123
 Liu, P., see Ghanem, A.-H. (78) 137
 Li Wan Po, A., see Gilligan, C.A. (73) 51
 Li Wan Po, A., see Gilligan, C.A. (75) 1
 Li Wan Po, A., see Zhou, X.H. (75) 97
 Li Wan Po, A., see Zhou, X.H. (75) 117
 Loftsson, T., Ólafsdóttir, B.J. and Baldvinsdóttir, J.
 Estramustine: hydrolysis, solubilization, and stabilization in aqueous solutions (79) 107
 Loftsson, T., see Brewster, M.E. (75) R5
 Loftsson, T., see Brewster, M.E. (79) 289
 Lokind, K.B., Lorenzen, F.H. and Bundgaard, H.
 Oral bioavailability of 17β -estradiol and various ester prodrugs in the rat (76) 177
 Lorenzen, F.H., see Lokind, K.B. (76) 177
 Lorette, G., see Machet, L. (72) R1
 Lötter, A.P., see Gerber, J.J. (73) 137
 Lotter, A.P., see Muller, D.G. (75) 201
 Lu, M.F., Fuentes, A., Lin, T. and Woodward, L.
 Intranasal absorption of estropipate in the dog (71) 25
 Lundin, S., Möss, J., Bundgaard, H. and Artursson, P.
 Absorption of thyrotropin-releasing hormone (TRH) and a TRH prodrug in a human intestinal cell line (Caco-2) (76) R1
 Luyckx, M., see Dine, T. (77) 279
- Ma, L., Ramachandran, C. and Weiner, N.D.
 Partitioning of a homologous series of alkyl *p*-amino-benzoates in dipalmitoylphosphatidylcholine liposomes: effect of liposome type (77) 127
 Maccari, M., see Wilding, I.R. (76) 133
 Machet, L., Vaillant, L., Pinton, J., Besnard, J.C., Breteau, M., Cochelin, N. and Lorette, G.
 Percutaneous administration of digoxin across hairless mouse skin and human skin in vitro (72) R1
 Machida, Y., see Morishita, I. (78) 9
 Machida, Y., see Morishita, M. (78) 1
 Machida, Y., see Uchida, N. (74) 95
 Macura, A.B., see Knapczyk, J. (80) 33

- Magalhaes, N.S.S., see Weingarten, C. (75) 171
- Maggi, L., see Giunchedi, P. (77) 177
- Mahmoud, H., see Ghanem, A.-H. (78) 137
- Mahmoud, H., see Kim, Y.-H. (80) 17
- Maitani, Y., Nakagaki, M. and Nagai, T.
Determination of the acid dissociation constants in ethanol-water mixtures and partition coefficients for diclofenac (74) 105
- Maitani, Y., see Uchida, N. (74) 95
- Mallesch, J.L., see Moore, D.E. (76) 187
- Mallevais, M.L., see Dine, T. (77) 279
- Manning, R., see Washington, C. (77) 57
- Marques, H.M.C., Hadgraft, J., Kellaway, I.W. and Taylor, G.
Studies of cyclodextrin inclusion complexes. III. The pulmonary absorption of β -, DM- β - and HP- β -cyclodextrins in rabbits (77) 297
- Marques, H.M.C., Hadgraft, J., Kellaway, I.W. and Taylor, G.
Studies of cyclodextrin inclusion complexes. IV. The pulmonary absorption of salbutamol from a complex with 2-hydroxypropyl- β -cyclodextrin in rabbits (77) 303
- Marriott, C., see Hollingsbee, D.A. (77) 199
- Marshall, K., see Cropp, J.W. (71) 127
- Martin, G.P., see Hollingsbee, D.A. (77) 199
- Martín-Villodre, A., see Garrigues, T.M. (79) 135
- Martini, A., Torricelli, C. and De Ponti, R.
Physico-pharmaceutical characteristics of steroid/cross-linked polyvinylpyrrolidone coground systems (75) 141
- Martini, A., see Torricelli, C. (71) 19
- Martini, A., see Torricelli, C. (75) 147
- Masegi, M., Wakabayashi, N., Sagara, K., Teramura, Y., Yamamoto, A., Takakura, Y., Hashida, M. and Sezaki, H.
Permeability of macromolecules in cultured endothelial and tumor cell layers on microporous membranes (78) 103
- Matheson, L.E., see Moeckly, D.M. (77) 151
- Matheson, L.E., Vayumhaswan, P. and Moeckly, D.M.
The development of a predictive method for the estimation of flux through polydimethylsiloxane membranes. II. Derivation of a diffusion parameter and its application to multisubstituted benzenes (77) 163
- Mathews, S. and Rao, M.N.A.
Interaction of curcumin with glutathione (76) 257
- Matsuyama, K., see Nakashima, M. (72) R5
- Maurizi, G., see Di Giulio, A. (74) 183
- Mbela, T.K.M., Poupaert, J.H. and Dumont, P.
Poly(diethylmethylene malonate) nanoparticles as primquine delivery system to liver (79) 29
- McCafferty, D.F., see Richardson, P.J. (78) 189
- McCafferty, D.F., see Woolfson, A.D. (78) 209
- McColm, A.M., see Toth, I. (73) 259
- McColm, A.M., see Toth, I. (77) 13
- McGowan, K.E., see Woolfson, A.D. (78) 209
- Mehta, S.C., see Kearney, A.S. (78) 25
- Melia, C.D., see Watts, P.J. (76) 55
- Memoli, A., see Touitou, E. (78) 85
- Mengel, H., see Hansen, K.T. (79) 205
- Mestres, C., Reig, F., Busquets, M.A., Haro, I. and Alsina, M.A.
Interactions of naloxone with lipid monolayers (76) 145
- Mitchell, K., see Ford, J.L. (71) 95
- Mitchell, K., see Ford, J.L. (71) 213
- Mitra, A.K., see Spancake, C.W. (75) 231
- Modena, T., see Pavanetto, F. (74) 175
- Moeckly, D.M. and Matheson, L.E.
The development of a predictive method for the estimation of flux through polydimethylsiloxane membranes: I. Identification of critical variables for a series of substituted benzenes (77) 151
- Moeckly, D.M., see Matheson, L.E. (77) 163
- Monger, L., see Hollingsbee, D.A. (77) 199
- Montenegro, L., see Bonina, F.P. (77) 21
- Monti, D., see Saettone, M.F. (72) 131
- Moore, D.E. and Mallesch, J.L.
Photochemical interaction between triamterene and hydrochlorothiazide (76) 187
- Morén, F., see Newman, S.P. (74) 209
- Morimoto, Y., see Hatanaka, T. (79) 21
- Morishita, I., Morishita, M., Takayama, K., Machida, Y. and Nagai, T.
Hypoglycemic effect of novel oral microspheres of insulin with protease inhibitor in normal and diabetic rats (78) 9
- Morishita, I., see Morishita, M. (78) 1
- Morishita, M., Morishita, I., Takayama, K., Machida, Y. and Nagai, T.
Novel oral microspheres of insulin with protease inhibitor protecting from enzymatic degradation (78) 1
- Morishita, M., see Morishita, I. (78) 9
- Mosquera, R., see Fernández, B. (79) 199
- Möss, J. and Bundgaard, H.
Prodrugs of peptides. 12. Bioreversible derivatization of thyrotropin-releasing hormone (TRH) by N-phthalidylation of its imidazole moiety (74) 67
- Möss, J., see Kahns, A.H. (78) 199
- Möss, J., see Lundin, S. (76) R1
- Mrhar, A., see Srčič, S. (73) 221
- Mufson, D., see Guo, L.S.S. (75) 45
- Muggetti, L., see Torricelli, C. (71) 19
- Muggetti, L., see Torricelli, C. (75) 147
- Mukherji, G. and Aggarwal, N.
Derivative UV-spectroscopic determination of salbutamol sulphate in the presence of gelatin (71) 187
- Müller, B.W. and Albers, E.
Complexation of dihydropyridine derivatives with cyclodextrins and 2-hydroxypropyl- β -cyclodextrin in solution (79) 273
- Müller, B.W., see Backensfeld, T. (74) 85
- Muller, D.G., Stella, V.J. and Lotter, A.P.
Factors influencing the precipitation time of phenytoin in the presence of DDMS, one of its prodrugs (75) 201
- Mumenthaler, M. and Leuenberger, H.
Atmospheric spray-freeze drying: a suitable alternative in freeze-drying technology (72) 97
- Munday, D.L., Fassihi, A.R. and De Villiers, C.
Multiple dose *in vivo* evaluation of an oral controlled release capsule of theophylline containing film coated mini-tablets in beagle dogs (73) 89
- Mura, P., see Santoni, G. (71) 1

- Murakami, M., Kusano, Y., Takada, K. and Muranishi, S.
Assessment of enhancing ability of medium-chain alkyl saccharides as new absorption enhancers in rat rectum (79) 159
- Murakami, M., see Ohtani, T. (77) 141
- Muranishi, S., see Murakami, M. (79) 159
- Muranishi, S., see Ohtani, T. (77) 141
- Myers, R.A. and Stella, V.J.
Factors affecting the lymphatic transport of penclomedine (NSC-338720), a lipophilic cytotoxic drug: Comparison to DDT and hexachlorobenzene (80) 51
- Myers, R.A. and Stella, V.J.
Systemic bioavailability of penclomedine (NSC-338720) from oil-in-water emulsions administered intraduodenally to rats (78) 217
- Myers, R.A., see O'Driscoll, C.M. (73) 177
- Myrdal, P.B., see Kipp, J.E. (74) 215
- Nagai, T., see Maitani, Y. (74) 105
- Nagai, T., see Morishita, I. (78) 9
- Nagai, T., see Morishita, M. (78) 1
- Nagai, T., see Takayama, K. (74) 115
- Nagai, T., see Uchida, N. (74) 95
- Naggi, A., see Ahmed, S.M. (77) 247
- Nakagaki, M., see Maitani, Y. (74) 105
- Nakagaki, M., see Uchida, N. (74) 95
- Nakano, M., see Nakashima, M. (72) R5
- Nakashima, M., Nakano, M., Matsuyama, K. and Ichikawa, M.
An application of the microdialysis system to the pharmacokinetic study on striatal distribution of L-DOPA with or without carbidopa in rats (72) R5
- Narurkar, M.M., see Dalal, P.S. (73) 157
- Nastruzzi, C., see Gambari, R. (72) 251
- Neau, S.H. and Howard, D.R.
Partial molal volumes of *n*-alkyl *p*-aminobenzoates in non-polar solvents (77) 239
- Neubert, R., Bendas, C., Wohlrab, W., Gienau, B. and Fürst, W.
A multilayer membrane system for modelling drug penetration into skin (75) 89
- Newman, S.P., Clark, A.R., Talaee, N. and Clarke, S.W.
Lung deposition of 5 mg Intal from a pressurised metered dose inhaler assessed by radiotracer technique (74) 203
- Newman, S.P., Morén, F., Trofast, E., Talaee, N. and Clarke, S.W.
Terbutaline sulphate Turbuhaler: effect of inhaled flow rate on drug deposition and efficacy (74) 209
- Newton, J.M., see Craig, D.Q.M. (74) 33
- Newton, J.M., see Craig, D.Q.M. (74) 43
- Newton, J.M., see Craig, D.Q.M. (76) 17
- Newton, J.M., see Craig, D.Q.M. (78) 175
- Newton, J.M., see Fielden, K.E. (79) 47
- Newton, J.M., see Odidi, I.O. (72) 43
- Ni, X.R., see Jansen, A.C.A. (75) 193
- Nishihata, T., see Bhattachar, S.N. (79) 263
- Nishimura, K., see Wakiyama, N. (78) 95
- Niwa, T., see Kawashima, Y. (72) 65
- Niwa, T., see Kawashima, Y. (75) 25
- Nord, K., Karlsen, J. and Tønnesen, H.H.
Photochemical stability of biologically active compounds.
IV. Photochemical degradation of chloroquine (72) 11
- Nuutilainen, J., see Vidgren, P. (73) 131
- Nystrom, C., see Angberg, M. (73) 209
- Nystrom, C., see Angberg, M. (77) 269
- Nystrom, C., see Gren, T. (74) 49
- Nystrom, C., see Sjökvist, E. (79) 123
- Odidi, I.O., Newton, J.M. and Buckton, G.
The effect of surface treatment on the values of contact angles measured on a compressed powder surface (72) 43
- Odoardi, P., see Di Giulio, A. (74) 183
- O'Driscoll, C.M., Myers, R.A. and Stella, V.J.
Blood and lymph transport of DDT after oral and parenteral administration to anaesthetised rats (73) 177
- Offringa, J.C.A., see De Smit, J.H. (77) 255
- Ogawa, Y., see Heya, T. (72) 199
- Oh, I., Chi, S.-C., Vishnuvajala, B.R. and Anderson, B.D.
Stability and solubilization of oxathiin carboxanilide, a novel anti-HIV agent (73) 23
- O'Hagan, D.T., see Fisher, A.N. (74) 147
- O'Hagan, D.T., see Jeffery, H. (77) 169
- Ohtani, T., Murakami, M., Yamamoto, A., Takada, K. and Muranishi, S.
Effect of absorption enhancers on pulmonary absorption of fluorescein isothiocyanate dextrans with various molecular weights (77) 141
- Okada, H., see Heya, T. (72) 199
- Okano, T., see Yuk, S.H. (77) 221
- Okano, T., see Yuk, S.H. (77) 231
- Ólafsdóttir, B.J., see Loftsson, T. (79) 107
- Olyai, R. and Lindenbaum, S.
Stability testing of pharmaceuticals by isothermal heat conduction calorimetry: Ampicillin in aqueous solution (73) 33
- Ong, H., see Juhász, J. (77) 309
- Onur, F. and Acar, N.
Simultaneous determination of methylene blue, hexamethylene tetramine and resorcinol in pharmaceutical formulations by first-derivative UV spectrophotometry (78) 89
- Opdebeeck, J.P., see Khan, M.Z.I. (76) 161
- Oratore, A., see Di Giulio, A. (74) 183
- Ossembe, N., see Van Schepdael, A. (73) 105
- Otagiri, M., see Bekers, O. (72) 123
- Otero-Espinar, F.J., Anguiano-Igea, S., García-González, N., Vila-Jato, J.L. and Blanco-Méndez, J.
Interaction of naproxen with β -cyclodextrin in solution and in the solid state (79) 149
- Otero-Espinar, F.J., Anguiano-Igea, S., García-González, N., Vila-Jato, J.L. and Blanco-Méndez, J.
Oral bioavailability of naproxen- β -cyclodextrin inclusion compound (75) 37

- Pablos, F., see Gonzalez, A.G. (72) 193
 Pabmanabhan, R., see Wong, O. (76) 171
 Pajean, M., Huc, A. and Herbage, D.
 Stabilization of liposomes with collagen (77) 31
 Palmer, A.J., see Sewell, G.J. (72) 57
 Parera, A., see Gallardo, V. (71) 223
 Paris, J., see Walchshofer, N. (77) 265
 Park, M.K., see Chang, H.W. (79) 71
 Parker, M.D., York, P. and Rowe, R.C.
 Binder-substrate interactions in wet granulation. 2: The effect of binder molecular weight (72) 243
 Parker, M.D., see Hancock, B.C. (76) 239
 Parnes, J.H., see Prankerd, R.J. (78) 59
 Paronen, P., see Vidgren, P. (73) 131
 Patel, J.M., see Wurster, D.E. (78) 157
 Pauwels, E.K.J., see Blok, D. (73) 171
 Pavanello, F., Conti, B., Genta, I. and Modena, T.
 Particulate contamination from siliconized rubber stoppers (74) 175
 Pawlik, B., see Knapczyk, J. (80) 33
 Pentari, J.G., Efsthathiou, C.E. and Koupparis, M.A.
 Kinetic determination of carbocysteine in syrup based on its reaction with 1-fluoro-2,4-dinitrobenzene monitored with a fluoride-selective electrode (77) 41
 Pérez-Varona, A.T., see Garrigues, T.M. (79) 135
 Petrovick, P.R., Jacob, M., Gaudy, D., Bassani, V.L. and Gutierrez, S.S.
 Influence of adjuvants on the in vitro dissolution of hydrochlorothiazide from hard gelatin capsules (76) 49
 Peura, P., see Järvinen, T. (75) 249
 Peura, P., see Järvinen, T. (75) 259
 Peura, P., see Järvinen, T. (79) 233
 Peura, P., see Järvinen, T. (79) 243
 Peura, P., see Suhonen, P. (74) 221
 Pimienta, C., Chouinard, F., Labib, A. and Lenaerts, V.
 Effect of various poloxamer coatings on in vitro adhesion of isohexylcyanoacrylate nanospheres to rat ileal segments under liquid flow (80) 1
 Pimienta, C., see Juhász, J. (77) 309
 Pimm, M.V., Clegg, J.A., Hudecz, F. and Baldwin, R.W.
 ¹¹¹In labelling of a branched polypeptide drug carrier with a poly(L-lysine) backbone (79) 77
 Pinton, J., see Machet, L. (72) R1
 Pinzauti, S., see Santoni, G. (71) 1
 Ponec, M., see De Vries, M.E. (76) 25
 Poupaert, J.H., see Mbela, T.K.M. (79) 29
 Prankerd, R.J., Walters, J.M. and Parnes, J.H.
 Kinetics for degradation of rifampicin, an azomethine-containing drug which exhibits reversible hydrolysis in acidic solutions (78) 59
 Price, J.M.C., Davis, S.S. and Wilding, I.R.
 The effect of fibre on gastrointestinal transit times in vegetarians and omnivores (76) 123
 Puisieux, F., see Blanchon, S. (72) 1
 Quigley, K.J., see Deasy, P.B. (73) 117
 Rabinow, B.E., see Jenke, D.R. (78) 115
 Radebaugh, G.W., see Kearney, A.S. (78) 25
 Ragnarsson, G., Sandberg, A., Johansson, M.O., Lindstedt, B. and Sjögren, J.
 In vitro release characteristics of a membrane-coated pellet formulation – influence of drug solubility and particle size (79) 223
 Rajan, Z., see Buckton, G. (74) 169
 Rakic, R., see Jovanović, M. (75) 155
 Ralambosoa, C., see Céolin, R. (74) 77
 Ramachandran, C., see Ma, L. (77) 127
 Ramdour, S., see Ford, J.L. (71) 213
 Rao, M.N.A., see Mathews, S. (76) 257
 Rasmussen, G.J. and Bundgaard, H.
 Prodrugs of peptides. 10. Protection of di- and tripeptides against aminopeptidase by formation of bioreversible 4-imidazolidinone derivatives (71) 45
 Rasmussen, G.J. and Bundgaard, H.
 Prodrugs of peptides. 15. 4-Imidazolidinone prodrug derivatives of enkephalins to prevent aminopeptidase-catalyzed metabolism in plasma and absorptive mucosae (76) 113
 Rathbone, M.J. and Hadgraft, J.
 Absorption of drugs from the human oral cavity (74) 9
 Rathbone, M.J.
 Human buccal absorption. II. A comparative study of the buccal absorption of some parahydroxybenzoic acid derivatives using the buccal absorption test and a buccal perfusion cell (74) 189
 Rath, R., see Singh, M. (76) R5
 Ravelli, V., see Wilding, I.R. (76) 133
 Razdan, B. and Verma, P.K.
 Evaluation of dosage forms. III: Studies on commercial acetaminophen tablet dosage forms (79) 83
 Reig, F., see Mestres, C. (76) 145
 Rekkas, D.M., see Athanassiou, G.C. (72) 141
 Renzi, G., see Santoni, G. (71) 1
 Riccieri, F.M., see Touitou, E. (78) 85
 Richards, R.M.E. and Xing, D.K.L.
 Evaluation of synergistic effects of combinations of antibiotics having relevance to treatment of burn wound infections (75) 81
 Richardson, J.L., Thomas, N.W. and Illum, L.
 Recovery of the rat vaginal epithelium from the histological effects of absorption enhancers (77) 75
 Richardson, P.J., McCafferty, D.F. and Woolfson, A.D.
 Determination of three-component partial solubility parameters for temazepam and the effects of change in partial molal volume on the thermodynamics of drug solubility (78) 189
 Richter, P.
 Second-derivative spectrophotometric assay of bromazepam in pharmaceutical formulations (72) 207
 Rieg-Falson, F., see Blanchon, S. (72) 1
 Riepma, K.A., Veenstra, J., De Boer, A.H., Bolhuis, G.K., Zuurman, K., Lerk, C.F. and Vromans, H.

- Consolidation and compaction of powder mixtures: II. Binary mixtures of different particle size fractions of α -lactose monohydrate (76) 9
- Roberts, M.S., see Wanwimolruk, S. (75) 55
- Roberts, R.J., see Rowe, R.C. (78) 49
- Robertson, J., see Cole, S.K. (80) 63
- Robertson, S.S.D., see Fassihi, A.R. (72) 175
- Robinson, D.H., see Sampath, S.S. (78) 165
- Roets, E., see Van Schepdael, A. (73) 105
- Rolland, A., Brzokewicz, A., Shroot, B. and Jamouille, J.-C. Effect of penetration enhancers on the phase transition of multilamellar liposomes of dipalmitoylphosphatidylcholine. A study by differential scanning calorimetry (76) 217
- Romero, A.P., Caramella, C., Ronchi, M., Ferrari, F. and Chulia, D. Water uptake and force development in an optimized prolonged release formulation (73) 239
- Ronchi, M., see Romero, A.P. (73) 239
- Ross, G., see Jähnke, R.W.O. (77) 47
- Rostron, C., see Ford, J.L. (71) 95
- Rostron, C., see Ford, J.L. (71) 213
- Rouland, J.C., see Céolin, R. (74) 77
- Rowe, P., see Ford, J.L. (71) 95
- Rowe, R.C. and Roberts, R.J. Simulation of crack propagation in tablet film coatings containing pigments (78) 49
- Rowe, R.C. Calorimetric studies on some nonionic surfactants (79) 251
- Rowe, R.C. Interactions in powders and granules – a reappraisal (79) 257
- Rowe, R.C., see Fielden, K.E. (79) 47
- Rowe, R.C., see Hancock, B.C. (76) 239
- Rowe, R.C., see Parker, M.D. (72) 243
- Rubinstein, M.H., see Garr, J.S.M. (72) 117
- Rubinstein, M.H., see Garr, J.S.M. (73) 75
- Ruland, A. and Kreuter, J. Transdermal permeability and skin accumulation of amino acids (72) 149
- Rupprecht, H., see Srčić, S. (73) 221
- Rush, B.D., Wilkinson, K.F., Zhong, W.Z., Closson, S.K., Lakings, D.B. and Ruwart, M.J. Absolute oral bioavailability of ditekiren, a renin inhibitor peptide, in conscious rats (73) 231
- Russell, S.J., see Buckton, G. (73) 1
- Ruwart, M.J., see Rush, B.D. (73) 231
- Rytting, J.H., see Bhatt, P.P. (72) 219
- Rytting, J.H., see Bhattachar, S.N. (79) 263
- Saettone, M.F., Giannaccini, B., Chetoni, P., Torraca, M.T. and Monti, D. Evaluation of high- and low-molecular-weight fractions of sodium hyaluronate and an ionic complex as adjuvants for topical ophthalmic vehicles containing pilocarpine (72) 131
- Sagara, K., see Masegi, M. (78) 103
- Salcedo, J., see Gallardo, V. (71) 223
- Saletti, M.A., see Di Giulio, A. (74) 183
- Salivirta, J., see Finne, U. (75) R1
- Salomons-de Vries, M.A., see Bouwstra, J.A. (79) 141
- Sam, A.P., Van den Heuvel, J.T.M. and Tukker, J.J. Mucoadhesion of both film-forming and non-film-forming polymeric materials as evaluated with the Wilhelmy plate method (79) 97
- Sampath, S.S., Garvin, K. and Robinson, D.H. Preparation and characterization of biodegradable poly(L-lactic acid) gentamicin delivery systems (78) 165
- Sandberg, A., see Ragnarsson, G. (79) 223
- Sande, S.A. and Karlseth, J. Curve fitting of stability data by personal computer. Software in pharmaceutics II (73) 147
- Santoni, G., Fabbri, L., Mura, P., Renzi, G., Gratteri, P. and Pinzauti, S. Simultaneous determination of otolonium bromide and diazepam by high performance liquid chromatography (71) 1
- Santos Magalhaes, N.S., Cave, G., Seiller, M. and Benita, S. The stability and in vitro release kinetics of a clofibrate emulsion (76) 225
- Santucci, E., see Touitou, E. (78) 85
- Sawh, D., see Ford, J.L. (71) 213
- Schacht, E.H., see Lehr, C.-M. (78) 43
- Schreier, H., see Wichert, B.V. (78) 227
- Schubert, R., see Hirnle, P. (72) 259
- Schückler, F. and Lee, G. Relating the concentration-dependent action of Azone and dodecyl-L-pyroglutamate on the structure of excised human stratum corneum to changes in drug diffusivity, partition coefficient and flux (80) 81
- Seiller, M., see Santos Magalhaes, N.S. (76) 225
- Seiller, M., see Weingarten, C. (75) 171
- Seki, T., see Kawaguchi, T. (77) 71
- Sewell, G.J. and Palmer, A.J. The chemical and physical stability of three intravenous infusions subjected to frozen storage and microwave thawing (72) 57
- Sezaki, H., see Masegi, M. (78) 103
- Sheu, M.-T. and Sokoloski, T.D. Entrapment of bioactive compounds within native albumin beads: IV. Characterization of drug release from polydisperse systems (71) 7
- Shim, C.-K., see Lee, Y.-H. (76) 71
- Shroot, B., see Rolland, A. (76) 217
- Silvestri, S. and Gabrielson, G. Degradation of tragacanth by high shear and turbulent forces during microfluidization (73) 163
- Silvestri, S., Gabrielson, G. and Wu, L.L. Effect of terminal block on the microfluidization induced degradation of a model A-B-A block copolymer (71) 65
- Sims, E.E., see Wilson, C.G. (72) 79
- Sims, S.M., Higuchi, W.I. and Srinivasan, V. Interaction of electric field and electro-osmotic effects in determining iontophoretic enhancement of anions and cations (77) 107

- Singh, A., see Singh, M. (76) R5
- Singh, M., Rathi, R., Singh, A., Heller, J., Talwar, G.P. and Kopecek, J.
Controlled release of LHRH-DT from bioerodible hydrogel microspheres (76) R5
- Sjögren, J., see Ragnarsson, G. (79) 223
- Sjökvist, E., Nyström, C., Aldén, M. and Caram-Lelham, N.
Physicochemical aspects of drug release. XIV. The effects of some ionic and non-ionic surfactants on properties of a sparingly soluble drug in solid dispersions (79) 123
- Skerratt, M.C.L., see Washington, C. (77) 57
- Sloan, K.B., Beall, H.D., Weimar, W.R. and Villanueva, R.
The effect of receptor phase composition on the permeability of hairless mouse skin in diffusion cell experiments (73) 97
- Smart, J.D.
An in vitro assessment of some mucosa-adhesive dosage forms (73) 69
- Smith, J.C., see Irwin, W.J. (76) 151
- Smith III, W.J., see Kipp, J.E. (74) 215
- Smyth, W.F., see Yarnitzky, C. (75) 161
- Sokoloski, T.D., see Sheu, M.-T. (71) 7
- Spancake, C.W., Mitra, A.K. and Kildsig, D.O.
Kinetics of aspirin hydrolysis in aqueous solutions and gels of poloxamines (Tetronic 1508) — Influence of microenvironment (75) 231
- Spies, F., see Hoogstraate, A.J. (76) 37
- Srčić, S., Rupprecht, H., Mrhar, A. and Karba, R.
Chemiadsorbates of *p*-hydroxybenzoic acid methyl ester on silica as a new type of pro-drug. III. Modeling and simulation of drug release from chemiadsorbates to acid aqueous solution (73) 221
- Sreenivasa Reddy, M., see Subrahmanyam, C.V.S. (78) 17
- Srinivasan, V., see Sims, S.M. (77) 107
- Stella, V.J., Anderson, W.K., Benedetti, A., Waugh, W.A. and Killion, Jr., R.B.
Stability of Carmethizole hydrochloride (NSC-602668), an experimental cytotoxic agent (71) 157
- Stella, V.J., see Muller, D.G. (75) 201
- Stella, V.J., see Myers, R.A. (78) 217
- Stella, V.J., see Myers, R.A. (80) 51
- Stella, V.J., see O'Driscoll, C.M. (73) 177
- Story, M.J., see Cole, S.K. (80) 63
- Straub, L.E., see Wichert, B.V. (78) 227
- Subrahmanyam, C.V.S., Sreenivasa Reddy, M., Venkata Rao, J. and Gundu Rao, P.
Irregular solution behaviour of paracetamol in binary solvents (78) 17
- Suenaga, A., see Bekers, O. (72) 123
- Sugibayashi, K., see Hatanaka, T. (79) 21
- Suhonen, P., Järvinen, T., Peura, P. and Urtti, A.
Permeability of pilocarpic acid diesters across albino rabbit cornea *in vitro* (74) 221
- Suhonen, P., see Järvinen, T. (75) 249
- Suhonen, P., see Järvinen, T. (75) 259
- Suhonen, P., see Järvinen, T. (79) 233
- Suhonen, P., see Järvinen, T. (79) 243
- Suryanarayanan, R. and Herman, C.S.
Quantitative analysis of the active ingredient in a multi-component tablet formulation by powder X-ray diffractometry (77) 287
- Suryanarayanan, R., Venkatesh, S., Hodgin, L. and Hanson, P.
Determination of the physical state of salicylic acid in hydrogel formulations by X-ray diffractometry (78) 77
- Szász, G., see Takács-Novák, K. (79) 89
- Takács-Novák, K., Józan, M., Hermecz, I. and Szász, G.
Lipophilicity of antibacterial fluoroquinolones (79) 89
- Takada, K., see Murakami, M. (79) 159
- Takada, K., see Ohtani, T. (77) 141
- Takakura, Y., see Masegi, M. (78) 103
- Takayama, K. and Nagai, T.
Simultaneous optimization for several characteristics concerning percutaneous absorption and skin damage of ketoprofen hydrogels containing *d*-limonene (74) 115
- Takayama, K., see Morishita, I. (78) 9
- Takayama, K., see Morishita, M. (78) 1
- Takeda, Y., see Izutsu, K. (71) 137
- Takeuchi, H., see Kawashima, Y. (72) 65
- Takeuchi, H., see Kawashima, Y. (75) 25
- Talaee, N., see Newman, S.P. (74) 203
- Talaee, N., see Newman, S.P. (74) 209
- Talsma, H., Van Steenbergen, M.J. and Crommelin, D.J.A.
The cryopreservation of liposomes: 3. Almost complete retention of a water-soluble marker in small liposomes in a cryoprotectant containing dispersion after a freezing/thawing cycle (77) 119
- Talwar, G.P., see Singh, M. (76) R5
- Tan, X. and Lindenbaum, S.
Studies on complexation between β -cyclodextrin and bile salts (74) 127
- Tavakoli-Saberi, M.R., see Audus, K.L. (76) 247
- Taylor, G., see Marques, H.M.C. (77) 297
- Taylor, G., see Marques, H.M.C. (77) 303
- Teramura, Y., see Masegi, M. (78) 103
- Testa, B., see Tsai, R.-S. (80) 39
- Thomas, M., Kellaway, I.W. and Jones, B.E.
Gelatin film formation at the air/water interface (71) 147
- Thomas, M., Kellaway, I.W. and Jones, B.E.
Gelatin film formation at the solid/aqueous interface (73) 185
- Thomas, N.W., see Chandler, S.G. (76) 61
- Thomas, N.W., see Richardson, J.L. (77) 75
- Timmins, P., see Hussain, M.S.H. (78) 203
- Tirendi, S., see Bonina, F.P. (77) 21
- Toddywala, R.D., Ulman, K., Walters, P. and Chien, Y.W.
Effect of physicochemical properties of adhesive on the release, skin permeation and adhesiveness of adhesive-type transdermal drug delivery systems (a-TDD) containing silicone-based pressure-sensitive adhesives (76) 77
- Toguchi, H., see Heya, T. (72) 199
- Tønnesen, H.H., see Nord, K. (72) 11
- Topp, E.M., see Bhatt, P.P. (72) 219

- Torracca, M.T., see Saettone, M.F. (72) 131
- Torricelli, C., Martini, A., Muggetti, L. and De Ponti, R.
Stability studies on a steroid drug/ β -cyclodextrin coground mixture (71) 19
- Torricelli, C., Martini, A., Muggetti, L., Eli, M. and De Ponti, R.
Stability studies on steroid drug/ β -cyclodextrin kneaded systems (75) 147
- Torricelli, C., see Martini, A. (75) 141
- Toth, I., Griffith, I.P., Del Olmo Fernandez, E., Hafeez, R.A., Holley, J.L., Ward, P. and Gibbons, W.A.
Lipidic peptides. VIII. Cellular uptake studies of lipidic amino acid, its oligomers and highly lipophilic drug conjugates (79) 39
- Toth, I., Hughes, R.A., Ward, P., Baldwin, M.A., Welham, K.J., McColm, A.M., Cox, D.M. and Gibbons, W.A.
Lipidic peptides. IV. Penicillin and cephalosporin amide conjugates with lipidic amino acids and their oligomers (73) 259
- Toth, I., Hughes, R.A., Ward, P., McColm, A.M., Cox, D.M., Anderson, G.J. and Gibbons, W.A.
Fatty peptides. VI. Penicillin and cephalosporin esters with increased lipophilic character (77) 13
- Touitou, E., Gilhar, D., Alhaique, F., Memoli, A., Riccieri, F.M. and Santucci, E.
Ascorbic acid in aqueous solution: Bathochromic shift in dilution and degradation (78) 85
- Touitou, E., see Fabin, B. (74) 59
- Trofast, E., see Newman, S.P. (74) 209
- Tsai, J.-C., Weiner, N.D., Flynn, G.L. and Ferry, J.
Properties of adhesive tapes used for stratum corneum stripping (72) 227
- Tsai, R.-S., El Tayar, N., Carrupt, P.-A. and Testa, B.
Physicochemical properties and transport behaviour of piribedil: Considerations on its membrane-crossing potential (80) 39
- Tsai, T.-H. and Chen, C.-F.
Ultraviolet spectral identification of ferulic acid in rabbit plasma by HPLC and its pharmacokinetic application (80) 75
- Tsai, Y.-H., see Hsu, L.-R. (71) 193
- Tucker, I.G., see Khan, M.Z.I. (76) 161
- Tukker, J.J., see Sam, A.P. (79) 97
- Uchida, N., Maitani, Y., Machida, Y., Nakagaki, M. and Nagai, T.
Influence of bile salts on the permeability of insulin through the nasal mucosa of rabbits in comparison with dextran derivatives (74) 95
- Ulman, K., see Toddywala, R.D. (76) 77
- Underberg, W.J.M., see Bekers, O. (72) 123
- Uriarte, E., see Fernández, B. (79) 199
- Urtti, A., see Finne, U. (75) R1
- Urtti, A., see Finne, U. (78) 237
- Urtti, A., see Järvinen, T. (75) 249
- Urtti, A., see Järvinen, T. (75) 259
- Urtti, A., see Järvinen, T. (79) 233
- Urtti, A., see Järvinen, T. (79) 243
- Urtti, A., see Suhonen, P. (74) 221
- Vaillant, L., see Machet, L. (72) R1
- Vainio, P., see Vidgren, P. (73) 131
- Van Bommel, E.M.G., Dezentjé, R.F.R., Crommelin, D.J.A. and Fokkens, J.G.
Drug release kinetics from the gradient matrix system: Mathematical modelling (72) 19
- Van den Heijj, J.T.M., see Sam, A.P. (79) 97
- Vander Watt, J.G., see Gerber, J.J. (73) 137
- Van Doorne, H. and Bosch, E.H.
Stability and in vitro activity of nystatin and its γ -cyclodextrin complex against *Candida albicans* (73) 43
- Van Helden, S.P., see Jansen, A.C.A. (75) 193
- Van Laarhoven, J.A.H., see Vromans, H. (79) 301
- Van Schepdael, A., Ossembe, N., Jie, L., Herdewijn, P., Roets, E. and Hoogmartens, J.
Kinetics of the hydrolysis of 2',3'-dideoxyguanosine: a potent anti-HIV agent (73) 105
- Van Steenberg, M.J., see Talsma, H. (77) 119
- Vayumhaswan, P., see Matheson, L.E. (77) 163
- Veenstra, J., see Riepma, K.A. (76) 9
- Veiga, M. and Gutiérrez, F.
Mathematical transformation of data, fit, and graphic representation of regression curves through computer programming (79) 1
- Veiga, M.D., see Francés, C. (77) 193
- Venkata Rao, J., see Subrahmanyam, C.V.S. (78) 17
- Venkatesh, S., see Suryanarayanan, R. (78) 77
- Vepsäläinen, J., see Järvinen, T. (75) 249
- Vepsäläinen, J., see Järvinen, T. (79) 233
- Vergnaud, J.M., see Bidah, D. (72) 35
- Vergnaud, J.M., see Bidah, D. (77) 81
- Vergnaud, J.M., see Laghoueg-Derriche, N. (71) 229
- Verhoef, J., see Hoogstraate, A.J. (76) 37
- Verhoef, J.C., see De Vries, M.E. (76) 25
- Verma, N., see Buckton, G. (72) 157
- Verma, P.K., see Razdan, B. (79) 83
- Vermeij, P., see Blok, D. (73) 171
- Vidgren, M., see Vidgren, P. (73) 131
- Vidgren, P., Vidgren, M., Vainio, P., Nuutinen, J. and Paronen, P.
Double-labelling technique in the evaluation of nasal mucoadhesion of disodium cromoglycate microspheres (73) 131
- Vila-Jato, J.L., see Otero-Espinar, F.J. (75) 37
- Vila-Jato, J.L., see Otero-Espinar, F.J. (79) 149
- Villanueva, R., see Sloan, K.B. (73) 97
- Vis, B.J., see Bekers, O. (72) 123
- Vishnuvajala, B.R., see Oh, I. (73) 23
- Vromans, H. and Van Laarhoven, J.A.H.
A study on water permeation through rubber closures of injection vials (79) 301
- Vromans, H., see Riepma, K.A. (76) 9

- Waigh, R.D., see Anie, S.J. (76) 183
- Wakabayashi, N., see Masegi, M. (78) 103
- Wakiyama, N., Kusai, A. and Nishimura, K.
Mechanism of caking of granules containing oily materials (78) 95
- Walchshofer, N., Delatour, P. and Paris, J.
Pharmacokinetics of an anthelmintic potential prodrug of a new benzimidazole in gerbil, mouse and sheep (77) 265
- Walker, M. and Hadgraft, J.
Oleic acid — a membrane 'fluidiser' or fluid within the membrane? (71) R1
- Walters, J.M., see Prankerd, R.J. (78) 59
- Walters, P., see Toddywala, R.D. (76) 77
- Wan, L.S.C. and Lai, W.F.
Factors affecting drug release from drug-coated granules prepared by fluidized-bed coating (72) 163
- Wan, L.S.C., Heng, P.W.S. and Chia, C.G.H.
Preparation of coated particles using a spray drying process with an aqueous system (77) 183
- Wan, L.S.C., Heng, P.W.S. and Wong, L.F.
The effect of hydroxypropylmethylcellulose on water penetration into a matrix system (73) 111
- Wanwimolruk, S., Lipschitz, S. and Roberts, M.S.
Pharmacokinetics and bioavailability of Naprosyn CR 500 mg tablet, a new controlled-release formulation of naproxen, after single and multiple dosing (75) 55
- Ward, A.J.I. and Du Reau, C.
The essential role of lipid bilayers in the determination of stratum corneum permeability (74) 137
- Ward, P., see Toth, I. (73) 259
- Ward, P., see Toth, I. (77) 13
- Ward, P., see Toth, I. (79) 39
- Waring, M.J., see Wong, D.Y.T. (72) 233
- Washington, C., Connolly, M.A., Manning, R. and Skerratt, M.C.L.
The electrokinetic properties of phospholipid stabilized fat emulsions. V. The effect of amino acids on emulsion stability (77) 57
- Washington, C., see Wilson, C.G. (72) 79
- Washington, N., see Wilson, C.G. (72) 79
- Watkinson, A.C., Hadgraft, J. and Bye, A.
Aspects of the transdermal delivery of prostaglandins (74) 229
- Watts, P.J., Atkin, B.P., Wilson, C.G., Davies, M.C. and Melia, C.D.
Radiolabelling of polymer microspheres for scintigraphic investigations by neutron activation. 1. Incorporation of samarium oxide and its effects on the properties of Eu-dragit RS: sulphasalazine microspheres. (76) 55
- Waugh, W.A., see Stella, V.J. (71) 157
- Weimar, W.R., see Sloan, K.B. (73) 97
- Weiner, N.D., see Ma, L. (77) 127
- Weiner, N.D., see Tsai, J.-C. (72) 227
- Weingarten, C., Magalhaes, N.S.S., Baszkin, A., Benita, S. and Seiller, M.
- Interactions of a non-ionic ABA copolymer surfactant with phospholipid monolayers: Possible relevance to emulsion stabilization (75) 171
- Welham, K.J., see Toth, I. (73) 259
- Wichert, B.M., see Wichert, B.V. (78) 227
- Wichert, B.V., Gonzalez-Rothi, R.J., Straub, L.E., Wichert, B.M. and Schreier, H.
Amikacin liposomes: characterization, aerosolization, and in vitro activity against *Mycobacterium avium-intracellulare* in alveolar macrophages (78) 227
- Wicks, S.R., see Clarke, J.G. (80) R1
- Wilding, I.R., Hardy, J.G., Maccari, M., Ravelli, V. and Davis, S.S.
Scintigraphic and pharmacokinetic assessment of a multi-particle sustained release formulation of diltiazem (76) 133
- Wilding, I.R., see Coupe, A.J. (78) 69
- Wilding, I.R., see Price, J.M.C. (76) 123
- Wilding, I.R., see Wilson, C.G. (72) 79
- Wilkinson, K.F., see Rush, B.D. (73) 231
- Williams, A.C. and Barry, B.W.
The enhancement index concept applied to terpene penetration enhancers for human skin and model lipophilic (oestradiol) and hydrophilic (5-fluorouracil) drugs (74) 157
- Wilson, C.G., Washington, N., Greaves, J.L., Washington, C., Wilding, I.R., Hoadley, T. and Sims, E.E.
Predictive modelling of the behaviour of a controlled release buflomedil HCl formulation using scintigraphic and pharmacokinetic data (72) 79
- Wilson, C.G., see Watts, P.J. (76) 55
- Winter, J.S., see Chen, S.H. (72) 89
- Wohlrab, W., see Neubert, R. (75) 89
- Wolff, H.M., see Hadgraft, J. (73) 125
- Won, C.M. and Iula, A.K.
Kinetics of hydrolysis of diltiazem (79) 183
- Wong, D.Y.T., Waring, M.J., Wright, P. and Aulton, M.E.
Elucidation of the compressive deformation behaviour of α -lactose monohydrate and anhydrous α -lactose single crystals by mechanical strength and acoustic emission analyses (72) 233
- Wong, L.F., see Wan, L.S.C. (73) 111
- Wong, O., Anderson, C., Allaben, L., Pabmanabhan, R. and Lattin, G.
Stability-indicating assay method for pilocarpine nitrate in reservoirs used in the cystic fibrosis indicator system (76) 171
- Wongpoowarak, W. and Worakul, N.
Mathematical aspect of pH-zero point of charge relationship (75) R9
- Wood, B., see Anie, S.J. (76) 183
- Woodward, L., see Lu, M.F. (71) 25
- Woolfson, A.D., McCafferty, D.F. and McGowan, K.E.
Percutaneous penetration characteristics of amethocaine through porcine and human skin (78) 209
- Woolfson, A.D., see Richardson, P.J. (78) 189

- Worakul, N., see Wongpoowarak, W. (75) R9
Wright, P., see Wong, D.Y.T. (72) 233
Wu, L.L., see Silvestri, S. (71) 65
Wurster, D.E. and Patel, J.M.
Catalysis of α -naphthyl acetate hydrolysis by *o*-iodosobenzoic acid in micellar solutions of cetyltrimethylammonium bromide (78) 157
- Xing, D.K.L., see Richards, R.M.E. (75) 81
- Yamamoto, A., see Masegi, M. (78) 103
Yamamoto, A., see Ohtani, T. (77) 141
Yamamura, K. and Yotsuyanagi, T.
Adsorption and irreversible binding of adriamycin incorporated into hydroxyapatite beads (79) R1
Yarnitzky, C. and Smyth, W.F.
Square wave polarographic and voltammetric analysis of selected electroreducible drugs (75) 161
Yliruusi, J., see Eerikäinen, S. (71) 201
York, P., see Hancock, B.C. (76) 239
York, P., see Hussain, M.S.H. (78) 203
York, P., see Parker, M.D. (72) 243
York, P., see Yusuff, N. (73) 9
- Yoshioka, S., see Izutsu, K. (71) 137
Yotsuyanagi, T., see Yamamura, K. (79) R1
Yuk, S.H., Lee, S.J., Okano, T., Berner, B. and Kim, S.W.
One-way membrane for transdermal drug delivery systems.
I. Membrane preparation and characterization (77) 221
Yuk, S.H., Lee, S.J., Okano, T., Berner, B. and Kim, S.W.
One-way membrane for transdermal drug delivery systems.
II. System optimization (77) 231
Yusuff, N. and York, P.
Spironolactone-cyclodextrin complexes: phase solubility and ultrafiltration studies (73) 9
- Zatz, J.L., see Kushla, G.P. (71) 167
Zhong, W.Z., see Rush, B.D. (73) 231
Zhou, X.H. and Li Wan Po, A.
Peptide and protein drugs: I. Therapeutic applications, absorption and parenteral administration (75) 97
Zhou, X.H. and Li Wan Po, A.
Peptide and protein drugs: II. Non-parenteral routes of delivery (75) 117
Zietlow, D.C., see Jenke, D.R. (78) 115
Živanović, L., see Jovanović, M. (75) 155
Zuurman, K., see Riepma, K.A. (76) 9