

Author Index

- Alvarez, A.I., see Del Estal, J.L. (102) 257
- Artursson, P., see Toth, I. (102) 223
- Babler, M., see Kararli, T.T. (102) 177
- Barker, S.A., Taylor, K.M.G. and Short, M.D.
The deposition and clearance of liposome entrapped 99m Tc-DTPA in the human respiratory tract (102) 159
- Bashir, A.K., see Tanira, M.O.M. (102) 267
- Bittner, S., see Kararli, T.T. (102) 177
- Blackhall, N.W., see Jenkins, P.G. (102) 261
- Blanchard, J., see Ugwu, S.O. (102) 193
- Bolhuis, G.K., see Zuurman, K. (102) 1
- Bolton, S., see Khan, M.A. (102) 185
- Bonina, F.P. and Montenegro, L.
Vehicle effects on in vitro heparin release and skin penetration from different gels (102) 19
- Bouzon, J., see Ouriemchi, E.M. (102) 47
- Bundgaard, H., see Nielsen, L.S. (102) 231
- Carlucci, G., Mazzeo, P., Vetuschi, C. and Di Giuseppe, E.
Reversed-phase high-performance liquid chromatographic and derivative UV spectrophotometric determination of famotidine in pharmaceutical preparations (102) 271
- Choi, K.E., see Yoon, W.H. (102) 249
- Clark, A.R., see Newman, S.P. (102) 127
- Couvreur, P., see Némati, F. (102) 55
- Davies, M.C., see Watts, P.J. (102) 101
- Davis, S.S., see Jenkins, P.G. (102) 261
- Del Estal, J.L., Alvarez, A.I., Villaverde, C., Justel, A. and Prieto, J.G.
Increased systemic bioavailability of albendazol when administered with surfactants in rats (102) 257
- De Verdier, A.C., see Némati, F. (102) 55
- Di Giuseppe, E., see Carlucci, G. (102) 271
- Dubernet, C., see Némati, F. (102) 55
- Eissens, A.C., see Te Wierik, G.H.P. (102) 81
- Emori, H., see Yamamoto, K. (102) 133
- Farhadieh, B., see Kararli, T.T. (102) 177
- Fort, J.J. and Mitra, A.K.
Effects of epidermal/dermal separation methods and ester chain configuration on the bioconversion of a homologous series of methotrexate dialkyl esters in dermal and epidermal homogenates of hairless mouse skin (102) 241
- Gabrijelčič, V., Šentjurc, M. and Schara, M.
The measurement of liposome entrapped molecules' penetration into the skin: A 1D-EPR and EPR kinetic imaging study (102) 151
- Gjelland, K., Graffner, C. and Quiding, H.
Influence of amount of hard fat in suppositories on the in vitro release rate and bioavailability of paracetamol and codeine. I. A comparison of three suppository compositions in vivo (102) 71
- Gjelland, K., Graffner, C. and Strid, S.
Exploratory studies on the in vitro release and bioavailability of dextropropoxyphene from lipophilic and hydrophilic suppositories (102) 213
- Graffner, C., see Gjelland, K. (102) 213
- Graffner, C., see Gjelland, K. (102) 71
- Hancock, B.C., York, P. and Rowe, R.C.
An assessment of substrate-binder interactions in model wet masses. 1: Mixer torque rheometry (102) 167
- Hardie, L., see Taylor, R.B. (102) 201
- Harron, D.W.G., see Tanira, M.O.M. (102) 267
- Hassan, H., see Sakellariou, P. (102) 207
- Hillery, A.M., see Toth, I. (102) 223
- Hollingworth, A., see Newman, S.P. (102) 127
- Howard, K.A., see Jenkins, P.G. (102) 261
- Hruby, V., see Ugwu, S.O. (102) 193
- Hwang, S.J., see Jeong, Y.N. (102) 35
- Iwaki, M., see Ogiso, T. (102) 141
- Jang, S.H., see Yoon, W.H. (102) 249
- Jenkins, P.G., Howard, K.A., Blackhall, N.W., Thomas, N.W., Davis, S.S. and O'Hagan, D.T.
The quantitation of the absorption of microparticles into the intestinal lymph of Wistar rats (102) 261
- Jeong, Y.N., Lee, S.H., Lee, M.G., Hwang, S.J. and Kim, C.-K.
Pharmacokinetics of methotrexate after intravenous and intramuscular injection of methotrexate-bearing negatively charged liposomes to rats (102) 35
- Jing-ping, Z., see Ogiso, T. (102) 141
- Justel, A., see Del Estal, J.L. (102) 257
- Kararli, T.T., Farhadieh, B., Bittner, S., Babler, M., Yang, P.-C. and Walsh, G.M.
Role of intestinal transport and first pass liver extraction on oral delivery of renin inhibitor compounds (102) 177

- Kearney, A.S., Mehta, S.C. and Radebaugh, G.W.
Preformulation studies to aid in the development of an injectable formulation of PD 144872, a radiosensitizing anticancer agent (102) 63
- Khan, M.A., Bolton, S. and Kislatioglu, M.S.
Optimization of process variables for the preparation of ibuprofen coprecipitates with Eudragit S100 (102) 185
- Kim, C.-K., see Jeong, Y.N. (102) 35
- Kislatioglu, M.S., see Khan, M.A. (102) 185
- Lan, E.-L., see Ugwu, S.O. (102) 193
- Lee, H.J., see Yoon, W.H. (102) 249
- Lee, M.G., see Jeong, Y.N. (102) 35
- Lee, M.G., see Yoon, W.H. (102) 249
- Lee, S.H., see Jeong, Y.N. (102) 35
- Lee, S.H., see Yoon, W.H. (102) 249
- Leiviskä, K., see Merkku, P. (102) 117
- Lerk, C.F., see Te Wierik, G.H.P. (102) 81
- Lerk, C.F., see Zuurman, K. (102) 1
- Lindqvist, A.-S., see Merkku, P. (102) 117
- Lötter, A.P., see Müller, D.G. (102) 109
- Low, A.S., see Taylor, R.B. (102) 201
- Lunghetti, G., see Pitcairn, G. (102) 11
- Magnusson, C., see Toth, I. (102) 223
- Mazzeo, P., see Carlucci, G. (102) 271
- Mchta, S.C., see Kearney, A.S. (102) 63
- Melia, C.D., see Watts, P.J. (102) 101
- Merkku, P., Lindqvist, A.-S., Leiviskä, K. and Yliruusi, J.
Influence of granulation and compression process variables on flow rate of granules and on tablet properties, with special reference to weight variation (102) 117
- Mitra, A.K., see Fort, J.J. (102) 241
- Montenegro, L., see Bonina, F.P. (102) 19
- Müller, D.G., Stella, V.J. and Lötter, A.P.
Determination of the position of the ester bond in a micellar prodrug of phenytoin (102) 109
- Némati, F., Dubernet, C., De Verdière, A.C., Poupon, M.F., Treupel-Acar, L., Puisieux, F. and Couvreur, P.
Some parameters influencing cytotoxicity of free doxorubicin and doxorubicin-loaded nanoparticles in sensitive and multidrug resistant leucemic murine cells: incubation time, number of nanoparticles per cell (102) 55
- Newman, S., see Pitcairn, G. (102) 11
- Newman, S.P., Hollingworth, A. and Clark, A.R.
Effect of different modes of inhalation on drug delivery from a dry powder inhaler (102) 127
- Nguyen, F., see Peyrot, M. (102) 25
- Nielsen, L.S., Sløk, F. and Bundgaard, H.
N-Alkoxy carbonyl prodrugs of mebendazole with increased water solubility (102) 231
- Nishihata, T., see Yamamoto, K. (102) 133
- Noguchi, A., see Ogiso, T. (102) 141
- Ogiso, T., Iwaki, M., Jing-ping, Z., Tanino, T. and Noguchi, A.
- Percutaneous absorption of betahistine through rat skin and pharmacokinetic analysis of the plasma concentration (102) 141
- O'Hagan, D.T., see Jenkins, P.G. (102) 261
- Ouriemchi, E.M., Bouzon, J. and Vergnaud, J.M.
Oral dosage forms with a core and shell with the same polymer containing different drug concentrations (102) 47
- Park, J.M., see Yoon, W.H. (102) 249
- Peyrot, M., Sautereau, A.M., Rabanel, J.M., Nguyen, F., Tocanne, J.F. and Samain, D.
Supramolecular biovecteurs (SMBV): a new family of nanoparticulate drug delivery systems. Synthesis and structural characterization (102) 25
- Pitcairn, G., Lunghetti, G., Ventura, P. and Newman, S.
A comparison of the lung deposition of salbutamol inhaled from a new dry powder inhaler, at two inhaled flow rates (102) 11
- Poupon, M.F., see Némati, F. (102) 55
- Prieto, J.G., see Del Estal, J.L. (102) 257
- Puisieux, F., see Némati, F. (102) 55
- Quidling, H., see Gjellan, K. (102) 71
- Rabanel, J.M., see Peyrot, M. (102) 25
- Radebaugh, G.W., see Kearney, A.S. (102) 63
- Richards, R.M.E., see Taylor, R.B. (102) 201
- Riepma, K.A., see Zuurman, K. (102) 1
- Rowe, R.C., see Hancock, B.C. (102) 167
- Rowe, R.C., see Sakellariou, P. (102) 207
- Sakellariou, P., Hassan, H. and Rowe, R.C.
Plasticization and interactions of polyethylene glycol 6000 with hydroxypropyl methylcellulose / polyvinyl alcohol blends (102) 207
- Samain, D., see Peyrot, M. (102) 25
- Sautereau, A.M., see Peyrot, M. (102) 25
- Schara, M., see Gabrijelčič, V. (102) 151
- Šentjurc, M., see Gabrijelčič, V. (102) 151
- Shah, A.C., see Yamamoto, K. (102) 133
- Sharma, S., see Ugwu, S.O. (102) 193
- Short, M.D., see Barker, S.A. (102) 159
- Sløk, F., see Nielsen, L.S. (102) 231
- Stella, V.J., see Müller, D.G. (102) 109
- Strid, S., see Gjellan, K. (102) 213
- Tanino, T., see Ogiso, T. (102) 141
- Tanira, M.O.M., Wasfi, I.A., Bashir, A.K. and Harron, D.W.G.
Chronic verapamil administration alters phenytoin pharmacokinetics in the rat (102) 267
- Taylor, K.M.G., see Barker, S.A. (102) 159
- Taylor, R.B., Richards, R.M.E., Low, A.S. and Hardie, L.
Chemical stability of polymyxin B in aqueous solution (102) 201
- Te Wierik, G.H.P., Eissens, A.C. and Lerk, C.F.
Preparation, characterization and pharmaceutical application of linear dextrins: V. Study on the binding properties

- of amylodextrin, metastable amylodextrin and metastable amylose (102) 81
- Thomas, N.W., see Jenkins, P.G. (102) 261
- Tocanne, J.F., see Peyrot, M. (102) 25
- Toth, I., Hillery, A.M., Wood, I.P., Magnusson, C. and Arntsson, P.
Oral absorption of lipidic amino acid conjugates (102) 223
- Treupel-Acar, L., see Némati, F. (102) 55
- Ugwu, S.O., Lan, E.-L., Sharma, S., Hruby, V. and Blanchard, J.
Kinetics of degradation of a cyclic lactam analog of α -melanotropin (MT-II) in aqueous solution (102) 193
- Ventura, P., see Pitcairn, G. (102) 11
- Vergnaud, J.M., see Ouriemchi, E.M. (102) 47
- Vetuschi, C., see Carlucci, G. (102) 271
- Villaverde, C., see Del Estal, J.L. (102) 257
- Vromans, H., see Zuurman, K. (102) 1
- Walsh, G.M., see Kararli, T.T. (102) 177
- Wasfi, I.A., see Tanira, M.O.M. (102) 267
- Watts, P.J., Wilson, C.G., Davies, M.C. and Melia, C.D.
Radiolabelling of polymer microspheres for scintigraphic investigations by neutron activation. 4. A pharmacoscintigraphic study of colon-targeted Eudragit RS-sulphapyridine microspheres in human volunteers (102) 101
- Westesen, K.
Phase diagram of tyloxapol and water - I (102) 91
- Wilson, C.G., see Watts, P.J. (102) 101
- Wood, I.P., see Toth, I. (102) 223
- Yamamoto, K., Yokohama, S., Emori, H., Shah, A.C. and Nishihata, T.
Bioavailability of itazigrel in dogs after oral administration of soft elastic capsules (102) 133
- Yang, P.-C., see Kararli, T.T. (102) 177
- Yliroosi, J., see Merkku, P. (102) 117
- Yokohama, S., see Yamamoto, K. (102) 133
- Yoon, E.J., see Yoon, W.H. (102) 249
- Yoon, W.H., Yoon, E.J., Jang, S.H., Lee, S.H., Lee, H.J., Park, J.M., Choi, K.E. and Lee, M.G.
Pharmacokinetics of ciprofloxacin after intravenous administration of ciprofloxacin-TOF in rabbits (102) 249
- York, P., see Hancock, B.C. (102) 167
- Zuurman, K., Riepma, K.A., Bolhuis, G.K., Vromans, H. and Lerk, C.F.
The relationship between bulk density and compactibility of lactose granulations (102) 1