

Subject Index Vol. 101–112

- Abamectin; (103) 93
 Absorption; (101) R1; (105) 7; (105) 219; (106) 95; (111) 197
 Absorption enhancement; (104) 1
 Absorption enhancer; (104) 87; (104) 145
 Absorption-partition correlation; (101) 209; (107) 159
 Absorption rate; (102) 213; (105) 189
 ACAT inhibitor; (108) 85
 Ac-Di-Sol®; (110) 257
 Acetaminophen; (106) 187
 Acetylneurotensin 8–13; (112) 133
 Acetylsalicylic acid; (107) 247
 Acid-base catalysis; (109) 191
 Acid-base interactions; (111) 241
 Acrivastine; (104) 253
 Actigall®; (109) 173
 Activation; (108) 213
 Activation energy; (106) 33; (106) 187
 Activation volume; (106) 187
 Active transport; (104) 157; (108) 225
 Acyclovir; (111) 73; (112) 181
 Additive effect; (112) 17
 Adherence; (105) 71
 Adherence assay; (105) 39
 Adriamycin; (110) 117; (111) 25
 Adsorption; (103) 87; (108) 31
 Adsorption isotherm; (103) 19
 Aerosol; (101) 81; (102) 159; (104) 73; (106) 69; (107) 211;
 (108) 233; (109) 17
 Aerosol deposition; (102) 127
 Aerosol formulation; (107) 57
 Ag/AgCl electrode; (101) 219
 Age; (108) 39
 Agglomerate; (111) 43
 Aggregation; (108) 49
 Aggregometry; (105) 57
 Air-jet nebulization; (109) 17
 Albendazol; (102) 257
 Albumin; (107) 205
 Albumin microspheres; (106) 221; (109) 135
 Albumin nanoparticles; (110) 211
 Albuterol; (105) 147
 Albuterol triester; (105) 147
 Alginate; (111) 271; (112) 241
 Alginate raft; (105) 97
N-Alkoxy carbonyl derivative; (102) 231; (104) 175
 1-Alkyloxy carbonyl-5-fluorouracil; (111) 223
 Alprenolol; (104) 19
 Alumina particle; (103) 19
 Aluminum tristearate; (106) 213
 Amide; (110) 231
 Amino acid; (105) 169; (111) 7
 Amino acid transport; (104) 157
 Aminoglycoside antibiotic; (108) 39
 Amino group determination; (103) 253
 Aminonaphthalene-3,6,8-trisulfonic acid; (101) 191
 Amorphism; (108) 167
 Amorphous material; (104) 135; (105) 125
 Amylase; (101) 165
 Amylodextrin; (102) 81
 Analog; (102) 193
 Angiotensin-converting enzyme; (107) 77; (112) 133
 Angiotensin receptor antagonist; (103) 1
 Anhydrous lactose; (110) 257
 Anhydrous topical formulation; (103) 187
 Animal model; (104) 1; (109) 45
 Anisotropy; (111) 15
 Antacid; (106) 229
 Anthrone; (110) 21
 Antibacterial activity; (110) 109
 Antibody production; (103) 303
 Anticancer; (102) 63
 Anticancer drug; (108) 69; (111) 25
 Antielastase activity; (104) 151
 Anti-inflammatory activity; (106) 63; (108) 173
 Antimicrobial activity; (103) 199
 Antimycotic activity; (110) 109
 Antioxidant; (104) 151; (107) 67; (110) 241
 Antisense oligonucleotide; (107) 169
 Antiulcerogenic activity; (108) 173
 Apnoea; (103) 131
 Aqueous coating; (104) 203
 Aqueous colloidal polymer dispersion; (103) 47
 Aqueous glycerol solution; (112) 117
 Aqueous *N,N*-dimethylformamide mixture; (108) 149

- Aqueous solution; (109) 191
 Arginine salt; (105) 209
 Aromatic amine; (105) 169
 Arrhenius plot; (105) 31
 Arterial embolization; (106) 41
 Artificial neural network; (108) 155; (110) 101
 Artificial throat; (101) 81
 Ascorbic acid; (106) 125; (107) 199; (110) 241; (111) 261
 Aspirin; (108) 11; (108) 173
 Association constant; (101) 199
 Atenolol; (104) 19; (108) 11
 Atomizing air pressure; (102) 117
 Atropine; (109) 35
 Autoinjector, wet/dry; (109) 35
 Automation method; (112) 37
 Auto-oxidation; (111) 153
 2,2'-Azobis(amidinopropane) dihydrochloride; (104) 247
 2,2'-Azobis(2-amidinopropane) dihydrochloride; (107) 199
 Azone[®]; (104) 61; (109) 283
 Azone analog; (110) 231
 Azone[®]; (101) 57; (103) 77; (110) 137
 Azopolymer; (106) 255
 Aztreonam; (110) 249
- Barbiturate; (103) 19; (112) 1
 Basket dissolution method; (112) 233
 Basket extruder; (107) 29; (107) 219
 Batch to batch variation; (111) 241
 Bead formulation; (107) 141
 Beagle dog; (103) 115
 Beclomethasone dipropionate; (112) 199
 Betahistine; (102) 141
 Bilayer permeability; (105) 259
 Bile salt; (101) 209; (103) 27; (105) 137; (107) 159; (109) 197; (111) 147
 Biliary excretion; (109) 181
 Binder amount; (102) 117
 Binding agent; (106) 103
 Binding properties; (102) 81
 Bioadhesion; (104) 107; (105) 65; (107) 223; (110) 127
 Bioavailability; (110) 65
 Bioavailability; (102) 71; (102) 213; (102) 257; (103) 1; (104) 11; (104) 87; (104) 145; (104) 175; (104) 215; (106) 161; (107) 179; (108) 39; (108) 125; (111) 171; (112) 87
 Bioavailability; (102) 133
 Biocompatibility; (110) 117
 Biodegradable microparticles; (108) 133
 Biodegradable microsphere; (111) 137
 Biodegradable polymer; (106) 77
 Biophysical model; (109) 197
 Bioresorbable starch microsphere; (106) 41
 Biphasic release; (110) 291
 Blends; (102) 207
 β -Blocker; (104) 19
 Blood-brain barrier; (104) 157; (108) 225; (110) 29
 Blood leukocyte count; (110) 93
 Blood level; (110) 1
- Blood partitioning; (103) 147
 Blood pressure; (110) 1
 Blood total leucocyte count; (101) 89
 Blood total leukocyte count; (110) 47
 BMS-180431; (105) 209
 Bond formation process; (109) 59
 Boroleucine; (105) 7
 Bovine microvessel endothelial cell; (110) 29
 Bovine serum albumin; (101) 63
 Brain delivery; (104) 157; (108) 225
 Brolene; (105) 71
 Brush border membrane; (107) 223
 Brush-border membrane; (111) 147
 Buccal absorption; (104) 145; (105) 219
 Buccal epithelial cell; (101) 121
 Bucillamine; (105) 11
 Buffer; (109) 27
 Buffer-catalyzed degradation; (112) 97
 Buffer effect; (109) 191
 Bulk density; (102) 1
 Bupivacaine; (107) 41
 Burst release; (112) 105
 BV-araU; (103) 69
- Caco-2; (104) 187
 Caco-2 cell culture model; (102) 223
 Caco-2 cell homogenate; (105) 241
 Cadaver skin; (110) 137
 Caffeine; (103) 131; (111) 127; (112) 37
 Calcium-induced gelation; (111) 271; (112) 241
 Calcium phosphate-based material; (110) 37
 Calorimetry; (105) 47; (110) 179
 Cancer drug; (109) 73
 Canderel; (107) 199
Candida albicans; (105) 39; (105) 71
 Cannulation; (102) 261
 Capillary interaction; (104) R1; (112) 55
 Capsule formulation; (110) 249
 Capsule size; (110) 249
 Captopril; (107) 77
 Carbamate; (112) 143
 Carbazole; (104) 125
 Carbidopa; (108) 95
 Carbomer[®] 940; (106) 125; (110) 241; (111) 261
 Carboplatin; (101) 257
 Carbopol; (104) 107; (111) 251
 Carboxyfluorescein; (105) 1; (111) 15
 Carboxylesterase; (112) 181
 Carboxypeptidase A; (107) 133
 Carboxyvinyl polymer gel; (109) 115
 κ -Carrageenan gel; (109) 115
 Carteolol hydrochloride; (109) 229
 Cascade impaction; (104) 73
 Casein microspheres; (106) 221
 Catalysis; (109) 191
 Cathepsin B; (107) 133
 Cattle skin; (103) 93

- CD spectroscopy; (108) 49
 Cefaclor; (111) 31
 Cefsulodin; (111) 31
 Celiprolol hydrochloride; (107) 243
 Cell culture; (104) 157; (108) 225
 Cell density; (101) 97
 Cell proliferation; (103) 131
 Cellulose acetate phthalate; (109) 9
 Cellulose acetate trimellitate; (109) 9
 Central composite design; (109) 135; (111) 271
 Cephalexin; (104) 187
 Cephalosporin; (104) 187
 Cetrimide; (111) 73
 Cetyltrimethylammonium bromide; (107) 239
 Charged liposomes; (108) 21
 Chemical stability; (107) 247
 Chemometrics; (106) 141
 Chemoprophylaxis; (103) 237
 Chiral isomer; (104) 19
 Chitosan; (101) 227; (111) 217
 Chloramphenicol; (112) 241
 Chlorhexidine; (101) 121
 Cholesterol; (107) 1
 Cholestyramine; (109) 107
 Chylomicron; (108) 85
 CI-987; (104) 169
 Ciclopirox olamine; (105) 77
 Cilia; (107) 77
 Cineole; (105) 47
 Ciprofloxacin; (101) R7; (102) 249; (106) 229
 Ciprofloxacin-HCl; (102) 249
 Ciprofloxacin-TOF; (102) 249
 Circulation time; (111) 103
 Clarithromycin; (109) 45
 Clodronate; (107) 189
 Clofazimine; (105) 137; (109) 147
 Clotrimazole; (105) 77
 Cloud point; (111) 251
 Coated pellet; (103) 115
 Coating; (106) 149; (111) 181
 Codeine phosphate; (102) 71
 Coevaporate; (103) 243
 Colestipol; (109) 107
 Colon delivery; (110) 47
 Colonic delivery; (112) 199
 Colonic drug delivery; (102) 101
 Colonic specific delivery; (108) 77
 Colon-specific drug delivery; (106) 255
 Colon targeting; (111) 99
 Colorimetric assay; (101) 121
 Commercial formulation; (108) 11
 Compactibility; (101) 71; (105) 11; (112) 173
 Compaction; (102) 1; (103) 55; (109) 155; (112) 17
 Compacts; (101) 35; (101) 45
 Compatibility; (105) 83; (105) 89; (107) 111
 Complexation; (110) 169
 Compressibility; (112) 173
 Compression; (103) 205; (104) 115
 Compressional pressure; (106) 149
 Compression coating; (107) 179
 Compression deformation; (106) 125; (111) 261
 Compression properties; (103) 9; (109) 1
 Concentration/distance profile; (107) 9
 Concurrent coating; (111) 117
 Confocal microscopy; (107) 149
 Conformation; (109) 261
 Conscious rabbit; (110) 93
 Consolidation; (102) 1
 Consolidation mechanism; (110) 37
 Contact angle; (109) 155; (112) 65
 Container compatibility; (108) 1
 Continuous granulation; (106) 157
 Continuous infusion; (107) 111
 Contour plot; (102) 185
 Controlled atmosphere microbalance; (103) 103
 Controlled drug release; (103) 47
 Controlled release; (102) 47; (103) 243; (104) 95; (104) 253; (105) 181; (106) 221; (107) 41; (108) 133; (109) 229; (110) 117; (111) 89; (111) 197; (112) 215
 Controlled release vaccine; (103) 37
 Conway cell; (107) 141; (110) 257
 Cooling rate; (112) 165
 Coprecipitate; (102) 185
 Core dosage form; (102) 47
 Core-in-cup system; (112) 37
 Corneal penetration; (103) 283
 Corn starch; (110) 257
 Cosolvency; (109) 291
 Cosolvent; (103) 137
 Cosurfactant; (106) 51; (111) 63
 Countercurrent coating; (111) 117
 Cremophor-EL; (105) 137
 Critical micelle concentration; (108) 141
 Crosslinking; (104) 107
 Cross-linking; (111) 217
 Cryo-electron microscopy; (101) 227
 Crystal bridge; (104) R1
 Crystal flow rate; (112) 17
 Crystal growth; (110) 9
 Crystal habit; (112) 17; (112) 65
 Crystallinity; (101) 169; (104) 135; (104) 169; (105) 125; (111) 43
 Crystallisation; (104) 135
 Crystallization; (112) 65; (112) 79
 Crystal properties; (108) 195; (112) 17
 Crystal size; (112) 17
 Crystal strength; (112) 17
 Cumulative irritation; (110) 147
 Cupric sulfate; (104) 247
 Curcumin; (110) 161
 Curing; (104) 203
 Cyclization; (112) 143
 Cyclodextrin; (101) 97; (104) 181; (104) 239; (105) 249; (110) 93; (110) 169; (112) 249

- α -Cyclodextrin; (109) 99
 β -Cyclodextrin; (101) 71; (106) 63; (106) 179; (111) 111
 Cyclodextrin polymer; (112) 249
 Cyclosporin; (103) 277
 Cyclosporin A; (110) 155
 Cytotoxic assay; (111) 25
 Cytotoxicity; (101) 97; (101) 121; (102) 55
- DA-125; (103) 147; (109) 181
 Daunorubicin; (111) 25
 Deactivation; (108) 213
 Deamidation; (109) 261
 Deformation kinetics; (106) 187
 Degradation; (102) 193
 Degradation kinetics; (105) 249; (109) 191; (112) 97
 Degradation mechanism; (109) 237
 Degree of disorder; (101) 237
 Degree of substitution; (104) 239
 Dehydration; (107) 85
 Dehydration behavior; (103) 9; (104) 271; (109) 1
 Dehydration kinetics; (106) 33
 Delayed release; (108) 77
 Delivery; (107) 189
 Delivery kinetics; (102) 47
 Deposition; (101) 81
 Dequalinium chloride ferrous sulfate; (104) 247
 Derivative UV spectrophotometry; (102) 271
 Dermal delivery; (107) 169
 Dermal/epidermal separation; (102) 241
 Dermal homogenate; (102) 241
 Dermal prodrug; (106) 115
 Dermal route; (106) 63
 Dermic gel; (111) 111
 Desolvated emulsion; (111) 213
 Desorption; (101) 23; (108) 31
 Destolit[®]; (109) 173
 Developmental intestinal function; (108) 39
 Dexamethasone; (104) 181
 Dexrazoxane; (107) 67
 Dextran; (110) 21
 Dextran sulfate; (105) 19
 Dextrin; (106) 25
 Dextropropoxyphene; (102) 213
 Dextrose; (107) 199
cis-Diamminedichloroplatinum(II); (106) 249
 Diazepam; (110) 197
 Dibasic calcium phosphate; (112) 225
 Dicalcium phosphate dihydrate; (103) 9; (104) 271; (107) 247; (109) 1
 β -Dicarbonyl compound; (108) 95
 Didanosine; (109) 125
 Dietary protein; (101) 89
 Dietary surfactant; (108) 109
 Di(2-ethylhexyl) phthalate; (105) 89
 Differential-pulse polarography; (111) 83
 Diffusion; (101) 45; (106) 115; (109) 283; (111) 127
 Diffusion apparatus; (101) 35
- Diflunisal; (105) 57
 Diltiazem; (109) 271
 Dimer; (111) 153
 Dimethylaminoisopropanol dodecanoate; (103) 77
 Dioleoylphosphatidylcholine; (103) 81
 Dipalmitoylphosphatidylcholine; (107) 1
 Dipeptidyl peptidase II; (107) 133
 Dipyrindamole; (103) 243; (108) 11
 Direct Compression; (101) 71
 Direct compression; (103) 155; (105) 11; (109) 1; (112) 125
 Direct compression excipient; (110) 37
 Direct compression tableting; (110) 203
 Direct current; (101) 219
 Disaggregation; (109) 99
 Disorder; (104) 135
 Disordered surface layer thickness; (111) 159
 Dissolution; (104) 107; (104) 169; (107) 141; (108) 167; (109) 221; (111) 251
 Dissolution improvement; (110) 223
 Dissolution kinetics; (108) 101
 Dissolution medium composition; (110) 223
 Dissolution profile; (110) 223
 Dissolution rate; (104) 11; (104) 253
 Dissolution rate enhancement; (108) 207
 Dissolution stability; (110) 249; (110) 257
 Dissolution testing; (102) 71; (104) 215; (106) 141; (111) 117; (112) 233
 Distribution coefficient; (101) 145
 Distribution study; (110) 211
 Disulfide bond cleavage; (106) 249
 DMSO; (105) 47
 r-DNA vaccine; (106) 89
 Dodecyl *N,N*-dimethylamino acetate; (101) 57; (103) 77
 Dog; (109) 125; (112) 87
 Dolichol; (105) 259
 Domperidone; (103) 179
 Dosage form design; (108) 195
 Dose linearity; (107) 57
 Double log-log model; (109) 291
 Doxorubicin; (102) 55; (107) 67; (107) 149
 Doxorubicin hydrochloride; (103) 87
 5-Doxylstearic acid; (104) 61
 Drug; (110) 169
 Drug absorption; (105) 189
 Drug administration; (111) 197
 Drug carrier; (106) 201; (110) 127
 Drug content; (103) 267
 Drug damage; (104) 73
 Drug degradation; (109) 237
 Drug delivery; (101) 1; (102) 223; (105) 241; (108) 85; (109) 73; (111) 73; (111) 103
 Drug delivery system; (102) 25; (102) 159; (105) 65; (108) 241; (110) 211
 Drug disposition; (108) 241
 Drug distribution; (108) 85
 Drug entrapment; (109) 135; (112) 249
 Drug fraction; (102) 71

- Drug hydrate; (106) 33
 Drug inclusion; (112) 215
 Drug-polymer interaction; (101) 23
 Drug release; (103) 267; (106) 149; (111) 283
 Drug release equations; (112) 105
 Drug release parameters; (112) 105
 Drug-resinate; (101) 263
 Drug targeting; (108) 85; (110) 117
 Dry elixir; (106) 25
 Dry powder inhaler; (101) 1; (101) 81; (102) 11; (108) 233
 Dry skin; (105) 103
 DSC; (102) 91; (102) 109; (103) 217; (104) 135; (106) 115; (107) 1; (107) 51; (108) 101; (108) 141; (110) 75; (110) 267; (111) 51; (111) 251; (112) 65; (112) 165

 Econazole nitrate; (105) 77
 EDTA; (102) 241
 Elastic recovery; (103) 55
 Elastic work; (112) 173
 Electrical field; (105) 47
 Electrochemical factors; (101) 105
 Electro-osmosis; (101) 105
 Electrophoretic light scattering; (101) 227
 Electrophysiology; (103) 27; (106) 237
 Electrotransport; (111) 73
 Emulsion; (108) 85; (108) 117; (109) 45; (109) 73
 Enalapril; (107) 77
 Endocytosis; (110) 29; (110) 127
 Endopeptidase-24.11; (112) 133
 Enhancement; (101) R7
 Enhancement action; (105) 31
 Enhancer; (103) 179; (105) 219
 Enteric coating; (110) 291; (111) 99; (112) 199; (112) 207
 Enthalpy of dilution; (104) 239
 Entrapment efficiency; (105) 1
 Enzymatic cleavage; (105) 57
 Enzymatic degradation; (107) 231
 Enzyme degradation; (105) 241
 Enzyme inhibitor; (107) 77
 Epidermal homogenate; (102) 241
 Epidermal thickness; (104) 49
 EPR; (102) 151
 Error; (109) 155
 Erythropoietin; (111) 197
 ESR; (104) 61
 Esterase; (101) 165
 Esterase activity; (102) 241
 2'-Ester prodrug; (112) 181
 Ethanol pretreated human epidermal membrane; (105) 113
 Ethenzamide; (108) 167
 Ethyl acetate; (101) 63
 Ethyl cellulose; (103) 47
 Ethylcellulose; (104) 95; (104) 203; (112) 37; (112) 173
 Ethyl cellulose coating; (112) 117
 Ethyl *p*-hydroxybenzoate; (112) 79
 Ethyl vinyl acetate; (101) 257
 Eudragit; (103) 243
 Eudragit[®] L copolymer; (103) 293
 Eudragit RL; (101) 23
 Eudragit RS; (101) 23; (102) 101
 Eudragit RS[®]; (106) 213
 Eudragit S100; (102) 185
 Everted gut sac; (104) 227; (110) 127
 Excipient evaluation; (110) 203
 Expansion in water; (112) 153
 Experimental design; (106) 141; (106) 157
 Explotab[®]; (110) 257
 Extended Hildebrand solubility approach; (108) 149
 Extended release; (102) 185; (106) 141; (111) 271; (112) 241
 Extended-release indomethacin; (104) 11
 External beam proton-induced X-ray emission (PIXE) analysis; (103) 125
 Extrusion; (107) 29; (107) 219; (111) 89
 Extrusion force; (107) 219
 Extrusion/spheronization; (109) 209; (109) 221

 3³ factorial design; (102) 117
 Factorial design; (102) 185; (107) 205
 Famotidine; (102) 271; (108) 31
 FAPG base; (106) 1; (112) 165
 Fast-Flo[®] lactose; (110) 257
 Fat emulsion stability; (101) 175; (107) 121
 Fatty acid; (104) 1; (104) 87; (106) 1; (109) 147
 Fatty acid dispersion; (111) 213
 Felodipine; (106) 141
 Fenofibrate; (103) 137
 Fentanyl; (101) 105
 Fibroblast; (107) 189
 Filler-binder; (101) 71
 Film coating; (103) 47; (103) 69; (103) 293; (108) 77
 Film dry matter quantity; (111) 117
 Film porosity; (111) 117
 Film thickness; (111) 117
 First pass liver extraction; (102) 177
 First-pass metabolism; (112) 143
 FITC-dextran; (110) 21
 FK409; (110) 1
 Flotation; (105) 65
 Flow; (103) 155
 Flowability; (105) 11
 Flowability index; (102) 185
 Flow microcalorimetry; (111) 25
 Flow rate; (102) 71; (103) 155; (104) 215
 Flow-through cell; (103) 243
 Flow-through dissolution method; (102) 71; (112) 233
 Flow-through method; (104) 215
 Fluid-bed drying; (109) 209; (109) 221
 Fluidized bed; (103) 115
 Fluidized bed granulation; (102) 117; (108) 155; (110) 101
 Fluorescence anisotropy; (107) 1
 Fluorescence depolarization; (102) 25
 5-Fluorouracil; (106) 161; (108) 241
 Flux; (110) 231
 Food effect; (112) 87

- Formaldehyde; (107) 141; (110) 257
 Formulation; (109) 27
 Formulation evaluation; (103) 259
 Formulation stability; (109) 237
 Fractal dimension; (108) 187
 Fractal geometry; (108) 187
 Fractals; (109) 155
 Fraction of drug substance; (104) 215
 Franz diffusion cell; (111) 111
 Free film; (109) 9; (112) 191
 Free radical; (104) 49
 Freeze-drying; (107) 99; (109) 209; (109) 221
 Freeze-fracturing; (102) 91
 Freezing; (103) 93
 Freundlich isotherm; (108) 31
 Full-thickness skin; (107) 9
 Furosemide; (111) 217
- Galactocerebroside; (103) 81
 Gallium; (107) 189
 Gallstone dissolution; (109) 173
 Gamma irradiation; (106) 103; (110) 285
 Gamma scintigraphy; (101) 263; (102) 11; (102) 101; (102) 159;
 (105) 97; (108) 125; (111) 99; (112) 199; (112) 207
 Gas density; (106) 77
 Gastric emptying; (109) 91
 Gastric mucosa; (107) 91
 Gastric retention; (105) 97
 Gastrointestinal absorption; (104) 253
 Gastrointestinal tolerance; (106) 63
 Gastrointestinal transit; (101) 263; (112) 199
 Gastroprotection; (108) 109
 GC; (110) 21
 GC-headspace analysis; (103) 293
 Gelatin microsphere; (105) 181
 Gel chromatography; (108) 21
 Gel formulation; (102) 19
 Gel strength apparatus; (109) 115
 Gelucire; (110) 75; (111) 51
 General acid-base catalysis; (112) 97
 Germination; (105) 71
 GLA-60; (111) 15
 Glass transition; (103) 293
 Glass transition temperature; (108) 213
 Glaucoma; (106) 161
 Glucose oxidase; (101) 191
 Glutaraldehyde crosslinking; (106) 221
 Glyceride; (110) 75; (111) 51
 Glycerol; (104) 107
 Glycolipid; (107) 99
 GM-1 ganglioside; (109) 99
 Granulation; (102) 1
 Granule flow rate; (102) 117
 Granulocyte-colony stimulating factor; (109) 17
 Granulocyte colony-stimulating factor; (110) 93
 Grinding; (108) 167
 Griseofulvin; (110) 267
- Growth inhibition; (101) R7
- Habit; (112) 79
 Hairless mouse; (110) 231
 Hairless mouse skin; (101) 57; (102) 241
 Hairless mouse skin simulation; (107) 9
 HALO™ drug delivery system; (110) 291
 Hard gelatin capsule; (110) 291; (111) 171
 Heat denaturation; (106) 41
 Heat of crystallization; (101) 237
 Heat separation; (102) 241
 Heavy metal; (111) 153
 Heckel equation; (103) 55
 Heckel plot; (112) 173
 Heparin; (107) 111
 Heparin sodium salt; (102) 19; (111) 191
 Hepatic targeting; (105) 19
 Hepatitis B surface antigen; (106) 89
 Herpesvirus ribonucleotide reductase inhibition; (106) 85
n-Hexane; (101) 63
 HI 6; (109) 35
 High-sensitivity DSC; (112) 65
 High-viscosity HPMC; (108) 77
 H & K 120; (110) 249
 HLB; (105) 1
 HLö 7; (109) 35
 HMG-CoA reductase inhibitor; (105) 209; (108) 195
 Homologous series; (102) 241
 Hot-stage microscopy; (110) 75
 L-HPC; (109) 209; (109) 221
 H_{II} phase; (105) 259
 HPLC; (102) 201; (103) 187; (105) 89; (106) 161; (106) 167;
 (107) 243; (110) 197; (112) 93
 Human; (104) 87; (109) 125
 Human bioavailability study; (110) 1
 Human γ -globulin; (106) 249
 Human plasma; (111) 83
 Human serum albumin; (103) 253
 Human skin; (103) 77; (103) 179; (107) 23; (111) 7
 Human skin fibroblast; (110) 277
 Human stratum corneum; (103) 163; (104) 61
 Humidity effect; (108) 195
 Hyaluronate benzyl ester; (111) 295
 Hyaluronic acid; (111) 205; (111) 295
 Hyaluronic acid benzyl ester; (107) 91
 Hydrate; (108) 195
 Hydration; (110) 147; (112) 1
 Hydration properties; (112) 29
 Hydrochlorothiazide; (107) 141; (108) 207; (110) 249
 Hydrochlorothiazide capsule; (110) 257
 Hydrocolloid dressing; (112) 29
 Hydrocortisone; (103) 93; (106) 7; (110) 211
 Hydrocortisone 21-acetate; (110) 231
 Hydrocortisone sodium phosphate; (106) 7
 Hydrocortisone sodium succinate; (106) 7
 Hydrogel; (104) 107
 Hydrogen bond; (104) 125

- Hydrogen peroxide; (107) 199
 Hydrolysis; (101) 145; (104) 29; (106) 7; (106) 135; (107) 67
 Hydrolysis kinetics; (105) 147
 Hydroperoxy radical; (104) 247
 Hydrophile-lipophile balance; (103) 267
 Hydrophilic drug; (103) R1
 Hydrophilicity; (104) 41
 Hydrophilic polymer; (105) 65
 Hydrophobic drug; (103) R1
 Hydrophobic interaction; (108) 69
 Hydroxypropylmethylcellulose; (112) 37
 Hydroxyapatite; (112) 215
 Hydroxyl radical; (104) 247; (107) 199
 7-*N*-(*p*-Hydroxyphenyl)mitomycin C; (105) 249
 Hydroxypropylated cyclodextrin; (101) 97
 Hydroxypropyl- β -cyclodextrin; (106) 63
 2-Hydroxypropyl- β -cyclodextrin; (106) 135
 Hydroxypropyl- β -cyclodextrin; (108) 69
 Hydroxypropyl methylcellulose; (102) 207; (103) 205; (104) 115; (104) 181
 Hydroxypropylmethylcellulose; (111) 251
 Hydroxypropyl methylcellulose; (112) 191
 Hydroxypropylmethylcellulose solution; (109) 115
 Hygroscopicity; (105) 209
 Hyphal development; (105) 71

 Ibuprofen; (106) 25; (107) 179; (112) 37; (112) 233
 ICRF-187; (107) 67
 Image analysis; (109) 209; (109) 221; (112) 153
 Imide; (107) 67
 Immunomodulating compound; (105) 235
 Inclusion; (106) 63
 Inclusion ability; (101) 97
 Inclusion complex; (106) 135; (106) 179; (112) 249
 Individual particle; (111) 43
 Indomethacin; (104) 1; (104) 1; (104) 87; (106) 25; (106) 63; (106) 115
 Indomethacin tablet; (112) 87
 Inert matrix tablet; (109) 229
 Inflamed eye; (110) 211
 Infrared spectroscopy; (112) 165
 Infrared spectroscopy; (101) 23; (101) 169
 Infrared spectrum, Solubility, Stability; (101) 127
 Infusion bag; (110) 197
 Inhalation; (107) 57
 Inhalation therapy; (104) 73
 Injectable o/w emulsion; (110) 189
 Injection pain; (109) 45
 Inlet air temperature; (102) 117
 In-line intravenous filter; (103) 87
 Instrumentation; (107) 29; (107) 219
 Insulin; (101) 191; (105) 219; (111) 213
 Insulin degradation; (111) 147
 Insulin delivery; (101) 15
 Insulin delivery system; (101) 191
 Interaction; (101) 227; (102) 167; (102) 207
 Interactive mixing; (104) R1; (112) 55

 Interfacial cross-linking; (103) 253
 Interferon; (101) 63
 α -Interferon; (104) 145
 Intermanufacturer variability; (103) 9; (107) 247; (109) 1
 Intestinal absorption; (108) 39; (109) 197
 Intestinal delivery; (112) 207
 Intestinal lysosomal proteolytic activity; (107) 133
 Intestinal mucosa; (112) 133
 Intestinal perfusion; (109) 125
 Intestinal ring; (107) 223
 Intestinal uptake; (104) 227
 Intraduodenal model; (102) 177
 Intralipid; (107) 121
 Intramolecular aminolysis; (101) 145
 Intramolecular rearrangement; (105) 169
 Intramuscular administration; (105) 189
 Intranasal administration; (110) 93
 Intraperitoneal administration; (107) 41
 Intraperitoneal chemotherapy; (110) 117
 Intraperitoneal injection; (110) 155
 Intraperitoneal model; (102) 177
 Intraportal model; (102) 177
 Intrathecal administration; (107) 41
 Intrauterine administration; (111) 197
 Intrinsic viscosity; (103) 225
 Inverse gas chromatography; (111) 241
 In vitro availability; (103) 119
 In vitro diffusion; (110) 211
 In vitro dissolution; (102) 213
 In vitro evaluation; (106) 69
 In vitro hemolysis; (101) 97
 In vitro-in vivo correlation; (103) 115; (104) 11
 In vitro – in vivo correlation; (110) 65
 In vitro-in vivo correlation; (111) 181
 In vitro membrane diffusion; (111) 1
 In vitro permeation; (103) 27; (111) 191
 In vitro release; (109) 251
 In vitro study; (109) 35
 In vivo model; (103) 259
 Iodine-polyurethane interaction; (103) 199
 Ionic strength effect; (108) 95
 Ionization constant; (109) 261
 Ionizing radiation; (104) 49
 Iontophoresis; (101) 105; (101) 219; (101) R1; (106) 7; (107) 23; (111) 73
 Iontophoretic permeation cell; (101) 219
 IOP depression; (105) 147
 Isopropyl myristate solubility; (111) 223
 Isosorbide nitrate; (107) 111
 Isothermal microcalorimetry; (105) 125
 Itazigrel; (102) 133
 Ivermectin; (103) 93

 Jet nebulizer; (104) 73

 Ketoprofen; (106) 25; (109) 107
 Kinetic order; (107) 243; (112) 93

Kinetics; (101) R1; (102) 193; (104) 29

L-649,923; (109) 237

Lactate dehydrogenase; (104) 73; (109) 17

Lactose; (102) 1; (110) 203; (110) 249; (110) 257

Lag time; (110) 1

Lag time method; (109) 283

Langmuir film; (108) 109

Langmuir isotherm; (108) 31

Large intestine; (110) 47

Laser Doppler velocimetry; (111) 111

Latex; (101) 257; (103) 47

LDL receptor; (110) 277

Leachable; (108) 1

Lecithin purity; (106) 51

Leukemic T-cell; (111) 25

Leukocyte elastase; (104) 151

Leukotriene biosynthesis inhibitor; (103) 259

Leukotriene D₄ antagonist; (109) 237

Leuprolide; (108) 49

Leuprolide aerosol; (107) 57

Leutinizing hormone releasing hormone; (105) 7

LHRH; (105) 241

LHRH agonist; (108) 49

LH-RH analog; (107) 57

Light scattering; (105) 235

Light stability; (103) 69

d-Limonene; (103) 179

d-Limonene; (105) 31

Lipid A subunit analog; (111) 15

Lipid composition; (103) 81

Lipidic amino acid; (102) 223; (105) 241; (106) 85

Lipidic peptide; (102) 223; (105) 241; (106) 85

Lipid mixing; (105) 259

Lipid phase transition temperature; (102) 25

Lipofundin MCT/LCT; (101) 175

Lipofundin MCT/LCT; (107) 121

Lipophilic derivative; (109) 73

Lipophilicity; (102) 231; (112) 181

Lipophilic prodrug; (110) 189

Liposomal stability; (112) 249

Liposome; (101) 227; (102) 25; (102) 151; (102) 159; (103) 81; (103) 131; (103) 237; (103) 277; (103) R1; (107) 1; (107) 99; (107) 149; (107) 189; (110) 161; (111) 15; (111) 103; (112) 249

Liposome-entrapped methotrexate; (108) 21

Liposphere; (105) R1

Liquid crystalline phase; (108) 195

Liquid crystalline system; (111) 283

Lisinopril; (107) 77

Lithium dodecyl sulfate; (110) 267

Liver non-parenchymal cell; (105) 19

LL-D49194 α ; (112) 97

Low-density lipoprotein; (110) 277

Lower critical relative humidity; (108) 213

Lubrication; (102) 81

Lung; (101) 81; (104) 151

Lung deposition; (102) 11

Lung function testing; (107) 211

Lymph; (108) 85

Lymphatic transport; (108) 85; (110) 155

Lymph level; (110) 155

Lyoavailability; (106) 109

Lyophilization; (111) 205

Lyotropic liquid crystalline phase; (102) 91; (103) 225

Lysine salt; (105) 209

Lysis; (110) 161

M1; (103) 147

M2; (103) 147

M3; (103) 147

M4; (103) 147

M1; (109) 181

M2; (109) 181

M3; (109) 181

M4; (109) 181

Macromolecular prodrug; (105) 57

Macromolecular size; (105) 235

Macromolecule; (102) 19

Macrophage; (107) 189

Magnesium stearate; (110) 249

Malaria chemotherapy; (110) 189

Mannitol; (107) 199

Matrix; (101) 23; (110) 285

Matrix carrier; (112) 125

Matrix tablet; (105) 65; (111) 251

MCC; (109) 209

Mean yield pressure; (112) 225

Mebendazole; (102) 231; (104) 175

Mechanical activation; (111) 159

Mechanical properties; (103) 293; (109) 9; (112) 191

Mechanical testing; (104) 203

Mechanism; (104) 29

Mechanism α ; (109) 59

Mechanism β ; (109) 59

Medium chain triglyceride; (101) 175

Medium chain triglyceride (MCT); (107) 121

Mefloquine; (110) 189

Mefloquine hydrochloride; (101) 127

Melanotropin (6–9); (101) 57; (103) 77; (107) 23

α -Melanotropin; (102) 193

Melting point; (112) 1

Melting temperature-membrane transport; (104) 19

Membrane; (103) 217

Membrane fusion; (107) 99

Membrane permeability; (105) 137; (109) 147; (111) 31

Mesenteric lymph; (102) 261

Mesna; (104) 151

Metabolism; (112) 181

Metal-ion complexation; (106) 229

Metastable amylose; (102) 81

Metered dose inhaler; (101) 81; (106) 69

Methacrylate polymer; (111) 127

Methocel; (109) 91

- Method development; (103) 187
Method validation; (103) 187
Methotrexate; (102) 35; (105) 83; (106) 221; (108) 21; (111) 25
Methotrexate-bearing negatively charged liposomes; (102) 35
Methotrexate dialkyl ester; (102) 241; (107) 9
Methoxy/hydropropoxy substitution; (103) 205; (104) 115
8-Methoxypsoralen; (110) 65
Methyl phosphonate oligonucleotide; (107) 169
Methylprednisolone; (110) 9
Metoclopramide; (104) 107
Metronidazole; (109) 251
Micellar; (102) 109
Micellar solubilization; (101) 209; (107) 159
Micelle; (105) 137
Micelle solubilization; (109) 197
Microbial azo reduction; (106) 255
Microcalorimetric titration; (104) 239
Microcalorimetry; (104) 135; (104) 239
Microcapsule; (103) 253; (106) 25
Microcapsules; (109) 271
Microcrystalline cellulose; (101) 169; (108) 31; (110) 203; (111) 43; (112) 225
Microemulsion; (105) 77; (105) R1; (111) 63; (111) 235
Microemulsions; (106) 51
Microindentation; (106) 187
Microparticle; (106) 77
Microparticles; (103) 37
Microscopy; (105) 39
Microsphere; (103) 119; (103) 267; (106) 213; (107) 41; (107) 205; (110) 117; (111) 217
Microsphere absorption; (102) 261
Microspheres; (102) 101
Milling; (101) 237
Mitomycin derivative; (105) 249
Mitoxantrone; (103) 81; (107) 149
Mitozantrone; (103) 87
Mixed micelle; (109) 147
Mixed micelles; (107) 159
Mixed solvent system; (109) 291
Mixer torque rheometry; (102) 167
MK-886; (103) 259
Mobile order theory; (101) 199; (104) 125
Modelling; (105) 103
Moisture content; (102) 81
Moisture permeability; (112) 191
Moisture sorption; (103) 103; (104) 135
Moisture sorption analysis; (103) 205
Moisturiser; (105) 103
Molar heat of solution; (111) 159
Molecular modeling; (106) 179
Molecular rearrangement; (109) 59
Molecular size; (103) 205; (104) 115
Molecular weight; (107) 23; (112) 191
Monkey skin; (110) 137
Monocarboxylic acid; (108) 225
Monoester stability; (102) 241
Monoglyceride; (104) 1; (104) 87
Monoglyceride liquid crystal; (111) 283
Monolayer; (107) 239
Morphine hydrochloride; (101) 219
 α -MSH(6–9); (101) 57
Mucoadhesion; (107) 91
Mucosal barrier recovery; (101) 15
Multidrug resistance; (102) 55
Multilayer feedforward network; (108) 155; (110) 101
Multilinear stepwise regression; (102) 117
Multilinear stepwise regression analysis; (108) 155; (110) 101
Multiple emulsion; (111) 137
Multiple-unit dosage form; (111) 181
Multistage liquid impinger; (103) 119
Multivariate calibration; (106) 141
Murine peritoneal macrophage; (107) 149
Myeloperoxidase-H₂O₂ system; (104) 151

Nafarelin acetate; (110) 137
Nanocapsule; (103) 283
Nanoparticle; (103) 283; (106) 201; (111) 31
Nanoparticles; (101) 165; (110) 21
Naproxen; (106) 179
Nasal; (105) 7; (107) 231
Nasal absorption; (103) 27; (110) 93
Nasal delivery; (112) 181
Nasal mucosa; (103) 27
Nebulisation; (103) 119
Nebuliser; (102) 159
Neonatal rat skin; (108) 141
Net work; (112) 173
Neural computing; (108) 155
Neurocomputing; (110) 101
Neurotensin; (112) 133
Neutron activation; (102) 101
Neutrophil; (104) 151
Nifedipine; (103) 69; (103) 179; (108) 11; (111) 235
Niosome; (108) 117
Niosomes; (105) 1
Nitroglycerin; (110) 197
NMR; (102) 109; (109) 99; (110) 55
¹H-NMR; (106) 179
Nonaqueous solvent; (108) 49
Non-enzymatic conversion; (112) 143
Nonionic surfactant; (105) 77; (106) 15; (110) 47; (110) 155
Non-ionic surfactant vesicle; (108) 117
Nonlinear regression; (107) 243; (112) 93
Non-linear three-element mechanical model; (106) 187
Nontoxic penetration enhancer; (111) 191
Nordazepam; (106) 109
Normal eye; (110) 211
NSAID; (108) 109
Numerical convolution; (104) 215
Numerical model; (102) 47
Nystatin; (101) 121

Octyl methoxycinnamate; (108) 57
Ocular delivery; (105) 147

- Ocular drug delivery system; (103) 283
Ofloxacin; (106) 229
Oleic acid; (101) 57; (103) 77; (105) 47
Ophthalmics; (106) 161
Ophthalmic sustained release; (111) 295
Ophthalmology; (110) 211
Optical rotation enhancement; (108) 95
Optimization; (109) 135; (111) 89
Oral absorption; (102) 177; (102) 223; (105) 235
Oral administration; (102) 47; (106) 201
Oral availability; (101) 89; (110) 47
Oral bioavailability; (103) 259
Oral drug delivery; (104) 227; (107) 223; (110) 127
Oral drug delivery system; (111) 271; (112) 241
Oral immunization; (108) 133; (111) 137
Oral time-based system; (108) 77
Ordered mixing; (112) 55
Organ distribution; (105) 157
Organic acid; (101) 89; (110) 47
o/w emulsion; (109) 251
Oxidation; (110) 241; (111) 153
Oxidative stress; (110) 161
Oxprenolol hydrochloride; (112) 93
- P388; (102) 55
Packability; (105) 11
Paddle dissolution method; (112) 233
P388/ADR; (102) 55
Pain assessment; (109) 45
Paracetamol; (102) 71; (104) 215; (112) 241
Paracetamol crystal; (112) 17
Parallel/sequential metabolic scheme; (107) 9
Parenteral dosage form; (102) 63
Parenteral feeding mixture; (101) 175; (107) 121
Partial coating; (112) 47
Partial molar enthalpy; (104) 239
Particle; (108) 233
Particle adhesion; (104) R1; (112) 55
Particle deposition; (106) 69
Particle shape; (111) 43
Particle size; (101) 169; (103) 9; (103) 137; (103) 205; (103) 277; (104) 115; (104) 271; (107) 205; (107) 211; (108) 233; (109) 135; (111) 43; (112) 65
Particle size analysis; (109) 1
Particle size distribution; (110) 37
Particle size effect; (106) 33
Particle surface; (111) 43
Particle surface structure; (111) 159
Particle uptake; (105) 157
Particulate matter contamination; (103) 125
Partition coefficient; (101) 145; (107) 23; (108) 173; (111) 223; (112) 1
Partitioning; (106) 115; (111) 1
P388 cell; (101) 97
PCR-generated DNA fragment; (105) 181
Pectic acid; (109) 271
PEG-40 hydrogenated castor oil; (108) 207
Pellet; (103) 55; (108) 207; (109) 209; (109) 221; (111) 89
Pellet quality; (107) 29
Penetration; (102) 151
Penetration enhancer; (101) 57; (102) 19; (103) 77; (104) 61; (110) 137; (111) 73; (111) 235
Pepsin; (101) 165
Peptidase; (105) 7
Peptide; (102) 193; (104) 145; (104) 187; (106) 95; (107) 57; (111) 197
Peptide drug delivery; (107) 57
Peptide transport; (111) 213
Peptide transporter; (104) 187
Percent crystallinity; (101) 237
Percent recovery; (102) 185
Percolation theory; (101) 45; (109) 229
Percolation threshold; (109) 229
Percoll™; (105) 39
Percutaneous absorption; (102) 19; (102) 141; (105) 31; (106) 1; (109) 251; (110) 137; (110) 231
Percutaneous penetration; (111) 7
Percutaneous permeation; (109) 283
Perfluoroalkylated telomeric surfactant; (104) 41
Peritoneal macrophage; (104) 41
Permeability; (101) 57; (101) 105; (103) 77; (104) 95; (104) 181; (109) 9; (109) 125; (111) 7; (111) 127
Permeability coefficient; (103) 27; (103) 163
Permeation; (101) 15; (105) 219; (107) 231
Permeation enhancer; (101) 15; (109) 283
pH; (102) 201; (106) 125; (109) 91; (111) 261
pH dependence; (112) 143
pH effect; (108) 95
pH equation; (109) 27
pH stability; (101) 219
Phagocytosis; (104) 41
Pharmaceutical dosage form; (111) 83
Pharmaceutical form; (102) 271
Pharmacodynamics; (111) 197
Pharmacokinetic analysis; (105) 19; (108) 125
Pharmacokinetic model; (102) 141
Pharmacokinetic parameters; (109) 107
Pharmacokinetics; (102) 35; (102) 141; (102) 249; (102) 267; (103) 115; (103) 147; (104) 145; (106) 95; (108) 21; (109) 181
Pharmacokinetic simulation; (104) 253
Phase behavior; (106) 51; (111) 63
Phase diagram; (102) 91; (103) 225; (106) 51; (111) 63
Phase separation; (104) 95
Phenol; (112) 143
Phenytoin; (102) 109; (102) 267; (109) 27
Phosphatidylcholine; (103) 217; (105) 259
Phosphatidylethanolamine; (105) 259
Phospholipid; (106) 89; (107) 239
Phospholipid monolayer; (108) 109
Phosphonoformate; (104) 157; (108) 225
Photodecomposition; (103) 69
Photodegradation; (110) 55
Photoisomerization; (110) 55
Photolytic degradation; (103) 69

- Photoproduct; (110) 55
 Photoprotection; (103) 69
 Photostability; (107) 199
 Photostabilization; (103) 69
 pH-rate profile; (109) 261
 pH-sensitive liposomes; (101) 191
 pH-solubility profile; (108) 173
 Physical form; (110) 9
 Physical properties; (106) 103; (112) 125
 Physical restriction; (112) 47
 Physical scraping; (102) 241
 Physicochemical properties; (108) 233
 Physostigmine; (109) 283
 Piroxicam; (106) 1; (111) 1
 Plastic deformation; (101) 71; (102) 81
 Plasticizer; (102) 207; (103) 47; (104) 203; (111) 127; (112) 191
 Plasticizer permanence; (103) 293
 Pluronic; (112) 79
 Podophyllotoxin; (109) 73
 Poisson's ratio; (105) 177
 Polarity; (102) 167
 Polarized light microscopy; (110) 75
 Polarizing microscope; (102) 91
 Polarography; (106) 255
 Poloxamer 407; (107) 85; (112) 65; (112) 79
 Polyalkylcyanoacrylate; (110) 21
 Polyalkylcyanoacrylate nanoparticles; (102) 55
 Polybutylcyanoacrylate; (101) 165
 Polybutylcyanoacrylate nanoparticle; (103) 303
 Polycarbophil; (112) 87
 Poly-DL-lactide; (103) 217
 Poly(DL-lactide-co-glycolide); (106) 201
 Poly(ϵ -caprolactone); (103) 283
 Polyethylcyanoacrylate; (111) 31
 Polyethylene glycol 6000; (102) 207; (108) 207
 Polyethylene glycol 4000; (109) 147
 Polyethylene glycol 6000; (110) 223; (110) 267
 Polyglycolized glyceride; (106) 15
 Polylactide; (107) 41
 Poly(lactide-co-glycolide); (103) 37
 Polylactide-co-glycolide; (107) 41
 Poly(lactide-co-glycolide); (108) 133; (111) 137
 Polymer; (102) 47; (110) 169
 Polymer degradation; (103) 37
 Polymer film; (104) 203
 Polymeric container; (108) 1
 Polymeric drug carrier; (104) 227
 Polymerization; (106) 249
 Polymer-plasticizer interaction; (103) 293
 Polymer swelling; (111) 127
 Poly(methylmethacrylate) nanoparticles; (110) 29
 Polymorphism; (110) 75; (112) 165
 Polymorphism, Pseudopolymorphism; (101) 127
 Polymyxin B; (102) 201
 α,β -Poly(*N*-hydroxyethyl)-DL-aspartamide (PHEA); (105) 57
 Poly(*N*-vinylpyrrolidone-co-maleic acid); (104) 227
 Polypeptide; (105) 113
 Polyplasdone XL[®]; (110) 257
 Polysaccharide; (112) 125
 Polystyrene microsphere; (104) 41
 Polystyrene sulfonate; (105) 113
 Poly(vinyl alcohol); (102) 207
 Polyvinylpyrrolidone; (104) 169; (110) 223
 Poorly water-soluble drug; (106) 25
 Porcine cornea; (110) 211
 Pore pathway; (107) 23
 Pore size; (105) 113
 Pore size distribution; (108) 167
 Porosity; (101) 35; (101) 45; (101) 71; (102) 1; (104) 95; (109) 209
 Porous cellulose bead; (112) 153
 Porous compacted specimen; (105) 177
 Porous crystalline cellulose; (108) 167
 Porous film; (104) 95
 Post-compaction tensile strength increase; (109) 59
 Post-proline cleaving enzyme; (112) 133
 Potassium dodecyl sulfate; (110) 267
 Powder; (103) 155; (105) 125
 Powder inhaler; (102) 127
 Powder X-ray diffraction; (109) 83
 Power consumption; (107) 29; (107) 219
 Power-law parameters; (107) 85
 Praziquantel; (103) 237
 Prazosin; (105) 169
 Precipitation; (109) 27
 Preclinical safety; (107) 57
 Predictive model; (109) 237
 Prednisolone ocular delivery; (111) 295
 Preformulation; (102) 63
 Preparation; (103) 199
 Pressurized suspension; (110) 9
 Pre-transition; (110) 179
 Pretreatment; (106) 1
 Primaquine; (110) 161
 Primary culture; (101) 121
 Primary immune response; (103) 303
 Primojel[®]; (107) 141
 Processing; (105) 125; (106) 33
 Process modeling; (110) 101
 Process modelling; (108) 155
 Process variables; (107) 205
 Prodrug; (102) 109; (102) 231; (103) 1; (104) 157; (104) 175; (105) 147; (105) 169; (109) 73; (111) 223; (112) 143
 Proliferation assay; (101) 121
 Prolonged circulation; (111) 103
 Prolonged release; (107) 179; (111) 171
 Prolylcarboxypeptidase; (107) 133
 Propellant; (110) 9
 Propranolol; (101) 145; (104) 19; (109) 283; (110) 291
 Propranolol ester; (101) 145
 Propranolol hydrochloride; (111) 251
 (*R,S*)-Propranolol hydrochloride; (109) 83
 Propylene glycol; (111) 1
 Prostaglandin A₂; (106) 135; (106) 167

- Prostaglandin B₂; (106) 135; (106) 167
 Prostaglandin E₂; (106) 135; (106) 167
 Protein; (101) 63; (109) 17
 α_1 -Proteinase inhibitor; (104) 151
 Protein binding; (108) 241
 Proteolysis; (104) 151; (111) 147
 Proteolytic degradation; (112) 133
 Pseudoephedrine; (111) 171
 Pseudo-first order kinetics; (102) 241
 Pseudolatex; (104) 203
Pseudomonas aeruginosa; (101) R7
 Psoriasis; (105) 227
 Pulmonary administration; (106) 95
 Pulmonary clearance; (102) 159
 Pulmonary delivery; (103) 119
 Pulmonary deposition; (102) 159
 Pulsed current; (101) 219
 Pump reservoir; (101) 257
 Punch velocity; (103) 55
 PVC; (101) 257
 PVC bag; (105) 89
 PVC infusion bag; (105) 83
 Pyrazole formation; (108) 95
- Quantum-chemical calculations; (110) 109
 Quinolone; (106) 229
 Quinolone determination; (111) 83
- Rabbit; (106) 161
 Rabbit test; (105) 147
 Radiation; (105) 255
 Radical; (107) 67
 Radiolabeled TOF; (102) 249
 Radiolabelled blastospore; (105) 39
 Radiolabelled drug; (102) 11
 Radiosensitizer; (102) 63
 Rapidly soluble dosage form; (101) 63
 Rat; (101) 89; (102) 141; (102) 257; (102) 261; (102) 267; (109) 125; (110) 47; (110) 155
 Rat skin; (103) 179
 Razoxane; (107) 67
 Reactive dimension; (108) 187
 Recombinant human granulocyte colony-stimulating factor (rhG-CSF); (101) 89
 Recombinant human granulocyte colony-stimulating factor (rhG-CSF); (110) 47
 Recompression; (112) 225
 Rectal solution; (104) 215
 Red blood cell; (110) 161
 Regional oral absorption; (109) 125
 Relative diffusivity; (112) 117
 Relative lipophilicity; (105) 147
 Release; (103) 81; (104) 181; (111) 31
 Release curve; (112) 105; (112) 117
 Released amount; (106) 1
 Release kinetics; (110) 285; (111) 137
 Release mechanism; (109) 229; (111) 217
- Release medium; (112) 241
 Release rate; (102) 19; (105) 1; (106) 149; (108) 117
 Renin inhibitor; (102) 177
 Renkin factor; (107) 23
 Reservoir; (101) 105
 Resistance reversion; (102) 55
 Resonance energy transfer; (107) 99
 Respiratory tract; (101) 1; (112) 181
all-trans-Retinoic acid; (111) 111
 Reversed-phase HPLC; (102) 271
 RGD; (106) 95
 Rheological properties; (107) 85
 Rheological testing; (109) 115
 Rheology; (103) 155; (106) 103; (110) 37; (111) 205
 Rifampicin; (108) 125
 Rosette-forming cell; (103) 303
 Rotational rheology; (107) 51
 RS-1541; (110) 277
 RS-1541/LDL complex; (110) 277
 RU 41740; (105) 235
 Rubber stopper; (103) 125
- Salbutamol; (107) 211
 Salbutamol sulfate; (108) 233; (111) 241
 Salt form selection; (109) 237
 Salt selection; (105) 209
 Sample weight effect; (106) 33
 Saturated fatty acid triglyceride; (110) 155
 Scanning electron microscopy; (102) 81; (109) 221; (111) 117
 Scavenger receptor; (105) 19
 Schistosomiasis; (103) 237
 Scleroglucan; (112) 125
 Secondary structure; (108) 49
 Second-order derivative UV spectrophotometry; (108) 11
 Second-order kinetics; (106) 25
 Seeded crystal growth; (112) 215
 Selective catheterism; (106) 41
 Self-emulsification; (106) 15
 Semisolid emulsion system; (107) 51
 Semi-solid lipid matrices; (110) 65
 Serum; (101) 97
 Serum G-CSF concentration; (110) 93
 Shear cell; (103) 155
 Shear deformation; (106) 125; (111) 261
 Shear modulus; (105) 177
 Shelf-life; (107) 243; (112) 93
 Shell dosage form; (102) 47
 Side effects; (104) 87
 Silastic®; (111) 1
 Silicone surfactant; (107) 51
 Simultaneous determination; (108) 11
 Simultaneous diffusion/bioconversion; (107) 9
 Site-specific oral absorption; (109) 125
 Size; (103) 267; (107) 189; (112) 79
 Size and shape descriptors; (108) 187
 Size distribution; (111) 15
 SK&F 106760; (106) 95

- Skin; (102) 151; (103) 131; (104) 19; (109) 283
 Skin flux; (110) 137
 Skin hydration; (105) 103
 Skin irritation; (111) 111
 Skin metabolism; (110) 137
 Skin permeability; (103) 163; (105) 103; (107) 23
 Skin permeation; (111) 191
 Skin retention; (110) 231
 Slugging; (112) 225
 Small intestine; (107) 223; (110) 127
 Small intestine transit time; (108) 77
 Sodium alginate; (107) 179; (111) 171
 Sodium carboxymethylcellulose; (106) 103; (110) 285
 Sodium cholate; (109) 147
 Sodium cromoglycate; (102) 127
 Sodium dodecyl sulfate; (105) 137; (110) 267
 Sodium glycocholate; (111) 213
 Sodium hyaluronate; (106) 161
 Sodium lauryl sulfate; (107) 239; (110) 147; (111) 73
 Softbag; (110) 197
 Solid bridge stabilization; (109) 59
 Solid bridging; (104) R1; (112) 55
 Solid complex; (109) 99
 Solid dispersion; (103) 137; (104) 169; (106) 109; (108) 101
 Solid solution; (110) 267
 Solid-state NMR; (110) 267; (111) 43
 Solubility; (101) 199; (102) 133; (102) 231; (104) 181; (105) 137; (109) 27; (109) 147; (110) 9; (110) 137; (111) 159; (112) 1; (112) 165
 Solubility data linearization; (109) 291
 Solubility estimation; (109) 291
 Solubility parameters; (111) 223
 Solubility prediction; (104) 125; (108) 149
 Solubilization; (105) 77; (110) 169
 Solute-solvent complexation; (101) 199
 Solution calorimetry; (112) 65
 Solution kinetics; (111) 153
 Solvent effect; (104) 125
 Solvent evaporation method; (106) 213
 Solvent evaporation process; (106) 201; (109) 271
 Sorbed moisture content; (104) 115
 Sorbitan ester; (105) 1; (108) 117
 Sorbitol; (107) 199
 Sorivudine; (103) 69
 Sorivudine (BV-araU); (110) 249
 Sorption; (101) 23; (110) 197
 Sotalol; (105) 65
 Soybean lecithin; (106) 51; (111) 63
 Spacer device; (106) 69
 Sparingly soluble salt; (109) 271
 Specific surface; (107) 247
 Specific surface area; (108) 167
 Spectrophotometry; (110) 197
 Spectroscopy; (105) 47
 Spherical agglomeration; (101) 63
 Spherical crystallization technique; (105) 11
 Spherical matrix; (112) 153
 Spheronisation; (107) 29
 Spheronization; (111) 89
 Spinning top generator; (107) 211
 Spiramycin; (110) 223
 Spray-dried lactose; (112) 225
 Spray drying; (108) 233
 Spreading; (102) 167
 SQ-33600; (108) 195
 Stability; (101) 145; (101) 165; (101) 257; (102) 35; (102) 63; (102) 193; (103) 147; (105) 147; (105) 169; (106) 7; (106) 135; (107) 1; (107) 111; (107) 141; (107) 243; (109) 17; (109) 261; (111) 51; (112) 93; (112) 143
 Stability constant; (104) 125
 Stability indicating assay; (102) 201
 Stability kinetics; (106) 167
 Stability profile; (109) 191
 Stagnant diffusion layer; (101) 209; (107) 159
 Starch capsule; (112) 207
 Steady state; (109) 283
 Stearic acid; (112) 165
 Steroid; (103) 19
 Stirring rate; (103) 137
 Stokes-Einstein radius; (105) 113
 Stomach; (109) 91
 Storage; (103) 93; (105) 83
 Storage effect; (108) 213
 Stratum corneum; (105) 47; (107) 23; (111) 235
 Stress relaxation; (106) 187
 Stripping; (111) 7
 Structure; (110) 267
 Structure-activity relationship; (110) 109
 Subcutaneous administration; (105) 189
 Submicron emulsion; (108) 57
 5-Substituted 2-(3-pyridyl)benzoxazoles; (110) 109
 Succinylated bovine serum albumin; (105) 19
 Succinylated superoxide dismutase; (105) 19
 Succinylated uricase; (105) 19
 Suckling rat; (108) 39
 Sucrose; (107) 199
 Sulfamethoxazole; (110) 55
 Sulfide-dicarboxylic acid; (111) 153
 Supercritical fluid extraction; (106) 77
 Supercritical gas; (106) 77
 Superdisintegrant; (110) 257
 Supersaturation; (111) 1
 Suppository; (102) 213; (104) 87; (104) 215; (112) 233
 Surface-active agent; (110) 223
 Surface adsorption interaction; (108) 31
 Surface area; (101) 71; (108) 213
 Surface charge; (107) 189
 Surface energy; (102) 167
 Surface free energy; (111) 241
 Surface geometry; (108) 187
 Surface mobility; (104) 41
 Surface molecule rearrangement; (111) 159
 Surface pressure; (107) 239
 Surface properties; (105) 125; (111) 241

- Surfactant; (101) 209; (102) 257; (103) 119; (105) 219; (107) 159; (108) 141; (109) 197; (110) 9; (110) 179
Surfactant adsorption; (103) 19
Surfactant type; (103) 267
Suspension; (101) 263; (109) 271
Sustained release; (106) 213; (109) 271
Sustained-release dosage form; (111) 181
Swellable system; (112) 47
Swelling; (104) 107; (112) 47
Swelling force; (112) 29
Synchrotron radiation; (103) 225
Synthetic iron oxide; (103) 69
Synthetic membrane; (105) 113
Synthetic oligonucleotide; (105) 181
- Tablet; (101) 71; (106) 149; (111) 51
Tablet coating; (102) 207
Tableting excipient; (105) 255
Tableting parameters; (105) 255
Tableting properties; (110) 37
Tablet properties; (102) 117
Tablet tensile strength; (108) 213
Tabletting; (112) 37
Tape-stripped skin; (107) 9
Targeting; (103) 237
Taurocholate; (109) 197
Tautomerism; (110) 55
^{99m}Tc; (102) 159
Temperature; (102) 201
Temperature effect; (105) 31; (108) 95
Teniposide; (105) 89
Tensile force measurement; (107) 91
Tensile strength; (103) 55; (104) 115; (110) 75; (111) 51
Terbutaline sulfate; (106) 213
Terephthaloyl chloride; (103) 253
Tetrahydroaminoacridine; (109) 283
Tetrandrine; (109) 135
Tetrapeptide; (101) 57; (103) 77; (107) 23
Theophylline; (108) 149
Theophylline; (103) 115; (106) 149; (111) 271; (112) 241
Theophylline monohydrate; (106) 33
Thermal analysis; (101) 127
Thermal gelation; (107) 85
Thermal stability; (111) 223
Thoracic lymph duct; (110) 155
Thymidylate synthase inhibitor; (105) 227
Thyrotropin-releasing hormone; (107) 231
Time-controlled explosion system (TES); (110) 1
Timed release; (111) 99
Tissue distribution; (102) 35; (102) 249; (106) 201; (108) 21; (109) 181
Titanium dioxide; (105) 157
TNF induction; (111) 15
Tobramycin; (108) 39
 α -Tocopherol; (104) 49; (111) 261
Tolerance; (106) 161
Tolmetin; (103) 217
- Tomato lectin; (107) 223; (110) 127
Topical application; (102) 151
Topical delivery; (103) 131; (103) 277; (103) R1
Topical formulation; (103) 187; (104) 181; (105) 227
Total parenteral nutrition; (101) 175; (107) 121
Training end point; (110) 101
Transdermal; (104) 19
Transdermal delivery; (103) 131; (106) 7; (108) 141; (111) 223
Transdermal drug delivery; (111) 73
Transdermal penetration; (103) 179
Transendometrium; (111) 197
Transmission electron microscopy; (107) 51
Tretinoin; (106) 125; (110) 241; (111) 111
TRH; (105) 241
Triamcinolone acetonide; (109) 283
Triglyceride; (111) 51
Trinitrobenzenesulfonic acid; (103) 253
Tritiated water flux; (101) 219
Triton X-100; (103) 19
Tropical conditions; (109) 9
[D-Trp-6]LHRH; (105) R1
Trypsin; (102) 241
Trypsin inhibitor; (101) 89
Twin Impinger; (106) 69
Tyloxapol; (102) 91; (103) 225
Tyrophostin; (104) 29
- Ultrafiltration; (109) 99
Ultrasonic nebuliser; (103) 119
Unit cell dimensions; (109) 83
Uracil; (103) 93
Urea bead; (112) 117
Urine; (111) 83
Ursodeoxycholic acid; (109) 173
Ussing chamber; (106) 237; (107) 231
- Vaginal tissue; (106) 237
Validation; (106) 141
Valve; (106) 69
Vancomycin; (109) 261
V3 BRU peptide; (111) 137
Vehicle effect; (111) 1
Verapamil; (102) 267
Vesicle morphology; (105) 259
Viability; (106) 237
Vinblastine sulfate; (103) 87
Vincristine; (111) 25
Vincristine sulfate; (103) 87
Visco-elastic deformation; (109) 59
Viscoelasticity; (107) 51
Viscosity; (106) 1; (111) 251
Viscosity grade; (112) 173
- Warfarin sodium; (110) 197
Water loss; (110) 147
Water solubility; (111) 223
Water sorption; (101) 237

- Water uptake; (112) 29
- Water vapor adsorption; (108) 167
- Water vapor diffusion; (101) 35
- Weak electrolyte; (109) 191
- Weaning period; (108) 39
- Wet granulation; (102) 167
- Wetting; (102) 167
- Wilhelmy plate; (109) 155
- w/o emulsion; (109) 251
- Work hardening; (112) 225
- Work of compaction; (103) 55
- w/o/w emulsion; (109) 251

- X-ray analysis; (104) 135
- X-ray behavior; (107) 85
- X-ray diffraction; (101) 23; (101) 169

- X-ray diffractometry; (108) 101
- X-ray powder diffraction; (101) 237; (110) 267; (112) 165
- X-ray powder diffractometry; (101) 127
- X-ray scattering; (103) 225

- Young's modulus; (105) 177

- Zanasi AZ5; (110) 249
- Zero-order absorption process; (102) 141
- Zero-order period; (109) 229
- Zero-order release; (112) 37
- Zeta potential; (101) 227; (104) 41; (108) 57
- Zeta-potential; (111) 15
- Zinc-aspirin complex; (108) 173
- Zinc sulfate; (104) 247; (108) 173