



Author Index

- Ahn, B.-N., see Lee, H.J. (121) 1
- Akbuğa, J., see Sezer, A.D. (121) 113
- Albrecht, P., see Stella, V. (121) 117
- Alderborn, G., see Jerwanska, E. (121) 65
- Ando, H.Y., see Simon, B.H. (121) 233
- Attwood, D., see Burns, S.J. (121) 37
- Aulton, M.E., see Ferrari, F. (121) 11
- Barbetti, P., see Fardella, G. (121) 123
- Barnwell, S.G., see Burns, S.J. (121) 37
- Bertoni, M., see Ferrari, F. (121) 11
- Billany, M.R., McMullan, J., Ranson, C. and Sugden, J.K.
Hydroxyl and hydroperoxy radical scavenging by copper(II)
chelates related to non-steroidal anti-inflammatory drugs
(121) 107
- Bonferoni, M.C., see Ferrari, F. (121) 11
- Brain, K.R., see Watkinson, A.C. (121) 27
- Buckton, G. and Darcy, P.
The influence of additives on the recrystallisation of amorphous spray dried lactose (121) 81
- Burns, S.J., Corness, D., Hay, G., Higginbottom, S., Whelan, I., Attwood, D. and Barnwell, S.G.
Development and validation of an in vitro dissolution method for a floating dosage form with biphasic release characteristics (121) 37
- Caramella, C., see Ferrari, F. (121) 11
- Charman, W.N., see Pochopin, N.L. (121) 157
- Chiappini, I., see Fardella, G. (121) 123
- Chien, Y.W., see Chun, I.K. (121) 217
- Ch'ng, H.-S., see Mumtaz, A.M. (121) 129
- Ch'ng, H.-S., see Mumtaz, A.M. (121) 249
- Chun, I.K. and Chien, Y.W.
Stabilization of methionine enkephalin in various rabbit mucosal extracts by enzyme inhibitors (121) 217
- Clas, S.-D., Faizer, R., O'Connor, R.E. and Vadas, E.B.
Quantification of crystallinity in blends of lyophilized and crystalline MK-0591 using X-ray powder diffraction (121) 73
- Conte, U., see Ferrari, F. (121) 11
- Corness, D., see Burns, S.J. (121) 37
- Dám, A.M., Gazsó, L.G., Kaewpila, S. and Maschek, I.
Radiation sterilization dose calculation for heparin and aprotinin based on ISO Method 1 (121) 245
- Darcy, P., see Buckton, G. (121) 81
- Demuync, C., see Ntawukuliyayo, J.D. (121) 205
- Doucet, J., see Ferreira, L.A.M. (121) 169
- El-Arini, S.K. and Leuenberger, H.
Modelling of drug release from polymer matrices: Effect of drug loading (121) 141
- El-Sayed, Y.M., Tabbara, K.F. and Gouda, M.W.
Effect of acetazolamide on the pharmacokinetics of cyclosporin in rabbits (121) 181
- Eshra, A.G., see Hassan, E.E. (121) 149
- Eynard, I., see Lafforgue, C. (121) 89
- Faizer, R., see Clas, S.-D. (121) 73
- Falson, F., see Lafforgue, C. (121) 89
- Fardella, G., Barbetti, P., Chiappini, I. and Grandolini, G.
Quantitative analysis of fluoroquinolones by ¹H- and ¹⁹F-NMR spectroscopy (121) 123
- Fazio, G., see Fini, A. (121) 19
- Fernández-Arévalo, M., see Holgado, M.A. (121) 187
- Fernández-Hervás, M.J., see Fini, A. (121) 19
- Fernández-Hervás, M.J., see Holgado, M.A. (121) 187
- Ferrari, F., Bertoni, M., Bonferoni, M.C., Rossi, S., Saunders, M., Aulton, M.E., Conte, U. and Caramella, C.
Influence of probe shape on gel strength test (121) 11
- Ferreira, L.A.M., Doucet, J., Seiller, M., Grossiord, J.L., Marty, J.P. and Wepierre, J.
In vitro percutaneous absorption of metronidazole and glucose: comparison of o/w, w/o/w and w/o systems (121) 169
- Fini, A., Fazio, G., Fernández-Hervás, M.J., Holgado, M.A. and Rabasco, A.M.
Influence of crystallization solvent and dissolution behaviour for a diclofenac salt (121) 19
- García-Encina, G., see Torres, D. (121) 239
- Gazsó, L.G., see Dám, A.M. (121) 245
- Gouda, M.W., see El-Sayed, Y.M. (121) 181

- Grandolini, G., see Fardella, G. (121) 123
 Green, D.M., see Watkinson, A.C. (121) 27
 Grossiord, J.L., see Ferreira, L.A.M. (121) 169
 Gupta, P.K., see Simon, B.H. (121) 233
- Hadgraft, J., see Lafforgue, C. (121) 89
 Hadgraft, J., see Watkinson, A.C. (121) 27
 Harashima, H., see Uchiyama, K. (121) 195
 Hassan, E.E., Eshra, A.G. and Nada, A.H.
 Formulation of prolonged release lipid micropellets by emulsion congealing: Optimization of ketoprofen entrapment and release (121) 149
 Hay, G., see Burns, S.J. (121) 37
 Higginbottom, S., see Burns, S.J. (121) 37
 Hino, T., see Niwa, T. (121) 45
 Holgado, M.A., Fernández-Hervás, M.J., Fernández-Arévalo, M. and Rabasco, A.M.
 Use of fractal dimensions in the study of excipients: application to the characterization of modified lactoses (121) 187
 Holgado, M.A., see Fini, A. (121) 19
- Jerwanska, E., Alderborn, G., Newton, J.M. and Nyström, C.
 The effect of water content on the porosity and liquid saturation of extruded cylinders (121) 65
 Joubin, H., see Watkinson, A.C. (121) 27
- Kaewpila, S., see Dám, A.M. (121) 245
 Kalala, W., see Samyn, C. (121) 211
 Kawashima, Y., see Niwa, T. (121) 45
 Kimura, T., see Nakayama, T. (121) 55
 Kinget, R., see Samyn, C. (121) 211
 Kiwada, H., see Uchiyama, K. (121) 195
 Kurosaki, Y., see Nakayama, T. (121) 55
- Lafforgue, C., Eynard, I., Falson, F., Watkinson, A.C. and Hadgraft, J.
 Percutaneous absorption of methyl nicotinate (121) 89
 Lee, H.J., Ahn, B.-N., Yoon, E.J., Paik, W.H., Shim, C.-K. and Lee, M.G.
 Pharmacokinetics and tissue distribution of adriamycin and adriamycinol after intravenous administration of adriamycin-loaded neutral liposomes to rats (121) 1
 Lee, M.G., see Lee, H.J. (121) 1
 Leuenberger, H., see El-Arini, S.K. (121) 141
- Marty, J.P., see Ferreira, L.A.M. (121) 169
 Maschek, I., see Dám, A.M. (121) 245
 McMullan, J., see Billany, M.R. (121) 107
 Mumtaz, A.M. and Ch'ng, H.-S.
 Design of a dissolution apparatus suitable for in situ release study of triamcinolone acetonide from bioadhesive buccal tablets (121) 129
 Mumtaz, A.M. and Ch'ng, H.-S.
 Evaluation of bioadhesive buccal tablets containing triamcinolone acetonide in healthy volunteers (121) 249
- Nada, A.H., see Hassan, E.E. (121) 149
 Nagayasu, A., see Uchiyama, K. (121) 195
 Nakayama, T., Sawamoto, T., Kuroski, Y. and Kimura, T.
 Biopharmaceutical studies on drug/conjugated-metabolite interactions. I. Fate of acetaminophen sulfate, a major conjugated metabolite of acetaminophen, in rats (121) 55
 Newton, J.M., see Jerwanska, E. (121) 65
 Nishida, T., see Uchiyama, K. (121) 195
 Niwa, T., Takeuchi, H., Hino, T., Nohara, M. and Kawashima, Y.
 Biodegradable submicron carriers for peptide drugs: Preparation of DL-lactide/glycolide copolymer (PLGA) nanospheres with nafarelin acetate by a novel emulsion-phase separation method in an oil system (121) 45
 Nohara, M., see Niwa, T. (121) 45
 Ntawukulilyayo, J.D., Demuyck, C. and Remon, J.P.
 Microcrystalline cellulose-sucrose esters as tablet matrix forming agents (121) 205
 Nyström, C., see Jerwanska, E. (121) 65
- O'Connor, R.E., see Clas, S.-D. (121) 73
- Paik, W.H., see Lee, H.J. (121) 1
 Pochopin, N.L., Charman, W.N. and Stella, V.J.
 Amino acid derivatives of dapsone as water-soluble prodrugs (121) 157
 Postaire, E., see Stella, V. (121) 117
- Rabasco, A.M., see Fini, A. (121) 19
 Rabasco, A.M., see Holgado, M.A. (121) 187
 Ranson, C., see Billany, M.R. (121) 107
 Remon, J.P., see Ntawukulilyayo, J.D. (121) 205
 Rossi, S., see Ferrari, F. (121) 11
- Samyn, C., Kalala, W., Van den Mooter, G. and Kinget, R.
 Synthesis and in vitro biodegradation of poly(ether-ester) azo polymers designed for colon targeting (121) 211
 Saunders, M., see Ferrari, F. (121) 11
 Sawamoto, T., see Nakayama, T. (121) 55
 Seijo, B., see Torres, D. (121) 239
 Seiller, M., see Ferreira, L.A.M. (121) 169
 Sezer, A.D. and Akbuğa, J.
 Controlled release of piroxicam from chitosan beads (121) 113
 Shim, C.-K., see Lee, H.J. (121) 1
 Simon, B.H., Ando, H.Y. and Gupta, P.K.
 Circulation time and body distribution of protein A-coated amino modified polystyrene nanoparticles in mice (121) 233
 Stella, V., Vallée, P., Albrecht, P. and Postaire, E.
 Gliadin films. I: Preparation and in vitro evaluation as a carrier for controlled drug release (121) 117
 Stella, V.J., see Pochopin, N.L. (121) 157
 Strohbeck, C.L., see Won, C.M. (121) 95
 Sugden, J.K., see Billany, M.R. (121) 107

- Tabbara, K.F., see El-Sayed, Y.M. (121) 181
Takeuchi, H., see Niwa, T. (121) 45
Tang, S.-Y., see Won, C.M. (121) 95
Torres, D., García-Encina, G., Seijo, B. and Vila Jato, J.L.
Formulation and in vitro evaluation of HPMCP-microencapsulated drug-resin complexes for sustained release of diclofenac (121) 239
- Uchiyama, K., Nagayasu, A., Yamagiwa, Y., Nishida, T., Harashima, H. and Kiwada, H.
Effects of the size and fluidity of liposomes on their accumulation in tumors: A presumption of their interaction with tumors (121) 195
- Vadas, E.B., see Clas, S.-D. (121) 73
Vallée, P., see Stella, V. (121) 117
- Van den Mooter, G., see Samyn, C. (121) 211
Vila Jato, J.L., see Torres, D. (121) 239
- Watkinson, A.C., Joubin, H., Green, D.M., Brain, K.R. and Hadgraft, J.
The influence of vehicle on permeation from saturated solutions (121) 27
- Watkinson, A.C., see Lafforgue, C. (121) 89
- Wepierre, J., see Ferreira, L.A.M. (121) 169
- Whelan, I., see Burns, S.J. (121) 37
- Won, C.M., Tang, S.-Y. and Strohbeck, C.L.
Photolytic and oxidative degradation of an antiemetic agent, RG 12915 (121) 95
- Yamagiwa, Y., see Uchiyama, K. (121) 195
Yoon, E.J., see Lee, H.J. (121) 1