

Author Index

- Abe, K., Irie, T., Adachi, H. and Uekama, K.
Combined use of 2-hydroxypropyl- β -cyclodextrin and a lipophilic absorption enhancer in nasal delivery of the LHRH agonist, buserelin acetate, in rats (123) 103
- Abramovici, B., see Lheritier, J. (123) 273
- Adachi, H., see Abe, K. (123) 103
- Allain, H., see Cognez, P. (123) 137
- Andersin, R. and Tammilehto, S.
Photochemical decomposition of midazolam. IV. Study of pH-dependent stability by high-performance liquid chromatography (123) 229
- Antikainen, O., see Juslin, L. (123) 247
- Antikainen, O., see Juslin, L. (123) 257
- Arias, M.J., Ginés, J.M., Moyano, J.R., Pérez-Martínez, J.I. and Rabasco, A.M.
Influence of the preparation method of solid dispersions on their dissolution rate: study of triamterene-D-mannitol system (123) 25
- Asuero, A.G., see González, A.G. (123) 149
- Begtrup, M., see Fredholt, K. (123) 209
- Berger, Y., see Boulenc, X. (123) 13
- Berger, Y., see Boulenc, X. (123) 71
- Berner, B., see Sznitowska, M. (123) 41
- Beten, D.B., Van Gansbeke, B., Schoutens, A. and Moës, A.J.
Evaluation of the gastric behaviour of coevaporate particles under fasting and non-fasting conditions (123) 145
- Bildet, J., see Guyot, M. (123) 53
- Bonini, F., see Guyot, M. (123) 53
- Boulenc, X., Breul, T., Gautier, J.-C., Saudemon, P., Joyeux, H., Roques, C., Berger, Y. and Fabre, G.
Sodium lauryl sulphate increases tiludronate paracellular transport using human epithelial Caco-2 monolayers (123) 71
- Boulenc, X., Roques, C., Joyeux, H., Berger, Y. and Fabre, G.
Bisphosphonates increase tight junction permeability in the human intestinal epithelial (Caco-2) model (123) 13
- Breul, T., see Boulenc, X. (123) 71
- Brickwell, J., see Steed, K.P. (123) 291
- Buckton, G. and Darcy, P.
The use of gravimetric studies to assess the degree of crystallinity of predominantly crystalline powders (123) 265
- Burgot, G., see Cognez, P. (123) 137
- Burgot, J.-L., see Cognez, P. (123) 137
- Butula, I., see Zorc, B. (123) 65
- Caldwell, R.W., Chryssanthi, M.A. and Davis, V.O.
Systemic delivery of sympathomimetic amines by transdermal iontophoresis (123) 181
- Callegan, M.C., Hobden, J.A., O'Callaghan, R.J. and Hill, J.M.
Ocular drug delivery: a comparison of transcorneal iontophoresis to corneal collagen shields (123) 173
- Casalderrey, M., see Landín, M. (123) 143
- Chauvet, A., see Lheritier, J. (123) 273
- Chen, J., Crooks, P.A. and Hussain, A.
Kinetics and mechanism of hydrolysis of amides: their relative stability compared to structurally related acetals and acylals (123) 95
- Chryssanthi, M.A., see Caldwell, R.W. (123) 181
- Cognez, P., Pape, D., Burgot, G., Allain, H. and Burgot, J.-L.
Elimination of linear parameters in non-linear regressions: a fast and effective method for the determination of binding parameters (123) 137
- Concheiro, A., see Landín, M. (123) 143
- Crooks, P.A., see Chen, J. (123) 95
- Crooks, P.A., see Jona, J.A. (123) 127
- Danckwerts, M.P. and Van der Watt, J.G.
The effect of processing variables on the compression properties of controlled release core-in-cup compressed tablets from a new adjustable punch (123) 85
- Darcy, P., see Buckton, G. (123) 265
- Davis, V.O., see Caldwell, R.W. (123) 181
- Dittert, L.W., see Jona, J.A. (123) 127
- Dumont, S., see Goldbach, P. (123) 33
- El-Sayed, Y.M., Niazy, E.M. and Khidr, S.H.
In vivo evaluation of sustained-release microspheres of metoclopramide hydrochloride in beagle dogs (123) 113
- Fabre, G., see Boulenc, X. (123) 13
- Fabre, G., see Boulenc, X. (123) 71
- Fawaz, F., see Guyot, M. (123) 53
- Fort, J.J., see Trivedi, J.S. (123) 217
- Fredholt, K., Mørk, N. and Begtrup, M.
Hemiesters of aliphatic dicarboxylic acids as cyclization-activated prodrug forms for protecting phenols against first-pass metabolism (123) 209

- Gangarosa Sr, L.P. and Hill, J.M.
Modern iontophoresis for local drug delivery (123) 159
- Gautier, J.-C., see Boulenc, X. (123) 71
- Ginés, J.M., see Arias, M.J. (123) 25
- Goldbach, P., Dumont, S., Kessler, R., Poindron, P. and Stamm, A.
Preparation and characterization of interferon- γ -containing liposomes (123) 33
- Gómez-Amoza, J.L., see Landín, M. (123) 143
- González, A.G., Herrador, M.A. and Asuero, A.G.
Determination of β -adrenoceptor blocking agents in tablets using reversed-phase high-performance liquid chromatography (123) 149
- Guyot, M., Fawaz, F., Bildet, J., Bonini, F. and Laguény, A.-M.
Physicochemical characterization and dissolution of norfloxacin/cyclodextrin inclusion compounds and PEG solid dispersions (123) 53
- Häcker, R., see Su, X.Y. (123) 47
- Hadgraft, J., Pugh, W.J. and Wolff, H.-M.
Transdermal delivery of some anti-emetics (123) 285
- Hassan, I.F., see Nicklin, P.L. (123) 187
- Hermann, T.W.
Recent research on bioavailability of drugs from suppositories (123) 1
- Herrador, M.A., see González, A.G. (123) 149
- Hill, J.M., see Callegan, M.C. (123) 173
- Hill, J.M., see Gangarosa Sr, L.P. (123) 159
- Hobden, J.A., see Callegan, M.C. (123) 173
- Hooper, G., see Steed, K.P. (123) 291
- Hussain, A., see Chen, J. (123) 95
- Hussain, A.A., see Jona, J.A. (123) 127
- Irie, T., see Abe, K. (123) 103
- Irwin, W.J., see Nicklin, P.L. (123) 187
- Jona, J.A., Dittert, L.W., Crooks, P.A., Milosovich, S.M. and Hussain, A.A.
Design of novel prodrugs for the enhancement of the transdermal penetration of indomethacin (123) 127
- Joyeux, H., see Boulenc, X. (123) 13
- Joyeux, H., see Boulenc, X. (123) 71
- Juslin, L., Antikainen, O., Merkkü, P. and Yliruusi, J.
Droplet size measurement: I. Effect of three independent variables on droplet size distribution and spray angle from a pneumatic nozzle (123) 247
- Juslin, L., Antikainen, O., Merkkü, P. and Yliruusi, J.
Droplet size measurement: II. Effect of three independent variables on parameters describing the droplet size distribution from a pneumatic nozzle studied by multilinear stepwise regression analysis (123) 257
- Kalčić, I., see Zorc, B. (123) 65
- Katikaneni, P.R., Upadrashta, S.M., Neau, S.H. and Mitra, A.K.
Ethylcellulose matrix controlled release tablets of a water-soluble drug (123) 119
- Kessler, R., see Goldbach, P. (123) 33
- Khidr, S.H., see El-Sayed, Y.M. (123) 113
- Kuge, Y., see Yanai, S. (123) 237
- Laguény, A.-M., see Guyot, M. (123) 53
- Landín, M., Casalderrey, M., Martínez-Pacheco, R., Gómez-Amoza, J.L., Souto, C., Concheiro, A. and Rowe, R.C.
Chemical stability of acetylsalicylic acid in tablets prepared with different particle size fractions of a commercial brand of dicalcium phosphate dihydrate (123) 143
- Lheritier, J., Chauvet, A., Abramovici, B. and Masse, J.
Improvement of the dissolution kinetics of SR 33557 by means of solid dispersions containing PEG 6000 (123) 273
- Li Wan Po, A., see Su, X.Y. (123) 47
- Mackay, M., see Nicklin, P.L. (123) 187
- Maibach, H.I., see Sznitowska, M. (123) 41
- Martínez-Pacheco, R., see Landín, M. (123) 143
- Masse, J., see Lheritier, J. (123) 273
- Mattern, C., see Su, X.Y. (123) 47
- Maysinger, D., see Zorc, B. (123) 65
- Merkkü, P., see Juslin, L. (123) 247
- Merkkü, P., see Juslin, L. (123) 257
- Milosovich, S.M., see Jona, J.A. (123) 127
- Mitra, A.K., see Katikaneni, P.R. (123) 119
- Moës, A.J., see Beten, D.B. (123) 145
- Mørk, N., see Fredholt, K. (123) 209
- Moyano, J.R., see Arias, M.J. (123) 25
- Müller, B.W., see Trenkrog, T. (123) 199
- Nagai, T., see Ohara, N. (123) 281
- Neau, S.H., see Katikaneni, P.R. (123) 119
- Newman, S.P., see Steed, K.P. (123) 291
- Niazy, E.M., see El-Sayed, Y.M. (123) 113
- Nicklin, P.L., Irwin, W.J., Hassan, I.F. and Mackay, M.
Development of a minimum-calcium Caco-2 monolayer model: calcium and magnesium ions retard the transport of pamidronate (123) 187
- O'Callaghan, R.J., see Callegan, M.C. (123) 173
- Ogawa, Y., see Yanai, S. (123) 237
- Ohara, N., Takayama, K. and Nagai, T.
Influence of temperature on the percutaneous absorption for lipophilic and hydrophilic drugs across the rat skin pretreated with oleic acid (123) 281
- Okada, H., see Yanai, S. (123) 237
- Pape, D., see Cogne, P. (123) 137
- Pérez-Martínez, J.I., see Arias, M.J. (123) 25
- Poindron, P., see Goldbach, P. (123) 33
- Pugh, W.J., see Hadgraft, J. (123) 285
- Rabasco, A.M., see Arias, M.J. (123) 25
- Roques, C., see Boulenc, X. (123) 13
- Roques, C., see Boulenc, X. (123) 71
- Rowe, R.C., see Landín, M. (123) 143
- Saito, K., see Yanai, S. (123) 237
- Saudemon, P., see Boulenc, X. (123) 71

- Schoutens, A., see Beten, D.B. (123) 145
- Souto, C., see Landín, M. (123) 143
- Stamm, A., see Goldbach, P. (123) 33
- Steed, K.P., Hooper, G., Brickwell, J. and Newman, S.P.
The oropharyngeal and lung deposition patterns of a fusingine MDI spray delivered by HFA 134a propellant or by CFC 12 propellant (123) 291
- Su, X.Y., Mattern, C., Häcker, R. and Li Wan Po, A.
Does sea-water made isotonic affect ciliary beat frequency? (123) 47
- Sznitowska, M., Berner, B. and Maibach, H.I.
Percutaneous penetration of multipolar ions: evidence for porous transport (123) 41
- Takayama, K., see Ohara, N. (123) 281
- Tammilehto, S., see Andersin, R. (123) 229
- Toguchi, H., see Yanai, S. (123) 237
- Trenktrog, T. and Müller, B.W.
Preparation and characterization of a peptide containing w/o emulsion (123) 199
- Trivedi, J.S. and Fort, J.J.
Kinetics of degradation in aqueous solution of Abbott-79175, a potent second generation 5-lipoxygenase inhibitor (123) 217
- Uekama, K., see Abe, K. (123) 103
- Upadrashta, S.M., see Katikaneni, P.R. (123) 119
- Van der Watt, J.G., see Danckwerts, M.P. (123) 85
- Van Gansbeke, B., see Beten, D.B. (123) 145
- Wolff, H.-M., see Hadgraft, J. (123) 285
- Yanai, S., Okada, H., Saito, K., Kuge, Y., Ogawa, Y. and Toguchi, H.
Optimal formulation of an angiogenesis inhibitor, TNP-470, for arterial injection determined by in vitro drug release and stability, and in vivo antitumor activity (123) 237
- Yliruusi, J., see Juslin, L. (123) 247
- Yliruusi, J., see Juslin, L. (123) 257
- Zorc, B., Maysinger, D., Kalčić, I. and Butula, I.
Macromolecular prodrugs. V. Polymer-broxuridine conjugates (123) 65