

Author index

- Adeyeye, C.M., see Ebube, N.K. **196**, 27
- Agatonovic-Kustrin, S., see Alany, R.G. **196**, 141
- Ahlin, P., J. Kristl, M. Šentjurc, J. Štrancar, S. Pečar, Influence of spin probe structure on its distribution in SLN dispersions **196**, 241
- Alany, R.G., T. Rades, S. Agatonovic-Kustrin, N.M. Davies, I.G. Tucker, Effects of alcohols and diols on the phase behaviour of quaternary systems **196**, 141
- Barry, B.W., see El Maghraby, G.M.M. **196**, 63
- Baruffini, A., see Perugini, P. **196**, 51
- Beijnen, J.H., see van Maanen, R.J. **196**, 85
- Bergström, K., see Karhu, M. **196**, 95
- Bernabei, M.T., see Leo, E. **196**, 1
- Choi, H.-K., see Kim, J.-H. **196**, 105
- Choi, H.-K., see Lee, J.-H. **196**, 75
- Cho, Y.-J., see Kim, J.-H. **196**, 105
- Coester, C., J. Kreuter, H. von Briesen, K. Langer, Preparation of avidin-labelled gelatin nanoparticles as carriers for biotinylated peptide nucleic acid (PNA) **196**, 147
- Conti, B., see Perugini, P. **196**, 51
- Copland, M.J., T. Rades, N.M. Davies, Hydration of lipid films with an aqueous solution of Quil A: a simple method for the preparation of immune-stimulating complexes **196**, 135
- Damen, J.M.A., see van Maanen, R.J. **196**, 85
- Davies, N.M., see Alany, R.G. **196**, 141
- Davies, N.M., see Copland, M.J. **196**, 135
- de Smidt, P.C., T. Rades, Direct detection of dissolution of ¹⁴C-labeled compounds into an oil phase by the fat scintillation proximity method **196**, 187
- Dobrucki, R., see Radomska, A. **196**, 131
- Ebube, N.K., G. Owusu-Ababio, C.M. Adeyeye, Preformulation studies and characterization of the physicochemical properties of amorphous polymers using artificial neural networks **196**, 27
- El Maghraby, G.M.M., A.C. Williams, B.W. Barry, Oestradiol skin delivery from ultradeformable liposomes: refinement of surfactant concentration **196**, 63
- Endruschat, J., K. Henschke, Bench scale manufacture of multilamellar liposomes using a newly developed multistage pressure filtration device **196**, 151
- Fahr, A., see Welz, C. **196**, 251
- Flig, E., T.W. Hermann, M. Zabel, Is bisacodyl absorbed at all from suppositories in man? **196**, 11
- Forni, F., see Leo, E. **196**, 1
- Gamazo, C., see Prior, S. **196**, 115
- Gander, B., see Prior, S. **196**, 115
- Gašperlin, M., L. Tušar, M. Tušar, J. Šmid-Korbar, J. Zupan, J. Kristl, Viscosity prediction of lipophilic semisolid emulsion systems by neural network modelling **196**, 37
- Genta, I., see Perugini, P. **196**, 51
- Gessner, A., R. Waicz, A. Lieske, B.-R. Paulke, K. Mäder, R.H. Müller, Nanoparticles with decreasing surface hydrophobicities: influence on plasma protein adsorption **196**, 245
- Gohla, S., see Jennings, V. **196**, 219
- Grau, M.J., O. Kayser, R.H. Müller, Nanosuspensions of poorly soluble drugs — reproducibility of small scale production **196**, 155
- Gust, R., see Krause, K.P. **196**, 169
- Hahn, H., see Schöler, N. **196**, 235
- Haltner, E.G., see Kneuer, C. **196**, 257
- Henschke, K., see Endruschat, J. **196**, 151
- Henschke, K., see Pietzyk, B. **196**, 215
- Hermann, T.W., see Flig, E. **196**, 11
- Hildebrand, G.E., J.W. Tack, Microencapsulation of peptides and proteins **196**, 173
- Hoffman, M., see Lamprecht, A. **196**, 177
- Hombreiro Pérez, M., see Lamprecht, A. **196**, 177
- Huizhou, L., see Yuchun, X. **196**, 21
- Illing, A., see Lukowski, G. **196**, 201
- Irache, J.M., see Prior, S. **196**, 115
- Jacobs, C., O. Kayser, R.H. Müller, Nanosuspensions as a

- new approach for the formulation for the poorly soluble drug tarazepide **196**, 161
- Jenning, V., S. Gohla, Comparison of wax and glyceride solid lipid nanoparticles (SLN®) **196**, 219
- Jiayong, C., see Yuchun, X. **196**, 21
- Karhu, M., J. Kuikka, T. Kauppinen, K. Bergström, M. Vidgren, Pulmonary deposition of lactose carriers used in inhalation powders **196**, 95
- Kasbohm, J., see Lukowski, G. **196**, 201
- Katzfey, U., see Schöler, N. **196**, 235
- Kauppinen, T., see Karhu, M. **196**, 95
- Kayser, O., Nanosuspensions for the formulation of aphidicolin to improve drug targeting effects against *Leishmania* infected macrophages **196**, 253
- Kayser, O., see Grau, M.J. **196**, 155
- Kayser, O., see Jacobs, C. **196**, 161
- Kayser, O., see Krause, K.P. **196**, 169
- Kim, J.-H., Y.-J. Cho, H.-K. Choi, Effect of vehicles and pressure sensitive adhesives on the permeation of tacrine across hairless mouse skin **196**, 105
- Kneuer, C., M. Sameti, E.G. Haltner, T. Schiestel, H. Schirra, H. Schmidt, C.-M. Lehr, Silica nanoparticles modified with aminosilanes as carriers for plasmid DNA **196**, 257
- Krause, K.P., O. Kayser, K. Mäder, R. Gust, R.H. Müller, Heavy metal contamination of nanosuspensions produced by high-pressure homogenisation **196**, 169
- Kresse, M., see Seehof, K. **196**, 231
- Kreuter, J., see Coester, C. **196**, 147
- Kreuter, J., see Weber, C. **196**, 197
- Kristl, J., see Ahlin, P. **196**, 241
- Kristl, J., see Gašperlin, M. **196**, 37
- Kuikka, J., see Karhu, M. **196**, 95
- Lamprecht, A., N. Ubrich, M. Hombreiro Pérez, C.-M. Lehr, M. Hoffman, P. Maincent, Influences of process parameters on nanoparticle preparation performed by a double emulsion pressure homogenization technique **196**, 177
- Lamprecht, A., U.F. Schäfer, C.-M. Lehr, Visualization and quantification of polymer distribution in microcapsules by confocal laser scanning microscopy (CLSM) **196**, 223
- Langer, K., see Coester, C. **196**, 147
- Langer, K., see Weber, C. **196**, 197
- Lee, J.-H., T.G. Park, H.-K. Choi, Effect of formulation and processing variables on the characteristics of microspheres for water-soluble drugs prepared by w/o/o double emulsion solvent diffusion method **196**, 75
- Lehr, C.-M., see Kneuer, C. **196**, 257
- Lehr, C.-M., see Lamprecht, A. **196**, 223
- Lehr, C.-M., see Lamprecht, A. **196**, 177
- Leo, E., F. Forni, M.T. Bernabei, Surface drug removal from ibuprofen-loaded PLA microspheres **196**, 1
- Liedtke, S., S. Wissing, R.H. Müller, K. Mäder, Influence of high pressure homogenisation equipment on nanodispersions characteristics **196**, 183
- Liesenfeld, O., see Schöler, N. **196**, 235
- Lieske, A., see Gessner, A. **196**, 245
- Lippacher, A., R.H. Müller, K. Mäder, Investigation on the viscoelastic properties of lipid based colloidal drug carriers **196**, 227
- Lukowski, G., J. Kasbohm, P. Pflögel, A. Illing, H. Wulff, Crystallographic investigation of cetylpalmitate solid lipid nanoparticles **196**, 201
- Mackeben, S., C.C. Müller-Goymann, Solubilization of timolol maleate in reversed micellar systems: Measurement of particle size using SAXS and PCS **196**, 207
- Mäder, K., see Gessner, A. **196**, 245
- Mäder, K., see Krause, K.P. **196**, 169
- Mäder, K., see Liedtke, S. **196**, 183
- Mäder, K., see Lippacher, A. **196**, 227
- Mäder, K., see Seehof, K. **196**, 231
- Mäder, K., see Zimmermann, E. **196**, 211
- Maia, C.S., W. Mehnert, M. Schäfer-Korting, Solid lipid nanoparticles as drug carriers for topical glucocorticoids **196**, 165
- Maincent, P., see Lamprecht, A. **196**, 177
- Mehnert, W., see Maia, C.S. **196**, 165
- Merkle, H.P., see Prior, S. **196**, 115
- Müller-Goymann, C.C., see Mackeben, S. **196**, 207
- Müller-Goymann, C.C., see Schneeweis, A. **196**, 193
- Müller, R.H., see Gessner, A. **196**, 245
- Müller, R.H., see Grau, M.J. **196**, 155
- Müller, R.H., see Jacobs, C. **196**, 161
- Müller, R.H., see Krause, K.P. **196**, 169
- Müller, R.H., see Liedtke, S. **196**, 183
- Müller, R.H., see Lippacher, A. **196**, 227
- Müller, R.H., see Schöler, N. **196**, 235
- Müller, R.H., see Seehof, K. **196**, 231
- Müller, R.H., see Zimmermann, E. **196**, 211
- Neuhuber, W., see Welz, C. **196**, 251
- Owusu-Ababio, G., see Ebube, N.K. **196**, 27
- Park, T.G., see Lee, J.-H. **196**, 75
- Paulke, B.-R., see Gessner, A. **196**, 245
- Pavanetto, F., see Perugini, P. **196**, 51
- Pečar, S., see Ahlin, P. **196**, 241
- Perugini, P., I. Genta, F. Pavanetto, B. Conti, S. Scalia, A. Baruffini, Study on glycolic acid delivery by liposomes and microspheres **196**, 51
- Pflögel, P., see Lukowski, G. **196**, 201
- Pietzyk, B., K. Henschke, Degradation of phosphatidylcholine in liposomes containing carboplatin in dependence on composition and storage conditions **196**, 215
- Prior, S., C. Gamazo, J.M. Irache, H.P. Merkle, B. Gander, Gentamicin encapsulation in PLA/PLGA microspheres in view of treating *Brucella* infections **196**, 115
- Rades, T., see Alany, R.G. **196**, 141
- Rades, T., see Copland, M.J. **196**, 135
- Rades, T., see de Smidt, P.C. **196**, 187
- Radomska, A., R. Dobrucki, The use of some ingredients for

- microemulsion preparation containing retinol and its esters **196**, 131
- Rascher, W., see Welz, C. **196**, 251
- Repp, R., see Welz, C. **196**, 251
- Sameti, M., see Kneuer, C. **196**, 257
- Scalia, S., see Perugini, P. **196**, 51
- Schäfer-Korting, M., see Maia, C.S. **196**, 165
- Schäfer, U.F., see Lamprecht, A. **196**, 223
- Schiestel, T., see Kneuer, C. **196**, 257
- Schirra, H., see Kneuer, C. **196**, 257
- Schmidt, H., see Kneuer, C. **196**, 257
- Schneeweis, A., C.C. Müller-Goymann, Controlled release of solid-reversed-micellar-solution (SRMS) suppositories containing metoclopramide-HCl **196**, 193
- Schöler, N., E. Zimmermann, U. Katzfey, H. Hahn, R.H. Müller, O. Liesenfeld, Preserved solid lipid nanoparticles (SLN) at low concentrations do cause neither direct nor indirect cytotoxic effects in peritoneal macrophages **196**, 235
- Schreier, H., see Welz, C. **196**, 251
- Seehof, K., M. Kresse, K. Mäder, R.H. Müller, Interactions of nanoparticles with body proteins — improvement of 2D-PAGE-analysis by internal standard **196**, 231
- Šentjurc, M., see Ahlin, P. **196**, 241
- Šmid-Korbar, J., see Gašperlin, M. **196**, 37
- Štrancar, J., see Ahlin, P. **196**, 241
- Tack, J.W., see Hildebrand, G.E. **196**, 173
- Tijhof, I.M., see van Maanen, R.J. **196**, 85
- Tucker, I.G., see Alany, R.G. **196**, 141
- Tušar, L., see Gašperlin, M. **196**, 37
- Tušar, M., see Gašperlin, M. **196**, 37
- Ubrich, N., see Lamprecht, A. **196**, 177
- van Maanen, R.J., I.M. Tijhof, J.M.A. Damen, J.W. Zwikker, J.H. Beijnen, The degradation of *N,N',N''*-triethylenephosphoramidate in aqueous solutions: a qualitative and kinetic study **196**, 85
- Vidgren, M., see Karhu, M. **196**, 95
- von Briesen, H., see Coester, C. **196**, 147
- Waicz, R., see Gessner, A. **196**, 245
- Weber, C., J. Kreuter, K. Langer, Desolvation process and surface characteristics of HSA-nanoparticles **196**, 197
- Welz, C., W. Neuhuber, H. Schreier, R. Repp, W. Rascher, A. Fahr, Nuclear gene targeting using negatively charged liposomes **196**, 251
- Williams, A.C., see El Maghraby, G.M.M. **196**, 63
- Wissing, S., see Liedtke, S. **196**, 183
- Wulff, H., see Lukowski, G. **196**, 201
- Yuchun, X., L. Huizhou, C. Jiayong, Kinetics of base catalyzed racemization of ibuprofen enantiomers **196**, 21
- Zabel, M., see Flig, E. **196**, 11
- Zimmermann, E., R.H. Müller, K. Mäder, Influence of different parameters on reconstitution of lyophilized SLN **196**, 211
- Zimmermann, E., see Schöler, N. **196**, 235
- Zupan, J., see Gašperlin, M. **196**, 37
- Zwikker, J.W., see van Maanen, R.J. **196**, 85