



Corrigendum

Corrigendum to “Antimicrobial properties of silver-containing wound dressings: a microcalorimetric study”

[Int. J. Pharm. 263 (2003) 61–68][☆]

Michael A.A. O'Neill^a, George J. Vine^a, Anthony E. Beezer^{a,*}, Alistair H. Bishop^b,
Jonathan Hadgraft^a, Chloé Labetoulle^c, Michael Walker^d, Phillip G. Bowler^d

^a Medway Sciences, University of Greenwich at Medway, Central Avenue, Chatham Maritime, Kent ME4 4TB, UK

^b School of Chemical and Life Sciences, NRI University of Greenwich at Medway, Central Avenue, Chatham Maritime, Kent ME4 4TB, UK

^c Food Systems, NRI University of Greenwich at Medway, Central Avenue, Chatham Maritime, Kent ME4 4TB, UK

^d ConvaTec GDC, First Avenue, Deeside Industrial Park, Deeside, Flintshire CH5 2NU, UK

The authors regret that above published paper needs the following correction.

Acticoat does not form a gel. In the presence of aqueous medium it retains its essential physical form (slightly swollen). However the studies showed that

microcalorimetry provides a rapid, simple and effective method for measuring antimicrobial efficacy in complex heterogeneous systems such as AQUACEL and Acticoat.

[☆] doi of original article [10.1016/S0378-5173\(03\)00361-2](https://doi.org/10.1016/S0378-5173(03)00361-2).

* Corresponding author. Tel.: +44-1634-883042;

fax: +44-1634-883044.

E-mail address: a.beezer@gre.ac.uk (A.E. Beezer).