



Available online at www.sciencedirect.com

SCIENCE  DIRECT®

International Journal of Pharmaceutics 287 (2004) 179–203

international
journal of
pharmaceutics

www.elsevier.com/locate/ijpharm

Author Index Volumes 269–287 (2004)

- Abd-Elbary, A., see Omari, D.M. **274**, 85
- Abdelbary, G., P. Prinderre, C. Eouani, J. Joachim, J.P. Reynier, Ph. Piccerelle, The preparation of orally disintegrating tablets using a hydrophilic waxy binder **278**, 423
- Abdulmajed, K., C.M. Heard, Topical delivery of retinyl ascorbate co-drug. I. Synthesis, penetration into and permeation across human skin **280**, 113
- Abolghasem Sajadi Tabassi, S., see Tafaghodi, M. **280**, 125
- Abribat, T., see Jansen, M. **276**, 75
- Acemoglu, M., Chemistry of polymer biodegradation and implications on parenteral drug delivery **277**, 133
- Adejare, A., see El-Gendy, A.M. **280**, 47
- Aggarwal, D., see Kaur, I.P. **269**, 1
- Agrawal, G.P., see Agrawal, S. **274**, 149
- Agrawal, S., I. Singh, K.J. Kaur, S.R. Bhade, C.L. Kaul, R. Panchagnula, Comparative bioavailability of rifampicin, isoniazid and pyrazinamide from a four drug fixed dose combination with separate formulations at the same dose levels **276**, 41
- Agrawal, S., R. Panchagnula, Dissolution test as a surrogate for quality evaluation of rifampicin containing fixed dose combination formulations **287**, 97
- Agrawal, S., S.S. Pancholi, N.K. Jain, G.P. Agrawal, Hydrotropic solubilization of nimesulide for parenteral administration **274**, 149
- Agrawal, S., see Panchagnula, R. **271**, 1
- Agyralides, G.G., P.P. Dallas, D.M. Rekkas, Development and in vitro evaluation of furosemide transdermal formulations using experimental design techniques **281**, 35
- Ahmad, I., Q. Fasihullah, A. Noor, I.A. Ansari, Nawab Manzar Ali Q., Photolysis of riboflavin in aqueous solution: a kinetic study **280**, 199
- Ahmad, I., see Zhang, J. Allen **270**, 93
- Ahmed, K., see Ghartey-Tagoe, E.B. **270**, 127
- Ahn, S.-K., see Kim, J.-H. **272**, 79
- Ahyayauch, H., F.M. Goñi, M. Bennouna, Interaction of electrically neutral and cationic forms of imipramine with liposome and erythrocyte membranes **279**, 51
- Airaksinen, S., M. Karjalainen, E. Räsänen, J. Rantanen, J. Yliruusi, Comparison of the effects of two drying methods on polymorphism of theophylline **276**, 129
- Airoldi, C., see Basheer, M.M. **282**, 163
- Akamine, H., see Kofuji, K. **272**, 65
- Åkerström, U., see Lodén, M. **284**, 23
- Akita, H., see Hatakeyama, H. **281**, 25
- Akkar, A., see Müller, R.H. **269**, 293
- Alakhov, V., see Bromberg, L. **282**, 45
- Alberti, I., see Curdy, C. **271**, 251
- Alcock, R., see Grainger, C.I. **269**, 523
- Alexander, A., T. Shinbrot, B. Johnson, F.J. Muzzio, V-blender segregation patterns for free-flowing materials: effects of blender capacity and fill level **269**, 19
- Alfaia, A., see Bettencourt, A. **278**, 181
- Ali, M.E., see Stagni, G. **274**, 201
- Ali, S., see Zhang, J. Allen **270**, 93
- Allahham, A., P. Stewart, J. Marriott, D.E. Mainwaring, Flow and injection characteristics of pharmaceutical parenteral formulations using a micro-capillary rheometer **270**, 139
- Allemandi, D.A., see Jimenez-Kairuz, A.F. **269**, 149
- Allemandi, D.A., see Llabot, J.M. **276**, 59
- Almofti, M.R., see Li, W. **276**, 67
- Alpar, H.O., see Kohli, A.K. **275**, 13
- Al-Saidan, S., see Taha, E.I. **279**, 3
- Al-Saidan, S., see Taha, E.I. **285**, 109
- Alvarez-Lorenzo, C., see Gómez-Carracedo, A. **274**, 233
- Amaral, J., see Bettencourt, A. **278**, 181
- Amat, E., M.J. Prieto, V. Moreno, Comparative study between the interaction of dephosphorylated amifostine (WR-1065) and amoxicilline with pBR322 in absence and presence of cisplatin by AFM **270**, 75
- Ambike, A.A., K.R. Mahadik, A. Paradkar, Stability study of amorphous valdecoxib **282**, 151
- Ambike, A.A., see Paradkar, A. **271**, 281
- Amidon, G.L., see Yu, L.X. **270**, 221
- Amighi, K., see Eeckman, F. **273**, 109
- Amiji, M., see Hejazi, R. **272**, 99
- Anand, B.S., H. Atluri, A.K. Mitra, Validation of an ocular micro-dialysis technique in rabbits with permanently implanted vitreous probes: systemic and intravitreal pharmacokinetics of fluorescein **281**, 79
- Anderson, T.A., see Zhang, J. **282**, 183
- Andrade, C.A.S., M.T.S. Correia, L.C.B.B. Coelho, S.C. Nascimento, N.S. Santos-Magalhães, Antitumor activity of *Cratylia mollis* lectin encapsulated into liposomes **278**, 435
- Andreazza, I.F., see Ughini, F. **271**, 197
- Anne, P.K., see Boinpally, R.R. **274**, 185
- Ansari, I.A., see Ahmad, I. **280**, 199
- Anthony Hunt, C., see Tachibana, R. **270**, 315
- Antikainen, O., see Fernández Cervera, M. **281**, 119

- Antikainen, O., see Korhonen, M. **269**, 227
 Antón-Fos, G.M., see Calabuig, C. **278**, 111
 Anwar, M., see El-Gibaly, I. **278**, 25
 Aoyagi, N., see Izutsu, K.-i. **273**, 85
 Apté, S.S., see Gopinath, D. **271**, 95
 Arellano, C., see Cornaire, G. **278**, 119
 Ariniemi, K., see Marvola, J. **281**, 3
 Arora, V., see Pannier, A.K. **275**, 217
 Asada, M., H. Takahashi, H. Okamoto, H. Tanino, K. Danjo, Theophylline particle design using chitosan by the spray drying **270**, 167
 Ascenzi, P., see Constantin, M. **285**, 87
 Aschauer, H., see Billich, A. **269**, 29
 Asgatay, S., S. Franceschi-Messant, E. Perez, P. Vicendo, I. Rico-Lattes, E. Phez, M.P. Rols, Polynorbornene polycationic polymers as gene transfer agents **285**, 121
 Aso, Y., see Koga, A. **275**, 73
 Asoh, Y., see Sugano, K. **275**, 271
 Astier, A., see Gibaud, S. **269**, 491
 Aszódi, A., see Billich, A. **269**, 29
 Atilla Hinçal, A., Introductory remarks **277**, 1
 Atluri, H., see Anand, B.S. **281**, 79
 Attia, M.A., I. El-Gibaly, S.E. Shaltout, G.N. Fetih, Transbuccal permeation, anti-inflammatory activity and clinical efficacy of piroxicam formulated in different gels **276**, 11
 Attwood, D., see Kubo, W. **271**, 233
 Augustijns, P., see Ingels, F. **274**, 221
 Aungst, B.J., see Oda, M. **280**, 95
 Awasthi, V.D., D. Garcia, R. Klipper, W.T. Phillips, B.A. Goins, Kinetics of liposome-encapsulated hemoglobin after 25% hypovolemic exchange transfusion **283**, 53
 Azar, M.R., see Costantini, L.C. **283**, 35
 Baba, M., see Braunecker, J. **282**, 19
 Babiu, K.A., see Jackson, J.K. **283**, 97
 Babu, R.J., J.K. Pandit, Effect of cyclodextrins on the complexation and transdermal delivery of bupranolol through rat skin **271**, 155
 Bae, S.K., S.J. Lee, J.Y. Lee, Y. Lee, I. Lee, S.G. Kim, M.G. Lee, Pharmacokinetic changes of oltipraz after intravenous and oral administration to rats with liver cirrhosis induced by dimethyltin-trosamine **275**, 227
 Bagger, M., E. Bechgaard, A microdialysis model to examine nasal drug delivery and olfactory absorption in rats using lidocaine hydrochloride as a model drug **269**, 311
 Bajdik, J., K. Pintye-Hódí, O. Planinšek, G. Regdon Jr., R. Dreu, S. Srčič, I. Erős, Film coating as a method to enhance the preparation of tablets from dimenhydrinate crystals **269**, 393
 Balbach, S., C. Korn, Pharmaceutical evaluation of early development candidates “the 100 mg-approach” **275**, 1
 Ballini, J.-P., see Vargas, A. **286**, 131
 Bansal, K., see Sinha, V.R. **274**, 1
 Bansal, K., see Sinha, V.R. **278**, 1
 Barbosa, C.M., see Souto, E.B. **278**, 71
 Barbu, E., see Verestiuc, L. **269**, 185
 Barends, D.M., see Weda, M. **287**, 79
 Barghi, M., see Najafabadi, A.R. **285**, 97
 Barralet, J.E., see Perrie, Y. **284**, 31
 Barriocanal, L., K.M.G. Taylor, G. Buckton, A study of liposome formation using a solution (isoperibol) calorimeter **287**, 113
 Barry, B.W., see El Maghraby, G.M.M. **276**, 143
 Barry, B.W., see Elkordy, A.A. **278**, 209
 Basilio, E.B., see El-Samaligy, M.S. **286**, 27
 Bashaiwoldu, A.B., F. Podczeck, J.M. Newton, Application of dynamic mechanical analysis (DMA) to determine the mechanical properties of pellets **269**, 329
 Bashaiwoldu, A.B., F. Podczeck, J.M. Newton, Application of Dynamic Mechanical Analysis (DMA) to the determination of the mechanical properties of coated pellets **274**, 53
 Basheer, M.M., P.L.O. Volpe, C. Airolidi, Flow microcalorimetric studies of phenol and its chlorinated derivatives and a theoretical evaluation of their possible inhibition mode on *Chromobacterium violaceum* respiration **282**, 163
 Basit, A.W., see Siew, L.F. **273**, 129
 Batchelder, R.J., R.J. Calder, C.P. Thomas, C.M. Heard, In vitro transdermal delivery of the major catechins and caffeine from extract of *Camellia sinensis* **283**, 45
 Bathala, M.S., see Joshi, H.N. **269**, 251
 Batra, U., see Wu, Y. **285**, 135
 Bauer-Brandl, A., see Sætern, A.M. **284**, 61
 Baxter, J.L., see Kukura, J. **279**, 9
 Baydoun, L., A. Düvel, R. Daniels, A. Drust, T. Goldhagen, I. Schwan, C. Zeidler, C.C. Müller-Goymann, Comparison of different ibuprofen-amino acid compounds with respect to emulsifying and cytotoxic properties **274**, 157
 Baydal, B.M., see Taşdelen, B. **278**, 343
 Bechgaard, E., see Bagger, M. **269**, 311
 Beck, B., see Ingels, F. **274**, 221
 Beezer, A.E., see O'Neill, M.A.A. **270**, 323
 Beger, R., see Kim, Y.-H. **271**, 63
 Beijnen, J.H., see den Brok, M.W.J. **278**, 303
 Beijnen, J.H., see Klous, M.G. **285**, 65
 Bell, S.J.D., see Morçöl, T. **277**, 91
 Benet, L.Z., C.L. Cummins, C.Y. Wu, Unmasking the dynamic interplay between efflux transporters and metabolic enzymes **277**, 3
 Bennouna, M., see Ahyayauch, H. **279**, 51
 Benoit, J.-P., see Lamprecht, A. **278**, 407
 Benson, H.A.E., see Simeoni, S. **280**, 163
 Berger, B., see Demana, P.H. **278**, 263
 Berne, B., see Lodén, M. **284**, 23
 Bernkop-Schnürch, A., see Guggi, D. **274**, 97
 Bernkop-Schnürch, A., see Guggi, D. **278**, 353
 Berry, C.C., S. Charles, S. Wells, M.J. Dalby, A.S.G. Curtis, The influence of transferrin stabilised magnetic nanoparticles on human dermal fibroblasts in culture **269**, 211
 Bertucco, A., see Salmaso, S. **287**, 163
 Bešter Rogić, M., see Podlogar, F. **276**, 115
 Bettencourt, A., A. Calado, J. Amaral, A. Alfaia, F.M. Vale, J. Monteiro, M.F. Montemor, M.G.S. Ferreira, M. Castro, Surface studies on acrylic bone cement **278**, 181
 Betz, G., P.J. Bürgin, H. Leuenberger, Power consumption measurement and temperature recording during granulation **272**, 137
 Bhade, S.R., see Agrawal, S. **276**, 41

- Bhandarkar, S., see Menon, A. **286**, 125
 Bhardwaj, Y.K., see Kotiyan, P.N. **270**, 47
 Bhaskar, K., see Saravanan, M. **283**, 71
 Bhatia, S.R., see Sharma, P.K. **278**, 361
 Bhattachar, S.N., D.B. Hedden, A.M. Olsofsky, X. Qu, W.-Y. Hsieh, K.G. Canter, Evaluation of the vibratory feeder method for assessment of powder flow properties **269**, 385
 Bhutani, K.K., see Sinha, V.R. **269**, 101
 Bi, D., see Mao, S. **272**, 37
 Bi, D., see Mao, S. **281**, 45
 Billich, A., H. Aschauer, A. Aszódi, A. Stuetz, Percutaneous absorption of drugs used in atopic eczema: pimecrolimus permeates less through skin than corticosteroids and tacrolimus **269**, 29
 Bishop, A.H., see O'Neill, M.A.A. **270**, 323
 Bittencourt, C.F., see Souza, M.J.e. **271**, 287
 Bittner, B., see Bravo González, R.C. **279**, 27
 Bizimoska, S., see Petelin, M. **270**, 83
 Blasco, J.M., see Murillo, M. **271**, 125
 Blasi, P., see Ricci, M. **275**, 61
 Bobin, M.F., see Jiménez, M.M. **272**, 45
 Bochot, A., see Fattal, E. **277**, 25
 Bodmeier, R., see Dashevsky, A. **279**, 19
 Boer, A.H., see Weda, M. **287**, 79
 Boess, F., see Bravo González, R.C. **279**, 27
 Boinpally, R.R., S.-L. Zhou, G. Devraj, P.K. Anne, S. Poondru, B.R. Jasti, Iontophoresis of lecithin vesicles of cyclosporin A **274**, 185
 Bolzen, N., see Steckel, H. **270**, 297
 Bonacucina, G., S. Martelli, G.F. Palmieri, Rheological, mucoadhesive and release properties of Carbopol gels in hydrophilic cosolvents **282**, 115
 Bonnet, I., see Bouchemal, K. **269**, 89
 Booth, J., see Burnett, D.J. **287**, 123
 Booth, S.W., see Williams, A.C. **275**, 29
 Borchard, G., see Polnok, A. **269**, 303
 Borden, B., see Vernon, B.L. **274**, 191
 Borrás-Blasco, J., O. Díez-Sales, A. López, M. Herráez-Domínguez, A mathematical approach to predicting the percutaneous absorption enhancing effect of sodium lauryl sulphate **269**, 121
 Bortel, L.V., see Brabander, C.D. **271**, 77
 Bortolotti, F., see Constantin, M. **285**, 87
 Bos, G.W., see Hennink, W.E. **277**, 99
 Bostanian, L.A., see Graves, R.A. **270**, 251
 Bouchemal, K., S. Briançon, E. Perrier, H. Fessi, Nano-emulsion formulation using spontaneous emulsification: solvent, oil and surfactant optimisation **280**, 241
 Bouchemal, K., S. Briançon, E. Perrier, H. Fessi, I. Bonnet, N. Zydomicz, Synthesis and characterization of polyurethane and poly(ether urethane) nanocapsules using a new technique of interfacial polycondensation combined to spontaneous emulsification **269**, 89
 Bouchemal, N., see Percot, A. **278**, 143
 Bowler, P.G., see O'Neill, M.A.A. **270**, 323
 Brabander, C.D., C. Vervaet, L.V. Bortel, J.-P. Remon, Bioavailability of ibuprofen from hot-melt extruded mini-matrices **271**, 77
 Brand, R.M., see Pannier, A.K. **275**, 217
 Brandes, H.G., see Steckel, H. **278**, 187
 Brandl, M., see Sætern, A.M. **284**, 61
 Braunecker, J., M. Baba, G.E. Milroy, R.E. Cameron, The effects of molecular weight and porosity on the degradation and drug release from polyglycolide **282**, 19
 Bravo González, R.C., F. Boess, E. Durr, N. Schaub, B. Bittner, In vitro investigation on the impact of Solutol HS 15 on the uptake of colchicine into rat hepatocytes **279**, 27
 Bresolin, T.M.B., see Ughini, F. **271**, 197
 Breytenbach, J.C., see Fourie, L. **279**, 59
 Briançon, S., see Bouchemal, K. **269**, 89
 Briançon, S., see Bouchemal, K. **280**, 241
 Briane, D., see Percot, A. **278**, 143
 Brina, B., see Leo, E. **278**, 133
 Brink, W.V., see Klous, M.G. **285**, 65
 Brodfuehrer, J., see Stoner, C.L. **269**, 241
 Bromberg, L., M. Temchenko, V. Alakhov, T.A. Hatton, Bioadhesive properties and rheology of polyether-modified poly(acrylic acid) hydrogels **282**, 45
 Brömer, S., see Müller, R.H. **269**, 293
 Brömme, D., see Wang, D. **277**, 73
 Brown, M.A., see Lekhal, A. **270**, 263
 Brown, M.B., see Yff, B.T.S. **269**, 361
 Brownlie, A., I.F. Uchegbu, A.G. Schätzlein, PEI-based vesicle-polymer hybrid gene delivery system with improved biocompatibility **274**, 41
 Buckton, G., see Barriocanal, L. **287**, 113
 Buckton, G., see Dilworth, S.E. **284**, 83
 Buckton, G., see Ohta, M. **269**, 81
 Buckton, G., see Ohta, M. **272**, 121
 Buckton, G., see Samra, R.M. **284**, 53
 Buckton, G., see Saunders, M. **274**, 35
 Budai, M., Zs. Szabó, A. Zimmer, M. Szögyi, P. Gróf, Studies on molecular interactions between nalidixic acid and liposomes **279**, 67
 Bueno da Costa, M.H., see Namur, J.A.M. **273**, 1
 Bunt, C.R., see Cross, P.S. **282**, 35
 Burch, S.F., see Sinka, I.C. **271**, 215
 Burgalassi, S., see Di Colo, G. **273**, 37
 Bürgin, P.J., see Betz, G. **272**, 137
 Burnett, D.J., F. Thielmann, J. Booth, Determining the critical relative humidity for moisture-induced phase transitions **287**, 123
 Burt, H.M., see Jackson, J.K. **270**, 185
 Burt, H.M., see Jackson, J.K. **283**, 97
 Burt, H.M., see Liggins, R.T. **281**, 103
 Burt, H.M., see Liggins, R.T. **282**, 61
 Burt, H.M., see Shi, R. **271**, 167
 Busquet, M., see Kelly, H.M. **278**, 391
 Bustamante, P., see Machathala, S.G. **283**, 83
 Buttafava, A., see Maggi, L. **269**, 343
 Buttle, I., see Müller, R.H. **269**, 293
 Byron, P.R., see Shen, X. **275**, 249
 Byway, P., see Euler, D. **275**, 19
 Cabane, B., see Svensson, A. **281**, 107

- Cai, Y., see Liu, J. **287**, 13
- Calabuig, C., G.M. Antón-Fos, J. Gálvez, R. García-Doménech, New hypoglycaemic agents selected by molecular topology **278**, 111
- Calado, A., see Bettencourt, A. **278**, 181
- Calas, J., see Févotte, G. **273**, 159
- Calder, R.J., see Batchelder, R.J. **283**, 45
- Caliceti, P., see Salmaso, S. **287**, 163
- Cameron, R.E., see Braunecker, J. **282**, 19
- Campanero, M.A., see Chris de Smidt, P. **270**, 109
- Canter, K.G., see Bhattachar, S.N. **269**, 385
- Cao, A., see Percot, A. **278**, 143
- Cao, Q.-R., H.-G. Choi, D.-C. Kim, B.-J. Lee, Release behavior and photo-image of nifedipine tablet coated with high viscosity grade hydroxypropylmethylcellulose: effect of coating conditions **274**, 107
- Carbó-Dorca, R., see Gallegos, A. **269**, 51
- Carlin, A.S., see Yu, L.X. **270**, 221
- Carlotti, M.E., see Trotta, M. **270**, 119
- Carmona-Mancilla, A., see Pérez-Guillé, B. **282**, 87
- Carnegie, D.A., see Cross, P.S. **282**, 35
- Carrera, A., see Merino-Sanjuán, M. **278**, 283
- Casella, R., see Jambhekar, S. **270**, 149
- Cassano, A.O., see de Lima, R.G. **271**, 21
- Castro, M., see Bettencourt, A. **278**, 181
- Cekic, N., see Savic, S. **271**, 269
- Çelebi, N., see Yetkin, G. **277**, 163
- Cerea, M., W. Zheng, C.R. Young, J.W. McGinity, A novel powder coating process for attaining taste masking and moisture protective films applied to tablets **279**, 127
- Cerniglia, C.E., see Kim, Y.-H. **271**, 63
- Cetina-Čizmek, B., see Zovko, M. **285**, 35
- Chambin, O., V. Jannin, D. Champion, C. Chevalier, M.-H. Rochat-Gonthier, Y. Pourcelot, Influence of cryogenic grinding on properties of a self-emulsifying formulation **278**, 79
- Champion, D., see Chambin, O. **278**, 79
- Chan, E.-C., see Wang, G. **273**, 203
- Chan, H.-K., see Chen, J.-F. **269**, 267
- Chan, H.-K., see Jouyban, A. **269**, 353
- Chan, T.-F., see Fang, J.-Y. **270**, 241
- Chang, H.-C., see Toongsuwan, S. **280**, 57
- Chang, J.-S., see Wu, P.-C. **271**, 31
- Changzhen, W., see Shouqin, Z. **278**, 471
- Charles, S., see Berry, C.C. **269**, 211
- Chatchawalsaisin, J., F. Podczeck, Michael Newton J., The influence of chitosan and sodium alginate and formulation variables on the formation and drug release from pellets prepared by extrusion/sonerisation **275**, 41
- Chatterton, B.E., S. Penglis, J.C. Kovacs, B. Presnell, B. Hunt, Retention and distribution of two ^{99m}Tc-DTPA labelled vaginal dosage forms **271**, 137
- Chemtob, C., see Maestrelli, F. **271**, 257
- Chen, C., see Wu, Y. **285**, 135
- Chen, J., see Mao, S. **272**, 37
- Chen, J.-F., M.-Y. Zhou, L. Shao, Y.-Y. Wang, J. Yun, N.Y.K. Chew, H.-K. Chan, Feasibility of preparing nanodrugs by high-gravity reactive precipitation **269**, 267
- Chen, L., see Liu, J. **287**, 13
- Chen, Y., G.G.Z. Zhang, J. Neilly, K. Marsh, D. Mawhinney, Y.D. Sanzgiri, Enhancing the bioavailability of ABT-963 using solid dispersion containing Pluronic F-68 **286**, 69
- Cheng, Y., see Euler, D. **275**, 19
- Chevalier, C., see Chambin, O. **278**, 79
- Chevanne, F.V., see Dollo, G. **272**, 109
- Chew, N.Y.K., see Chen, J.-F. **269**, 267
- Chia, S.M., see Wang, J. **279**, 115
- Chiang, Y.-R., see Fang, J.-Y. **276**, 163
- Chiu, H.-C., see Fang, J.-Y. **276**, 163
- Cho, C.-W., S.-C. Shin, Enhanced transdermal delivery of atenolol from the ethylene-vinyl acetate matrix **287**, 67
- Cho, C.-W., see Shin, S.-C. **287**, 73
- Cho, S.H., see Kang, B.K. **274**, 65
- Cho, S.H., see Kang, B.K. **286**, 147
- Cho, S.H., see Yoo, J.Y. **276**, 1
- Choi, H.-G., see Cao, Q.-R. **274**, 107
- Choi, H.-G., see Yong, C.S. **269**, 169
- Choi, H.-K., see Choi, J.-S. **275**, 165
- Choi, J.-S., B.-W. Jo, Enhanced paclitaxel bioavailability after oral administration of pegylated paclitaxel prodrug for oral delivery in rats **280**, 221
- Choi, J.-S., H.-K. Choi, S.-C. Shin, Enhanced bioavailability of paclitaxel after oral coadministration with flavone in rats **275**, 165
- Choi, J.-S., see Yong, C.S. **269**, 169
- Choi, W.-K., see Kim, J.-H. **272**, 79
- Chon, S.K., see Kang, B.K. **274**, 65
- Chon, S.K., see Kang, B.K. **286**, 147
- Chow, M.S.S., see Zhang, L. **287**, 1
- Chris de Smidt, P., M.A. Campanero, I.F. Trocóniz, Intestinal absorption of penclomedine from lipid vehicles in the conscious rat: contribution of emulsification versus digestibility **270**, 109
- Chytil, P., see Ulbrich, K. **277**, 63
- Ciftci, K., see Gupte, A. **276**, 93
- Claffey, N., see Kelly, H.M. **274**, 167
- Clark, A., see Schiavone, H. **281**, 55
- Cleton, A., see Stoner, C.L. **269**, 241
- Cloarec, A., see Cornaire, G. **278**, 119
- Cocks, A.C.F., see Sinka, I.C. **280**, 27
- Coelho, L.C.B.B., see Andrade, C.A.S. **278**, 435
- Cohen, I.K., see Edwards, J.V. **284**, 1
- Çolak, Ş., M. Korkmaz, Spectroscopic features of radiolytic intermediates induced in gamma irradiated sulfatiazole: an ESR study **285**, 1
- Coleman, A.W., see Da Silva, E. **273**, 57
- Concheiro, A., see Gómez-Carracedo, A. **274**, 233
- Constantin, M., G. Fundueanu, F. Bortolotti, R. Cortesi, P. Ascenzi, E. Menegatti, Preparation and characterisation of poly(vinyl alcohol)/cyclodextrin microspheres as matrix for inclusion and separation of drugs **285**, 87
- Conte, U., see Maggi, L. **269**, 343
- Coombes, A.G.A., see Mohammed, A.R. **285**, 23
- Cooper, V. Brett, see Williams, A.C. **275**, 29
- Cornaire, G., J. Woodley, P. Hermann, A. Cloarec, C. Arellano, G. Houin, Impact of excipients on the absorption of P-glycoprotein substrates in vitro and in vivo **278**, 119

- Corre, P.L., see Dollo, G. **272**, 109
 Correia, M.T.S., see Andrade, C.A.S. **278**, 435
 Corrigan, D.O., O.I. Corrigan, A.M. Healy, Predicting the physical state of spray dried composites: salbutamol sulphate/lactose and salbutamol sulphate/polyethylene glycol co-spray dried systems **273**, 171
 Corrigan, O.I., see Corrigan, D.O. **273**, 171
 Corrigan, O.I., see Kavanagh, N. **279**, 141
 Cortesi, R., see Constantin, M. **285**, 87
 Costa, F.O., A. Pais, J.J.S. Sousa, Analysis of formulation effects in the dissolution of ibuprofen pellets **270**, 9
 Costantini, L.C., S.R. Kleppner, J. McDonough, M.R. Azar, R. Patel, Implantable technology for long-term delivery of nalmefene for treatment of alcoholism **283**, 35
 Coudert, R., see Percot, A. **278**, 143
 Courrier, H.M., F. Pons, J.M. Lessinger, N. Frossard, M.P. Krafft, T.F. Vandamme, In vivo evaluation of a reverse water-in-fluorocarbon emulsion stabilized with a semifluorinated amphiphile as a drug delivery system through the pulmonary route **282**, 131
 Cowden, C., see Euler, D. **275**, 19
 Cox, P.J., N.M. Foote, S.M. MacManus, Solid state study of hydrogen bonding in dichlorophen crystals **269**, 15
 Crail, D.J., A. Tunis, R. Dansereau, Is the use of a 200 ml vessel suitable for dissolution of low dose drug products? **269**, 203
 Cross, P.S., R. Künnemeyer, C.R. Bunt, D.A. Carnegie, M.J. Rathbone, Control, communication and monitoring of intravaginal drug delivery in dairy cows **282**, 35
 Crowley, M.M., B. Schroeder, A. Fredersdorf, S. Obara, M. Talarico, S. Kucera, J.W. McGinity, Physicochemical properties and mechanism of drug release from ethyl cellulose matrix tablets prepared by direct compression and hot-melt extrusion **269**, 509
 Cuccovia, I.M., see Namur, J.A.M. **273**, 1
 Cuesta-Bandera, C., see Daniel-Mwambete, K. **272**, 29
 Cui, F., see Yang, M. **286**, 99
 Cummins, C.L., see Benet, L.Z. **277**, 3
 Cunningham, J.C., see Sinka, I.C. **271**, 215
 Curdy, C., A. Naik, Y.N. Kalia, I. Alberti, R.H. Guy, Non-invasive assessment of the effect of formulation excipients on stratum corneum barrier function in vivo **271**, 251
 Curtis, A.S.G., see Berry, C.C. **269**, 211
 Cutler, D.J., see Turner, J.V. **270**, 209
 Da Silva, E., P. Shahgaldian, A.W. Coleman, Haemolytic properties of some water-soluble *para*-sulphonato-calix-[*n*]-arenes **273**, 57
 da Silva, R.S., see de Lima, R.G. **271**, 21
 Dai, J., T. Nagai, X. Wang, T. Zhang, M. Meng, Q. Zhang, pH-sensitive nanoparticles for improving the oral bioavailability of cyclosporine A **280**, 229
 Dairaku, M., see Kubo, W. **271**, 233
 Dalby, M.J., see Berry, C.C. **269**, 211
 Dalby, R., M. Spallek, T. Voshaar, A review of the development of Respimat® Soft Mist™ Inhaler **283**, 1
 Dallas, P.P., see Agyralides, G.G. **281**, 35
 Danède, F., see Lefort, R. **280**, 209
 Daniel-Mwambete, K., S. Torrado, C. Cuesta-Bandera, F. Ponce-Gordo, J.J. Torrado, The effect of solubilization on the oral bioavailability of three benzimidazole carbamate drugs **272**, 29
 Daniels, R., see Baydoun, L. **274**, 157
 Danjo, K., see Asada, M. **270**, 167
 Danjo, K., see Todo, H. **271**, 41
 Dansereau, R., see Crail, D.J. **269**, 203
 Darby, I., see Jansen, M. **276**, 75
 Dash, A.K., see Ganguly, S. **276**, 83
 Dashevsky, A., K. Kolter, R. Bodmeier, Compression of pellets coated with various aqueous polymer dispersions **279**, 19
 Dautzenberg, H., see Fischer, D. **280**, 253
 David Woolfson, A., see Dennis, A.C. **279**, 43
 Davidovich, M., see Joshi, H.N. **269**, 251
 Davies, M.C., see Keel, T.R. **280**, 185
 Davies, M.C., see Thompson, C. **280**, 137
 Davies, N.M., see Demana, P.H. **270**, 229
 Davies, N.M., see Demana, P.H. **278**, 263
 Davis, A.F., see Trottet, L. **274**, 213
 de Godoy, M.A.F., see de Lima, R.G. **271**, 21
 De Gusseme, A., see Lefort, R. **280**, 209
 De Jong, S.J., see Hennink, W.E. **277**, 99
 de Lima, R.G., M.S.P. Marchesi, M.A.F. de Godoy, A.O. Cassano, A.M. de Oliveira, R.S. da Silva, Structure–activity relationship of coordinated catecholamine in the [Ru^{III}(NH₃)₄(catecholamine)]⁺ complex **271**, 21
 De Madariaga, M.A., see Postigo, F. **278**, 239
 de Oliveira, A.M., see de Lima, R.G. **271**, 21
 De Rosa, G., see Fattal, E. **277**, 25
 de Swart, R.L., see Grainger, C.I. **269**, 523
 de Villiers, M.M., see Devarakonda, B. **284**, 133
 de Villiers, M.M., see van Tonder, E.C. **269**, 417
 De Winne, K., see Hoste, K. **277**, 119
 Deasy, P.B., see Kelly, H.M. **274**, 167
 Deasy, P.B., see Kelly, H.M. **278**, 391
 Debefve, E., see Vargas, A. **286**, 131
 Delie, F., see Vargas, A. **286**, 131
 Demana, P.H., N.M. Davies, B. Berger, T. Rades, Incorporation of ovalbumin into ISCOMs and related colloidal particles prepared by the lipid film hydration method **278**, 263
 Demana, P.H., N.M. Davies, U. Vosgerau, T. Rades, Pseudo-ternary phase diagrams of aqueous mixtures of Quil A, cholesterol and phospholipid prepared by the lipid-film hydration method **270**, 229
 den Brok, M.W.J., S.C. van der Schoot, B. Nijnen, M.J.X. Hillebrand, J.H. Beijnen, 2-hydroxypropyl-β-cyclodextrin extracts 2-phenylphenol from silicone tubing **278**, 303
 Dennis, A.C., J.J. McGarvey, David Woolfson A., D.F. McCafferty, G.P. Moss, A Raman spectroscopic investigation of bioadhesive tetracaine local anaesthetic formulations **279**, 43
 Descamps, M., see Lefort, R. **280**, 209
 Devarakonda, B., R.A. Hill, M.M. de Villiers, The effect of PAMAM dendrimer generation size and surface functional group on the aqueous solubility of nifedipine **284**, 133
 Devraj, G., see Boinpally, R.R. **274**, 185
 Díez-Sales, O., see Borrás-Blasco, J. **269**, 121
 Dhawan, S., see Sinha, V.R. **274**, 1
 Di Colo, G., Y. Zambito, S. Burgalassi, I. Nardini, M.F. Saettone, Effect of chitosan and of *N*-carboxymethylchitosan on intraocular penetration of topically applied ofloxacin **273**, 37

- Dillen, K., J. Vandervoort, G. Van den Mooter, L. Verheyden, A. Ludwig, Factorial design, physicochemical characterisation and activity of ciprofloxacin-PLGA nanoparticles **275**, 171
- Dilworth, S.E., G. Buckton, S. Gaisford, R. Ramos, Approaches to determine the enthalpy of crystallisation, and amorphous content, of lactose from isothermal calorimetric data **284**, 83
- Djordjevic, L., M. Primorac, M. Stupar, D. Krajisnik, Characterization of caprylocaproyl macroglycerides based microemulsion drug delivery vehicles for an amphiphilic drug **271**, 11
- Doi, M., see Seki, J. **275**, 239
- Dollo, G., J.-M. Malinovsky, A. Péron, F.V. Chevanne, M. Pinaud, R.L. Verge, P.L. Corre, Prolongation of epidural bupivacaine effects with hyaluronic acid in rabbits **272**, 109
- Dong, J., see Guo, J. **278**, 415
- Dorle, A.K., see Satturwar, P.M. **270**, 27
- Dortunç, B., see Haznedar, S. **269**, 131
- Dreu, R., see Bajdik, J. **269**, 393
- Drust, A., see Baydoun, L. **274**, 157
- Du Plessis, J., see Fourie, L. **279**, 59
- Duan, X., see Li, B. **287**, 89
- Dubreuil, P., see Jansen, M. **276**, 75
- Ducki, C., see Gibaud, S. **269**, 491
- Dufes, C., F. Gaillard, I.F. Uchegbu, A.G. Schätzlein, J.-C. Olivier, J.-M. Muller, Glucose-targeted niosomes deliver vasoactive intestinal peptide (VIP) to the brain **285**, 77
- Dufresne, M.-H., Le Garrec D., V. Sant, J.-C. Leroux, M. Ranger, Preparation and characterization of water-soluble pH-sensitive nanocarriers for drug delivery **277**, 81
- Durr, E., see Bravo González, R.C. **279**, 27
- Düvel, A., see Baydoun, L. **274**, 157
- Dyrstad, K., see Løkling, K.-E. **274**, 75
- Dyrstad, K., see Løkling, K.-E. **278**, 477
- Earl, A., see Li, Q. **280**, 77
- Ebube, N.K., A.B. Jones, Sustained release of acetaminophen from a heterogeneous mixture of two hydrophilic non-ionic cellulose ether polymers **272**, 19
- Eddington, N.D., see Salama, N.N. **273**, 135
- Edwards, J.V., P. Howley, I.K. Cohen, In vitro inhibition of human neutrophil elastase by oleic acid albumin formulations from derivatized cotton wound dressings **284**, 1
- Ekckman, F., A.J. Moës, K. Amighi, Poly(*N*-isopropylacrylamide) copolymers for constant temperature controlled drug delivery **273**, 109
- Eerikäinen, H., see Raula, J. **284**, 13
- Ek, R., see Mihranyan, A. **269**, 433
- El Maghraby, G.M.M., A.C. Williams, B.W. Barry, Interactions of surfactants (edge activators) and skin penetration enhancers with liposomes **276**, 143
- El-Gendy, A.M., A. Adejare, Membrane permeability related physicochemical properties of a novel γ -secretase inhibitor **280**, 47
- El-Gibaly, I., M. Anwar, Hemolysate-filled polyethyleneimine and polyurea microcapsules as potential red blood cell substitutes: effect of aqueous monomer type on properties of the prepared microcapsules **278**, 25
- El-Gibaly, I., see Attia, M.A. **276**, 11
- Elkordy, A.A., R.T. Forbes, B.W. Barry, Stability of crystallised and spray-dried lysozyme **278**, 209
- El-Samaligy, M., see Omari, D.M. **274**, 85
- El-Samaligy, M.S., S.A. Yahia, E.B. Basalious, Formulation and evaluation of diclofenac sodium buccoadhesive discs **286**, 27
- Elvassore, N., see Salmaso, S. **287**, 163
- Elouani, C., see Abdelbary, G. **278**, 423
- Erickson, B.K., see Toongsuwan, S. **280**, 57
- Erős, I., see Bajdik, J. **269**, 393
- Estevan, M., see Murillo, M. **271**, 125
- Etrych, T., see Ulbrich, K. **277**, 63
- Euler, D., P. Frech, S. Karki, C. Cowden, G. Pearce, P. Mehta, C. Lindemann, P. Byway, M. Wang, T. Gibson, Y. Cheng, G. Kwei, J. Rose, Influence of physicochemical properties and intestinal region on the absorption of 3-fluoro-2-pyrimidylmethyl 3-(2,2-difluoro-2-(2-pyridyl)ethylamino)-6-chloropyrazin-2-one-1-acetamide, a water insoluble thrombin inhibitor in dogs **275**, 19
- Eusébio, M.E., see Nunes, S.C.C. **285**, 13
- Evans, D.G., see Li, B. **287**, 89
- Eyal, S., see Hoffman, A. **277**, 141
- Faassen, F., see Verhezen, J.J.A.M. **278**, 165
- Fang, J.-Y., C.-F. Hung, Y.-P. Fang, T.-F. Chan, Transdermal iontophoresis of 5-fluorouracil combined with electroporation and laser treatment **270**, 241
- Fang, J.-Y., H.-C. Chiu, J.-T. Wu, Y.-R. Chiang, S.-H. Hsu, Fatty acids in *Botryococcus braunii* accelerate topical delivery of flurbiprofen into and across skin **276**, 163
- Fang, X., see Sha, X. **272**, 161
- Fang, Y.-P., see Fang, J.-Y. **270**, 241
- Farkas, E., R. Schubert, R. Zelkó, Effect of β -sitosterol on the characteristics of vesicular gels containing chlorhexidine **278**, 63
- Faroongsarng, D., see Tantishaiyakul, V. **283**, 111
- Fasihullah, Q., see Ahmad, I. **280**, 199
- Fattal, E., G. De Rosa, A. Bochet, Gel and solid matrix systems for the controlled delivery of drug carrier-associated nucleic acids **277**, 25
- Faucitano, A., see Maggi, L. **269**, 343
- Fawaz, F., A. Koffi, M. Guyot, P. Millet, Comparative in vitro–in vivo study of two quinine rectal gel formulations **280**, 151
- Fell, J.T., see Ofori-Kwakye, K. **270**, 307
- Feng, L., see Guo, J. **278**, 415
- Ferdinandi, E.S., see Jansen, M. **276**, 75
- Fernández Cervera, M., J. Heinämäki, E. Räsänen, O. Antikainen, O.M. Nieto, A. Iraizoz Colarte, J. Yliruusi, Determination of tackiness of chitosan film-coated pellets exploiting minimum fluidization velocity **281**, 119
- Fernández-Carballido, A., R. Herrero-Vanrell, I.T. Molina-Martínez, P. Pastoriza, Biodegradable ibuprofen-loaded PLGA microspheres for intraarticular administration. Effect of Labrafil addition on release in vitro **279**, 33
- Ferreira, M.G.S., see Bettencourt, A. **278**, 181
- Fessi, H., see Bouchemal, K. **269**, 89
- Fessi, H., see Bouchemal, K. **280**, 241
- Fetih, G.N., see Attia, M.A. **276**, 11

- Févotte, G., J. Calas, F. Puel, C. Hoff, Applications of NIR spectroscopy to monitoring and analyzing the solid state during industrial crystallization processes **273**, 159
- Filho, P.d.S.e.S., see Souza, M.J.e. **271**, 287
- Finlay, W.H., see Sham, J.O.-H. **269**, 457
- Finlay, W.H., see Wang, Z. **275**, 123
- Finnin, B.C., see Wolka, A.M. **271**, 5
- Fischer, D., H. Dautzenberg, K. Kunath, T. Kissel, Poly(diallyldimethylammonium chlorides) and their *N*-methyl-*N*-vinylacetamide copolymer-based DNA-polyplexes: role of molecular weight and charge density in complex formation, stability, and in vitro activity **280**, 253
- Fitzgerald, M., see Mohammed, A.R. **285**, 23
- Flament, M.-P., P. Leterme, A. Gayot, The influence of carrier roughness on adhesion, content uniformity and the in vitro deposition of terbutaline sulphate from dry powder inhalers **275**, 201
- Foote, N.M., see Cox, P.J. **269**, 15
- Forbes, R.T., see Elkordy, A.A. **278**, 209
- Forni, F., see Leo, E. **278**, 133
- Fossheim, S.L., see Løkling, K.-E. **274**, 75
- Fossheim, S.L., see Løkling, K.-E. **278**, 477
- Fourie, L., J.C. Breytenbach, J. Du Plessis, C. Goosen, H. Swart, J. Hadgraft, Percutaneous delivery of carbamazepine and selected *N*-alkyl and *N*-hydroxyalkyl analogues **279**, 59
- Franceschi-Messant, S., see Asgatay, S. **285**, 121
- Franco, M., see Trapani, A. **278**, 91
- Francolini, I., see Piozzi, A. **280**, 173
- Frech, P., see Euler, D. **275**, 19
- Freche, M., see Ratier, A. **274**, 261
- Fredersdorf, A., see Crowley, M.M. **269**, 509
- Freeman, T., see Graves, R.A. **270**, 251
- Freiberg, S., X.X. Zhu, Polymer microspheres for controlled drug release **282**, 1
- Friedman, M., see Hoffman, A. **277**, 141
- Frijlink, H.W., see Weda, M. **287**, 79
- Frossard, N., see Courrier, H.M. **282**, 131
- Frydenvang, K., see Parshad, H. **269**, 157
- Fujioka, K., see Maeda, H. **275**, 109
- Fujishima, Y., see Tanaka, T. **277**, 39
- Fujishima, Y., see Tanaka, T. **286**, 9
- Fujita, T., see Yamamoto, A. **282**, 141
- Fukui, H., see Seki, J. **273**, 75
- Fukui, H., see Seki, J. **275**, 239
- Fulzele, S.V., see Satturwar, P.M. **270**, 27
- Fundueanu, G., see Constantin, M. **285**, 87
- Furkert, F.H., see Steckel, H. **275**, 211
- Furuyama, N., see Hasegawa, S. **280**, 39
- Fusaro, F., see Vernon, B.L. **274**, 191
- Gabriëls, M., J. Plaizier-Vercammen, Experimental designed optimisation and stability evaluation of dry suspensions with artemisinin derivatives for paediatric use **283**, 19
- Gabriëls, M., J. Plaizier-Vercammen, Design of a dissolution system for the evaluation of the release rate characteristics of artemether and dihydroartemisinin from tablets **274**, 245
- Gaillard, F., see Dufes, C. **285**, 77
- Gaisford, S., see Dilworth, S.E. **284**, 83
- Galen Shi, H., see Kiang, Y.-H. **280**, 17
- Gallarate, M., see Trotta, M. **270**, 119
- Gallegos, A., R. Carbó-Dorec, R. Ponec, K. Waisser, Similarity approach to QSAR. Application to antimycobacterial benzoxazines **269**, 51
- Gálvez, J., see Calabuig, C. **278**, 111
- Gamazo, C., see Murillo, M. **271**, 125
- Gandhi, M.D., D. Pal, A.K. Mitra, Identification and functional characterization of a Na⁺-independent large neutral amino acid transporter (LAT2) on ARPE-19 cells **275**, 189
- Gandhi, R., C.L. Kaul, R. Panchagnula, Pharmacokinetic evaluation of an azithromycin controlled release dosage form in healthy human volunteers: a single dose study **270**, 1
- Gandhi, R.B., see Gu, C.-H. **269**, 195
- Gandhi, R.B., see Gu, C.-H. **283**, 117
- Ganguly, S., A.K. Dash, A novel in situ gel for sustained drug delivery and targeting **276**, 83
- Ganter, J.L.M.S., see Ughini, F. **271**, 197
- Gao, Z.M., see Schulze Nahrup, J. **270**, 199
- García-Doménech, R., see Calabuig, C. **278**, 111
- Garcia, D., see Awasthi, V.D. **283**, 53
- Gard, T.G., see Grainger, C.I. **269**, 523
- Garg, A., see Kaur, I.P. **269**, 1
- Gašperlin, M., see Podlogar, F. **276**, 115
- Gayot, A., see Flament, M.-P. **275**, 201
- Gazzaniga, A., see Grassi, M. **276**, 107
- Ghartery-Tagoe, E.B., J.S. Morgan, K. Ahmed, A.S. Neish, M.R. Prausnitz, Electroporation-mediated delivery of molecules to model intestinal epithelia **270**, 127
- Gibaud, S., N. Jabir Al Awwadi, C. Ducki, A. Astier, Poly(ϵ -caprolactone) and Eudragit® microparticles containing fludrocortisone acetate **269**, 491
- Gibson, T., see Euler, D. **275**, 19
- Gilani, K., see Najafabadi, A.R. **285**, 97
- Giordano, F., see Grassi, M. **276**, 107
- Giovagnoli, S., see Ricci, M. **275**, 61
- Girard, K.P., see Lekhal, A. **270**, 263
- Glasser, B.J., see Lekhal, A. **270**, 263
- Goel, S., see Kemppainen, B.W. **271**, 301
- Gogte, B.B., see Satturwar, P.M. **270**, 27
- Gohil, U.C., F. Podczeck, N. Turnbull, Investigations into the use of pregelatinised starch to develop powder-filled hard capsules **285**, 51
- Goini, B.A., see Awasthi, V.D. **283**, 53
- Goldhagen, T., see Baydoun, L. **274**, 157
- Gómara, M.J., see Muñoz, M. **269**, 177
- Gómez-Amoza, J.L., see Gómez-Carracedo, A. **274**, 233
- Gómez-Carracedo, A., C. Alvarez-Lorenzo, J.L. Gómez-Amoza, A. Concheiro, Glass transitions and viscoelastic properties of Carbopol® and Noveon® compacts **274**, 233
- Goñi, F.M., see Ahyayauch, H. **279**, 51
- Goñi, M.M., see Murillo, M. **271**, 125
- Göntü, B., see Yetkin, G. **277**, 163
- González-Zamora, J.F., see Pérez-Guillé, B. **282**, 87
- Goosen, C., see Fourie, L. **279**, 59

- Gopinath, D., D. Ravi, B.R. Rao, S.S. Apte, D. Renuka, D. Rambau, Ascorbyl palmitate vesicles (Aspasomes): formation, characterization and applications **271**, 95
- Grainger, C.I., R. Alcock, T.G. Gard, A.V. Quirk, G. van Amerongen, R.L. de Swart, J.G. Hardy, Administration of an insulin powder to the lungs of cynomolgus monkeys using a Penn Century insufflator **269**, 523
- Grassi, M., L. Zema, M.E. Sangalli, A. Maroni, F. Giordano, A. Gazzaniga, Modeling of drug release from partially coated matrices made of a high viscosity HPMC **276**, 107
- Graves, R.A., S. Pamujula, R. Moiseyev, T. Freeman, L.A. Bostanian, T.K. Mandal, Effect of different ratios of high and low molecular weight PLGA blend on the characteristics of pentamidine microcapsules **270**, 251
- Griffith, L.J., see Williams, A.C. **275**, 29
- Gróf, P., see Budai, M. **279**, 67
- Gu, C.-H., H. Li, R.B. Gandhi, K. Raghavan, Grouping solvents by statistical analysis of solvent property parameters: implication to polymorph screening **283**, 117
- Gu, C.-H., R.B. Gandhi, L.K. Tay, S. Zhou, K. Raghavan, Importance of using physiologically relevant volume of dissolution medium to correlate the oral exposure of formulations of BMS-480188 mesylate **269**, 195
- Guggi, D., M.K. Marschütz, A. Bernkop-Schnürch, Matrix tablets based on thiolated poly(acrylic acid): pH-dependent variation in disintegration and mucoadhesion **274**, 97
- Guggi, D., N. Langoth, M.H. Hoffer, M. Wirth, A. Bernkop-Schnürch, Comparative evaluation of cytotoxicity of a glucosamine-TBA conjugate and a chitosan-TBA conjugate **278**, 353
- Guo, J., Q. Ping, G. Jiang, J. Dong, S. Qi, L. Feng, Z. Li, C. Li, Transport of leuprolide across rat intestine, rabbit intestine and Caco-2 cell monolayer **278**, 415
- Gupta, A., P.B. Myrdal, Development of a perillyl alcohol topical cream formulation **269**, 373
- Gupte, A., K. Ciftci, Formulation and characterization of Paclitaxel, 5-FU and Paclitaxel + 5-FU microspheres **276**, 93
- Gurny, R., see Vargas, A. **286**, 131
- Gürsoy, A., E. Kut, S. Özkipimli, Co-encapsulation of isoniazid and rifampicin in liposomes and characterization of liposomes by derivative spectroscopy **271**, 115
- Güven, O., see Taşdelen, B. **278**, 343
- Guy, R.H., see Curdy, C. **271**, 251
- Guyot, M., see Fawaz, F. **280**, 151
- Hadgraft, J., see Fourie, L. **279**, 59
- Hadgraft, J., see Leveque, N. **269**, 323
- Hadgraft, J., see O'Neill, M.A.A. **270**, 323
- Hadgraft, J., see Trottet, L. **274**, 213
- Häfeli, U.O., Magnetically modulated therapeutic systems **277**, 19
- Haishima, Y., R. Matsuda, Y. Hayashi, C. Hasegawa, T. Yagami, T. Tsuchiya, Risk assessment of di(2-ethylhexyl)phthalate released from PVC blood circuits during hemodialysis and pump-oxygenation therapy **274**, 119
- Hallak, H., see Stoner, C.L. **269**, 241
- Hamaura, T., see Hasegawa, S. **280**, 39
- Hammell, D.C., see Valiveti, S. **278**, 173
- Han, H.-K., see Stoner, C.L. **269**, 241
- Hanano, S., see Tanaka, T. **286**, 9
- Hancock, B.C., see Zinchuk, A.V. **269**, 403
- Hansen, T., P. Holm, K. Schultz, Process characteristics and compaction of spray-dried emulsions containing a drug dissolved in lipid **287**, 55
- Hantz, E., see Percot, A. **278**, 143
- Harada, A., see Kawakami, S. **278**, 255
- Harashima, H., see Hatakeyama, H. **281**, 25
- Harashima, H., see Tachibana, R. **270**, 315
- Hardy, J.G., see Grainger, C.I. **269**, 523
- Hardy, J.G., see Jansen, M. **276**, 75
- Harjunen, P., see Murtomaa, M. **282**, 107
- Harmer, Q., see Tobyn, M. **277**, 31
- Haro, I., see Muñoz, M. **269**, 177
- Harwood, J.L., see Karia, C. **271**, 305
- Hasegawa, C., see Haishima, Y. **274**, 119
- Hasegawa, S., T. Hamaura, N. Furuyama, S. Horikawa, A. Kusai, E. Yonemochi, K. Terada, Uniformity and physical states of troglitazone in solid dispersions determined by electron probe microanalysis and microthermal analysis **280**, 39
- Hashida, M., see Higuchi, Y. **287**, 147
- Hatakeyama, H., H. Akita, K. Maruyama, T. Suhara, H. Harashima, Factors governing the in vivo tissue uptake of transferrin-coupled polyethylene glycol liposomes in vivo **281**, 25
- Hatton, T.A., see Bromberg, L. **282**, 45
- Hayashi, M., see Sawada, T. **280**, 103
- Hayashi, Y., see Haishima, Y. **274**, 119
- Hayashi, Y., see Kitahara, S. **283**, 63
- Hazemoto, N., see Tokunaga, M. **269**, 71
- Haznedar, S., B. Dortunç, Preparation and in vitro evaluation of Eudragit microspheres containing acetazolamide **269**, 131
- He, J., see Li, B. **287**, 89
- Healy, A.M., see Corrigan, D.O. **273**, 171
- Heard, C.M., see Abdulkmajed, K. **280**, 113
- Heard, C.M., see Batchelder, R.J. **283**, 45
- Heard, C.M., see Karia, C. **271**, 305
- Hedden, D.B., see Bhattachar, S.N. **269**, 385
- Heinämäki, J., see Fernández Cervera, M. **281**, 119
- Heinze, T.M., see Kim, Y.-H. **271**, 63
- Hejazi, R., M. Amiji, Stomach-specific anti-*H. pylori* therapy. Part III: Effect of chitosan microspheres crosslinking on the gastric residence and local tetracycline concentrations in fasted gerbils **272**, 99
- Hennink, W.E., S.J. De Jong, G.W. Bos, T.F.J. Veldhuis, C.F. van Nostrum, Biodegradable dextran hydrogels crosslinked by stereocomplex formation for the controlled release of pharmaceutical proteins **277**, 99
- Hermann, P., see Cornaire, G. **278**, 119
- Herráez-Domínguez, M., see Borrás-Blasco, J. **269**, 121
- Herrero-Vanrell, R., see Fernández-Carballedo, A. **279**, 33
- Herrero-Vanrell, R., see Martínez-Sancho, C. **273**, 45
- Hettrick, L., see Wu, Y. **285**, 135
- Hey, J.M., see Xiang, J. **279**, 95
- Hietanen, H., see Marvola, J. **281**, 3
- Higaki, K., see Takatori, T. **278**, 275
- Higashiyama, M., K. Inada, A. Ohtori, K. Tojo, Improvement of the ocular bioavailability of timolol by sorbic acid **272**, 91
- Higgins, R., see Wu, Y. **285**, 135

- Higuchi, W., I., see Kevin Li, S. **273**, 9
- Higuchi, Y., M. Nishikawa, S. Kawakami, F. Yamashita, M. Hashida, Uptake characteristics of mannosylated and fucosylated bovine serum albumin in primary cultured rat sinusoidal endothelial cells and Kupffer cells **287**, 147
- Hill, R.A., see Devarakonda, B. **284**, 133
- Hillebrand, M.J.X., see den Brok, M.W.J. **278**, 303
- Hindle, M., see Shen, X. **275**, 249
- Hirakura, Y., S. Kojima, A. Okada, S. Yokohama, S. Yokota, The improved dissolution and prevention of ampoule breakage attained by the introduction of pretreatment into the production process of the lyophilized formulation of recombinant human Interleukin-11 (rhIL-11) **286**, 53
- Hiremath, S.R., see Murthy, S.N. **287**, 47
- Hiremath, S.R.R., see Narasimha Murthy, S. **272**, 11
- Hirvonen, J., see Korhonen, M. **269**, 227
- Hisamatsu, S., see Suzuki, H. **278**, 51
- Hoest, J., see Holm, R. **272**, 189
- Hoff, C., see Févotte, G. **273**, 159
- Hoffer, M.H., see Guggi, D. **278**, 353
- Hoffman, A., D. Stepenksy, E. Lavy, S. Eyal, E. Klausner, M. Friedman, Pharmacokinetic and pharmacodynamic aspects of gastroretentive dosage forms **277**, 141
- Holm, P., see Hansen, T. **287**, 55
- Holm, R., J. Hoest, Successful in silico predicting of intestinal lymphatic transfer **272**, 189
- Hong, C.I., see Kim, J.-H. **272**, 79
- Hong, Y., see Hu, F.Q. **273**, 29
- Horikawa, S., see Hasegawa, S. **280**, 39
- Horvat, M., see Zovko, M. **285**, 35
- Hosoya, O., see Seki, T. **276**, 29
- Hoste, K., K. De Winne, E. Schacht, Polymeric prodrugs **277**, 119
- Hou, S., see Zhang, L. **287**, 155
- Houin, G., see Cornaire, G. **278**, 119
- Howley, P., see Edwards, J.V. **284**, 1
- Hsieh, W.-Y., see Bhattachar, S.N. **269**, 385
- Hsu, S.-H., see Fang, J.-Y. **276**, 163
- Hu, F.Q., Y. Hong, H. Yuan, Preparation and characterization of solid lipid nanoparticles containing peptide **273**, 29
- Hu, J., K.P. Johnston, R.O. Williams III, Rapid dissolving high potency danazol powders produced by spray freezing into liquid process **271**, 145
- Hu, X., see Liu, J. **287**, 13
- Huang, Y.-B., see Wu, P.-C. **271**, 31
- Humbert, Ph., see Leveque, N. **269**, 323
- Hung, C.-F., see Fang, J.-Y. **270**, 241
- Hunke, W.A., see Tsinontides, S.C. **280**, 1
- Hunt, B., see Chatterton, B.E. **271**, 137
- Hunter, W.L., see Jackson, J.K. **270**, 185
- Hunter, W.L., see Jackson, J.K. **283**, 97
- Hussain, A.S., see Yu, L.X. **270**, 221
- Hwang, S.-J., see Lee, K.-J. **285**, 43
- Hwang, S.R., S.-J. Lim, J.-S. Park, C.-K. Kim, Phospholipid-based microemulsion formulation of all-trans-retinoic acid for parenteral administration **276**, 175
- Ibuki, R., see Okimoto, K. **286**, 81
- Ibuki, R., see Yoshida, H. **270**, 55
- Ichikawa, N., see Kawakami, S. **278**, 255
- Ide, N., see Tachibana, R. **270**, 315
- Igarashi, R., see Takenaga, M. **271**, 85
- Iida, K., see Todo, H. **271**, 41
- Ijima, H., see Sakai, S. **270**, 65
- İkinci, G., S. Şenel, C.G. Wilson, M. Şumnu, Development of a buccal bioadhesive nicotine tablet formulation for smoking cessation **277**, 173
- Illing, A., T. Unruh, Investigation on the flow behavior of dispersions of solid triglyceride nanoparticles **284**, 123
- Illum, L., see Leane, M.M. **271**, 241
- Inada, K., see Higashiyama, M. **272**, 91
- Ingels, F., B. Beck, M. Oth, P. Augustijns, Effect of simulated intestinal fluid on drug permeability estimation across Caco-2 monolayers **274**, 221
- Irache, J.M., see Murillo, M. **271**, 125
- Iraizoz Colarte, A., see Fernández Cervera, M. **281**, 119
- Irie, T., see Okimoto, K. **286**, 81
- Ishida, T., see Li, W. **276**, 67
- Ishihara, K., see Nam, K. **275**, 259
- Ishiki, N., H. Onishi, Y. Machida, Evaluation of antitumor and toxic side effects of mitomycin C-estradiol conjugates **279**, 81
- Ishitobi, Y., see Koga, K. **286**, 41
- Ishizuka, T., see Kitahara, S. **283**, 63
- Ispas-Szabo, P., see Mulhbacher, J. **278**, 231
- Ivanov, C., see Verestiuc, L. **269**, 185
- Iversen, P.L., see Pannier, A.K. **275**, 217
- Iwata, M., see Suzuki, H. **278**, 51
- Izutsu, K.-i., S.O. Ocheda, N. Aoyagi, S. Kojima, Effects of sodium tetraborate and boric acid on nonisothermal mannitol crystallization in frozen solutions and freeze-dried solids **273**, 85
- Jaafari, M.-R., see Tafaghodi, M. **280**, 125
- Jabir Al Awwadi, N., see Gibaud, S. **269**, 491
- Jackson, J.K., J. Smith, K. Letchford, K.A. Babiuk, L. Machan, P. Signore, W.L. Hunter, K. Wang, H.M. Burt, Characterization of perivascular poly(lactic-co-glycolic acid) films containing paclitaxel **283**, 97
- Jackson, J.K., X. Zhang, S. Llewellen, W.L. Hunter, H.M. Burt, The characterization of novel polymeric paste formulations for intratumoral delivery **270**, 185
- Jadhav, B.K., see Paradkar, A. **271**, 281
- Jaganathan, K.S., see Prabakaran, D. **284**, 95
- Jaganathan, K.S., see Singh, P. **278**, 379
- Jain, N., see Yang, G. **269**, 141
- Jain, N.K., see Agrawal, S. **274**, 149
- Jain, S., see Singh, P. **278**, 379
- Jain, S., see Vyas, S.P. **269**, 37
- Jalšenjak, I., see Pepić, I. **272**, 57
- Jalšenjak, N., see Pepić, I. **272**, 57
- Jambhekar, S., R. Casella, T. Maher, The physicochemical characteristics and bioavailability of indometacin from β -cyclodextrin, hydroxyethyl- β -cyclodextrin, and hydroxypropyl- β -cyclodextrin complexes **270**, 149
- Jamnik, A., see Podlogar, F. **276**, 115
- Jannin, V., see Chambin, O. **278**, 79

- Jansen, M., I. Darby, T. Abribat, P. Dubreuil, E.S. Ferdinand, J.G. Hardy, Pulmonary delivery of TH9507, a growth hormone releasing factor analogue, in the dog **276**, 75
- Jasti, B.R., see Boinpally, R.R. **274**, 185
- Jelinkova, M., see Ulbrich, K. **277**, 63
- Jemal, M., see Joshi, H.N. **269**, 251
- Jeong, S.Y., see Kang, B.K. **274**, 65
- Jeong, S.Y., see Kang, B.K. **286**, 147
- Jeong, Y.-I., M.-K. Kang, H.-S. Sun, S.-S. Kang, H.-W. Kim, K.-S. Moon, K.-J. Lee, S.-H. Kim, S. Jung, All-trans-retinoic acid release from core-shell type nanoparticles of poly(ϵ -caprolactone)/poly(ethylene glycol) diblock copolymer **273**, 95
- Jiang, G., see Guo, J. **278**, 415
- Jiang, W., see Zhang, Q. **275**, 85
- Jiang, X., see Zhang, Q. **275**, 85
- Jiménez, M.M., J. Pelletier, M.F. Bobin, M.C. Martini, Influence of encapsulation on the in vitro percutaneous absorption of octyl methoxycinnamate **272**, 45
- Jiménez-Bravo-Luna, M., see Pérez-Guillé, B. **282**, 87
- Jimenez-Kairuz, A.F., D.A. Allemandi, R.H. Manzo, The improvement of aqueous chemical stability of a model basic drug by ion pairing with acid groups of polyelectrolytes **269**, 149
- Jiménez-Torres, N.V., see Merino-Sanjuán, M. **278**, 283
- Jo, B.-W., see Choi, J.-S. **280**, 221
- Joachim, J., see Abdelbary, G. **278**, 423
- Johnson, B., see Alexander, A. **269**, 19
- Johnson, K., see Stoner, C.L. **269**, 241
- Johnston, K.P., see Hu, J. **271**, 145
- Jones, A.B., see Ebube, N.K. **272**, 19
- Joshi, A.B., L.E. Kirsch, The estimation of glutaminyl deamidation and aspartyl cleavage rates in glucagon **273**, 213
- Joshi, H.N., R.W. Tejwani, M. Davidovich, V.P. Sahasrabudhe, M. Jemal, M.S. Bathala, S.A. Varia, A.T.M. Serajuddin, Bioavailability enhancement of a poorly water-soluble drug by solid dispersion in polyethylene glycol-polysorbate 80 mixture **269**, 251
- Jouyban, A., S. Soltanpour, H.-K. Chan, A simple relationship between dielectric constant of mixed solvents with solvent composition and temperature **269**, 353
- Jung, S., see Jeong, Y.-I. **273**, 95
- Junginger, H.E., see Polnok, A. **269**, 303
- Juni, K., see Seki, T. **276**, 29
- Junjie, Z., see Shouqin, Z. **278**, 471
- Kadam, S.S., see Pisal, S.S. **270**, 37
- Kado, K., see Yoshida, H. **270**, 55
- Kalia, Y.N., see Curdy, C. **271**, 251
- Kanaujia, P., see Prabakaran, D. **284**, 95
- Kaneo, Y., see Tanaka, T. **277**, 39
- Kaneo, Y., see Tanaka, T. **286**, 9
- Kanerva, H., see Marvola, J. **281**, 3
- Kang, B.K., J.S. Lee, S.K. Chon, S.Y. Jeong, S.H. Yuk, G. Khang, H.B. Lee, S.H. Cho, Development of self-microemulsifying drug delivery systems (SMEDDS) for oral bioavailability enhancement of simvastatin in beagle dogs **274**, 65
- Kang, B.K., S.K. Chon, S.H. Kim, S.Y. Jeong, M.S. Kim, S.H. Cho, H.B. Lee, G. Khang, Controlled release of paclitaxel from microemulsion containing PLGA and evaluation of anti-tumor activity in vitro and in vivo **286**, 147
- Kang, M.-K., see Jeong, Y.-I. **273**, 95
- Kang, S.-S., see Jeong, Y.-I. **273**, 95
- Kanis, L.A., see Meier, M.M. **278**, 99
- Kannan, M.E., see Vydas, S.P. **269**, 37
- Karia, C., J.L. Harwood, A.P. Morris, C.M. Heard, Simultaneous permeation of tamoxifen and γ linolenic acid across excised human skin. Further evidence of the permeation of solvated complexes **271**, 305
- Karjalainen, M., see Airaksinen, S. **276**, 129
- Karki, S., see Euler, D. **275**, 19
- Karki, S.B., D. Ostovic, Assessing aggregation of peptide conjugate of doxorubicin using quasi-elastic light scattering and 600 MHz NMR **271**, 181
- Karmhag, R., see Mihranyan, A. **269**, 433
- Kashihara, T., see Ohmori, S. **278**, 447
- Kashihara, T., see Ohmori, S. **278**, 459
- Kassem, A.A., see Taha, E.I. **279**, 3
- Kataoka, M., Y. Miyanaga, E. Tsuji, T. Uchida, Evaluation of bottled nutritive drinks using a taste sensor **279**, 107
- Kaul, C.L., see Agrawal, S. **276**, 41
- Kaul, C.L., see Gandhi, R. **270**, 1
- Kauppinen, E.I., see Raula, J. **284**, 13
- Kaur, I.P., A. Garg, A.K. Singla, D. Aggarwal, Vesicular systems in ocular drug delivery: an overview **269**, 1
- Kaur, K.J., see Agrawal, S. **276**, 41
- Kaushik, G., see Shao, J. **286**, 117
- Kaushik, R., see Sinha, V.R. **274**, 1
- Kaushik, R., see Sinha, V.R. **278**, 1
- Kavanagh, N., O.I. Corrigan, Swelling and erosion properties of hydroxypropylmethylcellulose (Hypromellose) matrices—fluence of agitation rate and dissolution medium composition **279**, 141
- Kawai, S., see Takenaga, M. **271**, 85
- Kawakami, K., see Sakai, S. **270**, 65
- Kawakami, S., A. Harada, K. Sakanaka, K. Nishida, J. Nakamura, T. Sakaeda, N. Ichikawa, M. Nakashima, H. Sasaki, In vivo gene transfection via intravitreal injection of cationic liposome/plasmid DNA complexes in rabbits **278**, 255
- Kawakami, S., see Higuchi, Y. **287**, 147
- Kawashima, S., see Kofuji, K. **272**, 65
- Kawashima, S., see Koga, K. **286**, 41
- Kawashima, Y., see Sato, Y. **275**, 97
- Kawashima, Y., see Takeuchi, H. **274**, 131
- Kawashima, Y., see Yang, M. **286**, 99
- Kayaman-Apohan, N., see Taşdelen, B. **278**, 343
- Keel, T.R., C. Thompson, M.C. Davies, S.J.B. Tendler, C.J. Roberts, AFM studies of the crystallization and habit modification of an excipient material, adipic acid **280**, 185
- Kekki, T., see Marvola, J. **281**, 3
- Keleb, E.I., A. Vermeire, C. Vervaet, J.P. Remon, Twin screw granulation as a simple and efficient tool for continuous wet granulation **273**, 183
- Kelly, H.M., P.B. Deasy, E. Ziaka, N. Claffey, Formulation and preliminary in vivo dog studies of a novel drug delivery system for the treatment of periodontitis **274**, 167

- Kelly, H.M., P.B. Deasy, M. Busquet, A.A. Torrance, Bioadhesive, rheological, lubricant and other aspects of an oral gel formulation intended for the treatment of xerostomia **278**, 391
- Kempf, M., see Mandal, B. **269**, 259
- Kemppainen, B.W., D.W. Urry, C.-X. Luan, J. Xu, S.F. Swaim, S. Goel, In vitro skin penetration of dazmegrel delivered with a bioelastic matrix **271**, 301
- Ketkar, A., see Kumar M.K. **272**, 151
- Kevin Higuchi, W.I., see Li, S. **273**, 9
- Khan, M.A., see Palamakula, A. **273**, 63
- Khan, M.A., see Taha, E.I. **279**, 3
- Khan, M.A., see Taha, E.I. **285**, 109
- Khang, G., see Kang, B.K. **274**, 65
- Khang, G., see Kang, B.K. **286**, 147
- Khang, G., see Yoo, J.Y. **276**, 1
- Khinast, J.G., see Lekhal, A. **270**, 263
- Ki, M.-H., see Kim, J.-H. **272**, 79
- Kiang, S., see Lekhal, A. **270**, 263
- Kiang, Y.-H., Galen Shi H., D.J. Mathre, W. Xu, D. Zhang, S. Panmai, Crystal structure and surface properties of an investigational drug—A case study **280**, 17
- Kikkoji, T., see Kitahara, S. **283**, 63
- Kim, C.-K., see Hwang, S.R. **276**, 175
- Kim, C.-K., see Yong, C.S. **269**, 169
- Kim, D.-C., see Cao, Q.-R. **274**, 107
- Kim, D.-C., see Yong, C.S. **269**, 169
- Kim, D.-D., see Lee, K.-J. **285**, 43
- Kim, D.-D., see Yong, C.S. **269**, 169
- Kim, H.-W., see Jeong, Y.-I. **273**, 95
- Kim, J., S.-C. Shin, Controlled release of atenolol from the ethylene-vinyl acetate matrix **273**, 23
- Kim, J.-H., S.-K. Lee, M.-H. Ki, W.-K. Choi, S.-K. Ahn, H.-J. Shin, C.I. Hong, Development of parenteral formulation for a novel angiogenesis inhibitor, CKD-732 through complexation with hydroxypropyl- β -cyclodextrin **272**, 79
- Kim, J.M., see Yoo, J.Y. **276**, 1
- Kim, J.S., see Lee, K.-J. **285**, 43
- Kim, M.S., see Kang, B.K. **286**, 147
- Kim, M.S., see Yoo, J.Y. **276**, 1
- Kim, S.G., see Bae, S.K. **275**, 227
- Kim, S.-H., see Jeong, Y.-I. **273**, 95
- Kim, S.H., see Kang, B.K. **286**, 147
- Kim, S.-Y., K.-J. Lee, Y.-H. Shin, C.-H. Lee, Physicochemical properties of 2'-benzoyloxy cinnamaldehyde **287**, 21
- Kim, T.H., T.G. Park, Critical effect of freezing/freeze-drying on sustained release of FITC-dextran encapsulated within PLGA microspheres **271**, 207
- Kim, Y.-H., T.M. Heinze, R. Beger, J.V. Pothuluri, C.E. Cerniglia, A kinetic study on the degradation of erythromycin A in aqueous solution **271**, 63
- Kim, Y.S., see Yoo, J.Y. **276**, 1
- Kimura, T., see Takatori, T. **278**, 275
- Kinoshita, N., see Takahashi, K. **286**, 89
- Kipp, J.E., The role of solid nanoparticle technology in the parenteral delivery of poorly water-soluble drugs **284**, 109
- Kiptoo, P.K., see Valiveti, S. **278**, 173
- Kirsch, L.E., see Joshi, A.B. **273**, 213
- Kissel, T., see Fischer, D. **280**, 253
- Kissel, T., see Mao, S. **281**, 45
- Kitagawa, A., see Takenaga, M. **271**, 85
- Kitahara, S., T. Ishizuka, T. Kikkaji, R. Matsuda, Y. Hayashi, Precision and detection limit of quality test for amorphous drug in powder X-ray diffractometry **283**, 63
- Kiwada, H., see Li, W. **276**, 67
- Kiwada, H., see Tachibana, R. **270**, 315
- Klausner, E., see Hoffman, A. **277**, 141
- Klaveness, J., see Løkling, K.-E. **274**, 75
- Klaveness, J., see Løkling, K.-E. **278**, 477
- Kleppner, S.R., see Costantini, L.C. **283**, 35
- Klipper, R., see Awasthi, V.D. **283**, 53
- Klous, M.G., B. Nuijen, W.V. Brink, J.M.V. Ree, J.H. Beijnen, Process characterisation, optimisation and validation of production of diacetylmorphine/caffeine sachets: a design of experiments approach **285**, 65
- Kobayashi, M., see Oda, M. **280**, 95
- Kochambilli, R.P., see Li, S. Kevin **273**, 9
- Kockisch, S., G.D. Rees, S.A. Young, J. Tsibouklis, J.D. Smart, In situ evaluation of drug-loaded microspheres on a mucosal surface under dynamic test conditions **276**, 51
- Koffi, A., see Fawaz, F. **280**, 151
- Kofuji, K., H. Akamine, C.J. Qian, K. Watanabe, Y. Togan, M. Nishimura, I. Sugiyama, Y. Murata, S. Kawashima, Therapeutic efficacy of sustained drug release from chitosan gel on local inflammation **272**, 65
- Koga, A., E. Yonemochi, M. Machida, Y. Aso, H. Ushio, K. Terada, Microscopic molecular mobility of amorphous AG-041R measured by solid-state ^{13}C NMR **275**, 73
- Koga, K., Y. Ishitobi, S. Kawashima, M. Taniguchi, M. Murakami, Membrane permeability and antipyrene absorption in a rat model of ischemic colitis **286**, 41
- Kohli, A.K., H.O. Alpar, Potential use of nanoparticles for transcutaneous vaccine delivery: effect of particle size and charge **275**, 13
- Koike, T., see Seki, J. **275**, 239
- Kojima, S., see Hirakura, Y. **286**, 53
- Kojima, S., see Izutsu, K.-i. **273**, 85
- Kolter, K., see Dashevsky, A. **279**, 19
- Konan-Kouakou, Y., see Vargas, A. **286**, 131
- Kondo, H., see Sawada, T. **280**, 103
- Kongkaneramit, L., see Manosroi, A. **270**, 279
- Kopeček, J., see Wang, D. **277**, 73
- Kopečková, P., see Wang, D. **277**, 73
- Korhonen, M., J. Hirvonen, L. Peltonen, O. Antikainen, L. Yrjänäinen, J. Yliroosi, Formation and characterization of three-component-sorbitan monoester surfactant, oil and water-creams **269**, 227
- Korkmaz, M., see Çolak, İ. **285**, 1
- Korn, C., see Balbach, S. **275**, 1
- Kotiyani, P.N., P.R. Vavia, Y.K. Bhardwaj, S. Sabarwal, A.B. Majali, Electron beam irradiation: a novel technology for the development of transdermal system of isosorbide dinitrate **270**, 47
- Kovacs, J.C., see Chatterton, B.E. **271**, 137
- Krafft, M.P., see Courrier, H.M. **282**, 131
- Krajisnik, D., see Djordjevic, L. **271**, 11

- Kristensen, J., see Vilhelmsen, T. **275**, 141
 Kristl, A., see Žakelj, S. **272**, 173
 Kubo, W., S. Miyazaki, M. Dairaku, M. Togashi, R. Mikami, D. Attwood, Oral sustained delivery of ambroxol from in situ-gelling pectin formulations **271**, 233
 Kucera, S., see Crowley, M.M. **269**, 509
 Kukura, J., J.L. Baxter, F.J. Muzzio, Shear distribution and variability in the USP Apparatus 2 under turbulent conditions **279**, 9
 Kumar M.K., M.H. Shah, A. Ketkar, K.R. Mahadik, A. Paradvkar, Effect of drug solubility and different excipients on floating behaviour and release from glyceryl monooleate matrices **272**, 151
 Kumria, R., see Sinha, V.R. **269**, 101
 Kumria, R., see Sinha, V.R. **274**, 1
 Kumria, R., see Sinha, V.R. **278**, 1
 Kunath, K., see Fischer, D. **280**, 253
 Küninemeyer, R., see Cross, P.S. **282**, 35
 Kurita, T., A. Miyagishima, Y. Nozawa, Y. Sadzuka, T. Sonobe, A dosage design of mitomycin C tablets containing finely powdered green tea **275**, 279
 Kusai, A., see Hasegawa, S. **280**, 39
 Kut, E., see Gürsoy, A. **271**, 115
 Kwei, G., see Euler, D. **275**, 19
 Kwei, G., see Wu, Y. **285**, 135
 Labetoulle, C., see O'Neill, M.A.A. **270**, 323
 Labhasetwar, V., see Satturwar, P.M. **270**, 27
 Lacout, J.L., see Ratier, A. **274**, 261
 Laine, E., see Murtomaa, M. **282**, 107
 Lampela, P., P. Soininen, A. Urtti, P.T. Männistö, A. Raasmaja, Synergism in gene delivery by small PEIs and three different nonviral vectors **270**, 175
 Lampela, P., P. Soininen, K.A. Puttonen, M. Ruponen, A. Urtti, P.T. Männistö, A. Raasmaja, Effect of cell-surface glycosaminoglycans on cationic carrier combined with low-MW PEI-mediated gene transfection **284**, 43
 Lamprecht, A., J.-L. Saumet, J. Roux, J.-P. Benoit, Lipid nanocarriers as drug delivery system for ibuprofen in pain treatment **278**, 407
 Landis, E., see Wu, Y. **285**, 135
 Lange, C.F., see Wang, Z. **275**, 123
 Lange, N., see Vargas, A. **286**, 131
 Langoth, N., see Guggi, D. **278**, 353
 Lankinen, T., see Lehto, V.-P. **275**, 155
 Lankinen, T., see Murtomaa, M. **282**, 107
 Lante, A., see Salmaso, S. **287**, 163
 Laquintana, V., see Trapani, A. **278**, 91
 Larsen, C., see Parshad, H. **269**, 157
 Latrofa, A., see Trapani, A. **278**, 91
 Lavy, E., see Hoffman, A. **277**, 141
 Le Garrec, D., see Dufresne, M.-H. **277**, 81
 Leane, M.M., R. Nankervis, A. Smith, L. Illum, Use of the ninhydrin assay to measure the release of chitosan from oral solid dosage forms **271**, 241
 Lee, B.-J., see Cao, Q.-R. **274**, 107
 Lee, B.-J., see Yong, C.S. **269**, 169
 Lee, C.-H., see Kim, S.-Y. **287**, 21
 Lee, C.-H., see Lee, K.-J. **285**, 43
 Lee, C.H., see Wang, Y. **282**, 173
 Lee, H.B., see Kang, B.K. **274**, 65
 Lee, H.B., see Kang, B.K. **286**, 147
 Lee, H.B., see Yoo, J.Y. **276**, 1
 Lee, I., see Bae, S.K. **275**, 227
 Lee, I.-L., see Wang, J. **279**, 115
 Lee, J.S., see Kang, B.K. **274**, 65
 Lee, J.Y., see Bae, S.K. **275**, 227
 Lee, K.-J., S.-J. Hwang, J.S. Kim, D.-D. Kim, Y.-H. Shin, C.-H. Lee, Effects of HPE-101, a skin penetration enhancer, on human erythrocyte membranes **285**, 43
 Lee, K.-J., see Jeong, Y.-I. **273**, 95
 Lee, K.-J., see Kim, S.-Y. **287**, 21
 Lee, M.G., see Bae, S.K. **275**, 227
 Lee, S.J., see Bae, S.K. **275**, 227
 Lee, S.-K., see Kim, J.-H. **272**, 79
 Lee, Y., see Bae, S.K. **275**, 227
 Lefort, R., A. De Gusseme, J.-F. Willart, F. Danède, M. Descamps, Solid state NMR and DSC methods for quantifying the amorphous content in solid dosage forms: an application to ball-milling of trehalose **280**, 209
 Legen, I., see Žakelj, S. **272**, 173
 Lehto, V.-P., see Murtomaa, M. **282**, 107
 Lehto, V.-P., T. Lankinen, Moisture transfer into medicament chambers equipped with a double-barrier-desiccant system **275**, 155
 Leitão, M.L.P., see Nunes, S.C.C. **285**, 13
 Lekhal, A., K.P. Girard, M.A. Brown, S. Kiang, J.G. Khinast, B.J. Glasser, The effect of agitated drying on the morphology of L-threonine (needle-like) crystals **270**, 263
 Leo, E., B. Brina, F. Forni, M.A. Vandelli, In vitro evaluation of PLA nanoparticles containing a lipophilic drug in water-soluble or insoluble form **278**, 133
 Leong, K.W., see Wang, J. **279**, 115
 Leroux, J.-C., see Dufresne, M.-H. **277**, 81
 Lessinger, J.M., see Courrier, H.M. **282**, 131
 Letchford, K., see Jackson, J.K. **283**, 97
 Leterme, P., see Flament, M.-P. **275**, 201
 Leuenberger, H., see Betz, G. **272**, 137
 Leuenberger, H., see von Orelli, J. **287**, 135
 Levchenko, T.S., see Wang, J. **272**, 129
 Leveque, N., S. Makki, J. Hadgraft, Ph. Humbert, Comparison of Franz cells and microdialysis for assessing salicylic acid penetration through human skin **269**, 323
 Li, B., J. He, D.G. Evans, X. Duan, Enteric-coated layered double hydroxides as a controlled release drug delivery system **287**, 89
 Li, C., see Guo, J. **278**, 415
 Li, H., see Gu, C.-H. **283**, 117
 Li, J., H. Xiao, J. Li, Y. Zhong, Drug carrier systems based on water-soluble cationic β -cyclodextrin polymers **278**, 329
 Li, J., see Li, J. **278**, 329
 Li, L., see Liu, J. **287**, 13
 Li, L.-C., see Toongsuwan, S. **280**, 57
 Li, Q., V. Rudolph, B. Weigl, A. Earl, Interparticle van der Waals force in powder flowability and compactibility **280**, 77
 Li, S. Kevin, W.I. Higuchi, R.P. Kochambilli, H. Zhu, Mechanistic studies of flux variability of neutral and ionic permeants during

- constant current dc iontophoresis with human epidermal membrane **273**, 9
- Li, W., see Wang, D. **277**, 73
- Li, W., T. Ishida, R. Tachibana, M.R. Almofti, X. Wang, H. Kiwada, Cell type-specific gene expression, mediated by TFL-3, a cationic liposomal vector, is controlled by a post-transcription process of delivered plasmid DNA **276**, 67
- Li, Y., M. Ogris, J. Pelisek, W. Röedl, Stability and release characteristics of poly(D,L-lactide-co-glycolide) encapsulated CaPi-DNA coprecipitation **269**, 61
- Li, Z., see Guo, J. **278**, 415
- Liao, C.-C., see Wu, P.-C. **271**, 31
- Liebenberg, W., see van Tonder, E.C. **269**, 417
- Liedtke, V., see Xiang, J. **279**, 95
- Lièvre, N., see Percot, A. **278**, 143
- Liggins, R.T., H.M. Burt, Paclitaxel-loaded poly(L-lactic acid) microspheres 3: blending low and high molecular weight polymers to control morphology and drug release **282**, 61
- Liggins, R.T., H.M. Burt, Paclitaxel loaded poly(L-lactic acid) (PLLA) microspheres. II. The effect of processing parameters on microsphere morphology and drug release kinetics **281**, 103
- Liljefors, T., see Parshad, H. **269**, 157
- Lim, S.-J., see Hwang, S.R. **276**, 175
- Lim, W.S., see Wang, J. **279**, 115
- Limmatvapirat, C., see Limmatvapirat, S. **278**, 41
- Limmatvapirat, S., C. Limmatvapirat, M. Luangtana-anan, J. Nunthanid, T. Oguchi, Y. Tozuka, K. Yamamoto, S. Puttipipatkhachorn, Modification of physicochemical and mechanical properties of shellac by partial hydrolysis **278**, 41
- Lin, J., see Zhang, J. **282**, 183
- Lindahl, K., see Lodén, M. **284**, 23
- Lindemann, C., see Euler, D. **275**, 19
- Lindevall, K., see Marvola, J. **281**, 3
- Lipponen, M., see Marvola, J. **281**, 3
- Liso, G., see Trapani, A. **278**, 91
- Liu, H., see Mao, S. **272**, 37
- Liu, J., L. Chen, L. Li, X. Hu, Y. Cai, Steady-state fluorescence study on release of camptothecin from agar hydrogel **287**, 13
- Liu, S.-J., see Wang, G. **273**, 203
- Løkling, K.-E., R. Skurtveit, K. Dyrstad, J. Klaveness, S.L. Fosheim, Tuning the MR properties of blood-stable pH-responsive paramagnetic liposomes **274**, 75
- Løkling, K.-E., R. Skurtveit, K. Dyrstad, J. Klaveness, S.L. Fosheim, Erratum to “Tuning the MR properties of blood-stable pH-responsive paramagnetic liposomes” [Int. J. Pharm. 274 (2004) 75–83] **278**, 477
- Llabot, J.M., R.H. Manzo, D.A. Allemandi, Drug release from carbomer:carbomer sodium salt matrices with potential use as mucoadhesive drug delivery system **276**, 59
- Llagostera, A.P., see Mihranyan, A. **269**, 433
- Llewellen, S., see Jackson, J.K. **270**, 185
- Lloyd, A.W., see Naseem, A. **269**, 443
- Löbenberg, R., see Sham, J.O.-H. **269**, 457
- Lochmann, D.S., Stadhofer, J. Weyermann, A. Zimmer, New protamine quantification method in microtiter plates using *o*-phthaldialdehyde/N-acetyl-L-cysteine reagent **283**, 11
- Lodén, M., U. Åkerström, K. Lindahl, B. Berne, Bioequivalence determination of topical ketoprofen using a dermatopharmacokinetic approach and excised skin penetration **284**, 23
- Lopedota, A., see Trapani, A. **278**, 91
- Loper, A., see Wu, Y. **285**, 135
- López, A., see Borrás-Blasco, J. **269**, 121
- Lopez, M.O., see Morilla, M.J. **278**, 311
- Lü, W., see Yu, S. **281**, 11
- Lu, W., see Zhang, Q. **275**, 85
- Lu, Y., see Zhang, L. **287**, 155
- Luan, C.-X., see Kemppainen, B.W. **271**, 301
- Luangtana-anan, M., see Limmatvapirat, S. **278**, 41
- Lück, M., see Schenderlein, S. **286**, 19
- Ludwig, A., see Dillen, K. **275**, 171
- Lukyanov, A.N., see Wang, J. **272**, 129
- Lynn, K., see Wu, Y. **285**, 135
- Ma, L., see Zhang, J. Allen **270**, 93
- Machan, L., see Jackson, J.K. **283**, 97
- Machatha, S.G., P. Bustamante, S.H. Yalkowsky, Deviation from linearity of drug solubility in ethanol/water mixtures **283**, 83
- Machatha, S.G., S.H. Yalkowsky, Estimation of the ethanol/water solubility profile from the octanol/water partition coefficient **286**, 111
- Machida, M., see Koga, A. **275**, 73
- Machida, M., see Sugano, K. **275**, 271
- Machida, Y., see Ishiki, N. **279**, 81
- Machida, Y., see Suzuki, H. **278**, 51
- Mackeben, S., see Müller, M. **274**, 139
- MacManus, S.M., see Cox, P.J. **269**, 15
- Maddalena, D.J., see Turner, J.V. **270**, 209
- Maeda, H., A. Sano, K. Fujioka, Controlled release of rhBMP-2 from collagen minipellet and the relationship between release profile and ectopic bone formation **275**, 109
- Maestrelli, F., N. Zerrouk, C. Chemtob, P. Mura, Influence of chitosan and its glutamate and hydrochloride salts on naproxen dissolution rate and permeation across Caco-2 cells **271**, 257
- Maggi, L., L. Segale, E. Ochoa Machiste, A. Faucitano, A. Buttafava, U. Conte, Polymers-gamma ray interaction. Effects of gamma irradiation on modified release drug delivery systems for oral administration **269**, 343
- Mahadik, K.R., see Ambike, A.A. **282**, 151
- Mahadik, K.R., see Kumar M.K. **272**, 151
- Mahadik, K.R., see Paradkar, A. **271**, 281
- Mahadik, K.R., see Pisal, S.S. **270**, 37
- Maharajan, G., see Saravanan, M. **283**, 71
- Maher, T., see Jambhekar, S. **270**, 149
- Mainwaring, D.E., see Allahham, A. **270**, 139
- Majali, A.B., see Kotiyan, P.N. **270**, 47
- Makino, T., see Ohmori, S. **278**, 447
- Makino, T., see Ohmori, S. **278**, 459
- Makki, S., see Leveque, N. **269**, 323
- Maleka, T.S.P., see van Tonder, E.C. **269**, 417
- Malinovsky, J.-M., see Dollo, G. **272**, 109
- Man, S.-M., see Siew, L.F. **273**, 129
- Mandal, B., M. Kempf, H.P. Merkle, E. Walter, Immobilisation of GM-CSF onto particulate vaccine carrier systems **269**, 259

- Mandal, T.K., see Graves, R.A. **270**, 251
 Mandaogade, P.M., see Satturwar, P.M. **270**, 27
 Männistö, P.T., see Lampela, P. **270**, 175
 Mano, Y., see Yokogawa, K. **269**, 479
 Manosroi, A., L. Kongkaneramit, J. Manosroi, Stability and transdermal absorption of topical amphotericin B liposome formulations **270**, 279
 Manosroi, J., see Manosroi, A. **270**, 279
 Manzo, R.H., see Jimenez-Kairuz, A.F. **269**, 149
 Manzo, R.H., see Llabot, J.M. **276**, 59
 Mao, H.-Q., see Wang, J. **279**, 115
 Mao, S., J. Chen, Z. Wei, H. Liu, D. Bi, Intranasal administration of melatonin starch microspheres **272**, 37
 Mao, S., see Zhang, L. **287**, 155
 Mao, S., X. Shuai, F. Unger, M. Simon, D. Bi, T. Kissel, The depolymerization of chitosan: effects on physicochemical and biological properties **281**, 45
 Marchesi, M.S.P., see de Lima, R.G. **271**, 21
 Marcoin, W., see Michnik, A. **273**, 149
 Marconi, W., see Piozzi, A. **280**, 173
 Mark, J.E., see Schulze Nahrup, J. **270**, 199
 Maroni, A., see Grassi, M. **276**, 107
 Marriott, J., see Allahham, A. **270**, 139
 Marschütz, M.K., see Guggi, D. **274**, 97
 Marsh, K., see Chen, Y. **286**, 69
 Martelli, S., see Bonacucina, G. **282**, 115
 Martin, G.P., see Yff, B.T.S. **269**, 361
 Martini, L.G., see Naseem, A. **269**, 443
 Martini, M.C., see Jiménez, M.M. **272**, 45
 Martínez-Sancho, C., R. Herrero-Varell, S. Negro, Optimisation of aciclovir poly(D,L-lactide-co-glycolide) microspheres for intravertebral administration using a factorial design study **273**, 45
 Maruyama, K., see Hatakeyama, H. **281**, 25
 Marvola, J., H. Kanerva, L. Slot, M. Lipponen, T. Kekki, H. Hietanen, S. Mykkänen, K. Ariniemi, K. Lindevall, M. Marvola, Neutron activation-based gamma scintigraphy in pharmacoscintigraphic evaluation of an Egalet® constant-release drug delivery system **281**, 3
 Marvola, M., see Marvola, J. **281**, 3
 Masuda, K., see Suzuki, H. **278**, 51
 Mateescu, M.A., see Mulhbacher, J. **278**, 231
 Mathre, D.J., see Kiang, Y.-H. **280**, 17
 Matsuda, R., see Haishima, Y. **274**, 119
 Matsuda, R., see Kitahara, S. **283**, 63
 Matsuda, Y., see Teraoka, R. **286**, 1
 Matsuura, A., see Rama Prasad, Y.V. **271**, 225
 Mawhinney, D., see Chen, Y. **286**, 69
 Mayumi, T., see Seki, J. **273**, 75
 Mayumi, T., see Seki, J. **275**, 239
 Mayumi, T., see Takahashi, K. **286**, 89
 McCafferty, D.F., see Dennis, A.C. **279**, 43
 McDonough, J., see Costantini, L.C. **283**, 35
 McGarvey, J.J., see Dennis, A.C. **279**, 43
 McGinity, J.W., see Cerea, M. **279**, 127
 McGinity, J.W., see Crowley, M.M. **269**, 509
 McNeil, S., see Perrie, Y. **284**, 31
 Medlicott, N.J., see Pongjanyakul, T. **271**, 53
 Mehta, P., see Euler, D. **275**, 19
 Meier, M.M., L.A. Kanis, V. Soldi, Characterization and drug-permeation profiles of microporous and dense cellulose acetate membranes: influence of plasticizer and pore forming agent **278**, 99
 Mellin, V., see Murtomaa, M. **282**, 107
 Menegatti, E., see Constantin, M. **285**, 87
 Meng, M., see Dai, J. **280**, 229
 Menon, A., S. Bhandarkar, Predicting polymorphic transformation curves using a logistic equation **286**, 125
 Merino-Sanjuán, M., A. Carrera, E. Monte, N.V. Jiménez-Torres, Adsorption of methotrexate and calcium leucovorin onto cholestryamine in vitro **278**, 283
 Merkle, H.P., see Mandal, B. **269**, 259
 Merly, C., see Trottet, L. **274**, 213
 Mestres, C., see Muñoz, M. **269**, 177
 Michalik, K., see Michnik, A. **273**, 149
 Michael Newton, J., see Chatchawalsaisin, J. **275**, 41
 Michael Newton, J., see Siew, L.F. **273**, 129
 Michnik, A., K. Michalik, W. Marcoin, Influence of magnesium glutamate on stability of penicillin G aqueous solution **273**, 149
 Michoel, A., see Wang, X. **272**, 181
 Mididoddi, P.K., see Repka, M.A. **282**, 95
 Mirhanyan, A., A.P. Llagostera, R. Karmhag, M. Strømme, R. Ek, Moisture sorption by cellulose powders of varying crystallinity **269**, 433
 Mikami, R., see Kubo, W. **271**, 233
 Milic, J., see Savic, S. **271**, 269
 Millet, P., see Fawaz, F. **280**, 151
 Milroy, G.E., see Braunecker, J. **282**, 19
 Minamimoto, T., see Rama Prasad, Y.V. **271**, 225
 Mirmehrabi, M., S. Rohani, K.S.K. Murthy, B. Radatus, Solubility, dissolution rate and phase transition studies of ranitidine hydrochloride tautomeric forms **282**, 73
 Mirza, M., see Trottet, L. **274**, 213
 Mishra, V., see Singh, P. **278**, 379
 Mishra, V., see Vyas, S.P. **269**, 37
 Mitchell, A., see Morçöl, T. **277**, 91
 Mitra, A.K., see Anand, B.S. **281**, 79
 Mitra, A.K., see Gandhi, M.D. **275**, 189
 Mittal, B.R., see Sinha, V.R. **269**, 101
 Miyagishima, A., see Kurita, T. **275**, 279
 Miyamoto, K.-i., see Yokogawa, K. **269**, 479
 Miyanaga, Y., see Kataoka, M. **279**, 107
 Miyashita, M., see Tanaka, T. **277**, 39
 Miyazaki, S., see Kubo, W. **271**, 233
 Miyazaki, Y., S. Yakou, K. Takayama, Study on jelly fig extract as a potential hydrophilic matrix for controlled drug delivery **287**, 39
 Mizuno, N., see Takahashi, K. **286**, 89
 Mizushima, Y., see Takenaga, M. **271**, 85
 Müller, B.W., see Schenderlein, S. **286**, 19
 Männistö, P.T., see Lampela, P. **284**, 43
 Moës, A.J., see Eeckman, F. **273**, 109
 Mohammed, A.R., N. Weston, A.G.A. Coombes, M. Fitzgerald, Y. Perrie, Liposome formulation of poorly water soluble drugs: optimisation of drug loading and ESEM analysis of stability **285**, 23

- Moheno, P.B.B., Calcium pterin as an antitumor agent **271**, 293
 Moiseyev, R., see Graves, R.A. **270**, 251
 Molina-Martínez, I.T., see Fernández-Carballedo, A. **279**, 33
 Momen-nejad, M., see Tafaghodi, M. **280**, 125
 Mongayt, D.A., see Wang, J. **272**, 129
 Montanari, J.A., see Morilla, M.J. **278**, 311
 Monte, E., see Merino-Sanjuán, M. **278**, 283
 Monteiro, J., see Bettencourt, A. **278**, 181
 Montemor, M.F., see Bettencourt, A. **278**, 181
 Moon, K.-S., see Jeong, Y.-I. **273**, 95
 Mora, M., see Postigo, F. **278**, 239
 Morçöl, T., P. Nagappan, L. Nerenbaum, A. Mitchell, S.J.D. Bell, Calcium phosphate-PEG-insulin-casein (CAPIC) particles as oral delivery systems for insulin **277**, 91
 Moreno, V., see Amat, E. **270**, 75
 Morgan, J.S., see Ghartey-Tagoe, E.B. **270**, 127
 Mori, S., see Rama Prasad, Y.V. **271**, 225
 Morilla, M.J., J.A. Montanari, M.J. Prieto, M.O. Lopez, P.B. Petray, E.L. Romero, Intravenous liposomal benznidazole as trypanocidal agent: increasing drug delivery to liver is not enough **278**, 311
 Morimoto, K., see Seki, T. **276**, 29
 Moro, A.M., see Namur, J.A.M. **273**, 1
 Morris, A.P., see Karia, C. **271**, 305
 Morton, D., see Tobyn, M. **277**, 31
 Moss, G.P., see Dennis, A.C. **279**, 43
 Mulhbacher, J., P. Ispas-Szabo, M.A. Mateescu, Cross-linked high amylose starch derivatives for drug release. II. Swelling properties and mechanistic study **278**, 231
 Mullarney, M.P., see Zinchuk, A.V. **269**, 403
 Muller, J.-M., see Dufes, C. **285**, 77
 Müller, M., S. Mackeben, C.C. Müller-Goymann, Physicochemical characterisation of liposomes with encapsulated local anaesthetics **274**, 139
 Müller, R.H., S. Schmidt, I. Buttle, A. Akkar, J. Schmitt, S. Brömer, SolEmuls®—novel technology for the formulation of i.v. emulsions with poorly soluble drugs **269**, 293
 Müller, R.H., see Souto, E.B. **278**, 71
 Müller-Goymann, C.C., see Baydoun, L. **274**, 157
 Müller-Goymann, C.C., see Müller, M. **274**, 139
 Mundhada, D.R., see Satturwar, P.M. **270**, 27
 Muñoz, M., P. Sospedra, M.J. Gómez, C. Mestres, I. Haro, The covalent coupling of HAV-VP3 (110–121) synthetic peptide to liposomes: physicochemical studies **269**, 177
 Mura, P., see Maestrelli, F. **271**, 257
 Murakami, M., see Koga, K. **286**, 41
 Muramatsu, H., see Yamamoto, A. **282**, 141
 Muranishi, S., see Yamamoto, A. **282**, 141
 Murata, Y., see Kofuji, K. **272**, 65
 Murillo, M., J.M. Irache, M. Estevan, M.M. Goñi, J.M. Blasco, C. Gamazo, Influence of the co-encapsulation of different excipients on the properties of polyester microparticle-based vaccine against brucellosis **271**, 125
 Murthy, K.S.K., see Mirmehrabi, M. **282**, 73
 Murthy, S.N., S.R. Hiremath, Clinical pharmacokinetic and pharmacodynamic evaluation of transdermal drug delivery systems of salbutamol sulfate **287**, 47
 Murtomaa, M., V. Mellin, P. Harjunen, T. Lankinen, E. Laine, V.-P. Lehto, Effect of particle morphology on the triboelectrification in dry powder inhalers **282**, 107
 Muster, T.H., Dynamic contact angle measurement on materials with an unknown wet perimeter **282**, 189
 Muzzio, F.J., see Alexander, A. **269**, 19
 Muzzio, F.J., see Kukura, J. **279**, 9
 Mwangi, J.W., C.M. OfnerIII, Crosslinked gelatin matrices: release of a random coil macromolecular solute **278**, 319
 Mykkänen, S., see Marvola, J. **281**, 3
 Myrdal, P.B., see Gupta, A. **269**, 373
 Nawab Manzar Ali, Q., see Ahmad, I. **280**, 199
 Nabuchi, Y., see Sugano, K. **275**, 271
 Nagai, T., see Dai, J. **280**, 229
 Nagappan, P., see Morçöl, T. **277**, 91
 Nagira, S., see Takeuchi, H. **274**, 131
 Naik, A., see Curdy, C. **271**, 251
 Nair, V., see Pillai, O. **269**, 109
 Najafabadi, A.R., K. Gilani, M. Barghi, M. Rafiee-Tehrani, The effect of vehicle on physical properties and aerosolisation behaviour of disodium cromoglycate microparticles spray dried alone or with L-leucine **285**, 97
 Nakamura, J., see Kawakami, S. **278**, 255
 Nakashima, H., see Sawada, T. **280**, 103
 Nakashima, M., see Kawakami, S. **278**, 255
 Nakayama, H., N. Wada, M. Tsuhako, Intercalation of amino acids and peptides into Mg-Al layered double hydroxide by reconstruction method **269**, 469
 Nam, K., J. Watanabe, K. Ishihara, Modeling of swelling and drug release behavior of spontaneously forming hydrogels composed of phospholipid polymers **275**, 259
 Namur, J.A.M., C.S. Takata, A.M. Moro, M.J. Politi, P. Soares de Araujo, I.M. Cuccovia, M.H. Bueno da Costa, Lactic acid triggers, *in vitro*, thiomersal to degrade protein in the presence of PLGA microspheres **273**, 1
 Nankervis, R., see Leane, M.M. **271**, 241
 Narasimha Murthy, S., S.R.R. Hiremath, K.L.K. Paranjothy, Evaluation of carboxymethyl guar films for the formulation of transdermal therapeutic systems **272**, 11
 Nardini, I., see Di Colo, G. **273**, 37
 Nascimento, S.C., see Andrade, C.A.S. **278**, 435
 Naseem, A., C.J. Olliff, L.G. Martini, A.W. Lloyd, Effects of plasma irradiation on the wettability and dissolution of compacts of griseofulvin **269**, 443
 Neerman, M.F., W. Zhang, A.R. Parrish, E.E. Simanek, In vitro and *in vivo* evaluation of a melamine dendrimer as a vehicle for drug delivery **281**, 129
 Negro, S., see Martínez-Sancho, C. **273**, 45
 Neilly, J., see Chen, Y. **286**, 69
 Neish, A.S., see Ghartey-Tagoe, E.B. **270**, 127
 Nerenbaum, L., see Morçöl, T. **277**, 91
 Neves, C., see Svensson, A. **281**, 107
 Newton, J.M., see Bashaiwoldu, A.B. **269**, 329
 Newton, J.M., see Bashaiwoldu, A.B. **274**, 53
 Newton, M.E., see Tobyn, M. **277**, 31
 Nguyen, N.B., see Sætern, A.M. **284**, 61

- Nieto, O.M., see Fernández Cervera, M. **281**, 119
- Nimkulrat, S., K. Suchiva, P. Phinyocheep, S. Puttipipatkhachorn, Influence of selected surfactants on the tackiness of acrylic polymer films **287**, 27
- Nishida, K., see Kawakami, S. **278**, 255
- Nishikawa, M., see Higuchi, Y. **287**, 147
- Nishimura, M., see Kofuji, K. **272**, 65
- Nishinaka, A., see Yamamoto, A. **282**, 141
- Nomura, M., see Yokogawa, K. **269**, 479
- Nonell, S., see Postigo, F. **278**, 239
- Noor, A., see Ahmad, I. **280**, 199
- Novak, L., see Wu, Y. **285**, 135
- Novak, P., see Zovko, M. **285**, 35
- Nozawa, Y., see Kurita, T. **275**, 279
- Nuijen, B., see den Brok, M.W.J. **278**, 303
- Nuijen, B., see Klous, M.G. **285**, 65
- Numata, N., see Takahashi, K. **286**, 89
- Nunes, S.C.C., M.E. Eusébio, M.L.P. Leitão, J.S. Redinha, Polymorphism of pindolol, 1-(1H-indol-4-yl oxy)-3-isopropylaminopropan-2-ol **285**, 13
- Nunthanid, J., see Limmatvapirat, S. **278**, 41
- Obara, S., see Crowley, M.M. **269**, 509
- Ocampo, C.L., see Pérez-Guillé, B. **282**, 87
- Occhiaperti, L., see Piozzi, A. **280**, 173
- Ocheda, S.O., see Izutsu, K.-i. **273**, 85
- Ochoa Machiste, E., see Maggi, L. **269**, 343
- Oda, M., H. Saitoh, M. Kobayashi, B.J. Aungst, β -Cyclodextrin as a suitable solubilizing agent for in situ absorption study of poorly water-soluble drugs **280**, 95
- Ofner III, C.M., see Mwangi, J.W. **278**, 319
- Ofori-Kwakye, K., J.T. Fell, H.L. Sharma, A.-M. Smith, Gamma scintigraphic evaluation of film-coated tablets intended for colonic or biphasic release **270**, 307
- Ogawa, Y., see Takenaga, M. **271**, 85
- Ogris, M., see Li, Y. **269**, 61
- Oguchi, T., see Limmatvapirat, S. **278**, 41
- Oh, D.-M., see Stoner, C.L. **269**, 241
- Ohmori, S., Y. Ohno, T. Makino, T. Kashihara, Characteristics of erythritol and formulation of a novel coating with erythritol termed thin-layer sugarless coating **278**, 447
- Ohmori, S., Y. Ohno, T. Makino, T. Kashihara, Development and evaluation of the tablets coated with the novel formulation termed thin-layer sugarless coated tablets **278**, 459
- Ohnishi, N., see Yoshida, H. **270**, 55
- Ohno, Y., see Ohmori, S. **278**, 447
- Ohno, Y., see Ohmori, S. **278**, 459
- Ohta, M., G. Buckton, Determination of the changes in surface energetics of cefditoren pivoxil as a consequence of processing induced disorder and equilibration to different relative humidities **269**, 81
- Ohta, M., G. Buckton, The use of inverse gas chromatography to assess the acid-base contributions to surface energies of cefditoren pivoxil and methacrylate copolymers and possible links to instability **272**, 121
- Ohtori, A., see Higashiyama, M. **272**, 91
- Okada, A., see Hirakura, Y. **286**, 53
- Okada, N., see Yamamoto, A. **282**, 141
- Okamoto, H., see Asada, M. **270**, 167
- Okamoto, H., see Todo, H. **271**, 41
- Okimoto, K., Y. Tokunaga, R. Ibuki, T. Irie, K. Uekama, R.A. Rajewski, V.J. Stella, Applicability of (SBE)_{7m}- β -CD in controlled-porosity osmotic pump tablets (OPTs) **286**, 81
- Okor, R.S., see Uhumwangho, M.U. **284**, 69
- Okuljar, J., see Šimon, P. **270**, 21
- Okumura, S., see Yamamoto, A. **282**, 141
- Olivier, J.-C., see Dufes, C. **285**, 77
- Olliff, C.J., see Naseem, A. **269**, 443
- Olsofsky, A.M., see Bhattachar, S.N. **269**, 385
- Omari, D.M., A. Sallam, A. Abd-Elbary, M. El-Samaligy, Lactic acid-induced modifications in films of Eudragit RL and RS aqueous dispersions **274**, 85
- O'Neill, M.A.A., G.J. Vine, A.E. Beezer, A.H. Bishop, J. Hadgraft, C. Labetoule, M. Walker, P.G. Bowler, Corrigendum to "Antimicrobial properties of silver-containing wound dressings: a microcalorimetric study". [Int. J. Pharm. 263 (2003) 61–68] **270**, 323
- Onishi, H., see Ishiki, N. **279**, 81
- Onishi, H., see Suzuki, H. **278**, 51
- Ono, T., see Sakai, S. **270**, 65
- Ostovic, D., see Karki, S.B. **271**, 181
- Oth, M., see Ingels, F. **274**, 221
- Otsuka, M., see Teraoka, R. **286**, 1
- Özkırımlı, S., see Gürsoy, A. **271**, 115
- Özoğul, C., see Yetkin, G. **277**, 163
- Pais, A., see Costa, F.O. **270**, 9
- Pal, D., see Gandhi, M.D. **275**, 189
- Palakodaty, S., see Schiavone, H. **281**, 55
- Palamakula, A., M.A. Khan, Evaluation of cytotoxicity of oils used in coenzyme Q₁₀ Self-Emulsifying Drug Delivery Systems (SEDDS) **273**, 63
- Palmieri, G.F., see Bonacucina, G. **282**, 115
- Pamujula, S., see Graves, R.A. **270**, 251
- Panchagnula, R., S. Agrawal, Biopharmaceutic and pharmacokinetic aspects of variable bioavailability of rifampicin **271**, 1
- Panchagnula, R., see Agrawal, S. **276**, 41
- Panchagnula, R., see Agrawal, S. **287**, 97
- Panchagnula, R., see Gandhi, R. **270**, 1
- Panchagnula, R., see Pillai, O. **269**, 109
- Pancholi, S.S., see Agrawal, S. **274**, 149
- Pandit, J.K., see Babu, R.J. **271**, 155
- Panmai, S., see Kiang, Y.-H. **280**, 17
- Pannier, A.K., V. Arora, P.L. Iversen, R.M. Brand, Transdermal delivery of phosphorodiamide Morpholino oligomers across hairless mouse skin **275**, 217
- Panyam, J., see Satturwar, P.M. **270**, 27
- Paradkar, A., A.A. Ambike, B.K. Jadhav, K.R. Mahadik, Characterization of curcumin-PVP solid dispersion obtained by spray drying **271**, 281
- Paradkar, A., see Ambike, A.A. **282**, 151
- Paradkar, A., see Kumar M.K., **272**, 151
- Paradkar, A.R., see Pisal, S.S. **270**, 37
- Paranjothy, K.L.K., see Narasimha Murthy, S. **272**, 11

- Park, J.-S., see Hwang, S.R. **276**, 175
 Park, T.G., see Kim, T.H. **271**, 207
 Parmar, M., see Allen Zhang, J. **270**, 93
 Parrish, A.R., see Neerman, M.F. **281**, 129
 Parshad, H., K. Frydenvang, T. Liljefors, H.O. Sorensen, C. Larsen, Aqueous solubility study of salts of benzylamine derivatives and *p*-substituted benzoic acid derivatives using X-ray crystallographic analysis **269**, 157
 Pastoriza, P., see Fernández-Carballedo, A. **279**, 33
 Patel, R., see Costantini, L.C. **283**, 35
 Pavlica, Z., see Petelin, M. **270**, 83
 Pearce, G., see Euler, D. **275**, 19
 Pechar, M., see Ulbrich, K. **277**, 63
 Pechar, M., see Wang, D. **277**, 73
 Pegaz, B., see Vargas, A. **286**, 131
 Peira, E., see Trotta, M. **270**, 119
 Pelisek, J., see Li, Y. **269**, 61
 Pelletier, J., see Jiménez, M.M. **272**, 45
 Peltonen, L., see Korhonen, M. **269**, 227
 Penglis, S., see Chatterton, B.E. **271**, 137
 Pepić, I., N. Jalšenjak, I. Jalšenjak, Micellar solutions of triblock copolymer surfactants with pilocarpine **272**, 57
 Peppas, N.A., Devices based on intelligent biopolymers for oral protein delivery **277**, 11
 Percot, A., D. Briane, R. Coudert, P. Reynier, N. Bouchemal, N. Lièvre, E. Hantz, J.L. Salzmann, A. Cao, A hydroxyethylated cholesterol-based cationic lipid for DNA delivery: effect of conditioning **278**, 143
 Perez, E., see Asgatay, S. **285**, 121
 Pérez-Guillé, B., L.H. Sumano, F. Villegas-Alvarez, R. Soriano-Rosales, J.F. González-Zamora, M. Jiménez-Bravo-Luna, A. Carmona-Mancilla, C.L. Ocampo, Pharmacokinetics of a cephalone (CQ-M-EPCA) in rats after oral, intraduodenal and intravenous administration **282**, 87
 Peroli, L., see Ricci, M. **275**, 61
 Péron, A., see Dollo, G. **272**, 109
 Perrie, Y., J.E. Barralet, S. McNeil, A. Vangala, Surfactant vesicle-mediated delivery of DNA vaccines via the subcutaneous route **284**, 31
 Perrie, Y., see Mohammed, A.R. **285**, 23
 Perrier, E., see Bouchemal, K. **269**, 89
 Perrier, E., see Bouchemal, K. **280**, 241
 Petelin, M., Z. Pavlica, S. Bizimoska, M. Šentjurc, In vivo study of different ointments for drug delivery into oral mucosa by EPR oximetry **270**, 83
 Petray, P.B., see Morilla, M.J. **278**, 311
 Petts, C.R., see Williams, A.C. **275**, 29
 Phadoongsombut, N., see Tantishaiyakul, V. **283**, 111
 Pham, D., see Tsinontides, S.C. **280**, 1
 Phez, E., see Asgatay, S. **285**, 121
 Phillips, W.T., see Awasthi, V.D. **283**, 53
 Phinyocheep, P., see Nimkulrat, S. **287**, 27
 Piccerelle, Ph., see Abdelbary, G. **278**, 423
 Pillai, K.S., see Saravanan, M. **283**, 71
 Pillai, O., V. Nair, R. Panchagnula, Transdermal iontophoresis of insulin: IV. Influence of chemical enhancers **269**, 109
 Pinaud, M., see Dollo, G. **272**, 109
 Ping, Q., see Guo, J. **278**, 415
 Pintye-Hódi, K., see Bajdik, J. **269**, 393
 Piozzi, A., I. Francolini, L. Occhiaperti, M. Venditti, W. Marconi, Antimicrobial activity of polyurethanes coated with antibiotics: a new approach to the realization of medical devices exempt from microbial colonization **280**, 173
 Pisal, S.S., A.R. Paradkar, K.R. Mahadik, S.S. Kadam, Pluronic gels for nasal delivery of Vitamin B₁₂. Part I: Preformulation study **270**, 37
 Piškin, E., Molecularly designed water soluble, intelligent, nanosize polymeric carriers **277**, 105
 Placek, J., see Tsinontides, S.C. **280**, 1
 Plaizier-Vercammen, J., see Gabriëls, M. **274**, 245
 Plaizier-Vercammen, J., see Gabriëls, M. **283**, 19
 Planinšek, O., see Bajdik, J. **269**, 393
 Podczeck, F., see Bashaiwoldu, A.B. **269**, 329
 Podczeck, F., see Bashaiwoldu, A.B. **274**, 53
 Podczeck, F., see Chatchawalsaisin, J. **275**, 41
 Podczeck, F., see Gohil, U.C. **285**, 51
 Podlogar, F., M. Gašperlin, M. Tomšič, A. Jamnik, Bešter Rogač M., Structural characterisation of water-Tween 40®/Imwitor 308®-isopropyl myristate microemulsions using different experimental methods **276**, 115
 Podluij, K., see Saunders, M. **274**, 35
 Politi, M.J., see Namur, J.A.M. **273**, 1
 Polnok, A., J. Coos Verhoeft, G. Borchard, N. Sarisuta, H.E. Jun-ginger, In vitro evaluation of intestinal absorption of desmopres-sin using drug-delivery systems based on superporous hydrogels **269**, 303
 Ponce-Gordo, F., see Daniel-Mwambete, K. **272**, 29
 Ponec, R., see Gallegos, A. **269**, 51
 Pongjanyakul, T., N.J. Medicott, I.G. Tucker, Melted glyceryl palmitostearate (GPS) pellets for protein delivery **271**, 53
 Pons, F., see Courrier, H.M. **282**, 131
 Poondru, S., see Boinpally, R.R. **274**, 185
 Postigo, F., M. Mora, M.A. De Madariaga, S. Nonell, M.L. Sagristá, Incorporation of hydrophobic porphyrins into liposomes: characterization and structural requirements **278**, 239
 Pothuluri, J.V., see Kim, Y.-H. **271**, 63
 Pourcelot, Y., see Chambin, O. **278**, 79
 Prabakaran, D., P. Singh, P. Kanaujia, K.S. Jaganathan, A. Rawat, S.P. Vyas, Modified push-pull osmotic system for simultaneous delivery of theophylline and salbutamol: development and in vitro characterization **284**, 95
 Prabakaran, D., see Singh, P. **278**, 379
 Prausnitz, M.R., see Ghartey-Tagoe, E.B. **270**, 127
 Presnell, B., see Chatterton, B.E. **271**, 137
 Prieto, M.J., see Amat, E. **270**, 75
 Prieto, M.J., see Morilla, M.J. **278**, 311
 Primorac, M., see Djordjevic, L. **271**, 11
 Prinderre, P., see Abdelbary, G. **278**, 423
 Puel, F., see Févotte, G. **273**, 159
 Puttipipatkhachorn, S., see Limmatvapirat, S. **278**, 41
 Puttipipatkhachorn, S., see Nimkulrat, S. **287**, 27
 Puttonen, K.A., see Lampela, P. **284**, 43
 Qi, S., see Guo, J. **278**, 415
 Qian, C.J., see Kofuji, K. **272**, 65

- Qu, X., see Bhattachar, S.N. **269**, 385
 Quirk, A.V., see Grainger, C.I. **269**, 523
- Raasmaja, A., see Lampela, P. **270**, 175
 Raasmaja, A., see Lampela, P. **284**, 43
 Radatus, B., see Mirmehrabi, M. **282**, 73
 Rades, T., see Demana, P.H. **270**, 229
 Rades, T., see Demana, P.H. **278**, 263
 Rafiee-Tehrani, M., see Najafabadi, A.R. **285**, 97
 Raghavan, K., see Gu, C.-H. **269**, 195
 Raghavan, K., see Gu, C.-H. **283**, 117
 Rajewski, R.A., see Okimoto, K. **286**, 81
 Rajniak, P., see Tsinontides, S.C. **280**, 1
 Rama Prasad, Y.V., T. Minamimoto, Y. Yoshikawa, N. Shibata, S. Mori, A. Matsuura, K. Takada, In situ intestinal absorption studies on low molecular weight heparin in rats using Labrasol as absorption enhancer **271**, 225
 Rambhau, D., see Gopinath, D. **271**, 95
 Ramos, R., see Dilworth, S.E. **284**, 83
 Ranger, M., see Dufresne, M.-H. **277**, 81
 Rantanen, J., see Airaksinen, S. **276**, 129
 Rao, B.R., see Gopinath, D. **271**, 95
 Rapoport, N., Combined cancer therapy by micellar-encapsulated drug and ultrasound **277**, 155
 Räsänen, E., see Airaksinen, S. **276**, 129
 Räsänen, E., see Fernández Cervera, M. **281**, 119
 Rasoul Zakavi, S., see Tafaghodi, M. **280**, 125
 Rathbone, M.J., see Cross, P.S. **282**, 35
 Ratier, A., M. Freche, J.L. Lacout, F. Rodriguez, Behaviour of an injectable calcium phosphate cement with added tetracycline **274**, 261
 Raula, J., H. Eerikäinen, E.I. Kauppinen, Influence of the solvent composition on the aerosol synthesis of pharmaceutical polymer nanoparticles **284**, 13
 Ravi, D., see Gopinath, D. **271**, 95
 Rawat, A., see Prabakaran, D. **284**, 95
 Razzak, M., see Sari, P. **270**, 287
 Redinha, J.S., see Nunes, S.C.C. **285**, 13
 Ree, J.M.V., see Klous, M.G. **285**, 65
 Reed, B.L., see Wolka, A.M. **271**, 5
 Rees, G.D., see Kockisch, S. **276**, 51
 Regdon Jr., G., see Bajdik, J. **269**, 393
 Rekkas, D.M., see Agyralides, G.G. **281**, 35
 Remon, J.-P., see Brabander, C.D. **271**, 77
 Remon, J.P., see Keleb, E.I. **273**, 183
 Renuka, D., see Gopinath, D. **271**, 95
 Repka, M.A., P.K. Mididoddi, S.P. Stodhill, Influence of human nail etching for the assessment of topical onychomycosis therapies **282**, 95
 Reynier, J.P., see Abdelbary, G. **278**, 423
 Reynier, P., see Percot, A. **278**, 143
 Reynolds, S.D., see Tsinontides, S.C. **280**, 1
 Rhee, J.-D., see Yong, C.S. **269**, 169
 Ricci, M., P. Blasi, S. Giovagnoli, L. Perioli, C. Vescovi, C. Rossi, Leucinostatin-A loaded nanospheres: characterization and in vivo toxicity and efficacy evaluation **275**, 61
 Rico-Lattes, I., see Asgatay, S. **285**, 121
 Rihova, B., see Ulbrich, K. **277**, 63
 Roa, W.H., see Sham, J.O.-H. **269**, 457
 Roberts, C.J., see Keel, T.R. **280**, 185
 Roberts, C.J., see Thompson, C. **280**, 137
 Rochat-Gonthier, M.-H., see Chambin, O. **278**, 79
 Rodriguez, F., see Ratier, A. **274**, 261
 Röedl, W., see Li, Y. **269**, 61
 Rohani, S., see Mirmehrabi, M. **282**, 73
 Rojanasakul, Y., see Tantishaiyakul, V. **283**, 111
 Rols, M.P., see Asgatay, S. **285**, 121
 Romero, E.L., see Morilla, M.J. **278**, 311
 Rose, J., see Euler, D. **275**, 19
 Rossi, C., see Ricci, M. **275**, 61
 Rough, S.L., D.I. Wilson, The production of homogeneous extrudates of microcrystalline cellulose pastes **276**, 185
 Roux, J., see Lamprecht, A. **278**, 407
 Roy, K.H., see Vernon, B.L. **274**, 191
 Royall, P., see Saunders, M. **274**, 35
 Royall, P.G., see Yff, B.T.S. **269**, 361
 Ruckenstein, E., I. Shulgin, Corrigendum to “Solubility of drugs in aqueous solutions. Part 2: binary nonideal mixed solvent”. [Int. J. Pharm. 260 (2003) 283–291] **278**, 475
 Ruckenstein, E., I. Shulgin, Solubility of drugs in aqueous solutions. Part 4. Drug solubility by the dilute approximation **278**, 221
 Rudolph, V., see Li, Q. **280**, 77
 Ruponen, M., see Lampela, P. **284**, 43
 Ryttig, J.H., see Wolka, A.M. **271**, 5
 Sabarwal, S., see Kotiyan, P.N. **270**, 47
 Sacchetti, M., Determining the relative physical stability of anhydrous and hydrous crystal forms of GW2016 **273**, 195
 Sadoqi, M., see Saxena, V. **278**, 293
 Sadzuka, Y., see Kurita, T. **275**, 279
 Saettone, M.F., see Di Colo, G. **273**, 37
 Sagristá, M.L., see Postigo, F. **278**, 239
 Sahasrabudhe, V.P., see Joshi, H.N. **269**, 251
 Saheki, A., see Seki, J. **273**, 75
 Saheki, A., see Seki, J. **275**, 239
 Saitoh, H., see Oda, M. **280**, 95
 Sakaeda, T., see Kawakami, S. **278**, 255
 Sakai, S., T. Ono, H. Iijima, K. Kawakami, MIN6 cells-enclosing aminopropyl-silicate membrane templated by alginate gels differences in guluronic acid content **270**, 65
 Sakanaka, K., see Kawakami, S. **278**, 255
 Sako, K., see Sawada, T. **280**, 103
 Sakr, A., see Schulze Nahrup, J. **270**, 199
 Salama, N.N., K.R. Scott, N.D. Eddington, The influence of enaminones on the transport and oral bioavailability of P-glycoprotein substrate therapeutic agents **273**, 135
 Sallam, A., see Omari, D.M. **274**, 85
 Salmaso, S., N. Elvassore, A. Bertucco, A. Lante, P. Caliceti, Nisin-loaded poly-L-lactide nano-particles produced by CO₂ anti-solvent precipitation for sustained antimicrobial activity **287**, 163
 Salzmann, J.L., see Percot, A. **278**, 143
 Samra, R.M., G. Buckton, The crystallisation of a model hydrophobic drug (terfenadine) following exposure to humidity and organic vapours **284**, 53

- Samy, A.M., see Taha, E.I. **279**, 3
 Samy, A.M., see Taha, E.I. **285**, 109
 Sangalli, M.E., see Grassi, M. **276**, 107
 Sanna, E., see Trapani, A. **278**, 91
 Sano, A., see Maeda, H. **275**, 109
 Sant, V., see Dufresne, M.-H. **277**, 81
 Santos-Magalhães, N.S., see Andrade, C.A.S. **278**, 435
 Sanzgiri, Y.D., see Chen, Y. **286**, 69
 Saravanan, M., K. Bhaskar, G. Maharajan, K.S. Pillai, Ultrasonically controlled release and targeted delivery of diclofenac sodium via gelatin magnetic microspheres **283**, 71
 Sari, P., M. Razzak, I.G. Tucker, Isotropic medium chain mono-diglyceride/oil/water formulations for solubilization of lipophilic and hydrophilic drugs **270**, 287
 Sarisuta, N., see Polnok, A. **269**, 303
 Sasaki, H., see Kawakami, S. **278**, 255
 Sasaki, H., see Seki, J. **273**, 75
 Saso, Y., see Seki, T. **276**, 29
 Sato, T., see Seki, T. **276**, 29
 Sato, Y., Y. Kawashima, H. Takeuchi, H. Yamamoto, In vitro and in vivo evaluation of riboflavin-containing microballoons for a floating controlled drug delivery system in healthy humans **275**, 97
 Satturwar, P.M., S.V. Fulzele, J. Panyam, P.M. Mandaogade, D.R. Mundhada, B.B. Gogte, V. Labhasetwar, A.K. Dorle, Evaluation of new rosin derivatives for pharmaceutical coating **270**, 27
 Saumet, J.-L., see Lamprecht, A. **278**, 407
 Saunders, M., K. Podlui, S. Shergill, G. Buckton, P. Royall, The potential of high speed DSC (Hyper-DSC) for the detection and quantification of small amounts of amorphous content in predominantly crystalline samples **274**, 35
 Savic, M., see Savic, S. **271**, 269
 Savic, S., S. Tamburic, M. Savic, N. Cekic, J. Milic, G. Vuleta, Vehicle-controlled effect of urea on normal and SLS-irritated skin **271**, 269
 Sawada, T., H. Kondo, H. Nakashima, K. Sako, M. Hayashi, Time-release compression-coated core tablet containing nifedipine for chronopharmacotherapy **280**, 103
 Saxena, V., M. Sadoqi, J. Shao, Indocyanine green-loaded biodegradable nanoparticles: preparation, physicochemical characterization and in vitro release **278**, 293
 Scalia, S., see Simeoni, S. **280**, 163
 Schacht, E., see Hoste, K. **277**, 119
 Schachter, D.M., J. Xiong, G.C. Tirol, Solid state NMR perspective of drug-polymer solid solutions: a model system based on poly(ethylene oxide) **281**, 89
 Schätzlein, A.G., see Brownlie, A. **274**, 41
 Schaub, N., see Bravo González, R.C. **279**, 27
 Schenderlein, S., M. Lück, B.W. Müller, Partial solubility parameters of poly(D,L-lactide-co-glycolide) **286**, 19
 Schaefer, T., see Vilhelmsen, T. **275**, 141
 Schiavone, H., S. Palakodaty, A. Clark, P. York, S.T. Tzannis, Evaluation of SCF-engineered particle-based lactose blends in passive dry powder inhalers **281**, 55
 Schmidt, S., see Müller, R.H. **269**, 293
 Schmitt, J., see Müller, R.H. **269**, 293
 Schneider, L.C.R., see Sinka, I.C. **280**, 27
 Schoot, S.C. van de, see den Brok, M.W.J. **278**, 303
 Schroeder, B., see Crowley, M.M. **269**, 509
 Schätzlein, A.G., see Dufes, C. **285**, 77
 Schubert, R., see Farkas, E. **278**, 63
 Schultz, K., see Hansen, T. **287**, 55
 Schulze Nahrup, J., Z.M. Gao, J.E. Mark, A. Sakr, Poly(dimethyl-siloxane) coatings for controlled drug release—polymer modifications **270**, 199
 Schwan, I., see Baydoun, L. **274**, 157
 Scott, K.R., see Salama, N.N. **273**, 135
 Segale, L., see Maggi, L. **269**, 343
 Seki, J., S. Sonoke, A. Saheki, H. Fukui, H. Sasaki, T. Mayumi, A nanometer lipid emulsion, lipid nano-sphere (LNS[®]), as a parenteral drug carrier for passive drug targeting **273**, 75
 Seki, J., S. Sonoke, A. Saheki, T. Koike, H. Fukui, M. Doi, T. Mayumi, Lipid transfer protein transports compounds from lipid nanoparticles to plasma lipoproteins **275**, 239
 Seki, T., O. Hosoya, T. Yamazaki, T. Sato, Y. Saso, K. Juni, K. Morimoto, A rabbit ear flap perfusion experiment to evaluate the percutaneous absorption of drugs **276**, 29
 Şenel, S., see İkinci, G. **277**, 173
 Şentjurc, M., see Petelin, M. **270**, 83
 Serajuddin, A.T.M., see Joshi, H.N. **269**, 251
 Sethia, S., E. Squillante, Solid dispersion of carbamazepine in PVP K30 by conventional solvent evaporation and supercritical methods **272**, 1
 Sha, X., X. Fang, Transport characteristics of 9-nitrocamptothecin in the human intestinal cell line Caco-2 and everted gut sacs **272**, 161
 Shah, M.H., see Kumar M.K. **272**, 151
 Shahgaldian, P., see Da Silva, E. **273**, 57
 Shaltout, S.E., see Attia, M.A. **276**, 11
 Sham, J.O.-H., Y. Zhang, W.H. Finlay, W.H. Roa, R. Löbenberg, Formulation and characterization of spray-dried powders containing nanoparticles for aerosol delivery to the lung **269**, 457
 Shao, J., G. Kaushal, Normal flora: living vehicles for non-invasive protein drug delivery **286**, 117
 Shao, J., see Saxena, V. **278**, 293
 Shao, L., see Chen, J.-F. **269**, 267
 Sharma, H.L., see Ofori-Kwaky, K. **270**, 307
 Sharma, P.K., S.R. Bhatia, Effect of anti-inflammatories on Pluronics[®] F127: micellar assembly, gelation and partitioning **278**, 361
 Shelukar, S., see Wu, Y. **285**, 135
 Shen, X., M. Hindle, P.R. Byron, Effect of energy on propylene glycol aerosols using the capillary aerosol generator **275**, 249
 Shergill, S., see Saunders, M. **274**, 35
 Shi, R., H.M. Burt, Amphiphilic dextran-graft-poly(ϵ -caprolactone) films for the controlled release of paclitaxel **271**, 167
 Shi, Z., see Zhang, Q. **275**, 85
 Shibata, N., see Rama Prasad, Y.V. **271**, 225
 Shimono, N., see Takatori, T. **278**, 275
 Shin, H.-J., see Kim, J.-H. **272**, 79
 Shin, S.-C., C.-W. Cho, K.-H. Yang, Development of lidocaine gels for enhanced local anesthetic action **287**, 73
 Shin, S.-C., see Cho, C.-W. **287**, 67
 Shin, S.-C., see Choi, J.-S. **275**, 165

- Shin, S.-C., see Kim, J. **273**, 23
 Shin, Y.-H., see Kim, S.-Y. **287**, 21
 Shin, Y.-H., see Lee, K.-J. **285**, 43
 Shinbrot, T., see Alexander, A. **269**, 19
 Shinohara, Y., see Tachibana, R. **270**, 315
 Shiramoto, S., see Tanaka, T. **277**, 39
 Shouqin, Z., Z. Junjie, W. Changzhen, Novel high pressure extraction technology **278**, 471
 Shuai, X., see Mao, S. **281**, 45
 Shulgin, I., see Ruckenstein, E. **278**, 221
 Shulgin, I., see Ruckenstein, E. **278**, 475
 Siew, L.F., S.-M. Man, Michael Newton J., A.W. Basit, Amylose formulations for drug delivery to the colon: a comparison of two fermentation models to assess colonic targeting performance in vitro **273**, 129
 Signore, P., see Jackson, J.K. **283**, 97
 Simanek, E.E., see Neerman, M.F. **281**, 129
 Simeoni, S., S. Scalia, H.A.E. Benson, Influence of cyclodextrins on in vitro human skin absorption of the sunscreen, butyl-methoxydibenzoylmethane **280**, 163
 Simon, M., see Mao, S. **281**, 45
 Šimon, P., M. Veveka, J. Okuliar, New screening method for the determination of stability of pharmaceuticals **270**, 21
 Singh, I., see Agrawal, S. **276**, 41
 Singh, J., see Singh, S. **271**, 189
 Singh, P., D. Prabakaran, S. Jain, V. Mishra, K.S. Jaganathan, S.P. Vyas, Cholera toxin B subunit conjugated bile salt stabilized vesicles (liposomes) for oral immunization **278**, 379
 Singh, P., see Prabakaran, D. **284**, 95
 Singh, P., see Vyas, S.P. **269**, 37
 Singh, S., J. Singh, Controlled release of a model protein lysozyme from phase sensitive smart polymer systems **271**, 189
 Singla, A.K., see Kaur, I.P. **269**, 1
 Singla, A.K., see Sinha, V.R. **274**, 1
 Sinha, V.R., A.K. Singla, S. Wadhawan, R. Kaushik, R. Kumria, K. Bansal, S. Dhawan, Chitosan microspheres as a potential carrier for drugs **274**, 1
 Sinha, V.R., B.R. Mittal, K.K. Bhutani, R. Kumria, Colonic drug delivery of 5-fluorouracil: an in vitro evaluation **269**, 101
 Sinha, V.R., K. Bansal, R. Kaushik, R. Kumria, A. Trehan, Poly- ϵ -caprolactone microspheres and nanospheres: an overview **278**, 1
 Sinka, I.C., L.C.R. Schneider, A.C.F. Cocks, Measurement of the flow properties of powders with special reference to die fill **280**, 27
 Sinka, I.C., S.F. Burch, J.H. Tweed, J.C. Cunningham, Measurement of density variations in tablets using X-ray computed tomography **271**, 215
 Skurtveit, R., see Løkling, K.-E. **274**, 75
 Skurtveit, R., see Løkling, K.-E. **278**, 477
 Slot, L., see Marvola, J. **281**, 3
 Smart, J.D., see Kockisch, S. **276**, 51
 Smith, A., see Leane, M.M. **271**, 241
 Smith, A.-M., see Ofori-Kwakye, K. **270**, 307
 Smith, J., see Jackson, J.K. **283**, 97
 Soares de Araujo, P., see Namur, J.A.M. **273**, 1
 Soininen, P., see Lampela, P. **270**, 175
 Soininen, P., see Lampela, P. **284**, 43
 Soldi, V., see Meier, M.M. **278**, 99
 Soltanpour, S., see Jouyban, A. **269**, 353
 Song, M., see van Tonder, E.C. **269**, 417
 Song, X., see Zhang, L. **287**, 155
 Sonobe, T., see Kurita, T. **275**, 279
 Sonoke, S., see Seki, J. **273**, 75
 Sonoke, S., see Seki, J. **275**, 239
 Sorensen, H.O., see Parshad, H. **269**, 157
 Soriano-Rosales, R., see Pérez-Guillé, B. **282**, 87
 Sospedra, P., see Muñoz, M. **269**, 177
 Sousa, J.J.S., see Costa, F.O. **270**, 9
 Souto, E.B., S.A. Wissing, C.M. Barbosa, R.H. Müller, Development of a controlled release formulation based on SLN and NLC for topical clotrimazole delivery **278**, 71
 Souza, M.J.e., C.F. Bittencourt, P.d.S.e.S. Filho, Microbiological assay for enrofloxacin injection **271**, 287
 Spallek, M., see Dalby, R. **283**, 1
 Squillante, E., see Sethia, S. **272**, 1
 Srčić, S., see Bajdik, J. **269**, 393
 Stadlhofer, S., see Lochmann, D. **283**, 11
 Stagni, G., M.E. Ali, D. Weng, Pharmacokinetics of acyclovir in rabbit skin after IV-bolus, ointment, and iontophoretic administrations **274**, 201
 Staniforth, J.N., see Tobyn, M. **277**, 31
 Steckel, H., F.H. Furkert, Endotoxin testing in inhalation grade lactose—a useful quality parameter? **275**, 211
 Steckel, H., H.G. Brandes, A novel spray-drying technique to produce low density particles for pulmonary delivery **278**, 187
 Steckel, H., N. Bolzen, Alternative sugars as potential carriers for dry powder inhalations **270**, 297
 Steckel, H., S. Wehle, A novel formulation technique for metered dose inhaler (MDI) suspensions **284**, 75
 Stella, V.J., see Okimoto, K. **286**, 81
 Stepinsky, D., see Hoffman, A. **277**, 141
 Sætern, A.M., N.B. Nguyen, A. Bauer-Brandl, M. Brandl, Effect of hydroxypropyl- β -cyclodextrin-complexation and pH on solubility of camptothecin **284**, 61
 Stewart, P., see Allahham, A. **270**, 139
 Stinchcomb, A.L., see Valiveti, S. **278**, 173
 Stodghill, S.P., see Repka, M.A. **282**, 95
 Stoner, C.L., A. Cleton, K. Johnson, D.-M. Oh, H. Hallak, J. Brodfuehrer, N. Surendran, H.-K. Han, Integrated oral bioavailability projection using in vitro screening data as a selection tool in drug discovery **269**, 241
 Storey, D., see Wu, Y. **285**, 135
 Strømme, M., see Mihranyan, A. **269**, 433
 Stuetz, A., see Billich, A. **269**, 29
 Stupar, M., see Djordjevic, L. **271**, 11
 Su, L., see Zhang, Q. **275**, 85
 Suchiva, K., see Nimkulrat, S. **287**, 27
 Sugano, K., Y. Nabuchi, M. Machida, Y. Asoh, Permeation characteristics of a hydrophilic basic compound across a bio-mimetic artificial membrane **275**, 271
 Sugiyama, I., see Kofuji, K. **272**, 65
 Suhara, T., see Hatakeyama, H. **281**, 25
 Sumano, L.H., see Pérez-Guillé, B. **282**, 87

- Şumnu, M., see İkinci, G. **277**, 173
 Sun, H.-S., see Jeong, Y.-I. **273**, 95
 Sung, P.F., see Tan, L.P. **283**, 89
 Surendran, N., see Stoner, C.L. **269**, 241
 Suzuki, H., H. Onishi, S. Hisamatsu, K. Masuda, Y. Takahashi, M. Iwata, Y. Machida, Acetaminophen-containing chewable tablets with suppressed bitterness and improved oral feeling **278**, 51
 Svensson, A., C. Neves, B. Cabane, Hydration of an amphiphilic excipient, Gelucire® 44/14 **281**, 107
 Swaim, S.F., see Kemppainen, B.W. **271**, 301
 Swart, H., see Fourie, L. **279**, 59
 Szabó, Zs., see Budai, M. **279**, 67
 Szögyi, M., see Budai, M. **279**, 67
- Tachibana, R., N. Ide, Y. Shinohara, H. Harashima, Anthony Hunt C., H. Kiwada, An assessment of relative transcriptional availability from nonviral vectors **270**, 315
 Tachibana, R., see Li, W. **276**, 67
 Tafaghodi, M., S. Abolghasem, Sajadi Tabassi, M.-R. Jaafari, Rasoul Zakavi S., M. Momen-nejad, Evaluation of the clearance characteristics of various microspheres in the human nose by gamma-scintigraphy **280**, 125
 Taha, E.I., A.A. Zaghloul, A.M. Samy, S. Al-Saidan, A.A. Kassem, M.A. Khan, Bioavailability assessment of salbutamol sulfate suppositories in human volunteers **279**, 3
 Taha, E.I., S. Al-Saidan, A.M. Samy, M.A. Khan, Preparation and in vitro characterization of self-nanoemulsified drug delivery system (SNEDDS) of all-trans-retinol acetate **285**, 109
 Takada, K., see Rama Prasad, Y.V. **271**, 225
 Takahashi, H., see Asada, M. **270**, 167
 Takahashi, K., N. Numata, N. Kinoshita, N. Utoguchi, T. Mayumi, N. Mizuno, Characterization of the influence of nitric oxide donors on intestinal absorption of macromolecules **286**, 89
 Takahashi, Y., see Suzuki, H. **278**, 51
 Takata, C.S., see Namur, J.A.M. **273**, 1
 Takatori, T., N. Shimono, K. Higaki, T. Kimura, Evaluation of sustained release suppositories prepared with fatty base including solid fats with high melting points **278**, 275
 Takayama, K., see Miyazaki, Y. **287**, 39
 Takenaga, M., Y. Yamaguchi, A. Kitagawa, Y. Ogawa, S. Kawai, Y. Mizushima, R. Igarashi, Optimum formulation for sustained-release insulin **271**, 85
 Takeshita, H., see Yokogawa, K. **269**, 479
 Takeuchi, H., S. Nagira, H. Yamamoto, Y. Kawashima, Die wall pressure measurement for evaluation of compaction property of pharmaceutical materials **274**, 131
 Takeuchi, H., see Sato, Y. **275**, 97
 Talani, G., see Trapani, A. **278**, 91
 Talarico, M., see Crowley, M.M. **269**, 509
 Tamburic, S., see Savic, S. **271**, 269
 Tamura, S., see Yoshida, H. **270**, 55
 Tan, L.P., S.S. Venkatraman, P.F. Sung, X.T. Wang, Effect of plasticization on heparin release from biodegradable matrices **283**, 89
 Tanaka, T., S. Shiramoto, M. Miyashita, Y. Fujishima, Y. Kaneo, Tumor targeting based on the effect of enhanced permeability and retention (EPR) and the mechanism of receptor-mediated endocytosis (RME) **277**, 39
 Tanaka, T., Y. Fujishima, S. Hanano, Y. Kaneo, Intracellular disposition of polysaccharides in rat liver parenchymal and non-parenchymal cells **286**, 9
 Taniguchi, M., see Koga, K. **286**, 41
 Tanino, H., see Asada, M. **270**, 167
 Tantishaiyakul, V., Prediction of aqueous solubility of organic salts of diclofenac using PLS and molecular modeling **275**, 133
 Tantishaiyakul, V., N. Phadoongsombut, W. Wongpuwarak, J. Thungtiwachgul, D. Faroongsarn, K. Wiwattanawongsa, Y. Rojanasakul, ATR-FTIR characterization of transport properties of benzoic acid ion-pairs in silicone membranes **283**, 111
 Tapia-Albaran, M., L. Villafuerte-Robles, Assay of amoxicillin sustained release from matrix tablets containing different proportions of Carbopol 971P NF **273**, 121
 Taşdelen, B., N. Kayaman-Apohan, O. Güven, B.M. Baysal, Preparation of poly(*N*-isopropylacrylamide/itaconic acid) copolymeric hydrogels and their drug release behavior **278**, 343
 Tay, L.K., see Gu, C.-H. **269**, 195
 Taylor, K.M.G., see Barriocanal, L. **287**, 113
 Tejwani, R.W., see Joshi, H.N. **269**, 251
 Temchenko, M., see Bromberg, L. **282**, 45
 Tendler, S.J.B., see Keel, T.R. **280**, 185
 Tendler, S.J.B., see Thompson, C. **280**, 137
 Tepeš, P., see Zovko, M. **285**, 35
 Terada, K., see Hasegawa, S. **280**, 39
 Terada, K., see Koga, A. **275**, 73
 Terada, K., see Yokoi, Y. **280**, 67
 Teraoka, R., M. Otsuka, Y. Matsuda, Evaluation of photostability of solid-state nicardipine hydrochloride polymorphs by using Fourier-transformed reflection-absorption infrared spectroscopy – effect of grinding on the photostability of crystal form **286**, 1
 Thielmann, F., see Burnett, D.J. **287**, 123
 Thomas, C.P., see Batchelder, R.J. **283**, 45
 Thomas, L., see Williams, A.C. **275**, 29
 Thompson, C., M.C. Davies, C.J. Roberts, S.J.B. Tendler, M.J. Wilkinson, The effects of additives on the growth and morphology of paracetamol (acetaminophen) crystals **280**, 137
 Thompson, C., see Keel, T.R. **280**, 185
 Thompson, K., see Wu, Y. **285**, 135
 Thungtiwachgul, J., see Tantishaiyakul, V. **283**, 111
 Tirol, G.C., see Schachter, D.M. **281**, 89
 Tobyn, M., J.N. Staniforth, D. Morton, Q. Harmer, M.E. Newton, Active and intelligent inhaler device development **277**, 31
 Todo, H., H. Okamoto, K. Iida, K. Danjo, Improvement of stability and absorbability of dry insulin powder for inhalation by powder-combination technique **271**, 41
 Togan, Y., see Kofuji, K. **272**, 65
 Togashi, M., see Kubo, W. **271**, 233
 Tojo, K., see Higashiyama, M. **272**, 91
 Tokunaga, M., N. Hazemoto, T. Yotsuyanagi, Effect of oligopeptides on gene expression: comparison of DNA/peptide and DNA/peptide/liposome complexes **269**, 71
 Tokunaga, Y., see Okimoto, K. **286**, 81
 Tomšič, M., see Podlogar, F. **276**, 115

- Toongsuwan, S., L.-C. Li, B.K. Erickson, H.-C. Chang, Formulation and characterization of bupivacaine lipospheres **280**, 57
- Torchilin, V.P., see Wang, J. **272**, 129
- Torrado, J.J., see Daniel-Mwambete, K. **272**, 29
- Torrado, S., see Daniel-Mwambete, K. **272**, 29
- Torrance, A.A., see Kelly, H.M. **278**, 391
- Toyoda, T., see Yoshida, H. **270**, 55
- Tozuka, Y., see Limmatvapirat, S. **278**, 41
- Trapani, A., V. Laquintana, A. Lopedota, M. Franco, A. Latrofa, G. Talani, E. Sanna, G. Trapani, G. Liso, Evaluation of new propofol aqueous solutions for intravenous anesthesia **278**, 91
- Trapani, G., see Trapani, A. **278**, 91
- Trehan, A., see Sinha, V.R. **278**, 1
- Trocóniz, I.F., see Chris de Smidt, P. **270**, 109
- Trotta, M., E. Peira, M.E. Carlotti, M. Gallarate, Deformable liposomes for dermal administration of methotrexate **270**, 119
- Trottet, L., C. Merly, M. Mirza, J. Hadgraft, A.F. Davis, Effect of finite doses of propylene glycol on enhancement of in vitro percutaneous permeation of loperamide hydrochloride **274**, 213
- Tsai, Y.-H., see Wu, P.-C. **271**, 31
- Tsibouklis, J., see Kockisch, S. **276**, 51
- Tsibouklis, J., see Verestiu, L. **269**, 185
- Tsinontides, S.C., P. Rajniak, D. Pham, W.A. Hunke, J. Placek, S.D. Reynolds, Freeze drying—principles and practice for successful scale-up to manufacturing **280**, 1
- Tsuchiya, T., see Haishima, Y. **274**, 119
- Tsuhako, M., see Nakayama, H. **269**, 469
- Tsuji, E., see Kataoka, M. **279**, 107
- Tucker, I.G., see Pongjanyakul, T. **271**, 53
- Tucker, I.G., see Sari, P. **270**, 287
- Tunis, A., see Crail, D.J. **269**, 203
- Turnbull, N., see Gohil, U.C. **285**, 51
- Turner, J.V., D.J. Maddalena, D.J. Cutler, Pharmacokinetic parameter prediction from drug structure using artificial neural networks **270**, 209
- Tweed, J.H., see Sinka, I.C. **271**, 215
- Tzannis, S.T., see Schiavone, H. **281**, 55
- Uchegbu, I.F., see Brownlie, A. **274**, 41
- Uchegbu, I.F., see Dufes, C. **285**, 77
- Uchida, T., see Kataoka, M. **279**, 107
- Uekama, K., see Okimoto, K. **286**, 81
- Ueng, S.W.-N., see Wang, G. **273**, 203
- Ughini, F., I.F. Andreazza, J.L.M.S. Ganter, T.M.B. Bresolin, Evaluation of xanthan and highly substituted galactomannan from *M. scabrella* as a sustained release matrix **271**, 197
- Ugwu, S., see Zhang, J. Allen **270**, 93
- Uhumwangho, M.U., R.S. Okor, Anomalous effect of compression pressure on the brittle fracture tendency of α -cellulose tablets **284**, 69
- Ulbrich, K., T. Etrych, P. Chytil, M. Pechar, M. Jelinkova, B. Rihova, Polymeric anticancer drugs with pH-controlled activation **277**, 63
- Unger, F., see Mao, S. **281**, 45
- Unruh, T., see Illing, A. **284**, 123
- Urry, D.W., see Kemppainen, B.W. **271**, 301
- Urtti, A., see Lampela, P. **270**, 175
- Urtti, A., see Lampela, P. **284**, 43
- Ushio, H., see Koga, A. **275**, 73
- Utaguchi, N., see Takahashi, K. **286**, 89
- Vale, F.M., see Bettencourt, A. **278**, 181
- Valiveti, S., P.K. Kiptoo, D.C. Hammell, A.L. Stinchcomb, Transdermal permeation of WIN 55,212-2 and CP 55,940 in human skin in vitro **278**, 173
- van Amerongen, G., see Grainger, C.I. **269**, 523
- van den Bergh, H., see Vargas, A. **286**, 131
- Van den Mooter, G., see Dillen, K. **275**, 171
- Van den Mooter, G., see Wang, X. **272**, 181
- van der Voort Maarschalk, K., see Verheezen, J.J.A.M. **278**, 165
- van Nostrum, C.F., see Hennink, W.E. **277**, 99
- van Tonder, E.C., T.S.P. Maleka, W. Liebenberg, M. Song, D.E. Wurster, M.M. de Villiers, Preparation and physicochemical properties of niclosamide anhydrate and two monohydrates **269**, 417
- Vandamme, T.F., see Courrier, H.M. **282**, 131
- Vandelli, M.A., see Leo, E. **278**, 133
- Vandervoort, J., see Dillen, K. **275**, 171
- Vangala, A., see Perrie, Y. **284**, 31
- Vargas, A., B. Pegaz, E. Debefve, Y. Konan-Kouakou, N. Lange, J.-P. Ballini, H. van den Bergh, R. Gurny, F. Delie, Improved photodynamic activity of porphyrin loaded into nanoparticles: an in vivo evaluation using chick embryos **286**, 131
- Varia, S.A., see Joshi, H.N. **269**, 251
- Vavia, P.R., see Kotyan, P.N. **270**, 47
- Veber, M., see Žakelj, S. **272**, 173
- Veldhuis, T.F.J., see Hennink, W.E. **277**, 99
- Venditti, M., see Piozzi, A. **280**, 173
- Venkatraman, S.S., see Tan, L.P. **283**, 89
- Verestiu, L., C. Ivanov, E. Barbu, J. Tsibouklis, Dual-stimuli-responsive hydrogels based on poly(*N*-isopropylacrylamide)/chitosan semi-interpenetrating networks **269**, 185
- Verge, R.L., see Dollo, G. **272**, 109
- Verheezen, J.J.A.M., K. van der Voort Maarschalk, F. Faassen, H. Vromans, Milling of agglomerates in an impact mill **278**, 165
- Verheyden, L., see Dillen, K. **275**, 171
- Verhoeof, J. Coos, see Polnok, A. **269**, 303
- Vermeire, A., see Keleb, E.I. **273**, 183
- Vernon, B.L., F. Fusaro, B. Borden, K.H. Roy, Partition-controlled progesterone release from waterborne, in situ-gelling materials **274**, 191
- Vervaet, C., see Brabander, C.D. **271**, 77
- Vervaet, C., see Keleb, E.I. **273**, 183
- Vescovi, C., see Ricci, M. **275**, 61
- Veverka, M., see Šimon, P. **270**, 21
- Vicendo, P., see Asgatay, S. **285**, 121
- Vilhelmsen, T., J. Kristensen, T. Schaefer, Melt pelletization with polyethylene glycol in a rotary processor **275**, 141
- Villafruente-Robles, L., see Tapia-Albarran, M. **273**, 121
- Villegas-Alvarez, F., see Pérez-Guillé, B. **282**, 87
- Vine, G.J., see O'Neill, M.A.A. **270**, 323
- Volpe, P.L.O., see Basheer, M.M. **282**, 163
- von Orelli, J., H. Leuenberger, Search for technological reasons to develop a capsule or a tablet formulation with respect to wettability and dissolution **287**, 135

- Vosgerau, U., see Demana, P.H. **270**, 229
 Voshaar, T., see Dalby, R. **283**, 1
 Vromans, H., see Verheezen, J.J.A.M. **278**, 165
 Vuleta, G., see Savic, S. **271**, 269
 Vyas, S.P., M.E. Kannan, S. Jain, V. Mishra, P. Singh, Design of liposomal aerosols for improved delivery of rifampicin to alveolar macrophages **269**, 37
 Vyas, S.P., see Prabakaran, D. **284**, 95
 Vyas, S.P., see Singh, P. **278**, 379
 Wada, N., see Nakayama, H. **269**, 469
 Wadhawan, S., see Sinha, V.R. **274**, 1
 Waisser, K., see Gallegos, A. **269**, 51
 Walker, M., see O'Neill, M.A.A. **270**, 323
 Walter, E., see Mandal, B. **269**, 259
 Wang, D., W. Li, M. Pechar, P. Kopečková, D. Brömmme, J. Kopeček, Cathepsin K inhibitor–polymer conjugates: potential drugs for the treatment of osteoporosis and rheumatoid arthritis **277**, 73
 Wang, D.Q., see Xiang, J. **279**, 95
 Wang, G., S.-J. Liu, S.W.-N. Ueng, E.-C. Chan, The release of cefazolin and gentamicin from biodegradable PLA/PGA beads **273**, 203
 Wang, J., D.A. Mongayt, A.N. Lukyanov, T.S. Levchenko, V.P. Torchilin, Preparation and in vitro synergistic anticancer effect of Vitamin K3 and 1,8-diazabicyclo[5.4.0]undec-7-ene in poly(ethylene glycol)-diacyllipid micelles **272**, 129
 Wang, J., I.-L. Lee, W.S. Lim, S.M. Chia, H. Yu, K.W. Leong, H.-Q. Mao, Evaluation of collagen and methylated collagen as gene carriers **279**, 115
 Wang, K., see Jackson, J.K. **283**, 97
 Wang, L., see Yang, M. **286**, 99
 Wang, M., see Euler, D. **275**, 19
 Wang, X., A. Michoel, G. Van den Mooter, Study of the phase behavior of polyethylene glycol 6000–itraconazole solid dispersions using DSC **272**, 181
 Wang, X., see Dai, J. **280**, 229
 Wang, X., see Li, W. **276**, 67
 Wang, X.T., see Tan, L.P. **283**, 89
 Wang, Y., C.H. Lee, Effects of intrinsic variables on release of sodium dodecyl sulfate from a female controlled drug delivery system **282**, 173
 Wang, Y.-Y., see Chen, J.-F. **269**, 267
 Wang, Z., C.F. Lange, W.H. Finlay, Use of an impinging jet for dispersion of dry powder inhalation aerosols **275**, 123
 Wang, Z., Q. Zhang, Transport of proteins and peptides across human cultured alveolar A549 cell monolayer **269**, 451
 Watanabe, J., see Nam, K. **275**, 259
 Watanabe, K., see Kofuji, K. **272**, 65
 Watanabe, M., see Yokogawa, K. **269**, 479
 Weda, M., P. Zanen, A.H. Boer, D.M. Barends, H.W. Frijlink, An investigation into the predictive value of cascade impactor results for side effects of inhaled salbutamol **287**, 79
 Wehle, S., see Steckel, H. **284**, 75
 Wei, D., see Zhang, L. **287**, 155
 Wei, Z., see Mao, S. **272**, 37
 Weigl, B., see Li, Q. **280**, 77
 Wells, S., see Berry, C.C. **269**, 211
 Weng, D., see Stagni, G. **274**, 201
 Weston, N., see Mohammed, A.R. **285**, 23
 Weyermann, J., see Lochmann, D. **283**, 11
 Wilkinson, M.J., see Thompson, C. **280**, 137
 Willart, J.-F., see Lefort, R. **280**, 209
 Williams, A.C., V. Brett Cooper, L. Thomas, L.J. Griffith, C.R. Petts, S.W. Booth, Evaluation of drug physical form during granulation, tabletting and storage **275**, 29
 Williams, A.C., see El Maghraby, G.M.M. **276**, 143
 Williams III, R.O., see Hu, J. **271**, 145
 Wilson, C.G., see İkinci, G. **277**, 173
 Wilson, D.I., see Rough, S.L. **276**, 185
 Wirth, M., see Guggi, D. **278**, 353
 Wissing, S.A., see Souto, E.B. **278**, 71
 Wiwattanawongs, K., see Tantishaiyakul, V. **283**, 111
 Wolka, A.M., J.H. Ryting, B.L. Reed, B.C. Finnin, The interaction of the penetration enhancer DDAIP with a phospholipid model membrane **271**, 5
 Wongpuwarak, W., see Tantishaiyakul, V. **283**, 111
 Woodley, J., see Cornaire, G. **278**, 119
 Wu, C.Y., see Benet, L.Z. **277**, 3
 Wu, F., see Yu, S. **281**, 11
 Wu, J.-T., see Fang, J.-Y. **276**, 163
 Wu, P.-C., Y.-H. Tsai, C.-C. Liao, J.-S. Chang, Y.-B. Huang, The characterization and biodistribution of cefoxitin-loaded liposomes **271**, 31
 Wu, Y., A. Loper, E. Landis, L. Hettrick, L. Novak, K. Lynn, C. Chen, K. Thompson, R. Higgins, U. Batra, S. Shelukar, G. Kwei, D. Storey, The role of biopharmaceutics in the development of a clinical nanoparticle formulation of MK-0869: a Beagle dog model predicts improved bioavailability and diminished food effect on absorption in human **285**, 135
 Wurster, D.E., see van Tonder, E.C. **269**, 417
 Xiang, J., J.M. Hey, V. Liedtke, D.Q. Wang, Investigation of freeze-drying sublimation rates using a freeze-drying microbalance technique **279**, 95
 Xiao, H., see Li, J. **278**, 329
 Xiong, J., see Schachter, D.M. **281**, 89
 Xu, J., see Kemppainen, B.W. **271**, 301
 Xu, W., see Kiang, Y.-H. **280**, 17
 Xuan, T., see Allen Zhang, J. **270**, 93
 Yagami, T., see Haishima, Y. **274**, 119
 Yahia, S.A., see El-Samaligy, M.S. **286**, 27
 Yakou, S., see Miyazaki, Y. **287**, 39
 Yalkowsky, S.H., see Machatha, S.G. **283**, 83
 Yalkowsky, S.H., see Machatha, S.G. **286**, 111
 Yalkowsky, S.H., see Yang, G. **269**, 141
 Yamada, K., see Yamamoto, A. **282**, 141
 Yamaguchi, Y., see Takenaga, M. **271**, 85
 Yamamoto, A., K. Yamada, H. Muramatsu, A. Nishinaka, S. Okumura, N. Okada, T. Fujita, S. Muranishi, Control of pulmonary absorption of water-soluble compounds by various viscous vehicles **282**, 141
 Yamamoto, H., see Sato, Y. **275**, 97

- Yamamoto, H., see Takeuchi, H. **274**, 131
 Yamamoto, K., see Limmatvapirat, S. **278**, 41
 Yamashita, F., see Higuchi, Y. **287**, 147
 Yamazaki, T., see Seki, T. **276**, 29
 Yang, C.H., see Yong, C.S. **269**, 169
 Yang, G., N. Jain, S.H. Yalkowsky, Combined effect of SLS and (SBE)_{7M}- β -CD on the solubilization of NSC-639829 **269**, 141
 Yang, K.-H., see Shin, S.-C. **287**, 73
 Yang, M., F. Cui, B. You, L. Wang, P. Yue, Y. Kawashima, A novel pH-dependent gradient-release delivery system for nitrendipine **286**, 99
 Yap, S.P., K.H. Yuen, Influence of lipolysis and droplet size on tocotrienol absorption from self-emulsifying formulations **281**, 67
 Yetkin, G., N. Çelebi, The healing effect of TGF- α on gastric ulcer induced by acetylsalicylic acid in rats **277**, 163
 Yff, B.T.S., P.G. Royall, M.B. Brown, G.P. Martin, An investigation of calibration methods for solution calorimetry **269**, 361
 Yliruusi, J., see Airaksinen, S. **276**, 129
 Yliruusi, J., see Fernández Cervera, M. **281**, 119
 Yliruusi, J., see Korhonen, M. **269**, 227
 Yokogawa, K., M. Watanabe, H. Takeshita, M. Nomura, Y. Mano, K.-i. Miyamoto, Serum aminotransferase activity as a predictor of clearance of drugs metabolized by CYP isoforms in rats with acute hepatic failure induced by carbon tetrachloride **269**, 479
 Yokohama, S., see Hirakura, Y. **286**, 53
 Yokoi, Y., E. Yonemochi, K. Terada, Changes in surface properties by granulation and physicochemical stability of granulated amorphous cefditoren pivoxil with additives **280**, 67
 Yokota, S., see Hirakura, Y. **286**, 53
 Yonemochi, E., see Hasegawa, S. **280**, 39
 Yonemochi, E., see Koga, A. **275**, 73
 Yonemochi, E., see Yokoi, Y. **280**, 67
 Yong, C.S., C.H. Yang, J.-D. Rhee, B.-J. Lee, D.-C. Kim, D.-D. Kim, C.-K. Kim, J.-S. Choi, H.-G. Choi, Enhanced rectal bioavailability of ibuprofen in rats by poloxamer 188 and menthol **269**, 169
 Yoo, J.Y., J.M. Kim, G. Khang, M.S. Kim, S.H. Cho, H.B. Lee, Y.S. Kim, Effect of lactide/glycolide monomers on release behaviors of gentamicin sulfate-loaded PLGA discs **276**, 1
 York, P., see Schiavone, H. **281**, 55
 Yoshida, H., S. Tamura, T. Toyoda, K. Kado, N. Ohnishi, R. Ibuki, In vitro release of Tacrolimus from Tacrolimus ointment and its speculated mechanism **270**, 55
 Yoshikawa, Y., see Rama Prasad, Y.V. **271**, 225
 Yotsuyanagi, T., see Tokunaga, M. **269**, 71
 You, B., see Yang, M. **286**, 99
 Young, C.R., see Cerea, M. **279**, 127
 Young, S.A., see Kockisch, S. **276**, 51
 Yrjänäinen, L., see Korhonen, M. **269**, 227
 Yu, H., see Wang, J. **279**, 115
 Yu, L.X., A.S. Carlin, G.L. Amidon, A.S. Hussain, Feasibility studies of utilizing disk intrinsic dissolution rate to classify drugs **270**, 221
 Yu, S., Y. Zhao, F. Wu, X. Zhang, W. Lü, H. Zhang, Q. Zhang, Nasal insulin delivery in the chitosan solution: in vitro and in vivo studies **281**, 11
 Yuan, H., see Hu, F.Q. **273**, 29
 Yue, P., see Yang, M. **286**, 99
 Yuen, K.H., see Yap, S.P. **281**, 67
 Yuk, S.H., see Kang, B.K. **274**, 65
 Yun, J., see Chen, J.-F. **269**, 267
 Zaghloul, A.A., see Taha, E.I. **279**, 3
 Žakelj, S., I. Legen, M. Veber, A. Kristl, The influence of buffer composition on tissue integrity during permeability experiments “in vitro” **272**, 173
 Zambito, Y., see Di Colo, G. **273**, 37
 Zanen, P., see Weda, M. **287**, 79
 Zeidler, C., see Baydoun, L. **274**, 157
 Zelkó, R., see Farkas, E. **278**, 63
 Zema, L., see Grassi, M. **276**, 107
 Zerrouk, N., see Maestrelli, F. **271**, 257
 Zhang, D., see Kiang, Y.-H. **280**, 17
 Zhang, G.G.Z., see Chen, Y. **286**, 69
 Zhang, H., see Yu, S. **281**, 11
 Zhang, J. Xuan Allen, T., M. Parmar, L. Ma, S. Ugwu, S. Ali, I. Ahmad, Development and characterization of a novel liposome-based formulation of SN-38 **270**, 93
 Zhang, J., J. Lin, T.A. Anderson, A flow injection analysis/mass spectrometry method for the quantification of polyethylene glycol 300 in drug formulations **282**, 183
 Zhang, L., S. Hou, S. Mao, D. Wei, X. Song, Y. Lu, Uptake of folate-conjugated albumin nanoparticles to the SKOV3 cells **287**, 155
 Zhang, L., Y. Zheng, M.S.S. Chow, Z. Zuo, Investigation of intestinal absorption and disposition of green tea catechins by Caco-2 monolayer model **287**, 1
 Zhang, Q., see Dai, J. **280**, 229
 Zhang, Q., see Wang, Z. **269**, 451
 Zhang, Q., see Yu, S. **281**, 11
 Zhang, Q., X. Jiang, W. Jiang, W. Lu, L. Su, Z. Shi, Preparation of nimodipine-loaded microemulsion for intranasal delivery and evaluation on the targeting efficiency to the brain **275**, 85
 Zhang, T., see Dai, J. **280**, 229
 Zhang, W., see Neerman, M.F. **281**, 129
 Zhang, X., see Jackson, J.K. **270**, 185
 Zhang, X., see Yu, S. **281**, 11
 Zhang, Y., see Sham, J.O.-H. **269**, 457
 Zhao, Y., see Yu, S. **281**, 11
 Zheng, W., see Cerea, M. **279**, 127
 Zheng, Y., see Zhang, L. **287**, 1
 Zhong, Y., see Li, J. **278**, 329
 Zhou, M.-Y., see Chen, J.-F. **269**, 267
 Zhou, S., see Gu, C.-H. **269**, 195
 Zhou, S.-L., see Boinpally, R.R. **274**, 185
 Zhu, X.X., see Freiberg, S. **282**, 1
 Zhu, H., see Li, S. Kevin **273**, 9
 Ziaka, E., see Kelly, H.M. **274**, 167
 Zimmer, A., see Budai, M. **279**, 67
 Zimmer, A., see Lochmann, D. **283**, 11

- Zinchuk, A.V., M.P. Mullarney, B.C. Hancock, Simulation of roller compaction using a laboratory scale compaction simulator **269**, 403
Zorc, B., see Zovko, M. **285**, 35
- Zovko, M., B. Zorc, P. Novak, P. Tepes, B. Cetina-Čizmek, M. Horvat, Macromolecular prodrugs **285**, 35
Zuo, Z., see Zhang, L. **287**, 1
Zydowicz, N., see Bouchemal, K. **269**, 89