

## Author Index Volumes 307–325 (2006)

- Abdallah, O.Y., see Elsayed, M.M.A. **322**, 60
- Abdelwahed, W., G. Degobert, H. Fessi, A pilot study of freeze drying of poly(epsilon-caprolactone) nanocapsules stabilized by poly(vinyl alcohol): Formulation and process optimization **309**, 178
- Abdelwahed, W., G. Degobert, H. Fessi, Freeze-drying of nanocapsules: Impact of annealing on the drying process **324**, 74
- Adeniyi, A.A., see Buckton, G. **312**, 61
- Adhiyaman, R., S.K. Basu, Crystal modification of dipyridamole using different solvents and crystallization conditions **321**, 27
- Adolfsson, Å., see Herder, J. **313**, 57
- Adrian, C.L., H.B.D. Olin, K. Dalhoff, J. Jacobsen, In vivo human buccal permeability of nicotine **311**, 196
- Afifi, N.N., see El-Samaligy, M.S. **308**, 140, **319**, 121
- Agnihotri, S.A., T.M. Aminabhavi, Novel interpenetrating network chitosan-poly(ethylene oxide-*g*-acrylamide) hydrogel microspheres for the controlled release of capecitabine **324**, 103
- Ahmad, N., see Lee, P.J. **308**, 33
- Ahmed, S.U., see Khairuzzaman, A. **318**, 15
- Ahonen, A., see Säkkinen, M. **307**, 285
- Ai, P., see Jin, Y. **309**, 199
- Akbuğa, J., see Özgel, G. **315**, 44
- Akers, M.J., see Kuu, W.Y. **313**, 99
- Akhgari, A., F. Sadeghi, H.A. Garekani, Combination of time-dependent and pH-dependent polymethacrylates as a single coating formulation for colonic delivery of indomethacin pellets **320**, 137
- Akiki, J., see Faisant, N. **314**, 189
- Albano, S., see Muhrer, G. **308**, 69
- Albertini, B., see Passerini, N. **318**, 92
- Albion, K., L. Briens, C. Briens, F. Berruti, Detection of the breakage of pharmaceutical tablets in pneumatic transport **322**, 119
- Albrecht, K., see Bernkop-Schnürch, A. **317**, 76
- Alderborn, G., see Mahlin, D. **321**, 78
- Alexander, A.W., see Faqih, A. **324**, 116
- Alexander, K., see Desai, J. **308**, 115
- Alhaique, F., see Matricardi, P. **316**, 21
- Alhaique, F., see Palleschi, A. **322**, 13
- Alhamami, O.M.O., N.H. Aljanabi, N.M. Shalan, Biopharmaceutic and pharmacokinetic studies following the oral administration of sodium salicylate in oily and aqueous vehicles to rabbit **311**, 63
- Aljanabi, N.H., see Alhamami, O.M.O. **311**, 63
- Allemandi, D.A., see Rigo, M.V.R. **322**, 36
- Alonso, M.J., see Sonvico, F. **324**, 67
- Alper, M., see Cevher, E. **317**, 127
- Altenbach, M., N. Schnyder, C. Zimmermann, G. Imanidis, Cutaneous metabolism of a dipeptide influences the iontophoretic flux of a concomitant uncharged permeant **307**, 308
- Alvarez-Lorenzo, C., see Siemoneit, U. **312**, 66
- Alvarez-Manceñido, F., K. Braeckmans, S.C. De Smedt, J. Demeester, M. Landin, R. Martínez-Pacheco, Characterization of diffusion of macromolecules in konjac glucomannan solutions and gels by fluorescence recovery after photobleaching technique **316**, 37
- Alves, P.M., see Lameiro, M.H. **312**, 119
- Ambarkhane, A., see Buckton, G. **312**, 61
- Amidon, G.L., see Granero, G.E. **317**, 14
- Amighi, K., see Hamdani, J. **322**, 96, **323**, 86
- Aminabhavi, T.M., see Agnihotri, S.A. **324**, 103
- Aminabhavi, T.M., see Babu, V.R. **325**, 55
- Aminabhavi, T.M., see Sairam, M. **320**, 131
- Ammar, H.O., H.A. Salama, M. Ghorab, A.A. Mahmoud, Formulation and biological evaluation of glimepiride-cyclodextrin-polymer systems **309**, 129
- Ammar, H.O., H.A. Salama, M. Ghorab, A.A. Mahmoud, Implication of inclusion complexation of glimepiride in cyclodextrin-polymer systems on its dissolution, stability and therapeutic efficacy **320**, 53
- Ammendola, M., see Quaglia, F. **324**, 56
- Anal, A.K., W.F. Stevens, C. Remuñán-López, Ionotropic cross-linked chitosan microspheres for controlled release of ampicillin **312**, 166
- Andremont, A., see Bourgeois, S. **324**, 2
- Andry, M.-C., see Devy, J. **307**, 194
- Angele, P., see Appel, B. **314**, 170
- Angusti, A., see Leo, E. **307**, 103
- Annibaldi, V., see Carafa, M. **325**, 155
- Anroop, B., B. Ghosh, V. Parcha, S. Vasanti, Studies on *Ocimum gratissimum* seed mucilage: Evaluation of binding properties **325**, 191
- Ansari, M.A., F. Stepanek, Formation of hollow core granules by fluid bed in situ melt granulation: Modelling and experiments **321**, 108
- Anstey, A., see Birchall, J. **312**, 15
- Antal, I., see Dredán, J. **310**, 25
- Appel, B., A. Maschke, B. Weiser, H. Sarhan, C. Englert, P. Angele, T. Blunk, A. Göpferich, Lipidic implants for controlled release of bioactive insulin: Effects on cartilage engineered in vitro **314**, 170
- Araman, A., see Orlu, M. **318**, 103
- Aranda, F.J., see Ortiz, A. **325**, 99
- Aranda, F.J., see Torrecillas, A. **318**, 28
- Archontaki, H., see Vertzoni, M. **309**, 115
- Argnani, R., see Cortesi, R. **317**, 90
- Ariatti, M., see Singh, M. **309**, 189, **321**, 124
- Arica-Yegin, B., see Elkharraz, K. **314**, 127
- Arien, A., see Vandermeulen, G. **309**, 234
- Aroca-Aguilar, J.D., see Torrecillas, A. **318**, 28
- Arora, V., see Kakumanu, V.K. **317**, 155
- Ashokraj, Y., see Panchagnula, R. **313**, 5
- Assi, K.H., see Tarsin, W.Y. **316**, 131
- Asuero, A.G., see Boccio, M. **318**, 70
- Asuero, A.G., see Sayago, A. **321**, 94
- Atemnkeng, M.A., J. Plaizier-Vercammen, A. Schuermans, Comparison of free and bound iodine and iodide species as a function of the dilution of three commercial povidone-iodine formulations and their microbicidal activity **317**, 161
- Attama, A.A., C.C. Müller-Goymann, A critical study of novel physically structured lipid matrices composed of a homolipid from *Capra hircus* and theobroma oil **322**, 67
- Attwood, D., see Itoh, K. **312**, 37
- Attwood, D., see Najlah, M. **308**, 175
- Auffret, A.D., see Matthews, K.H. **313**, 78
- Auriola, S., see Matilainen, L. **318**, 41
- Aurstad, T., see Vermehren, C. **307**, 89

- Auzély-Velty, R., see Venter, J.P. **313**, 36
- Azarmi, S., see Jelvehgari, M. **308**, 124
- Azarmi, S., X. Tao, H. Chen, Z. Wang, W.H. Finlay, R. Löbenberg, W.H. Roa, Formulation and cytotoxicity of doxorubicin nanoparticles carried by dry powder aerosol particles **319**, 155
- Azghani, A.O., see Mugabe, C. **307**, 244
- Azuara, M.L., see Negro, S. **307**, 278
- Babazadeh, M., Synthesis and study of controlled release of ibuprofen from the new acrylic type polymers **316**, 68
- Babbin, B.A., see Ghartey-Tagoe, E.B. **315**, 122
- Babu, V.R., M. Sairam, K.M. Hosamani, T.M. Aminabhavi, Development of 5-fluorouracil loaded poly(acrylamide-co-methylmethacrylate) novel core-shell microspheres: *In vitro* release studies **325**, 55
- Babu, V.R., see Sairam, M. **320**, 131
- Baby, A.R., A.C.L. Lacerda, M.V.R. Velasco, P.S. Lopes, Y. Kawano, T.M. Kaneko, Evaluation of the interaction of surfactants with stratum corneum model membrane from *Bothrops jararaca* by DSC **317**, 7
- Baby, A.R., see Maia, A.M. **322**, 130
- Bade, S.R., see Panchagnula, R. **313**, 5
- Badkar, A., P. Yohannes, A. Banga, Application of  $T_{ZERO}$  calibrated modulated temperature differential scanning calorimetry to characterize model protein formulations **309**, 146
- Bae, S.K., see Shin, H.S. **320**, 64
- Baggiani, A., see Di Colo, G. **310**, 154
- Baglioni, P., see Scalia, S. **308**, 155
- Bahia, M.F., see das Neves, J. **318**, 1
- Bai, T.-C., G.-B. Yan, J. Hu, H.-L. Zhang, C.-G. Huang, Solubility of silybin in aqueous poly(ethylene glycol) solution **308**, 100
- Bakhbakhi, Y., P.A. Charpentier, S. Rohani, Experimental study of the GAS process for producing microparticles of beclomethasone-17,21-dipropionate suitable for pulmonary delivery **309**, 71
- Balaguer-Fernández, C., see Femenía-Font, A. **323**, 125
- Balasse, E., see Devy, J. **307**, 194
- Balasubrahmanyam, B., see Kansara, V. **312**, 43
- Ballestri, M., see Chiarantini, L. **324**, 83
- Ban, K., see Hirakura, Y. **325**, 26
- Bando, H., J.W. McGinity, Physicochemical properties of enteric films prepared from aqueous dispersions and organic solutions **313**, 43
- Bando, H., J.W. McGinity, Relationship between drug dissolution and leaching of plasticizer for pellets coated with an aqueous Eudragit® S100:L100 dispersion **323**, 11
- Banga, A., see Badkar, A. **309**, 146
- Bansal, A.K., see Kakumanu, V.K. **317**, 155
- Bao, A., W.T. Phillips, B. Goins, X. Zheng, S. Sabour, M. Natarajan, F. Ross Woolley, C. Zavaleta, R.A. Otto, Potential use of drug carried-liposomes for cancer therapy via direct intratumoral injection **316**, 162
- Barcia, E., see Negro, S. **307**, 278
- Barillaro, V., see Piel, G. **312**, 75
- Barragan, I., see Tarvainen, T. **310**, 162
- Barzegar-Jalali, M., see Ghafourian, T. **319**, 82
- Basit, A.W., see Ibekwe, V.C. **308**, 52
- Bassani, G., see Lamas, M.C. **307**, 239
- Basta, G., see Blasi, P. **324**, 27
- Basu, S.K., see Adhiyaman, R. **321**, 27
- Bataille, B., see Gil, E.C. **317**, 32
- Baumgartner, S., see Kocbek, P. **312**, 179
- Becker, C., see Guse, C. **314**, 153
- Becker, E., see Bohrer, D. **315**, 24
- Belić, A., see Grabnar, I. **322**, 52
- Benoit, J.P., see Elkharraz, K. **314**, 127
- Benoit, J.P., see Faisant, N. **314**, 189
- Benoit, J.P., see Koennings, S. **314**, 145
- Benoit, J.P., see Lagarce, F. **314**, 179
- Benoit, J.P., see Sapin, A. **309**, 1
- Benoît, J.P., see Malzert-Fréon, A. **320**, 157
- Bentley, M.V.L.B., see Ferreira, D.A. **310**, 203
- Bentzley, C.M., see Huang, J. **319**, 44
- Berdún-Álvarez, T., see Gañán-Calvo, A.M. **324**, 19
- Bergemann, C., see Steinfeld, U. **311**, 229
- Berggren, J., see Mahlin, D. **321**, 78
- Bermejo, M., see Rodríguez-Ibáñez, M. **307**, 33
- Bernkop-Schnürch, A., A. Weithaler, K. Albrecht, A. Greimel, Thiomers: Preparation and *in vitro* evaluation of a mucoadhesive nanoparticulate drug delivery system **317**, 76
- Bernkop-Schnürch, A., see Bravo-Osuna, I. **316**, 170
- Bernkop-Schnürch, A., see Föger, F. **319**, 139
- Bernkop-Schnürch, A., see Krauland, A.H. **307**, 270
- Berruti, F., see Albion, K. **322**, 119
- Besnard, M., see Hillaireau, H. **324**, 37
- Bettini, R., see Santi, P. **324**, 1
- Bianchi, A., see Scalia, S. **308**, 155
- Bikiaris, D., see Karavas, E. **313**, 189
- Biradar, S.V., see Shah, M.H. **323**, 18
- Birchall, J., S. Coulman, A. Anstey, C. Gateley, H. Sweetland, A. Gershonowitz, L. Neville, G. Levin, Cutaneous gene expression of plasmid DNA in excised human skin following delivery via microchannels created by radio frequency ablation **312**, 15
- Blanco-Méndez, J., see Siemoneit, U. **312**, 66
- Blasi, P., S. Giovagnoli, A. Schoubben, M. Ricci, C. Rossi, G. Luca, G. Basta, R. Calafiore, Preparation and *in vitro* and *in vivo* characterization of composite microcapsules for cell encapsulation **324**, 27
- Blasi, P., see Ricci, M. **311**, 172
- Blaton, N., see Van den Mooter, G. **316**, 1
- Blunk, T., see Appel, B. **314**, 170
- Blunk, T., see Guse, C. **314**, 153, 161
- Bocchinfuso, G., see Palleschi, A. **322**, 13
- Bocci, E., see Scalia, S. **308**, 155
- Boccio, M., A. Sayago, A.G. Asuero, A bilogarithmic method for the spectrophotometric evaluation of stability constants of 1:1 weak complexes from mole ratio data **318**, 70
- Bodmeier, R., see Luan, X. **324**, 168
- Bogataj, M., see Grabnar, I. **322**, 52
- Bohrer, D., E. Becker, P.C. Nascimento, V. Mörschbacher, L.M. de Carvalho, M. da Silva Marques, Arsenic release from glass containers by action of intravenous nutrition formulation constituents **315**, 24
- Bommareddy, G.S., S. Paker-Leggs, K.K. Saripella, S.H. Neau, Extruded and spheronized beads containing Carbopol® 974P to deliver nonelectrolytes and salts of weakly basic drugs **321**, 62
- Bonacucina, G., M. Cespi, M. Misici-Falzi, G.F. Palmieri, Rheological, adhesive and release characterisation of semisolid Carbopol/tetraglycol systems **307**, 129
- Bonacucina, G., P. Di Martino, M. Piombetti, A. Colombo, F. Roversi, G.F. Palmieri, Effect of plasticizers on properties of pregelatinised starch acetate (Amprac 01) free films **313**, 72
- Bongiorno, D., L. Ceraulo, M. Ferrugia, F. Filizzola, A. Longo, A. Mele, A. Ruggirello, V. Turco Liveri, Interactions of  $\alpha$ -tocopherol with biomembrane models: Binding to dry lecithin reversed micelles **312**, 96
- Borchert, H.-H., see Yilmaz, E. **307**, 232
- Bortolotti, F., see Cortesi, R. **317**, 90
- Bortolotti, F., see Leo, E. **307**, 103
- Bossy-Nobs, L., see Felt-Baeyens, O. **322**, 6
- Both, D., see Desai, D. **308**, 40
- Botner, S., see Sintov, A.C. **311**, 55
- Bourel-Bonnet, L., see Richard, A. **312**, 144
- Bourgeois, S., M. Gernet, D. Pradeau, A. Andremont, E. Fattal, Evaluation of critical formulation parameters influencing the bioactivity of  $\beta$ -lactamases entrapped in pectin beads **324**, 2
- Bouropoulos, N., see Pasparakis, G. **323**, 34
- Bouwman, A.M., M.R. Visser, G.M.H. Meesters, H.W. Frijlink, The use of Stokes deformation number as a predictive tool for material exchange behaviour of granules in the 'equilibrium phase' in high shear granulation **318**, 78
- Bouwman, W.G., see Goddeeris, C. **312**, 187
- Bowen, J.L., C.M. Heard, Film drying and complexation effects in the simultaneous skin permeation of ketoprofen and propylene glycol from simple gel formulations **307**, 251

- Bowman, B.J., see Ofner, III, C.M. **308**, 90
- Boyd, B.J., D.V. Whittaker, S.-M. Khoo, G. Davey, Hexosomes formed from glycerate surfactants—Formulation as a colloidal carrier for irinotecan **318**, 154
- Boyd, B.J., D.V. Whittaker, S.-M. Khoo, G. Davey, Lyotropic liquid crystalline phases formed from glycerate surfactants as sustained release drug delivery systems **309**, 218
- Braeckmans, K., see Alvarez-Manceñido, F. **316**, 37
- Braeckmans, K., see Hinrichs, W.L.J. **311**, 237
- Brandys-Sitton, R., see Sintov, A.C. **316**, 58
- Bravo-Osuna, I., T. Schmitz, A. Bernkop-Schnürch, C. Vauthier, G. Ponchel, Elaboration and characterization of thiolated chitosan-coated acrylic nanoparticles **316**, 170
- Brennan, F.S., see Lane, M.E. **307**, 16
- Breton, P., see Felt-Baeyens, O. **322**, 6
- Brewster, M.E., see Vandermeulen, G. **309**, 234
- Breytenbach, J.C., see Gerber, M. **310**, 31
- Breznik, M., see Planinšek, O. **319**, 13
- Briançon, S., see Tewa-Tagne, P. **325**, 63
- Briens, C., see Albion, K. **322**, 119
- Briens, L., see Albion, K. **322**, 119
- Broder, M., see Eberhard, U. **313**, 1
- Brum, J., see Burnett, D.J. **313**, 23
- Brundin, P., see Popovic, N. **314**, 20
- Bryszewska, M., see Klajnert, B. **309**, 208
- Buckton, G., A.A. Adeniyi, M. Saunders, A. Ambarkhane, HyperDSC studies of amorphous polyvinylpyrrolidone in a model wet granulation system **312**, 61
- Buckton, G., see Stapley, J. **318**, 22
- Bunker, M.J., C.J. Roberts, M.C. Davies, M.B. James, A nanoscale study of particle friction in a pharmaceutical system **325**, 163
- Burman, A.C., see Vivekanandan, K. **313**, 214
- Burnett, D.J., F. Thielmann, T. Sokoloski, J. Brum, Investigating the moisture-induced crystallization kinetics of spray-dried lactose **313**, 23
- Burt, H.M., see Zhao, J. **317**, 109
- Bustamante, P., see Peña, M.A. **321**, 155
- Byun, Y., see Choi, Y. **320**, 45
- Cagnani, A., see Sonvico, F. **324**, 67
- Cai, H., C. Stoner, A. Reddy, S. Freiwald, D. Smith, R. Winters, C. Stankovic, N. Surendran, Evaluation of an integrated in vitro–in silico PBPK (physiologically based pharmacokinetic) model to provide estimates of human bioavailability **308**, 133
- Caillet, A., F. Puel, G. Fevotte, In-line monitoring of partial and overall solid concentration during solvent-mediated phase transition using Raman spectroscopy **307**, 201
- Çakalağaoğlu, F., see Sipahigil, O. **311**, 130
- Calafiore, R., see Blasi, P. **324**, 27
- Caliceti, P., see Cavallaro, G. **307**, 258
- Callens, C., see Pringels, E. **310**, 1
- Cappello, B., G. De Rosa, L. Giannini, M.I. La Rotonda, G. Mensitieri, A. Miro, F. Quaglia, R. Russo, Cyclodextrin-containing poly(ethyleneoxide) tablets for the delivery of poorly soluble drugs: Potential as buccal delivery system **319**, 63
- Caraballo, I., see Millán, M. **310**, 168
- Caraballo, I., see Miranda, A. **311**, 75
- Carafa, M., C. Marianecchi, V. Annibaldi, A. Di Stefano, P. Sozio, E. Santucci, Novel *O*-palmitoylscleroglucan-coated liposomes as drug carriers: Development, characterization and interaction with leuprolide **325**, 155
- Cardoso, M.M., see Duarte, A.R.C. **308**, 168, **311**, 50
- Carmichael, T., see Choonara, Y.E. **310**, 15
- Cartilier, L.H., see Moghadam, S.H. **321**, 50
- Carvajal, M.T., J.N. Staniforth, Interactions of water with the surfaces of crystal polymorphs **307**, 216
- Casabó, V.G., see Valenzuela, B. **314**, 21
- Casadei, M.A., F. Cerreto, S. Cesa, M. Giannuzzo, M. Feeney, C. Marianecchi, P. Paolicelli, Solid lipid nanoparticles incorporated in dextran hydrogels: A new drug delivery system for oral formulations **325**, 140
- Cassano, R., see Lemma, F. **312**, 151
- Castagne, D., see Piel, G. **312**, 75
- Castelli, F., see Pignatello, R. **310**, 53
- Cavallaro, G., L. Mariano, S. Salmaso, P. Caliceti, G. Gaetano, Folate-mediated targeting of polymeric conjugates of gemcitabine **307**, 258
- Cavatorta, F., see Sonvico, F. **324**, 67
- Cavicchioni, G., see Cortesi, R. **317**, 90
- Cebolla, A., see Gañán-Calvo, A.M. **324**, 19
- Cerasi, A., see Chiarantini, L. **324**, 83
- Ceraulo, L., see Bongiorno, D. **312**, 96
- Cerreto, F., see Casadei, M.A. **325**, 140
- Cesa, S., see Casadei, M.A. **325**, 140
- Cespi, M., see Bonacucina, G. **307**, 129
- Cevher, E., see Orlu, M. **318**, 103
- Cevher, E., Z. Orhan, L. Mülazımoğlu, D. Şensoy, M. Alper, A. Yıldız, Y. Özsoy, Characterization of biodegradable chitosan microspheres containing vancomycin and treatment of experimental osteomyelitis caused by methicillin-resistant *Staphylococcus aureus* with prepared microspheres **317**, 127
- Chacun, H., see Hillaireau, H. **324**, 37
- Chambin, O., G. Dupuis, D. Champion, A. Voilley, Y. Pourcelot, Colon-specific drug delivery: Influence of solution reticulation properties upon pectin beads performance **321**, 86
- Chambin, O., see Jannin, V. **309**, 6
- Champion, D., see Chambin, O. **321**, 86
- Chan, L.W., see Liew, C.V. **309**, 25
- Chan, S.Y., see Lim, P.F.C. **311**, 157
- Chan, Y.W., see Lim, P.F.C. **311**, 157
- Chandra, R., see Nimesh, S. **320**, 143, **323**, 146
- Chang, X., see Chen, H. **315**, 52
- Chansri, N., S. Kawakami, F. Yamashita, M. Hashida, Inhibition of liver metastasis by all-*trans* retinoic acid incorporated into O/W emulsions in mice **321**, 42
- Charcosset, C., see Limayem Blouza, I. **325**, 124
- Charpentier, P.A., see Bakhbaki, Y. **309**, 71
- Chaudhari, S., see Chavanpatil, M.D. **316**, 86
- Chaudhary, P., see Nimesh, S. **323**, 146
- Chaudhuri, B., see Faqih, A. **324**, 116
- Chauhan, G.S., see Singh, B. **325**, 15
- Chauhan, N., see Singh, B. **325**, 15
- Chavanpatil, M.D., P. Jain, S. Chaudhari, R. Shear, P.R. Vavia, Novel sustained release, swellable and bioadhesive gastroretentive drug delivery system for ofloxacin **316**, 86
- Chavanpatil, M.D., Y. Patil, J. Panyam, Susceptibility of nanoparticle-encapsulated paclitaxel to P-glycoprotein-mediated drug efflux **320**, 150
- Chávez, S., see Gañán-Calvo, A.M. **324**, 19
- Cheeti, S., B.K. Warriar, C.H. Lee, The role of monocarboxylate transporters in uptake of lactic acid in HeLa cells **325**, 48
- Chen, C.-H., see Wang, G.-M. **319**, 71
- Chen, C.-S., see Ofner, III, C.M. **308**, 90
- Chen, D., see Ma, Y. **307**, 292
- Chen, F.-m., Z.-f. Wu, H.-h. Sun, H. Wu, S.-n. Xin, Q.-t. Wang, G.-y. Dong, Z.-w. Ma, S. Huang, Y.-j. Zhang, Y. Jin, Release of bioactive BMP from dextran-derived microspheres: A novel delivery concept **307**, 23
- Chen, H., see Azarmi, S. **319**, 155
- Chen, H., X. Chang, D. Du, J. Li, H. Xu, X. Yang, Microemulsion-based hydrogel formulation of ibuprofen for topical delivery **315**, 52
- Chen, J.-F., see Zhang, J.-Y. **323**, 153
- Chen, S., see Zhan, X. **322**, 1
- Chen, W.-X., see Liu, Y.-Y. **308**, 205
- Chen, X., see Purvis, T. **324**, 43
- Cheng, J., J.-b. Zhu, N. Wen, F. Xiong, Stability and pharmacokinetic studies of *O*-palmitoyl amylopectin anchored dipyrindamole liposomes **313**, 136
- Cheng, L., see Wang, S. **311**, 82
- Cheng, N., see Liang, D.C. **314**, 63
- Cheng, W.-T., see Lin, S.-Y. **318**, 86
- Cheon, S.H., see Kang, G.D. **319**, 29
- Chetty, D.J., see Munasur, A.P. **323**, 43

- Chiarantini, L., A. Cerasi, E. Millo, K. Sparnacci, M. Laus, M. Riccio, S. Santi, M. Ballestri, S. Spaccasassi, L. Tondelli, Enhanced antisense effect of modified PNAs delivered through functional PMMA microspheres **324**, 83
- Ching, A.L., see Liew, C.V. **309**, 25
- Chiou, W.L., see Yao, H.-M. **322**, 79
- Cho, C.-W., J.-S. Choi, S.-C. Shin, Physicochemical characteristics of quinupramine in the EVA matrix **320**, 1
- Cho, C.-W., see Kim, J. **315**, 134
- Cho, K.-J., see Choi, Y. **320**, 45
- Choi, B.-C., J.-S. Choi, H.-K. Han, Altered pharmacokinetics of paclitaxel by the concomitant use of morin in rats **323**, 81
- Choi, C., see Kim, D.-G. **319**, 130
- Choi, E.C., see Jo, Y.W. **309**, 87
- Choi, H.-G., see Yong, C.S. **321**, 56
- Choi, H.-K., see Park, S.-H. **321**, 35
- Choi, J.-S., see Cho, C.-W. **320**, 1
- Choi, J.-S., see Choi, B.-C. **323**, 81
- Choi, J.-S., see Shin, S.-C. **313**, 144
- Choi, J.S., K.S. Ko, J.S. Park, Y.-H. Kim, S.W. Kim, M. Lee, Dexamethasone conjugated poly(amidoamine) dendrimer as a gene carrier for efficient nuclear translocation **320**, 171
- Choi, K.-C., see Jeong, Y.-I. **322**, 154
- Choi, S.H., T.G. Park, G-CSF loaded biodegradable PLGA nanoparticles prepared by a single oil-in-water emulsion method **311**, 223
- Choi, Y., S.Y. Kim, K. Park, J. Yang, K.-J. Cho, H.J. Kwon, Y. Byun, Chemopreventive efficacy of all-*trans*-retinoic acid in biodegradable microspheres against epithelial cancers: Results in a 4-nitroquinoline 1-oxide-induced oral carcinogenesis model **320**, 45
- Choonara, Y.E., V. Pillay, T. Carmichael, M.P. Danckwerts, An in vitro study of the design and development of a novel doughnut-shaped minitab for intraocular implantation **310**, 15
- Chrystyn, H., see Tarsin, W.Y. **316**, 131
- Chrystyn, H., see Theophilus, A. **313**, 14
- Chu, D.-F., X.-Q. Fu, W.-H. Liu, K. Liu, Y.-X. Li, Pharmacokinetics and *in vitro* and *in vivo* correlation of huperzine A loaded poly(lactic-co-glycolic acid) microspheres in dogs **325**, 116
- Chung, T.-W., M.-C. Yang, W.-J. Tsai, A fibrin encapsulated liposomes-in-chitosan matrix (FLCM) for delivering water-soluble drugs. Influences of the surface properties of liposomes and the crosslinked fibrin network **311**, 122
- Chung, Y.B., see Lee, P.S. **316**, 29
- Ciach, T., Microencapsulation of drugs by electro-hydro-dynamic atomization **324**, 51
- Clavreul, A., see Sapin, A. **309**, 1
- Cobb, J., see Swaminathan, V. **312**, 158
- Coelho, J.F.J., see dos Santos, K.S.C.R. **310**, 37
- Colarte, A.I., see Gil, E.C. **317**, 32
- Collett, J.H., see Stops, F. **308**, 8, 14
- Colombo, A., see Bonacucina, G. **313**, 72
- Colombo, P., see Nicoli, S. **325**, 2
- Colombo, P., see Sonvico, F. **324**, 67
- Concheiro, A., see Siemoneit, U. **312**, 66
- Consiglieri, V.O., see Martinello, T. **322**, 87
- Consiglieri, V.O., see Rolim, A. **308**, 107
- Contado, C., see Leo, E. **307**, 103
- Cook, W.G., see Hardy, I.J. **311**, 26
- Copová, A., O. Díez-Sales, J.V. Herráez-Domínguez, M. Herráez-Domínguez, Enhancing effect of alpha-hydroxyacids on "in vitro" permeation across the human skin of compounds with different lipophilicity **314**, 31
- Corbalán-García, S., see Torrecillas, A. **318**, 28
- Corish, J., see Fitzpatrick, D. **311**, 139, **325**, 90
- Corrigan, D.O., O.I. Corrigan, A.M. Healy, Physicochemical and in vitro deposition properties of salbutamol sulphate/ipratropium bromide and salbutamol sulphate/excipient spray dried mixtures for use in dry powder inhalers **322**, 22
- Corrigan, O.I., see Corrigan, D.O. **322**, 22
- Corrigan, O.I., see Coughlan, D.C. **313**, 163
- Corrigan, O.I., see Killen, B.U. **316**, 47
- Corrigan, O.I., see Lane, M.E. **307**, 16, **309**, 60, **312**, 196
- Cortesi, R., R. Argnani, E. Esposito, A. Dalpiaz, A. Scatturin, F. Bortolotti, M. Lufino, R. Guerrini, G. Cavicchioni, C. Incorvaia, E. Menegatti, R. Manservigi, Cationic liposomes as potential carriers for ocular administration of peptides with anti-herpetic activity **317**, 90
- Costa, M.S., see Duarte, A.R.C. **308**, 168
- Costa, P., see Lopes, C.M. **323**, 93
- Costa, T.D., see Cruz, L. **313**, 198
- Coughlan, D.C., O.I. Corrigan, Drug-polymer interactions and their effect on thermoresponsive poly(*N*-isopropylacrylamide) drug delivery systems **313**, 163
- Coulman, S., see Birchall, J. **312**, 15
- Couvreur, P., see Hillaireau, H. **324**, 37
- Coviello, T., see Matricardi, P. **316**, 21
- Coviello, T., see Palleschi, A. **322**, 13
- Craig, D.Q.M., see Khatri, L. **322**, 113
- Cristiano, R.J., see Moffatt, S. **317**, 10, **321**, 143
- Cruz, L., L.U. Soares, T.D. Costa, G. Mezzalana, N.P. da Silveira, S.S. Guterres, A.R. Pohlmann, Diffusion and mathematical modeling of release profiles from nanocarriers **313**, 198
- Cui, F., F. Qian, C. Yin, Preparation and characterization of mucoadhesive polymer-coated nanoparticles **316**, 154
- Cui, F., see Liu, D. **307**, 300
- Cui, F.-d., see Gao, Y. **318**, 62
- Cui, G., L. Wang, P.J. Davis, M. Kara, H. Liu, Preparation and physical characterization of a novel marine oil emulsion as a potential new formulation vehicle for lipid soluble drugs **325**, 180
- Cui, J., C. Li, Y. Deng, Y. Wang, W. Wang, Freeze-drying of liposomes using tertiary butyl alcohol/water cosolvent systems **312**, 131
- Cui, Z., B.R. Sloat, Topical immunization onto mouse skin using a microemulsion incorporated with an anthrax protective antigen protein-encoding plasmid **317**, 187
- Cui, Z., F. Qiu, B.R. Sloat, Lecithin-based cationic nanoparticles as a potential DNA delivery system **313**, 206
- Cui, Z., see Le, U.M. **312**, 105, **320**, 96
- Cuppo, F., see Goddeeris, C. **312**, 187
- da Silva Marques, M., see Bohrer, D. **315**, 24
- da Silva, J.B.B., see Martins, P.S. **325**, 39
- da Silveira, N.P., see Cruz, L. **313**, 198
- Daabis, N., see Ramadan, A. **307**, 141
- Dabholkar, R.D., R.M. Sawant, D.A. Mongayt, P.V. Devarajan, V.P. Torchilin, Polyethylene glycol-phosphatidylethanolamine conjugate (PEG-PE)-based mixed micelles: Some properties, loading with paclitaxel, and modulation of P-glycoprotein-mediated efflux **315**, 148
- Dai, J.-d., see Wang, X.-q. **322**, 146
- Dai, Y., see Yu, L. **319**, 107
- Dai, Y., T. Deng, F. Lu, In vitro studies on the application of colloidal emulsion aphrons to drug overdose treatment **311**, 165
- Daicic, J., see Petrov, O. **309**, 157
- Dairaku, M., see Itoh, K. **312**, 37
- Dalhoff, K., see Adrian, C.L. **311**, 196
- Dalpiaz, A., see Cortesi, R. **317**, 90
- Dalpiaz, A., see Leo, E. **307**, 103
- Danckwerts, M.P., see Choonara, Y.E. **310**, 15
- Dandagi, P.M., V.S. Mastiholmath, M.B. Patil, M.K. Gupta, Biodegradable microparticulate system of captopril **307**, 83
- Daneshamouz, S., see Tabbakhian, M. **323**, 1
- Dansereau, R.J., see Perkins, A.C. **311**, 20
- Darr, J.A., see Gong, K. **315**, 93
- das Neves, J., M.F. Bahia, Gels as vaginal drug delivery systems **318**, 1
- Dashevsky, A., A. Mohamad, Development of pulsatile multiparticulate drug delivery system coated with aqueous dispersion Aquacoat® ECD **318**, 124
- Dashevsky, A., see Mohamad, A. **320**, 179
- Dastmalchi, S., see Ghafourian, T. **319**, 82
- Davey, G., see Boyd, B.J. **309**, 218, **318**, 154
- David Woolfson, A., see Donnelly, R.F. **307**, 318
- Dávid, Á.Z., see Dredán, J. **310**, 25

- Davies, C., see Faqih, A. **324**, 116
- Davies, M.C., see Bunker, M.J. **325**, 163
- Davies, N.M., see Pham, H.L. **310**, 196
- Davis, P.J., see Cui, G. **325**, 180
- Dawe, C., see Lixin, W. **323**, 161
- Dawson, M.L., see Jones, M.D. **313**, 87
- de Boer, A.H., P. Hagedoorn, D. Gjaltema, J. Goede, H.W. Frijlink, Air classifier technology (ACT) in dry powder inhalation. Part 3. Design and development of an air classifier family for the Novolizer® multi-dose dry powder inhaler **310**, 72
- de Boer, A.H., P. Hagedoorn, D. Gjaltema, J. Goede, H.W. Frijlink, Air classifier technology (ACT) in dry powder inhalation. Part 4. Performance of air classifier technology in the Novolizer® multi-dose dry powder inhaler **310**, 81
- de Carvalho, L.A.E.B., see Vueba, M.L. **307**, 56
- de Carvalho, L.M., see Bohrer, D. **315**, 24
- De Castro, M., G. Orive, A.R. Gascón, R.M. Hernandez, J.L. Pedraz, Evaluation of human serum albumin as a substitute of foetal bovine serum for cell culture **310**, 8
- de Godos, A., see Torrecillas, A. **318**, 28
- de la Luz Reus Medina, M., V. Kumar, Evaluation of cellulose II powders as a potential multifunctional excipient in tablet formulations **322**, 31
- De Ridder, T., see Van den Mooter, G. **316**, 1
- de Roos, R., see Zielhuis, S.W. **311**, 69
- De Rosa, G., see Cappello, B. **319**, 63
- De Rosa, G., see Quaglia, F. **324**, 56
- De Smedt, S.C., see Alvarez-Manceñido, F. **316**, 37
- De Smedt, S.C., see Hinrichs, W.L.J. **311**, 237
- de Vegt, O., H. Vromans, W. Pries, K. van der Voort Maarschalk, The effect of crystal imperfections on particle fracture behaviour **317**, 47
- De Yao, K., see Liang, D.C. **314**, 63
- Degobert, G., see Abdelwahed, W. **309**, 178, **324**, 74
- Delattre, L., see Piel, G. **312**, 75
- Delvaux, J., see Richard, A. **312**, 144
- D'Emanuele, A., see Najlah, M. **308**, 175
- Demeester, J., see Alvarez-Manceñido, F. **316**, 37
- Demeester, J., see Hinrichs, W.L.J. **311**, 237
- Demetzos, C., see Gardikis, K. **318**, 118
- Demicheli, C., see Martins, P.S. **325**, 39
- Demicheli, C., see Schettini, D.A. **315**, 140
- Deng, J.-X., see Li, F.-Q. **324**, 152
- Deng, T., see Dai, Y. **311**, 165
- Deng, Y., see Cui, J. **312**, 131
- Deriu, A., see Sonvico, F. **324**, 67
- Desai, D., F. Rinaldi, S. Kothari, S. Paruchuri, D. Li, M. Lai, S. Fung, D. Both, Effect of hydroxypropyl cellulose (HPC) on dissolution rate of hydrochlorothiazide tablets **308**, 40
- Desai, J., K. Alexander, A. Riga, Characterization of polymeric dispersions of dimenhydrinate in ethyl cellulose for controlled release **308**, 115
- Desai, M., see Huang, W.X. **311**, 33
- Devarajan, P.V., see Dabholkar, R.D. **315**, 148
- Devy, J., E. Balasse, H. Kaplan, C. Madoulet, M.-C. Andry, Hydroxyethylstarch microcapsules: A preliminary study for tumor immunotherapy application **307**, 194
- Díaz, C., E. Vargas, O. Gätjens-Boniche, Cytotoxic effect induced by retinoic acid loaded into galactosyl-sphingosine containing liposomes on human hepatoma cell lines **325**, 108
- Díez-Sales, O., see Copoví, A. **314**, 31
- Dharmala, K., see Yoo, J.-W. **309**, 139
- Di Bari, M.T., see Sonvico, F. **324**, 67
- Di Colo, G., A. Baggiani, Y. Zambito, G. Mollica, M. Geppi, M.F. Serafini, A new hydrogel for the extended and complete prednisolone release in the GI tract **310**, 154
- Di Martino, P., see Bonacucina, G. **313**, 72
- Di Stefano, A., see Carafa, M. **325**, 155
- Di, L., E.H. Kerns, S.Q. Li, S.L. Petusky, High throughput microsomal stability assay for insoluble compounds **317**, 54
- Dillen, K., J. Vandervoort, G. Van den Mooter, A. Ludwig, Evaluation of ciprofloxacin-loaded Eudragit® RS100 or RL100/PLGA nanoparticles **314**, 72
- Dinarvand, R., see Moghadam, S.H. **321**, 50
- Ding, P., see Liu, Z. **315**, 12
- Djemai, A., I.C. Sinka, NMR imaging of density distributions in tablets **319**, 55
- Doi, M., see Shen, Q. **313**, 49
- Dokoumetzidis, A., P. Macheras, A century of dissolution research: From Noyes and Whitney to the Biopharmaceutics Classification System **321**, 1
- Domanig, R., see Petrov, O. **309**, 157
- Donald, P.R., see Sirgel, F.A. **307**, 182
- Dong, G.-y., see Chen, F.-m. **307**, 23
- Donnelly, R.F., P.A. McCarron, A.A. Zawislak, A. David Woolfson, Design and physicochemical characterisation of a bioadhesive patch for dose-controlled topical delivery of imiquimod **307**, 318
- Dorland, L., see Zielhuis, S.W. **315**, 67
- Doroszkiewicz, W., see Drulis-Kawa, Z. **315**, 59
- Dorotkiewicz-Jach, A., see Drulis-Kawa, Z. **315**, 59
- dos Santos, K.S.C.R., J.F.J. Coelho, P. Ferreira, I. Pinto, S.G. Lorenzetti, E.I. Ferreira, O.Z. Higa, M.H. Gil, Synthesis and characterization of membranes obtained by graft copolymerization of 2-hydroxyethyl methacrylate and acrylic acid onto chitosan **310**, 37
- Dredán, J., R. Zekó, Á.Z. Dávid, I. Antal, Quantitative estimation of film forming polymer–plasticizer interactions by the Lorentz–Lorenz Law **310**, 25
- Drulis-Kawa, Z., J. Gubernator, A. Dorotkiewicz-Jach, W. Doroszkiewicz, A. Kozubek, In vitro antimicrobial activity of liposomal meropenem against *Pseudomonas aeruginosa* strains **315**, 59
- du Plessis, J., see Gerber, M. **310**, 31
- Du, D., see Chen, H. **315**, 52
- Du, Y.-Z., see Eguchi, M. **311**, 215
- Du, Y.-Z., see Hu, F.-Q. **314**, 83, **315**, 158
- Duarte, A.R.C., M.D. Gordillo, M.M. Cardoso, A.L. Simplicio, C.M.M. Duarte, Preparation of ethyl cellulose/methyl cellulose blends by supercritical antisolvent precipitation **311**, 50
- Duarte, A.R.C., M.S. Costa, A.L. Simplicio, M.M. Cardoso, C.M.M. Duarte, Preparation of controlled release microspheres using supercritical fluid technology for delivery of anti-inflammatory drugs **308**, 168
- Duarte, C.M.M., see Duarte, A.R.C. **308**, 168, **311**, 50
- Dubey, I.Y., see Starokadomskyy, P.L. **308**, 149
- Dumont, F., see Pringels, E. **310**, 1
- Duncan, R., see Khayat, Z. **317**, 175
- Dupuis, G., see Chambin, O. **321**, 86
- Dureja, H., A.K. Madan, Topochemical models for the prediction of permeability through blood–brain barrier **323**, 27
- Eberhard, U., M. Broder, G. Witzke, Stability of Beriplast® P fibrin sealant: Storage and reconstitution **313**, 1
- Eccleston, G.M., see Matthews, K.H. **313**, 78
- Edwards, K., see Ferreira, D.A. **310**, 203
- Efentakis, M., S. Koligliati, M. Vlachou, Design and evaluation of a dry coated drug delivery system with an impermeable cup, swellable top layer and pulsatile release **311**, 147
- Eguchi, M., Y.-Z. Du, Y. Ogawa, T. Okada, N. Yumoto, M. Kodaka, Effects of conditions for preparing nanoparticles composed of aminoethylcarbamoyl- $\beta$ -cyclodextrin and ethylene glycol diglycidyl ether on trap efficiency of a guest molecule **311**, 215
- Ek, R., see Heidarian, M. **323**, 139
- El-Eswed, B., see Tutunji, M.F. **323**, 110
- El-Khordagui, L., see Ramadan, A. **307**, 141
- El-Malah, Y., S. Nazzal, Hydrophilic matrices: Application of Plackett–Burman screening design to model the effect of POLYOX–carbopol blends on drug release **309**, 163
- El-Massik, M., see Ramadan, A. **307**, 141
- El-Samalg, M.S., N.N. Afiifi, E.A. Mahmoud, Evaluation of hybrid liposomes-encapsulated silymarin regarding physical stability and in vivo performance **319**, 121

- El-Samaly, M.S., N.N. Afifi, E.A. Mahmoud, Increasing bioavailability of silymarin using a buccal liposomal delivery system: Preparation and experimental design investigation **308**, 140
- Elaine Blackshaw, P., see Perkins, A.C. **311**, 20
- Elhissi, A.M.A., M.A.A. O'Neill, S.A. Roberts, K.M.G. Taylor, A calorimetric study of dimyristoylphosphatidylcholine phase transitions and steroid-liposome interactions for liposomes prepared by thin film and proliposome methods **320**, 124
- Elkharraz, K., N. Faisant, C. Guse, F. Siepman, B. Arica-Yegin, J.M. Oger, R. Gust, A. Goepferich, J.P. Benoit, J. Siepman, Paclitaxel-loaded microparticles and implants for the treatment of brain cancer: Preparation and physicochemical characterization **314**, 127
- Elkharraz, K., see Klose, D. **314**, 198
- Elsayed, M.M.A., O.Y. Abdallah, V.F. Naggar, N.M. Khalafallah, Deformable liposomes and ethosomes: Mechanism of enhanced skin delivery **322**, 60
- Elsner, P., see Fouda, M.M.G. **311**, 113
- Elversson, J., A. Millqvist-Fureby, *In situ* coating—An approach for particle modification and encapsulation of proteins during spray-drying **323**, 52
- Emi, N., see Sakaguchi, N. **325**, 186
- Englert, C., see Appel, B. **314**, 170
- Engström, S., see Mahlin, D. **321**, 78
- Eperon, S., see Felt-Baeyens, O. **322**, 6
- Erjavec, V., Z. Pavlica, M. Sentjerc, M. Petelin, *In vivo* study of liposomes as drug carriers to oral mucosa using EPR oximetry **307**, 1
- Erős, I., see Pintye-Hódi, K. **313**, 66
- Escalera, B., see Peña, M.A. **321**, 155
- Esposito, E., see Cortesi, R. **317**, 90
- Espuny, M.J., see Ortiz, A. **325**, 99
- Etzler, F.M., see Mei, X. **324**, 128
- Evrard, B., see Piel, G. **312**, 75
- Fadda, A.M., see Manconi, M. **311**, 11
- Fadda, H.M., see Ibekwe, V.C. **308**, 52
- Fairbairn, K.J., see Perkins, A.C. **311**, 20
- Faisant, N., J. Akiki, F. Siepman, J.P. Benoit, J. Siepman, Effects of the type of release medium on drug release from PLGA-based microparticles: Experiment and theory **314**, 189
- Faisant, N., see Elkharraz, K. **314**, 127
- Faisant, N., see Koennings, S. **314**, 145
- Faisant, N., see Lagarce, F. **314**, 179
- Falcone, A., see Ventura, C.A. **314**, 37
- Fan, X.-D., see Liu, Y.-Y. **308**, 205
- Fan, Y.F., Y.N. Wang, Y.G. Fan, J.B. Ma, Preparation of insulin nanoparticles and their encapsulation with biodegradable polyelectrolytes via the layer-by-layer adsorption **324**, 158
- Fan, Y.G., see Fan, Y.F. **324**, 158
- Fang, C.-L., see Fang, J.-Y. **310**, 131
- Fang, J.-Y., T.-L. Hwang, Y.-L. Huang, C.-L. Fang, Enhancement of the transdermal delivery of catechins by liposomes incorporating anionic surfactants and ethanol **310**, 131
- Fang, T., see Ma, Y. **307**, 292
- Faqih, A., B. Chaudhuri, A.W. Alexander, C. Davies, F.J. Muzzio, M. Silvina Tomassone, An experimental/computational approach for examining unconfined cohesive powder flow **324**, 116
- Fariña, J.B., see Santoveña, A. **309**, 38
- Farkas, E., R. Schubert, R. Zekó, Effect of  $\beta$ -sitosterol concentration and high pressure homogenization on the chlorhexidine release from vesicular gels **307**, 51
- Fassih, R., see Jamzad, S. **312**, 24
- Fattal, E., see Bourgeois, S. **324**, 2
- Feeney, M., see Casadei, M.A. **325**, 140
- Fell, J.T., see Stops, F. **308**, 8, 14
- Felt-Baeyens, O., S. Eperon, P. Mora, D. Limal, S. Sagodira, P. Breton, B. Simonazzi, L. Bossy-Nobs, Y. Guex-Crosier, R. Gurny, Biodegradable scleral implants as new triamcinolone acetonide delivery systems **322**, 6
- Femenía-Font, A., C. Balaguer-Fernández, V. Merino, A. López-Castellano, Combination strategies for enhancing transdermal absorption of sumatriptan through skin **323**, 125
- Feng, F., see Fu, X. **321**, 171
- Feng, M., D. Lee, P. Li, Intracellular uptake and release of poly(ethyleneimine)-*co*-poly(methyl methacrylate) nanoparticle/pDNA complexes for gene delivery **311**, 209
- Fernández-Carballido, A., P. Puebla, R. Herrero-Vanrell, P. Pastoriza, Radiosterilisation of indomethacin PLGA/PEG-derivative microspheres: Protective effects of low temperature during gamma-irradiation **313**, 129
- Ferreira, D.A., M.V.L.B. Bentley, G. Karlsson, K. Edwards, Cryo-TEM investigation of phase behaviour and aggregate structure in dilute dispersions of monoolein and oleic acid **310**, 203
- Ferreira, E.L., see dos Santos, K.S.C.R. **310**, 37
- Ferreira, L.A.M., see Martins, P.S. **325**, 39
- Ferreira, P., see dos Santos, K.S.C.R. **310**, 37
- Ferrie, A.R., see Jones, M.D. **313**, 87
- Ferro-Flores, G., see Molina-Trinidad, E.M. **310**, 125
- Ferrugia, M., see Bongiorno, D. **312**, 96
- Fessi, H., see Abdelwahed, W. **309**, 178, **324**, 74
- Fessi, H., see Hachicha, W. **324**, 176
- Fessi, H., see Limayem Blouza, I. **325**, 124
- Fessi, H., see Tewa-Tagne, P. **325**, 63
- Fevotte, G., see Caillet, A. **307**, 201
- Figueiredo, I.V., see Silva, C.M. **311**, 1
- Filizzola, F., see Bongiorno, D. **312**, 96
- Finlay, W.H., see Azarmi, S. **319**, 155
- Fitzpatrick, D., J. Corish, Release characteristics of anionic drug compounds from liquid crystalline gels. III. Chemical and iontophoretic enhancement of delivery across non-rate-limiting membranes **325**, 90
- Fitzpatrick, D., J. Corish, Release characteristics of anionic drug compounds from liquid crystalline gels. Part II. The effects of ion pairing and buffering on the passive delivery of anionic drugs across non-rate-limiting membranes **311**, 139
- Flament, M.P., see Le, V.N.P. **321**, 72
- Flament, M.P., see Siepman, F. **317**, 136
- Florence, A.T., see Siepman, J. **314**, 101
- Flores-Mosquera, M., see Gañán-Calvo, A.M. **324**, 19
- Föger, F., W. Noonpakdee, B. Loretz, S. Joojuntr, W. Salvenmoser, M. Thaler, A. Bernkop-Schnürch, Inhibition of malarial topoisomerase II in *Plasmodium falciparum* by antisense nanoparticles **319**, 139
- Foreman, P., see Pringels, E. **310**, 1
- Fouda, M.M.G., D. Knittel, U.-C. Hipler, P. Elsner, E. Schollmeyer, Antimycotic influence of  $\beta$ -cyclodextrin complexes—*In vitro* measurements using laser nephelometry in microtiter plates **311**, 113
- Freeman, S., see Najlah, M. **308**, 175
- Freiwald, S., see Cai, H. **308**, 133
- Frézard, F., see Martins, P.S. **325**, 39
- Frézard, F., see Schettini, D.A. **315**, 140
- Frier, M., see Perkins, A.C. **311**, 20
- Frijlink, H.W., see Bouwman, A.M. **318**, 78
- Frijlink, H.W., see de Boer, A.H. **310**, 72, 81
- Frijlink, H.W., see Hinrichs, W.L.J. **311**, 237
- Frijlink, H.W., see van Drooge, D.J. **310**, 220
- Frokjaer, S., see Vermehren, C. **307**, 89
- Fu, X., F. Feng, B. Huang, Physicochemical characterization and evaluation of a microemulsion system for antimicrobial activity of glycerol monolaurate **321**, 171
- Fu, X.-Q., see Chu, D.-F. **325**, 116
- Fujii, T., see Piao, H. **313**, 159
- Fujita, T., see Shen, Q. **313**, 49
- Fujiwara, M., see Itoh, K. **312**, 37
- Fukami, J., E. Yonemochi, Y. Yoshihashi, K. Terada, Evaluation of rapidly disintegrating tablets containing glycine and carboxymethylcellulose **310**, 101
- Fukuda, M., N.A. Peppas, J.W. McGinity, Properties of sustained release hot-melt extruded tablets containing chitosan and xanthan gum **310**, 90
- Fukumori, Y., see Liu, D. **307**, 300
- Fukunaka, T., B. Golman, K. Shinohara, Batch grinding kinetics of Ethenzamide particles by fluidized-bed jet-milling **311**, 89
- Fukunaka, T., Y. Yaegashi, T. Nunoko, R. Ito, B. Golman, K. Shinohara, Dissolution characteristics of cylindrical particles and tablets **310**, 146

- Fulu, M.-y., see Zheng, J.Y. **307**, 209
- Fung, S., see Desai, D. **308**, 40
- Furó, I., see Petrov, O. **309**, 157
- Furuhata, M., H. Kawakami, K. Toma, Y. Hattori, Y. Maitani, Design, synthesis and gene delivery efficiency of novel oligo-arginine-linked PEG-lipids: Effect of oligo-arginine length **316**, 109
- Fusaro, F., see Muhrer, G. **308**, 69
- Gaetano, G., see Cavallaro, G. **307**, 258
- Gajate, C., see Torrecillas, A. **318**, 28
- Galli, C., Experimental determination of the diffusion boundary layer width of micron and submicron particles **313**, 114
- Gañán-Calvo, A.M., L. Martín-Banderas, R. González-Prieto, A. Rodríguez-Gil, T. Berdún-Álvarez, A. Cebolla, S. Chávez, M. Flores-Mosquera, Straightforward production of encoded microbeads by Flow Focusing: Potential applications for biomolecule detection **324**, 19
- Gao, C., J. Huang, Y. Jiao, L. Shan, Y. Liu, Y. Li, X. Mei, In vitro release and in vivo absorption in beagle dogs of meloxicam from Eudragit® FS 30 D-coated pellets **322**, 104
- Gao, J., see Liu, J. **312**, 137
- Gao, K., X. Jiang, Influence of particle size on transport of methotrexate across blood brain barrier by polysorbate 80-coated polybutylcyanoacrylate nanoparticles **310**, 213
- Gao, Y., F.-d. Cui, Y. Guan, L. Yang, Y.-s. Wang, L.-n. Zhang, Preparation of roxithromycin-polymeric microspheres by the emulsion solvent diffusion method for taste masking **318**, 62
- García, J.T., see Santoveña, A. **309**, 38
- Garcion, E., see Koennings, S. **314**, 145
- Garcion, E., see Lagarce, F. **314**, 179
- Garcion, E., see Sapin, A. **309**, 1
- Gardikis, K., S. Hatziantoniou, K. Viras, M. Wagner, C. Demetzos, A DSC and Raman spectroscopy study on the effect of PAMAM dendrimer on DPPC model lipid membranes **318**, 118
- Garekani, H.A., see Akhgari, A. **320**, 137
- Garrigues, T.M., see Rodríguez-Ibáñez, M. **307**, 33
- Gascón, A.R., see De Castro, M. **310**, 8
- Gaspar, L.R., P.M.B.G. Maia Campos, Evaluation of the photostability of different UV filter combinations in a sunscreen **307**, 123
- Gateley, C., see Birchall, J. **312**, 15
- Gätjens-Boniche, O., see Díaz, C. **325**, 108
- Gavini, E., A.B. Hegge, G. Rassu, V. Sanna, C. Testa, G. Pirisino, J. Karlson, P. Giunchedi, Nasal administration of Carbamazepine using chitosan microspheres: In vitro/in vivo studies **307**, 9
- Gayot, A., see Le, V.N.P. **321**, 72
- Gayot, A., see Siepmann, F. **317**, 136
- Gelius, U., see Mahlin, D. **321**, 78
- Georgarakis, E., see Karavas, E. **313**, 189
- Geppi, M., see Di Colo, G. **310**, 154
- Gerber, M., J.C. Breytenbach, J. Hadgraft, J. du Plessis, Synthesis and transdermal properties of acetylsalicylic acid and selected esters **310**, 31
- Gernet, M., see Bourgeois, S. **324**, 2
- Gershonowitz, A., see Birchall, J. **312**, 15
- Ghafourian, T., M. Barzegar-Jalali, S. Dastmalchi, T. Khavari-Khorasani, N. Hakimiha, A. Nokhodchi, QSPR models for the prediction of apparent volume of distribution **319**, 82
- Ghartey-Tagoe, E.B., B.A. Babbin, A. Nusrat, A.S. Neish, M.R. Prausnitz, Plasmid DNA and siRNA transfection of intestinal epithelial monolayers by electroporation **315**, 122
- Ghorab, M., see Ammar, H.O. **309**, 129, **320**, 53
- Ghosh, B., see Anroop, B. **325**, 191
- Giaginis, C., see Koufopoulou, S.-A. **316**, 52
- Giannini, L., see Cappello, B. **319**, 63
- Giannone, I., see Musumeci, T. **325**, 172
- Giannone, I., see Ventura, C.A. **314**, 37
- Giannuzzo, M., see Casadei, M.A. **325**, 140
- Gil, E.C., A.I. Colarte, B. Bataille, J.L. Pedraz, F. Rodríguez, J. Heinämäki, Development and optimization of a novel sustained-release dextran tablet formulation for propranolol hydrochloride **317**, 32
- Gil, M.H., see dos Santos, K.S.C.R. **310**, 37
- Giovagnoli, S., see Blasi, P. **324**, 27
- Giovagnoli, S., see Ricci, M. **311**, 172
- Giraud, L., see Giry, K. **321**, 162
- Giry, K., J.M. Péan, L. Giraud, S. Marsas, H. Rolland, P. Wüthrich, Drug/lactose co-micronization by jet milling to improve aerosolization properties of a powder for inhalation **321**, 162
- Giunchedi, P., see Gavini, E. **307**, 9
- Giurato, L., see Pignatello, R. **310**, 53
- Gjaltema, D., see de Boer, A.H. **310**, 72, 81
- Goddeeris, C., F. Cuppo, H. Reynaers, W.G. Bouwman, G. Van den Mooter, Light scattering measurements on microemulsions: Estimation of droplet sizes **312**, 187
- Goede, J., see de Boer, A.H. **310**, 72, 81
- Goepferich, A., see Elkharraz, K. **314**, 127
- Goepferich, A., see Guse, C. **314**, 137, 153, 161
- Goepferich, A., see Koennings, S. **314**, 145
- Goins, B., see Bao, A. **316**, 162
- Golman, B., see Fukunaka, T. **310**, 146, **311**, 89
- Gómez-Fernández, J.C., see Torrecillas, A. **318**, 28
- Gonçalves, A.R., see Silva, C.M. **311**, 1
- Gong, K., J.A. Darr, I.U. Rehman, Supercritical fluid assisted impregnation of indomethacin into chitosan thermosets for controlled release applications **315**, 93
- González-Prieto, R., see Gañán-Calvo, A.M. **324**, 19
- González-Rodríguez, M.L., see Maestrelli, F. **312**, 53
- Goole, J., see Hamdani, J. **323**, 86
- Göpferich, A., see Appel, B. **314**, 170
- Gordillo, M.D., see Duarte, A.R.C. **311**, 50
- Gordon, K.C., see Saupe, A. **314**, 56
- Goto, M., see Piao, H. **313**, 159
- Govender, T., see Munasur, A.P. **323**, 43
- Goyal, A., see Gupta, P.N. **318**, 163
- Goyal, A.K., A. Rawat, S. Mahor, P.N. Gupta, K. Khatri, S.P. Vyas, Nanodecoy system: A novel approach to design hepatitis B vaccine for immunopotentialization **309**, 227
- Grabnar, I., M. Bogataj, A. Belič, V. Logar, R. Karba, A. Mrhar, Kinetic model of drug distribution in the urinary bladder wall following intravesical instillation **322**, 52
- Granero, G.E., G.L. Amidon, Stability of valacyclovir: Implications for its oral bioavailability **317**, 14
- Greimel, A., see Bernkop-Schnürch, A. **317**, 76
- Griffiths, P.C., see Khayat, Z. **317**, 175
- Grillo, I., see Khayat, Z. **317**, 175
- Gürsoy, A., see Sipahigil, O. **311**, 130
- Gu, X., see Wang, T. **310**, 110
- Gu, Y.-H., see Wang, L.-Y. **311**, 187
- Guan, Y., see Gao, Y. **318**, 62
- Gubernator, J., see Drulis-Kawa, Z. **315**, 59
- Guccione, S., see Pignatello, R. **310**, 53
- Guerrini, R., see Cortesi, R. **317**, 90
- Guex-Crosier, Y., see Felt-Baeyens, O. **322**, 6
- Guggi, D., see Krauland, A.H. **307**, 270
- Guo, G., see Liang, D.C. **314**, 63
- Gupta, I., see Singh, B. **325**, 15
- Gupta, M.K., see Dandagi, P.M. **307**, 83
- Gupta, P.N., S. Mahor, A. Rawat, K. Khatri, A. Goyal, S.P. Vyas, Lectin anchored stabilized biodegradable nanoparticles for oral immunization. I. Development and in vitro evaluation **318**, 163
- Gupta, P.N., see Goyal, A.K. **309**, 227
- Gupta, R.B., see Thakur, R. **308**, 190
- Gurny, R., see Felt-Baeyens, O. **322**, 6
- Gurny, R., see Siepe, S. **316**, 14
- Gurny, R., see Trimaille, T. **319**, 147
- Guse, C., S. Koennings, A. Maschke, M. Hacker, C. Becker, S. Schreiner, T. Blunk, T. Spruss, A. Goepferich, Biocompatibility and erosion behavior of implants made of triglycerides and blends with cholesterol and phospholipids **314**, 153

- Guse, C., S. Koennings, F. Kreye, F. Siepmann, A. Goepferich, J. Siepmann, Drug release from lipid-based implants: Elucidation of the underlying mass transport mechanisms **314**, 137
- Guse, C., S. Koennings, T. Blunk, J. Siepmann, A. Goepferich, Programmable implants—From pulsatile to controlled release **314**, 161
- Guse, C., see Elkharraz, K. **314**, 127
- Gust, R., see Elkharraz, K. **314**, 127
- Guterres, S.S., see Cruz, L. **313**, 198
- Guterres, S.S., see Raffin, R.P. **324**, 10
- Haam, S., see Yang, J. **324**, 185
- Hachicha, W., L. Kodjikian, H. Fessi, Preparation of vancomycin microparticles: Importance of preparation parameters **324**, 176
- Hacker, M., see Guse, C. **314**, 153
- Haddish-Berhane, N., S.H. Jeong, K. Haghighi, K. Park, Modeling film-coat non-uniformity in polymer coated pellets: A stochastic approach **323**, 64
- Hadgraft, J., see Gerber, M. **310**, 31
- Hadgraft, J., see Leveque, N. **318**, 49
- Hagedoorn, P., see de Boer, A.H. **310**, 72, 81
- Haghighi, K., see Haddish-Berhane, N. **323**, 64
- Hahn, S.K., E.J. Oh, H. Miyamoto, T. Shimobouji, Sustained release formulation of erythropoietin using hyaluronic acid hydrogels crosslinked by Michael addition **322**, 44
- Haibing, H., see Lixin, W. **323**, 161
- Hakimiha, N., see Ghafourian, T. **319**, 82
- Hamdani, J., A.J. Moës, K. Amighi, Development and in vitro evaluation of a novel floating multiple unit dosage form obtained by melt pelletization **322**, 96
- Hamdani, J., J. Goole, A.J. Moës, K. Amighi, In vitro and in vivo evaluation of floating riboflavin pellets developed using the melt pelletization process **323**, 86
- Hammouda, Y., see Ramadan, A. **307**, 141
- Han, H.-K., see Choi, B.-C. **323**, 81
- Han, H.D., A. Lee, C.K. Song, T. Hwang, H. Seong, C.O. Lee, B.C. Shin, In vivo distribution and antitumor activity of heparin-stabilized doxorubicin-loaded liposomes **313**, 181
- Han, J.-Y., see Lee, P.S. **316**, 29
- Hancock, B.C., see Mullarney, M.P. **314**, 9
- Hancock, W.S., see Zheng, X. **322**, 136
- Handa, T., see Shen, Q. **313**, 49
- Handa, T., see Sugimoto, M. **320**, 71
- Hanna, M.A., see Xu, Y. **320**, 30
- Hansen, J., see Vermehren, C. **307**, 89
- Harada, A., see Sakaguchi, N. **325**, 186
- Hardwick, L.M., see Kuu, W.Y. **313**, 99
- Hardy, I.J., W.G. Cook, C.D. Melia, Compression and compaction properties of plasticised high molecular weight hydroxypropylmethylcellulose (HPMC) as a hydrophilic matrix carrier **311**, 26
- Harjunen, P., see Lappalainen, M. **307**, 150
- Härtl, A., see Mrestani, Y. **309**, 67
- Hashida, M., see Chansri, N. **321**, 42
- Hashida, M., see Terada, T. **316**, 117
- Hattori, Y., see Furuhashi, M. **316**, 109
- Hatziantoniou, S., see Gardikis, K. **318**, 118
- Hawtrej, A., see Singh, M. **321**, 124
- Hayase, T., see Masuda, K. **318**, 146
- He, C., see Wang, C. **308**, 160
- He, H., see Wang, X. **317**, 40
- He, J.-T., H.-B. Su, G.-P. Li, X.-M. Tao, W. Mo, H.-Y. Song, Stabilization and encapsulation of a staphylokinase variant (K35R) into poly(lactic-co-glycolic acid) microspheres **309**, 101
- He, Y., S.H. Yalkowsky, Solubilization of monovalent weak electrolytes by micellization or complexation **314**, 15
- Healy, A.M., see Corrigan, D.O. **322**, 22
- Heard, C.M., D. Kung, C.P. Thomas, Skin penetration enhancement of mefenamic acid by ethanol and 1,8-cineole can be explained by the 'pull' effect **321**, 167
- Heard, C.M., S. Johnson, G. Moss, C.P. Thomas, In vitro transdermal delivery of caffeine, theobromine, theophylline and catechin from extract of Guarana, *Paullinia Cupana* **317**, 26
- Heard, C.M., see Bowen, J.L. **307**, 251
- Heenan, R.K., see Khayat, Z. **317**, 175
- Hegge, A.B., see Gavini, E. **307**, 9
- Heidarian, M., A. Mhryanyan, M. Strømme, R. Ek, Influence of water-cellulose binding energy on stability of acetylsalicylic acid **323**, 139
- Heikkilä, J., see Hiorth, M. **308**, 25
- Heinämäki, J., see Gil, E.C. **317**, 32
- Heinze, A., U. Holzgrabe, Determination of the extent of protein binding of antibiotics by means of an automated continuous ultrafiltration method **311**, 108
- Heng, P.W.S., see Liew, C.V. **309**, 25
- Heng, P.W.S., see Soh, J.L.P. **315**, 99
- Hennink, W.E., see Zielhuis, S.W. **311**, 69, **315**, 67
- Henry, B., see McCleverty, D. **308**, 1
- Herder, J., Å. Adolfsson, A. Larsson, Initial studies of water granulation of eight grades of hypromellose (HPMC) **313**, 57
- Hernandez, R.M., see De Castro, M. **310**, 8
- Herráez-Domínguez, J.V., see Copoví, A. **314**, 31
- Herráez-Domínguez, M., see Copoví, A. **314**, 31
- Herrero-Vanrell, R., see Fernández-Carballedo, A. **313**, 129
- Higa, O.Z., see dos Santos, K.S.C.R. **310**, 37
- Hillaireau, H., T. Le Doan, M. Besnard, H. Chacun, J. Janin, P. Couvreur, Encapsulation of antiviral nucleotide analogues azidothymidine-triphosphate and cidofovir in poly(*iso*-butylcyanoacrylate) nanocapsules **324**, 37
- Hincal, A.A., see Memisoglu-Bilensoy, E. **311**, 203
- Hinrichs, W.L.J., F.A. Manceñido, N.N. Sanders, K. Braeckmans, S.C. De Smedt, J. Demeester, H.W. Frijlink, The choice of a suitable oligosaccharide to prevent aggregation of PEGylated nanoparticles during freeze thawing and freeze drying **311**, 237
- Hinrichs, W.L.J., see van Drooge, D.J. **310**, 220
- Hiorth, M., T. Versland, J. Heikkilä, I. Tho, S.A. Sande, Immersion coating of pellets with calcium pectinate and chitosan **308**, 25
- Hipler, U.-C., see Fouda, M.M.G. **311**, 113
- Hirakura, Y., M. Nakamura, T. Wakasawa, K. Ban, S. Yokota, S. Kitamura, Excipient hydrolysis and ester formation increase pH in a parenteral solution over aging **325**, 26
- Hirano, T., see Kobayashi, M. **317**, 19
- Hirata, A., see Piao, H. **313**, 159
- Hirayama, T., see Itoh, K. **312**, 37
- Ho, H.-O., see Wang, G.-M. **319**, 71
- Ho, P.C.L., see Lim, P.F.C. **311**, 157
- Holzgrabe, U., see Heinze, A. **311**, 108
- Hooton, J.C., see Jones, M.D. **313**, 87
- Horikiri, Y., see Takatsuka, S. **316**, 124
- Hosamani, K.M., see Babu, V.R. **325**, 55
- Hosking, D., see Perkins, A.C. **311**, 20
- Hou, X., see Jin, Y. **309**, 199
- Howard, M.A., S.H. Neau, M.J. Sack, PEO and MPEG in high drug load extruded and spheronized beads that are devoid of MCC **307**, 66
- Hsiue, G.-H., C.-H. Wang, C.-L. Lo, C.-H. Wang, J.-P. Li, J.-L. Yang, Environmental-sensitive micelles based on poly(2-ethyl-2-oxazoline)-*b*-poly(L-lactide) diblock copolymer for application in drug delivery **317**, 69
- Hu, F.-Q., M.-D. Zhao, H. Yuan, J. You, Y.-Z. Du, S. Zeng, A novel chitosan oligosaccharide-stearic acid micelles for gene delivery: Properties and in vitro transfection studies **315**, 158
- Hu, F.-Q., S.-P. Jiang, Y.-Z. Du, H. Yuan, Y.-Q. Ye, S. Zeng, Preparation and characteristics of monostearin nanostructured lipid carriers **314**, 83
- Hu, J., see Bai, T.-C. **308**, 100
- Hu, J., see Purvis, T. **324**, 43
- Hu, J.-H., see Li, F.-Q. **324**, 152
- Hu, T.-T., see Zhang, J.-Y. **323**, 153
- Hu, Y., see Xu, X. **310**, 139
- Hu, Z., H. Niu, X. Yang, H. Li, G. Sang, B. Li, Recombinant human parathyroid hormone 1–34: Pharmacokinetics, tissue distribution and excretion in rats **317**, 144



- Huang, B., see Fu, X. **321**, 171
- Huang, C.-G., see Bai, T.-C. **308**, 100
- Huang, C.-Y., Y.-D. Lee, Core-shell type of nanoparticles composed of poly [(*n*-butyl cyanoacrylate)-*co*-(2-octyl cyanoacrylate)] copolymers for drug delivery application: Synthesis, characterization and *in vitro* degradation **325**, 132
- Huang, J., R.J. Wigent, C.M. Bentzley, J.B. Schwartz, Nifedipine solid dispersion in microparticles of ammonio methacrylate copolymer and ethylcellulose binary blend for controlled drug delivery. Effect of drug loading on release kinetics **319**, 44
- Huang, J., see Gao, C. **322**, 104
- Huang, J., see Wang, X.-q. **322**, 146
- Huang, S., see Chen, F.-m. **307**, 23
- Huang, W.X., M. Desai, Q. Tang, R. Yang, R.V. Vivilecchia, Y. Joshi, Elimination of metformin–crosarmellose sodium interaction by competition **311**, 33
- Huang, Y.-L., see Fang, J.-Y. **310**, 131
- Huh, Y.-M., see Yang, J. **324**, 185
- Huhtanen, M., see Louhi-Kultanen, M. **320**, 23
- Humphrey, M.J., see Matthews, K.H. **313**, 78
- Hwang, T., see Han, H.D. **313**, 181
- Hwang, T.-L., see Fang, J.-Y. **310**, 131
- Iannuccelli, V., see Scalia, S. **320**, 79
- Ibekwe, V.C., H.M. Fadda, G.E. Parsons, A.W. Basit, A comparative *in vitro* assessment of the drug release performance of pH-responsive polymers for ileo-colonic delivery **308**, 52
- Ichikawa, H., see Liu, D. **307**, 300
- Ichikawa, N., see Sasaki, H. **318**, 139
- Iemma, F., U.G. Spizzirri, F. Puoci, R. Muzzalupo, S. Trombino, R. Cassano, S. Leta, N. Picci, pH-Sensitive hydrogels based on bovine serum albumin for oral drug delivery **312**, 151
- Ierapetritou, M.G., see Portillo, P.M. **320**, 14
- Ikezaki, H., see Rubinstein, I. **316**, 144
- Imanidis, G., see Altenbach, M. **307**, 308
- Incorvaia, C., see Cortesi, R. **317**, 90
- Iseki, K., see Kobayashi, M. **317**, 19
- Ishida, T., Y. Okada, T. Kobayashi, H. Kiwada, Development of pH-sensitive liposomes that efficiently retain encapsulated doxorubicin (DXR) in blood **309**, 94
- Itagaki, S., see Kobayashi, M. **317**, 19
- Ito, R., see Fukunaka, T. **310**, 146
- Ito, S., see Piao, H. **313**, 159
- Ito, Y., see Venkatesan, N. **310**, 46
- Ito, Y., T. Kusawake, Y.V.R. Prasad, N. Sugioka, N. Shibata, K. Takada, Preparation and evaluation of oral solid heparin using emulsifier and adsorbent for *in vitro* and *in vivo* studies **317**, 114
- Itoh, K., W. Kubo, M. Fujiwara, T. Hirayama, S. Miyazaki, M. Dairaku, M. Togashi, R. Mikami, D. Attwood, The influence of variation of gastric pH on the gelation and release characteristics of *in situ* gelling pectin formulations **312**, 37
- Jaafari, M.R., see Tabbakhian, M. **323**, 1
- Jaafari, M.R., see Tafaghodi, M. **319**, 37
- Jacobsen, J., see Adrian, C.L. **311**, 196
- Jain, N., G. Yang, S.G. Machatha, S.H. Yalkowsky, Estimation of the aqueous solubility of weak electrolytes **319**, 169
- Jain, P., see Chavanpatil, M.D. **316**, 86
- James, M.B., see Bunker, M.J. **325**, 163
- Jamzad, S., R. Fassihi, Development of a controlled release low dose class II drug-Glipizide **312**, 24
- Jang, M.-K., see Kim, D.-G. **319**, 130
- Janin, J., see Hillaireau, H. **324**, 37
- Janis, L.J., see Zheng, J.Y. **308**, 46
- Janiszewska, J., see Klajnert, B. **309**, 208
- Jannin, V., E. Pochard, O. Chambin, Influence of poloxamers on the dissolution performance and stability of controlled-release formulations containing Precirol® ATO 5 **309**, 6
- Jarho, P., see Matilainen, L. **318**, 41
- Jeß, I., see Switchmezzian, V. **323**, 101
- Jelvehgari, M., M.R. Siahi-Shadbad, S. Azarmi, G.P. Martin, A. Nokhodchi, The microsphere delivery system of benzoyl peroxide: Preparation, characterization and release studies **308**, 124
- Jenke, D.R., J. Story, R. Lalani, Extractables/leachables from plastic tubing used in product manufacturing **315**, 75
- Jeong, S.H., see Haddish-Berhane, N. **323**, 64
- Jeong, Y.-I., H.-S. Na, J.-S. Oh, K.-C. Choi, C.-E. Song, H.-C. Lee, Adriamycin release from self-assembling nanospheres of poly(DL-lactide-*co*-glycolide)-grafted pullulan **322**, 154
- Jeong, Y.-I., see Kim, D.-G. **319**, 130
- Jiang, S.-P., see Hu, F.-Q. **314**, 83
- Jiang, X., see Gao, K. **310**, 213
- Jiao, Y., see Gao, C. **322**, 104
- Jin, M., T. Shimada, K. Yokogawa, M. Nomura, Y. Kato, A. Tsuji, K.-i. Miyamoto, Contributions of intestinal P-glycoprotein and CYP3A to oral bioavailability of cyclosporin A in mice treated with or without dexamethasone **309**, 81
- Jin, Y., L. Tong, P. Ai, M. Li, X. Hou, Self-assembled drug delivery systems. 1. Properties and *in vitro/in vivo* behavior of acyclovir self-assembled nanoparticles (SAN) **309**, 199
- Jin, Y., see Chen, F.-m. **307**, 23
- Jin, Y., see Liu, J. **312**, 137
- Jo, Y.W., Y.S. Youn, S.H. Lee, B.M. Kim, S.H. Kang, M. Yoo, E.C. Choi, K.C. Lee, Long-acting interferon- $\alpha$  2a modified with a trimer-structured polyethylene glycol: Preparation, *in vitro* bioactivity, *in vivo* stability and pharmacokinetics **309**, 87
- Johnson, S., see Heard, C.M. **317**, 26
- Johnston, K.P., see Purvis, T. **324**, 43
- Jones, M.D., J.C. Hooton, M.L. Dawson, A.R. Ferrie, R. Price, Dehydration of trehalose dihydrate at low relative humidity and ambient temperature **313**, 87
- Jones, W., see Trask, A.V. **320**, 114
- Joojuntr, S., see Föger, F. **319**, 139
- Jornada, D.S., see Raffin, R.P. **324**, 10
- Joshi, Y., see Huang, W.X. **311**, 33
- Järvinen, K., see Matilainen, L. **318**, 41
- Järvinen, K., see Tarvainen, T. **310**, 162
- Järvinen, T., see Matilainen, L. **318**, 41
- Jun, Y.J., see Seong, J.-Y. **314**, 90
- Jung-Cook, H., see Molina-Trinidad, E.M. **310**, 125
- Kakumanu, V.K., V. Arora, A.K. Bansal, Investigation of factors responsible for low oral bioavailability of cefpodoxime proxetil **317**, 155
- Kallas, J., see Louhi-Kultanen, M. **320**, 23
- Kallas, J., see Qu, H. **321**, 101
- Kaltz, N., see Steinfeld, U. **311**, 229
- Kamiya, N., see Piao, H. **313**, 159
- Kammelar, R., see Steckel, H. **309**, 51
- Kanaujia, P., see Lagarce, F. **314**, 179
- Kaneko, T.M., see Baby, A.R. **317**, 7
- Kaneko, T.M., see Maia, A.M. **322**, 130
- Kaneko, T.M., see Martinello, T. **322**, 87
- Kaneko, T.M., see Rolim, A. **308**, 107
- Kanerva, H., see Säkkinen, M. **307**, 285
- Kang, G.D., S.H. Cheon, S.-C. Song, Controlled release of doxorubicin from thermosensitive poly(organophosphazene) hydrogels **319**, 29
- Kang, L., see Lim, P.F.C. **311**, 157
- Kang, S.-K., see Kim, D.-G. **319**, 130
- Kang, S.H., see Jo, Y.W. **309**, 87
- Kansara, V., S. Luo, B. Balasubrahmanyam, D. Pal, A.K. Mitra, Biotin uptake and cellular translocation in human derived retinoblastoma cell line (Y-79): A role of hSMVT system **312**, 43
- Kant, A., see Singh, B. **325**, 15
- Kaplan, H., see Devy, J. **307**, 194
- Kara, M., see Cui, G. **325**, 180
- Karavas, E., E. Georgarakis, D. Bikiaris, Felodipine nanodispersions as active core for predictable pulsatile chronotherapeutics using PVP/HPMC blends as coating layer **313**, 189

- Karba, R., see Grabnar, I. **322**, 52
- Karjalainen, M., see Louhi-Kultanen, M. **320**, 23
- Karlsen, J., see Gavini, E. **307**, 9
- Karlsson, G., see Ferreira, D.A. **310**, 203
- Kartezini, T., see Vertzoni, M. **309**, 115
- Kasichayanula, S., see Wang, T. **310**, 110
- Kaspersen, F.M., see Stoica, C. **309**, 16
- Kato, F., M. Otsuka, Y. Matsuda, Kinetic study of the transformation of mefenamic acid polymorphs in various solvents and under high humidity conditions **321**, 18
- Kato, Y., see Jin, M. **309**, 81
- Katragadda, S., R.S. Talluri, A.K. Mitra, Simultaneous modulation of transport and metabolism of acyclovir prodrugs across rabbit cornea: An approach involving enzyme inhibitors **320**, 104
- Katsuma, M., S. Watanabe, H. Kawai, S. Takemura, K. Sako, Effects of absorption promoters on insulin absorption through colon-targeted delivery **307**, 156
- Kattige, A., G. Rowley, Influence of rheological behaviour of particulate/polymer dispersions on liquid-filling characteristics for hard gelatin capsules **316**, 74
- Kaur, K., see Panchagnula, R. **313**, 5
- Kaushal, G., J. Shao, Oral delivery of  $\beta$ -lactamase by *Lactococcus lactis* subsp. *lactis* transformed with Plasmid ss80 **312**, 90
- Kaushal, G., L. Trombetta, R.S. Ochs, J. Shao, Delivery of TEM  $\beta$ -lactamase by gene-transformed *Lactococcus lactis* subsp. *lactis* through cervical cell monolayer **313**, 29
- Kawai, H., see Katsuma, M. **307**, 156
- Kawakami, H., see Furuhashi, M. **316**, 109
- Kawakami, S., see Chansri, N. **321**, 42
- Kawano, K., see Watanabe, M. **308**, 183
- Kawano, Y., see Baby, A.R. **317**, 7
- Keeney, M.P., see Zheng, J.Y. **310**, 118
- Kellaway, I.W., see Wong, S.M. **317**, 61
- Kennedy, R.A., see Sriamornsak, P. **323**, 72
- Kerč, J., see Legen, I. **308**, 84
- Kerns, E.H., see Di, L. **317**, 54
- Khairuzzaman, A., S.U. Ahmed, M. Savva, N.K. Patel, Zero-order release of aspirin, theophylline and atenolol in water from novel methylcellulose glutarate matrix tablets **318**, 15
- Khalafallah, N.M., see Elsayed, M.M.A. **322**, 60
- Khan, M.A., see Nazzal, S. **315**, 110
- Khatri, K., see Goyal, A.K. **309**, 227
- Khatri, K., see Gupta, P.N. **318**, 163
- Khatri, L., K.M.G. Taylor, D.Q.M. Craig, K. Palin, High sensitivity differential scanning calorimetry investigation of the interaction between liposomes, lactate dehydrogenase and tyrosinase **322**, 113
- Khavari-Khorasani, T., see Ghafourian, T. **319**, 82
- Khayat, Z., P.C. Griffiths, I. Grillo, R.K. Heenan, S.M. King, R. Duncan, Characterizing the size and shape of polyamidoamines in solution as a function of pH using neutron scattering and pulsed-gradient spin-echo NMR **317**, 175
- Khoo, S.-M., see Boyd, B.J. **309**, 218, **318**, 154
- Killen, B.U., O.I. Corrigan, Effect of soluble filler on drug release from stearic acid based compacts **316**, 47
- Kim, B.M., see Jo, Y.W. **309**, 87
- Kim, B.M., see Seong, J.-Y. **314**, 90
- Kim, D.-G., Y.-I. Jeong, C. Choi, S.-H. Roh, S.-K. Kang, M.-K. Jang, J.-W. Nah, Retinol-encapsulated low molecular water-soluble chitosan nanoparticles **319**, 130
- Kim, J., W.-J. Kim, S.-J. Kim, C.-W. Cho, S.-C. Shin, Release characteristics of quinupramine from the ethylene-vinyl acetate matrix **315**, 134
- Kim, J.-A., see Yong, C.S. **321**, 56
- Kim, S.-J., see Kim, J. **315**, 134
- Kim, S.W., see Choi, J.S. **320**, 171
- Kim, S.Y., see Choi, Y. **320**, 45
- Kim, W.-J., see Kim, J. **315**, 134
- Kim, Y.-H., see Choi, J.S. **320**, 171
- King, S.M., see Khayat, Z. **317**, 175
- Kinghorn, T., see Perkins, A.C. **311**, 20
- Kirsch, L.E., see Muangsiri, W. **315**, 30
- Kitahara, T., see Sasaki, H. **318**, 139
- Kitamura, S., see Hirakura, Y. **325**, 26
- Kitson, N., see Rowat, A.C. **307**, 225
- Kiwada, H., see Ishida, T. **309**, 94
- Klajnert, B., J. Janiszewska, Z. Urbanczyk-Lipkowska, M. Bryszewska, D. Shcharbin, M. Labieniec, Biological properties of low molecular mass peptide dendrimers **309**, 208
- Klose, D., F. Siepmann, K. Elkharraz, S. Krenzlin, J. Siepmann, How porosity and size affect the drug release mechanisms from PLGA-based microparticles **314**, 198
- Knittel, D., see Fouda, M.M.G. **311**, 113
- Ko, K.S., see Choi, J.S. **320**, 171
- Kobayashi, M., Y. Otsuka, S. Itagaki, T. Hirano, K. Iseki, Inhibitory effects of statins on human monocarboxylate transporter 4 **317**, 19
- Kobayashi, T., see Ishida, T. **309**, 94
- Kocbek, P., S. Baumgartner, J. Kristl, Preparation and evaluation of nanosuspensions for enhancing the dissolution of poorly soluble drugs **312**, 179
- Kodaka, M., see Eguchi, M. **311**, 215
- Kodjikian, L., see Hachicha, W. **324**, 176
- Koennings, S., E. Garcion, N. Faisant, P. Menei, J.P. Benoit, A. Goepferich, In vitro investigation of lipid implants as a controlled release system for interleukin-18 **314**, 145
- Koennings, S., see Guse, C. **314**, 137, 153, 161
- Koguchi, A., see Takatsuka, S. **316**, 124
- Koiwai, K., see Sakaguchi, N. **325**, 186
- Kojima, C., see Sakaguchi, N. **325**, 186
- Koligliati, S., see Efentakis, M. **311**, 147
- Kono, H., see Masuda, K. **318**, 146
- Kono, K., see Sakaguchi, N. **325**, 186
- Korhonen, M., see Paasonen, L. **307**, 188
- Kosmidis, K., see Papadopoulou, V. **309**, 44
- Kothari, S., see Desai, D. **308**, 40
- Kotzé, A.F., see Venter, J.P. **313**, 36
- Koufopoulou, S.-A., C. Pistos, C. Giaginis, A. Tsantili-Kakoulidou, Application of the ion pair concept to the *n*-octanol-water partitioning of cefepime and ceftiofime **316**, 52
- Kozubek, A., see Drulis-Kawa, Z. **315**, 59
- Kračun, M., see Legen, I. **308**, 84
- Kramer, A., see Siepe, S. **316**, 14
- Krauland, A.H., D. Guggi, A. Bernkop-Schnürch, Thiolated chitosan microparticles: A vehicle for nasal peptide drug delivery **307**, 270
- Krenzlin, S., see Klose, D. **314**, 198
- Kreye, F., see Guse, C. **314**, 137
- Krijger, G.C., see Zielhuis, S.W. **311**, 69, **315**, 67
- Kristl, A., see Šakelj, S. **313**, 175
- Kristl, J., see Kocbek, P. **312**, 179
- Kruenate, J., see Wittaya-areekul, S. **312**, 113
- Kéry, I., see Pintye-Hódi, K. **313**, 66
- Kubo, W., see Itoh, K. **312**, 37
- Kumar, A., S.S. Lahiri, H. Singh, Development of PEGDMA: MAA based hydrogel microparticles for oral insulin delivery **323**, 117
- Kumar, R., see Nimesh, S. **320**, 143, **323**, 146
- Kumar, V., see de la Luz Reus Medina, M. **322**, 31
- Kunastitchai, S., L. Pichert, N. Sarisuta, B.W. Müller, Application of aerosol solvent extraction system (ASES) process for preparation of liposomes in a dry and reconstitutable form **316**, 93
- Kung, D., see Heard, C.M. **321**, 167
- Kusawake, T., see Ito, Y. **317**, 114
- Kuu, W.Y., L.M. Hardwick, M.J. Akers, Rapid determination of dry layer mass transfer resistance for various pharmaceutical formulations during primary drying using product temperature profiles **313**, 99
- Kwon, H.J., see Choi, Y. **320**, 45
- Kwon, O.-S., see Lee, P.S. **316**, 29
- L. Chow, A.H., see Zheng, Y. **309**, 123
- La Rotonda, M.I., see Cappello, B. **319**, 63

- La Rotonda, M.I., see Quaglia, F. **324**, 56
- Labieniec, M., see Klajnert, B. **309**, 208
- Lacerda, A.C.L., see Baby, A.R. **317**, 7
- Lagarce, F., E. Garcion, N. Faisant, O. Thomas, P. Kanaujia, P. Menei, J.P. Benoit, Development and characterization of interleukin-18-loaded biodegradable microspheres **314**, 179
- Lagarce, F., see Sapin, A. **309**, 1
- Lahiri, S.S., see Kumar, A. **323**, 117
- Lai, F., see Manconi, M. **311**, 11
- Lai, M., see Desai, D. **308**, 40
- Lalani, R., see Jenke, D.R. **315**, 75
- Lamas, M.C., L. Villaggi, L. Nocito, G. Bassani, D. Leonardi, F. Pascutti, E. Serra, C.J. Salomón, Development of parenteral formulations and evaluation of the biological activity of the trypanocide drug benznidazole **307**, 239
- Lameiro, M.H., A. Lopes, L.O. Martins, P.M. Alves, E. Melo, Incorporation of a model protein into chitosan–bile salt microparticles **312**, 119
- Lamprecht, A., see Meissner, Y. **316**, 138
- Lamprecht, A., see Yegin, B.A. **320**, 165
- Landin, M., see Alvarez-Manceño, F. **316**, 37
- Lane, M.E., F.S. Brennan, O.I. Corrigan, Influence of post-emulsification drying processes on the microencapsulation of Human Serum Albumin **307**, 16
- Lane, M.E., K. Levis, G.S.A. McDonald, O.I. Corrigan, Comparative assessment of two indices of drug induced permeability changes in the perfused rat intestine **312**, 196
- Lane, M.E., K.A. Levis, O.I. Corrigan, Effect of intestinal fluid flux on ibuprofen absorption in the rat intestine **309**, 60
- Lane, M.E., see Leveque, N. **318**, 49
- Langdon, G., see Sirgel, F.A. **307**, 182
- Langer, R., see Lee, P.J. **308**, 33
- Lappalainen, M., I. Pitkänen, P. Harjunen, Quantification of low levels of amorphous content in sucrose by hyperDSC **307**, 150
- Larsson, A., see Herder, J. **313**, 57
- Laus, M., see Chiarantini, L. **324**, 83
- Le Doan, T., see Hillaireau, H. **324**, 37
- Le, U.M., Z. Cui, Biodistribution and tumor-accumulation of gadolinium (Gd) encapsulated in long-circulating liposomes in tumor-bearing mice for potential neutron capture therapy **320**, 96
- Le, U.M., Z. Cui, Long-circulating gadolinium-encapsulated liposomes for potential application in tumor neutron capture therapy **312**, 105
- Le, V.N.P., P. Leterme, A. Gayot, M.P. Flament, Influence of granulation and compaction on the particle size of ibuprofen—Development of a size analysis method **321**, 72
- Lee, A., see Han, H.D. **313**, 181
- Lee, C.H., see Cheeti, S. **325**, 48
- Lee, C.H., see Yoo, J.-W. **309**, 139
- Lee, C.O., see Han, H.D. **313**, 181
- Lee, D., see Feng, M. **311**, 209
- Lee, H.-C., see Jeong, Y.-I. **322**, 154
- Lee, H.-H., see Steinfeld, U. **311**, 229
- Lee, K.C., see Jo, Y.W. **309**, 87
- Lee, M., see Choi, J.S. **320**, 171
- Lee, M.G., see Shin, H.S. **320**, 64
- Lee, M.H., see Yong, C.S. **321**, 56
- Lee, P.J., N. Ahmad, R. Langer, S. Mitragotri, V. Prasad Shastri, Evaluation of chemical enhancers in the transdermal delivery of lidocaine **308**, 33
- Lee, P.S., J.-Y. Han, T.W. Song, J.H. Sung, O.-S. Kwon, S. Song, Y.B. Chung, Physicochemical characteristics and bioavailability of a novel intestinal metabolite of ginseng saponin (IH901) complexed with  $\beta$ -cyclodextrin **316**, 29
- Lee, R.J., see Wu, J. **316**, 148
- Lee, S.H., see Jo, Y.W. **309**, 87
- Lee, Y.-D., see Huang, C.-Y. **325**, 132
- Legen, I., M. Kračun, M. Salobir, J. Kerč, The evaluation of some pharmaceutically acceptable excipients as permeation enhancers for amoxicillin **308**, 84
- Lehr, C.-M., see Sigurdsson, H.H. **325**, 75
- Leng, W., see Wang, X. **317**, 40
- Leo, E., B. Ruozi, G. Tosi, M.A. Vandelli, PLA-microparticles formulated by means a thermoreversible gel able to modify protein encapsulation and release without being co-encapsulated **323**, 131
- Leo, E., C. Contado, F. Bortolotti, B. Pavan, A. Scatturin, G. Tosi, S. Manfredini, A. Angusti, A. Dalpiaz, Nanoparticle formulation may affect the stabilization of an antiischemic prodrug **307**, 103
- Leonardi, D., see Lamas, M.C. **307**, 239
- Leta, S., see Iemma, F. **312**, 151
- Leterme, P., see Le, V.N.P. **321**, 72
- Leterme, P., see Siepmann, F. **317**, 136
- Leveque, N., S.L. Raghavan, M.E. Lane, J. Hadgraft, Use of a molecular form technique for the penetration of supersaturated solutions of salicylic acid across silicone membranes and human skin in vitro **318**, 49
- Levin, G., see Birchall, J. **312**, 15
- Levis, K., see Lane, M.E. **312**, 196
- Levis, K.A., see Lane, M.E. **309**, 60
- Li, B., see Hu, Z. **317**, 144
- Li, C., see Cui, J. **312**, 131
- Li, D., see Desai, D. **308**, 40
- Li, F.-Q., J.-H. Hu, J.-X. Deng, H. Su, S. Xu, J.-Y. Liu, *In vitro* controlled release of sodium ferulate from Compritol 888 ATO-based matrix tablets **324**, 152
- Li, G.-P., see He, J.-T. **309**, 101
- Li, H., see Hu, Z. **317**, 144
- Li, H., see Ma, Y. **307**, 292
- Li, J., see Chen, H. **315**, 52
- Li, J., see Liu, Z. **315**, 12
- Li, J.-P., see Hsiue, G.-H. **317**, 69
- Li, J.-T., see Zhuang, X.-M. **309**, 109
- Li, L., see Sun, D.-Z. **316**, 7
- Li, M., see Jin, Y. **309**, 199
- Li, P., see Feng, M. **311**, 209
- Li, P., see Ma, Y. **307**, 292
- Li, S., see Liu, H. **311**, 182
- Li, S., see Yu, L. **319**, 107
- Li, S.-m., see Yuan, Y. **321**, 117
- Li, S.Q., see Di, L. **317**, 54
- Li, X., see Shin, S.-C. **313**, 144
- Li, Y., see Gao, C. **322**, 104
- Li, Y.-X., see Chu, D.-F. **325**, 116
- Liang, D.C., W.G. Liu, A.J. Zuo, S.J. Sun, N. Cheng, G. Guo, J.Y. Zhang, K. De Yao, Pre-deliver chitosanase to cells: A novel strategy to improve gene expression by endocellular degradation-induced vector unpacking **314**, 63
- Liew, C.V., L.W. Chan, A.L. Ching, P.W.S. Heng, Evaluation of sodium alginate as drug release modifier in matrix tablets **309**, 25
- Liew, C.V., see Soh, J.L.P. **315**, 99
- Lim, L.-Y., see Lim, S.-L. **307**, 42
- Lim, P.F.C., X.Y. Liu, L. Kang, P.C.L. Ho, Y.W. Chan, S.Y. Chan, Limonene GPI/PG organogel as a vehicle in transdermal delivery of haloperidol **311**, 157
- Lim, S.-L., L.-Y. Lim, Effects of citrus fruit juices on cytotoxicity and drug transport pathways of Caco-2 cell monolayers **307**, 42
- Limal, D., see Felt-Baeyens, O. **322**, 6
- Limayem Blouza, I., C. Charcosset, S. Sfar, H. Fessi, Preparation and characterization of spirinolactone-loaded nanocapsules for paediatric use **325**, 124
- Limmatvapirat, S., see Sungthongjeen, S. **324**, 136
- Lin, S.-Y., W.-T. Cheng, S.-L. Wang, Thermodynamic and kinetic characterization of polymorphic transformation of famotidine during grinding **318**, 86
- Lin, Y., see Shen, Q. **313**, 49
- Lindevall, K., see Säkkinen, M. **307**, 285
- Lisowski, V., see Malzert-Fréon, A. **320**, 157
- Liu, D., H. Ichikawa, F. Cui, Y. Fukumori, Short-term delayed-release microcapsules spraycoated with acrylic terpolymers **307**, 300
- Liu, F., see Sun, D.-Z. **316**, 7
- Liu, H., S. Li, Y. Wang, H. Yao, Y. Zhang, Effect of vehicles and enhancers on the topical delivery of cyclosporin A **311**, 182

- Liu, H., see Cui, G. **325**, 180  
 Liu, H., see Liu, Z. **315**, 12  
 Liu, H., see Yu, L. **319**, 107  
 Liu, J., L. Qiu, J. Gao, Y. Jin, Preparation, characterization and in vivo evaluation of formulation of baicalin with hydroxypropyl- $\beta$ -cyclodextrin **312**, 137  
 Liu, J.-Y., see Li, F.-Q. **324**, 152  
 Liu, K., see Chu, D.-F. **325**, 116  
 Liu, Q., see Wu, J. **316**, 148  
 Liu, W.-H., see Chu, D.-F. **325**, 116  
 Liu, W.G., see Liang, D.C. **314**, 63  
 Liu, X., see Wang, C. **308**, 160  
 Liu, X.Y., see Lim, P.F.C. **311**, 157  
 Liu, Y., see Gao, C. **322**, 104  
 Liu, Y.-Y., X.-D. Fan, B.-R. Wei, Q.-F. Si, W.-X. Chen, L. Sun, pH-responsive amphiphilic hydrogel networks with IPN structure: A strategy for controlled drug release **308**, 205  
 Liu, Z., J. Li, S. Nie, H. Liu, P. Ding, W. Pan, Study of an alginate/HPMC-based in situ gelling ophthalmic delivery system for gatifloxacin **315**, 12  
 Lixin, W., H. Haibing, T. Xing, S. Ruiying, C. Dawei, A less irritant norcantharidin lipid microspheres: Formulation and drug distribution **323**, 161  
 Llabrés, M., see Santoveña, A. **309**, 38  
 Lo, C.-L., see Hsiue, G.-H. **317**, 69  
 Löbenberg, R., see Azarmi, S. **319**, 155  
 Lobo, J.M.S., see Lopes, C.M. **323**, 93  
 Loftsson, T., see Sigurdsson, H.H. **325**, 75  
 Logar, V., see Grabnar, I. **322**, 52  
 Lombardo, M., see Pignatello, R. **310**, 53  
 Longo, A., see Bongiorno, D. **312**, 96  
 Lopes, A., see Lameiro, M.H. **312**, 119  
 Lopes, C.M., J.M.S. Lobo, J.F. Pinto, P. Costa, Compressed mini-tablets as a biphasic delivery system **323**, 93  
 Lopes, P.S., see Baby, A.R. **317**, 7  
 López-Castellano, A., see Femenía-Font, A. **323**, 125  
 López-Pintor, E., see Valenzuela, B. **314**, 21  
 Lorenzetti, S.G., see dos Santos, K.S.C.R. **310**, 37  
 Loretz, B., see Föger, F. **319**, 139  
 Louhi-Kultanen, M., M. Karjalainen, J. Rantanen, M. Huhtanen, J. Kallas, Crystallization of glycine with ultrasound **320**, 23  
 Louhi-Kultanen, M., see Qu, H. **321**, 101  
 Lu, B., S.-B. Xiong, H. Yang, X.-D. Yin, R.-B. Zhao, Mitoxantrone-loaded BSA nanospheres and chitosan nanospheres for local injection against breast cancer and its lymph node metastases. I: Formulation and in vitro characterization **307**, 168  
 Lu, B., S.-B. Xiong, H. Yang, X.-D. Yin, R.-B. Zhao, Mitoxantrone-loaded BSA nanospheres and chitosan nanospheres for local injection against breast cancer and its lymph node metastases. II: Tissue distribution and pharmacodynamics **307**, 175  
 Lu, F., see Dai, Y. **311**, 165  
 Lü, W.-l., see Wang, X.-q. **322**, 146  
 Luan, X., M. Skupin, J. Siepmann, R. Bodmeier, Key parameters affecting the initial release (burst) and encapsulation efficiency of peptide-containing poly(lactide-co-glycolide) microparticles **324**, 168  
 Luca, G., see Blasi, P. **324**, 27  
 Ludwig, A., see Dillen, K. **314**, 72  
 Lueckel, B., see Siepe, S. **316**, 14  
 Lufino, M., see Cortesi, R. **317**, 90  
 Luo, S., see Kansara, V. **312**, 43  
 Luzardo, A., see Siemoneit, U. **312**, 66  
 Lyons, R., see McCleverty, D. **308**, 1  
 Ma, G.-H., see Wang, L.-Y. **311**, 187  
 Ma, G.-H., see Wu, J. **315**, 1  
 Ma, J.B., see Fan, Y.F. **324**, 158  
 Ma, Y., P. Li, D. Chen, T. Fang, H. Li, W. Su, LC/MS/MS quantitation assay for pharmacokinetics of naringenin and double peaks phenomenon in rats plasma **307**, 292  
 Ma, Z.-Q., see Zhang, J.-Y. **323**, 153  
 Ma, Z.-w., see Chen, F.-m. **307**, 23  
 Machatha, S.G., see Jain, N. **319**, 169  
 Macheras, P., see Dokoumetzidis, A. **321**, 1  
 Macheras, P., see Papadopoulou, V. **309**, 44  
 Machida, Y., see Sasatsu, M. **317**, 167  
 Maciel, C.P.M., see Rolim, A. **308**, 107  
 Madan, A.K., see Dureja, H. **323**, 27  
 Madoulet, C., see Devy, J. **307**, 194  
 Maestrelli, F., M.L. González-Rodríguez, A.M. Rabasco, P. Mura, Effect of preparation technique on the properties of liposomes encapsulating ketoprofen-cyclodextrin complexes aimed for transdermal delivery **312**, 53  
 Maglio, G., see Quaglia, F. **324**, 56  
 Mahlin, D., J. Berggren, U. Gelius, S. Engström, G. Alderborn, The influence of PVP incorporation on moisture-induced surface crystallization of amorphous spray-dried lactose particles **321**, 78  
 Mahmoud, A.A., see Ammar, H.O. **309**, 129, **320**, 53  
 Mahmoud, E.A., see El-Samaligy, M.S. **308**, 140, **319**, 121  
 Mahor, S., see Goyal, A.K. **309**, 227  
 Mahor, S., see Gupta, P.N. **318**, 163  
 Maia Campos, P.M.B.G., see Gaspar, L.R. **307**, 123  
 Maia, A.M., A.R. Baby, C.A.S.O. Pinto, W.J. Yasaka, E. Suenaga, T.M. Kaneko, M.V.R. Velasco, Influence of sodium metabisulfite and glutathione on the stability of vitamin C in O/W emulsion and extemporaneous aqueous gel **322**, 130  
 Maikap, G.C., see Vivekanandan, K. **313**, 214  
 Maitani, Y., see Furuhashi, M. **316**, 109  
 Maitani, Y., see Watanabe, M. **308**, 183  
 Malcolm, R.K., see Woolfson, A.D. **325**, 82  
 Malin, M., see Tarvainen, T. **310**, 162  
 Malzert-Fréon, A., S. Vriegnaud, P. Saulnier, V. Lisowski, J.P. Benoit, S. Rault, Formulation of sustained release nanoparticles loaded with a triptone, a new anticancer agent **320**, 157  
 Manceñido, F.A., see Hinrichs, W.L.J. **311**, 237  
 Manchanda, R., see Nimesh, S. **323**, 146  
 Manconi, M., C. Sinico, D. Valenti, F. Lai, A.M. Fadda, Niosomes as carriers for tretinoin. III. A study into the in vitro cutaneous delivery of vesicle-incorporated tretinoin **311**, 11  
 Manfredini, S., see Leo, E. **307**, 103  
 Manresa, Á., see Ortiz, A. **325**, 99  
 Manservigi, R., see Cortesi, R. **317**, 90  
 Manzo, R.H., see Rigo, M.V.R. **322**, 36  
 Mao, Z., see Zhan, X. **322**, 1  
 Marchetti, J.M., see Ricci-Júnior, E. **310**, 187  
 Marek, T., see Pintye-Hódi, K. **313**, 66  
 Marianecchi, C., see Carafa, M. **325**, 155  
 Marianecchi, C., see Casadei, M.A. **325**, 140  
 Mariano, L., see Cavallaro, G. **307**, 258  
 Marion, R., see Wong, M. **307**, 163  
 Maritz, J.S., see Sirgel, F.A. **307**, 182  
 Markefka, P., see Steckel, H. **309**, 51  
 Marqués, A., see Ortiz, A. **325**, 99  
 Marsas, S., see Giry, K. **321**, 162  
 Martin, G.P., see Jelvehgari, M. **308**, 124  
 Martinello, T., T.M. Kaneko, M.V.R. Velasco, M.E.S. Taqueda, V.O. Consiglieri, Optimization of poorly compactable drug tablets manufactured by direct compression using the mixture experimental design **322**, 87  
 Martini, L.G., see Stops, F. **308**, 8, 14  
 Martins, L.O., see Lameiro, M.H. **312**, 119  
 Martins, P.S., R. Ochoa, A.M.C. Pimenta, L.A.M. Ferreira, A.L. Melo, J.B.B. da Silva, R.D. Sinisterra, C. Demicheli, F. Frézard, Mode of action of  $\beta$ -cyclodextrin as an absorption enhancer of the water-soluble drug meglumine antimoniate **325**, 39  
 Martín-Banderas, L., see Gañán-Calvo, A.M. **324**, 19  
 Martín-Villodre, A., see Valenzuela, B. **314**, 21  
 Martínez-Pacheco, R., see Alvarez-Manceñido, F. **316**, 37  
 Marvola, J., see Säkkinen, M. **307**, 285  
 Marvola, M., see Säkkinen, M. **307**, 285  
 Maschke, A., see Appel, B. **314**, 170

- Maschke, A., see Guse, C. **314**, 153
- Mashru, R.C., see Sankalia, M.G. **312**, 1
- Mastiholimath, V.S., see Dandagi, P.M. **307**, 83
- Masuda, K., S. Tabata, H. Kono, Y. Sakata, T. Hayase, E. Yonemochi, K. Terada, Solid-state  $^{13}\text{C}$  NMR study of indomethacin polymorphism **318**, 146
- Matilainen, L., K. Järvinen, T. Toropainen, E. Näsi, S. Auriola, T. Järvinen, P. Jarho, In vitro evaluation of the effect of cyclodextrin complexation on pulmonary deposition of a peptide, cyclosporin A **318**, 41
- Matricardi, P., I. Onorati, T. Coviello, F. Alhaique, Drug delivery matrices based on scleroglucan/alginate/borax gels **316**, 21
- Matsubara, K., see Sugimoto, M. **320**, 71
- Matsuda, Y., see Kato, F. **321**, 18
- Matsumoto, Y., see Nagami, H. **315**, 167
- Matthews, K.H., H.N.E. Stevens, A.D. Auffret, M.J. Humphrey, G.M. Eccleston, Gamma-irradiation of lyophilised wound healing wafers **313**, 78
- Mazzotti, M., see Muhrer, G. **308**, 69
- McCarron, P.A., see Donnelly, R.F. **307**, 318
- McCleverty, D., R. Lyons, B. Henry, Microdialysis sampling and the clinical determination of topical dermal bioequivalence **308**, 1
- McConville, J.T., see Purvis, T. **324**, 43
- McCullagh, S.D., see Woolfson, A.D. **325**, 82
- McDonald, G.S.A., see Lane, M.E. **312**, 196
- McGinity, J.W., see Bando, H. **313**, 43, **323**, 11
- McGinity, J.W., see Fukuda, M. **310**, 90
- Medi, B.M., J. Singh, Skin targeted DNA vaccine delivery using electroporation in rabbits. II. Safety **308**, 61
- Meekes, H., see Stoica, C. **309**, 16
- Meesters, G.M.H., see Bouwman, A.M. **318**, 78
- Mehnert, W., see Müller, R.H. **317**, 82
- Mei, X., F.M. Etzler, Z. Wang, Use of texture analysis to study hydrophilic solvent effects on the mechanical properties of hard gelatin capsules **324**, 128
- Mei, X., see Gao, C. **322**, 104
- Meier, U., see Muhrer, G. **308**, 69
- Meissner, Y., Y. Pellequer, A. Lamprecht, Nanoparticles in inflammatory bowel disease: Particle targeting versus pH-sensitive delivery **316**, 138
- Mele, A., see Bongiorno, D. **312**, 96
- Melia, C.D., see Hardy, I.J. **311**, 26
- Melo, A.L., see Martins, P.S. **325**, 39
- Melo, E., see Lameiro, M.H. **312**, 119
- Melo, M.N., see Schettini, D.A. **315**, 140
- Memisoglu-Bilensoy, E., A.A. Hincal, Sterile, injectable cyclodextrin nanoparticles: Effects of gamma irradiation and autoclaving **311**, 203
- Menegatti, E., see Cortesi, R. **317**, 90
- Menei, P., see Koennings, S. **314**, 175
- Menei, P., see Lagarce, F. **314**, 179
- Menei, P., see Sapin, A. **309**, 1
- Mensitieri, G., see Cappello, B. **319**, 63
- Merino, V., see Femenía-Font, A. **323**, 125
- Merino, V., see Rodríguez-Ibáñez, M. **307**, 33
- Merrifield, D., see Stapley, J. **318**, 22
- Mezzalana, G., see Cruz, L. **313**, 198
- Michalick, M.S.M., see Schettini, D.A. **315**, 140
- Mihriyan, A., see Heidarian, M. **323**, 139
- Mikami, R., see Itoh, K. **312**, 37
- Millán, M., I. Caraballo, Effect of drug particle size in ultrasound compacted tablets. Continuum percolation model approach **310**, 168
- Millán, M., see Miranda, A. **311**, 75
- Miller, R.A., see Zhao, J. **317**, 109
- Millo, E., see Chiarantini, L. **324**, 83
- Millqvist-Fureby, A., see Elversson, J. **323**, 52
- Miranda, A., M. Millán, I. Caraballo, Study of the critical points of HPMC hydrophilic matrices for controlled drug delivery **311**, 75
- Miro, A., see Cappello, B. **319**, 63
- Misici-Falzi, M., see Bonacucina, G. **307**, 129
- Mitra, A.K., see Kansara, V. **312**, 43
- Mitra, A.K., see Katragadda, S. **320**, 104
- Mitragotri, S., see Lee, P.J. **308**, 33
- Miyamoto, H., see Hahn, S.K. **322**, 44
- Miyamoto, K.-i., see Jin, M. **309**, 81
- Miyazaki, S., see Itoh, K. **312**, 37
- Miyazaki, Y., Y. Onuki, S. Yakou, K. Takayama, Effect of temperature-increase rate on drug release characteristics of dextran microspheres prepared by emulsion solvent evaporation process **324**, 144
- Mo, F.-k., see Yuan, Y. **321**, 117
- Mo, W., see He, J.-T. **309**, 101
- Moës, A.J., see Hamdani, J. **322**, 96, **323**, 86
- Moffatt, S., R.J. Cristiano, PEGylated J591 mAb loaded in PLGA-PEG-PLGA tri-block copolymer for targeted delivery: In vitro evaluation in human prostate cancer cells **317**, 10
- Moffatt, S., R.J. Cristiano, Uptake characteristics of NGR-coupled stealth PEI/pDNA nanoparticles loaded with PLGA-PEG-PLGA tri-block copolymer for targeted delivery to human monocyte-derived dendritic cells **321**, 143
- Moghadam, S.H., R. Dinarvand, L.H. Cartilier, The focused ion beam technique: A useful tool for pharmaceutical characterization **321**, 50
- Mohamad, A., A. Dashevsky, Erratum to "Development of pulsatile multiparticulate drug delivery system coated with aqueous dispersion Aquacoat® ECD" [Int. J. Pharm. 318 (2006) 124–131] **320**, 179
- Mohamad, A., see Dashevsky, A. **318**, 124
- Mohamed, F., C.F. van der Walle, PLGA microcapsules with novel dimpled surfaces for pulmonary delivery of DNA **311**, 97
- Molina-Trinidad, E.M., C.A.d. Murphy, G. Ferro-Flores, E. Murphy-Stack, H. Jung-Cook, Radiopharmacokinetic and dosimetric parameters of  $^{188}\text{Re}$ -lanreotide in athymic mice with induced human cancer tumors **310**, 125
- Möller, M., see Trimaille, T. **319**, 147
- Mollica, G., see Di Colo, G. **310**, 154
- Mollinedo, F., see Torrecillas, A. **318**, 28
- Mondello, M.R., see Ventura, C.A. **314**, 37
- Mondon, K., see Trimaille, T. **319**, 147
- Mongayt, D.A., see Dabholkar, R.D. **315**, 148
- Montalar-Montero, M., see Rodríguez-Ibáñez, M. **307**, 33
- Montenegro, L., see Musumeci, T. **325**, 172
- Moore, A., see Theophilus, A. **313**, 14
- Mora, P., see Felt-Baeyens, O. **322**, 6
- Morita, T., see Takatsuka, S. **316**, 124
- Morrow, R.J., see Woolfson, A.D. **325**, 82
- Mörschbacher, V., see Bohrer, D. **315**, 24
- Moss, G., see Heard, C.M. **317**, 26
- Motherwell, W.D.S., see Trask, A.V. **320**, 114
- Motta, S., see Sonvico, F. **324**, 67
- Mozumdar, S., see Nimesh, S. **323**, 146
- Mrestani, Y., A. Härtl, R.H.H. Neubert, Influence of absorption enhancers on the pharmacokinetic properties of non-oral  $\beta$ -lactam-cefepim using the rabbit (Chinchilla) in vivo model **309**, 67
- Mrhar, A., see Grabnar, I. **322**, 52
- Mu, X., Z. Zhong, Preparation and properties of poly(vinyl alcohol)-stabilized liposomes **318**, 55
- Muangsi, W., L.E. Kirsch, The protein-binding and drug release properties of macromolecular conjugates containing daptomycin and dextran **315**, 30
- Muangsi, W., see Werawatganone, P. **321**, 138
- Mugabe, C., A.O. Azghani, A. Omri, Preparation and characterization of dehydration-rehydration vesicles loaded with aminoglycoside and macrolide antibiotics **307**, 244
- Muhrer, G., U. Meier, F. Fusaro, S. Albano, M. Mazzotti, Use of compressed gas precipitation to enhance the dissolution behavior of a poorly water-soluble drug: Generation of drug microparticles and drug-polymer solid dispersions **308**, 69
- Mukherjee, R., see Vivekanandan, K. **313**, 214
- Mülazımoğlu, L., see Cevher, E. **317**, 127
- Mullarney, M.P., B.C. Hancock, Mechanical property anisotropy of pharmaceutical excipient compacts **314**, 9
- Müller, B.W., see Kunastitchai, S. **316**, 93
- Müller, R.H., S. Runge, V. Ravelli, W. Mehnert, A.F. Thünemann, E.B. Souto, Oral bioavailability of cyclosporine: Solid lipid nanoparticles (SLN®) versus drug nanocrystals **317**, 82

- Müller-Goymann, C.C., see Attama, A.A. **322**, 67  
Müller-Goymann, C.C., see Savić, S.D. **320**, 86  
Müller-Goymann, C.C., see Villalobos-Hernández, J.R. **322**, 161  
Munasur, A.P., V. Pillay, D.J. Chetty, T. Govender, Statistical optimisation of the mucoadhesivity and characterisation of multipolymeric propranolol matrices for buccal therapy **323**, 43  
Mura, P., see Maestrelli, F. **312**, 53  
Murdan, S., see Wong, S.M. **317**, 61  
Murphy, C.A.d., see Molina-Trinidad, E.M. **310**, 125  
Murphy-Stack, E., see Molina-Trinidad, E.M. **310**, 125  
Muschert, S., see Siepmann, F. **317**, 136  
Musumeci, T., C.A. Ventura, I. Giannone, B. Ruozi, L. Montenegro, R. Pignatello, G. Puglisi, PLA/PLGA nanoparticles for sustained release of docetaxel **325**, 172  
Muzzalupo, R., see Iemma, F. **312**, 151  
Muzzio, F.J., see Faqih, A. **324**, 116  
Muzzio, F.J., see Portillo, P.M. **320**, 14
- Na, H.-S., see Jeong, Y.-I. **322**, 154  
Nácher, A., see Valenzuela, B. **314**, 21  
Nagami, H., Y. Matsumoto, R. Ueoka, Chemotherapy with hybrid liposomes for lymphoma without drugs in vivo **315**, 167  
Naggar, V.F., see Elsayed, M.M.A. **322**, 60  
Nah, J.-W., see Kim, D.-G. **319**, 130  
Naidu, B.V.K., see Sairam, M. **320**, 131  
Najlah, M., S. Freeman, D. Attwood, A. D'Emanuele, Synthesis, characterization and stability of dendrimer prodrugs **308**, 175  
Nakagawa, H., see Sasaki, H. **318**, 139  
Nakamura, J., see Sasaki, H. **318**, 139  
Nakamura, M., see Hirakura, Y. **325**, 26  
Nakamura, T., see Sasaki, H. **318**, 139  
Nakano, M., see Sugimoto, M. **320**, 71  
Nakashima, M., see Sasaki, H. **318**, 139  
Narisawa, S., see Sugimoto, M. **320**, 71  
Nascimento, P.C., see Bohrer, D. **315**, 24  
Näsi, E., see Matilainen, L. **318**, 41  
Näther, C., see Suitchmezian, V. **323**, 101  
Natarajan, M., see Bao, A. **316**, 162  
Nazzal, S., M.A. Khan, Controlled release of a self-emulsifying formulation from a tablet dosage form: Stability assessment and optimization of some processing parameters **315**, 110  
Nazzal, S., see El-Malah, Y. **309**, 163  
Neau, S.H., see Bommareddy, G.S. **321**, 62  
Neau, S.H., see Howard, M.A. **307**, 66  
Negro, S., R. Reyes, M.L. Azuara, Y. Sánchez, E. Barcia, Morphine, haloperidol and hyoscine *N*-butyl bromide combined in s.c. infusion solutions: Compatibility and stability. Evaluation in terminal oncology patients **307**, 278  
Neish, A.S., see Ghartey-Tagoe, E.B. **315**, 122  
Nerurkar, M., see Rao, V.M. **319**, 98  
Nese, G., see Quaglia, F. **324**, 56  
Neubert, R.H.H., see Mrestani, Y. **309**, 67  
Neubert, R.H.H., see Raith, K. **319**, 1  
Neville, L., see Birchall, J. **312**, 15  
Nicoli, S., E. Penna, C. Padula, P. Colombo, P. Santi, New transdermal bioadhesive film containing oxybutynin: In vitro permeation across rabbit ear skin **325**, 2  
Nie, S., see Liu, Z. **315**, 12  
Nijssen, J.F.W., see Zielhuis, S.W. **311**, 69, **315**, 67  
Nimesh, S., R. Kumar, R. Chandra, Novel polyallylamine–dextran sulfate–DNA nanoplexes: Highly efficient non-viral vector for gene delivery **320**, 143  
Nimesh, S., R. Manchanda, R. Kumar, A. Saxena, P. Chaudhary, V. Yadav, S. Mozumdar, R. Chandra, Preparation, characterization and *in vitro* drug release studies of novel polymeric nanoparticles **323**, 146  
Nishida, K., see Sasaki, H. **318**, 139  
Nishikawa, M., see Terada, T. **316**, 117  
Niu, H., see Hu, Z. **317**, 144
- Nocito, I., see Lamas, M.C. **307**, 239  
Noda, Y., see Yin, J. **314**, 46  
Nokhodchi, A., see Ghafourian, T. **319**, 82  
Nokhodchi, A., see Jelvehgari, M. **308**, 124  
Nomura, M., see Jin, M. **309**, 81  
Noonpakdee, W., see Föger, F. **319**, 139  
Nostro, P.L., see Scalia, S. **308**, 155  
Nunoko, T., see Fukunaka, T. **310**, 146  
Nusrat, A., see Ghartey-Tagoe, E.B. **315**, 122
- Ochoa, R., see Martins, P.S. **325**, 39  
Ochs, R.S., see Kaushal, G. **313**, 29  
Ofner, III, C.M., K. Pica, B.J. Bowman, C.-S. Chen, Growth inhibition, drug load, and degradation studies of gelatin/methotrexate conjugates **308**, 90  
Ogawa, Y., see Eguchi, M. **311**, 215  
Oger, J.M., see Elkharraz, K. **314**, 127  
Oh, E.J., see Hahn, S.K. **322**, 44  
Oh, J.-S., see Jeong, Y.-I. **322**, 154  
Oh, Y.-K., see Yong, C.S. **321**, 56  
Ohashi, Y., see Venkatesan, N. **310**, 46  
Oishi, T., see Rolim, A. **308**, 107  
Okada, N., see Shen, Q. **313**, 49  
Okada, T., see Eguchi, M. **311**, 215  
Okada, Y., see Ishida, T. **309**, 94  
Okano, T., see Watanabe, M. **308**, 183  
Okar, Í., see Sipahigil, O. **311**, 130  
Olin, H.B.D., see Adrian, C.L. **311**, 196  
Oliva, A., see Santoveña, A. **309**, 38  
Omri, A., see Mugabe, C. **307**, 244  
O'Neill, M.A.A., see Elhissi, A.M.A. **320**, 124  
Onishi, H., see Sasatsu, M. **317**, 167  
Onorati, I., see Matricardi, P. **316**, 21  
Onuki, Y., see Miyazaki, Y. **324**, 144  
Önyüksel, H., see Rubinstein, I. **316**, 144  
Opanasopit, P., see Watanabe, M. **308**, 183  
Orhan, Z., see Cevher, E. **317**, 127  
Orive, G., see De Castro, M. **310**, 8  
Orlu, M., E. Cevher, A. Araman, Design and evaluation of colon specific drug delivery system containing flurbiprofen microsponges **318**, 103  
Ortiz, A., J.A. Teruel, M.J. Espuny, A. Marqués, Á. Manresa, F.J. Aranda, Effects of dirhamnolipid on the structural properties of phosphatidylcholine membranes **325**, 99  
Ostacolo, L., see Quaglia, F. **324**, 56  
Otero-Espinar, F., see Siemoneit, U. **312**, 66  
Otsuka, M., see Kato, F. **321**, 18  
Otsuka, M., see Sakata, Y. **317**, 120  
Otsuka, Y., see Kobayashi, M. **317**, 19  
Otto, R.A., see Bao, A. **316**, 162  
Overhoff, K.A., see Purvis, T. **324**, 43  
Owens, III, D.E., N.A. Peppas, Opsonization, biodistribution, and pharmacokinetics of polymeric nanoparticles **307**, 93  
Özgel, G., J. Akbuğa, In vitro characterization and transfection of IL-2 gene complexes **315**, 44  
Özsoy, Y., see Cevher, E. **317**, 127
- Paasonen, L., M. Korhonen, M. Yliperttula, A. Urtti, Epidermal cell culture model with tight stratum corneum as a tool for dermal gene delivery studies **307**, 188  
Padamwar, M.N., V.B. Pokharkar, Development of vitamin loaded topical liposomal formulation using factorial design approach: Drug deposition and stability **320**, 37  
Padula, C., see Nicoli, S. **325**, 2  
Paek, S.-H., see Yong, C.S. **321**, 56  
Paeratakul, O., see Sungthongjeen, S. **324**, 136  
Paker-Leggs, S., see Bommareddy, G.S. **321**, 62  
Pal, D., see Kansara, V. **312**, 43  
Palin, K., see Khatri, L. **322**, 113

- Palleschi, A., T. Coviello, G. Bocchinfuso, F. Alhaique, Investigation on a new scleroglucan/borax hydrogel: Structure and drug release **322**, 13
- Palmieri, G.F., see Bonacucina, G. **307**, 129, **313**, 72
- Palumbo, R., see Quaglia, F. **324**, 56
- Pan, W., see Liu, Z. **315**, 12
- Pan, W., see Wang, S. **311**, 82
- Panchagnula, R., J. Parmar, K. Kaur, I. Singh, S.R. Bade, Y. Ashokraj, Statistical evaluation of physiological variability of rifampicin in fixed dose combinations **313**, 5
- Panyam, J., see Chavanpatil, M.D. **320**, 150
- Paolicelli, P., see Casadei, M.A. **325**, 140
- Paolino, D., see Ventura, C.A. **314**, 37
- Papadopoulou, V., K. Kosmidis, M. Vlachou, P. Macheras, On the use of the Weibull function for the discernment of drug release mechanisms **309**, 44
- Paradkar, A.R., see Shah, M.H. **323**, 18
- Parcha, V., see Anroop, B. **325**, 191
- Park, J.S., see Choi, J.S. **320**, 171
- Park, K., see Choi, Y. **320**, 45
- Park, K., see Haddish-Berhane, N. **323**, 64
- Park, S.-B., see Yang, J. **324**, 185
- Park, S.-H., H.-K. Choi, The effects of surfactants on the dissolution profiles of poorly water-soluble acidic drugs **321**, 35
- Park, T.G., see Choi, S.H. **311**, 223
- Park, Y.M., see Seong, J.-Y. **314**, 90
- Parmar, J., see Panchagnula, R. **313**, 5
- Parojcic, J., see Vasiljevic, D. **309**, 171
- Parsons, G.E., see Ibekwe, V.C. **308**, 52
- Paruchuri, S., see Desai, D. **308**, 40
- Pascutti, F., see Lamas, M.C. **307**, 239
- Pasparakis, G., N. Bouropoulos, Swelling studies and in vitro release of verapamil from calcium alginate and calcium alginate–chitosan beads **323**, 34
- Passerini, N., B. Albertini, B. Perissutti, L. Rodriguez, Evaluation of melt granulation and ultrasonic spray congealing as techniques to enhance the dissolution of praziquantel **318**, 92
- Pastoriza, P., see Fernández-Carballido, A. **313**, 129
- Patel, N.K., see Khairuzzaman, A. **318**, 15
- Patil, M.B., see Dandagi, P.M. **307**, 83
- Patil, Y., see Chavanpatil, M.D. **320**, 150
- Pauli, C., see Steinfeld, U. **311**, 229
- Pavan, B., see Leo, E. **307**, 103
- Pavlica, Z., see Erjavec, V. **307**, 1
- Pawar, A., see Sharma, S. **313**, 150
- Péan, J.M., see Giry, K. **321**, 162
- Pearson, S.B., see Tarsin, W.Y. **316**, 131
- Pedraz, J.L., see De Castro, M. **310**, 8
- Pedraz, J.L., see Gil, E.C. **317**, 32
- Pellequer, Y., see Meissner, Y. **316**, 138
- Peña, M.A., A. Reillo, B. Escalera, P. Bustamante, Solubility parameter of drugs for predicting the solubility profile type within a wide polarity range in solvent mixtures **321**, 155
- Penna, E., see Nicoli, S. **325**, 2
- Peppas, N.A., see Fukuda, M. **310**, 90
- Peppas, N.A., see Owens, III, D.E. **307**, 93
- Pérez-Ruixo, J.J., see Valenzuela, B. **314**, 21
- Perioli, L., see Ricci, M. **311**, 172
- Perissutti, B., see Passerini, N. **318**, 92
- Perkins, A.C., M. Frier, P. Elaine Blackshaw, R.C. Spiller, K.J. Fairbairn, R.J. Dansereau, T. Kinghorn, P. San, D. Hosking, Esophageal transit of the weekly film-coated risedronate (Actonel®) placebo tablet in subjects with Kyphosis **311**, 20
- Petelin, M., see Erjavec, V. **307**, 1
- Petrov, O., I. Furró, M. Schuleit, R. Domanig, M. Plunkett, J. Daicic, Pore size distributions of biodegradable polymer microparticles in aqueous environments measured by NMR cryoporometry **309**, 157
- Petusky, S.L., see Di, L. **317**, 54
- Pham, H.L., P.N. Shaw, N.M. Davies, Preparation of immuno-stimulating complexes (ISCOMs) by ether injection **310**, 196
- Phillips, W.T., see Bao, A. **316**, 162
- Phipps, J.B., see Subramony, J.A. **317**, 1
- Piao, H., N. Kamiya, J. Watanabe, H. Yokoyama, A. Hirata, T. Fujii, I. Shimizu, S. Ito, M. Goto, Oral delivery of diclofenac sodium using a novel solid-in-oil suspension **313**, 159
- Pica, K., see Ofner, III, C.M. **308**, 90
- Picci, N., see Iemma, F. **312**, 151
- Pichert, L., see Kunastitchai, S. **316**, 93
- Piel, G., M. Piette, V. Barillaro, D. Castagne, B. Evrard, L. Delattre, Betamethasone-in-cyclodextrin-in-liposome: The effect of cyclodextrins on encapsulation efficiency and release kinetics **312**, 75
- Pietkiewicz, J., M. Sznitowska, M. Placzek, The expulsion of lipophilic drugs from the cores of solid lipid microspheres in diluted suspensions and in concentrates **310**, 64
- Piette, M., see Piel, G. **312**, 75
- Pignatello, R., S. Guccione, F. Castelli, M.G. Sarpietro, L. Giurato, M. Lombardo, G. Puglisi, I. Toth, Enhancement of drug affinity for cell membranes by conjugation with lipoamino acids. II. Experimental and computational evidence using biomembrane models **310**, 53
- Pignatello, R., see Musumeci, T. **325**, 172
- Pillay, V., see Choonara, Y.E. **310**, 15
- Pillay, V., see Munasur, A.P. **323**, 43
- Pimenta, A.M.C., see Martins, P.S. **325**, 39
- Pina, M.E., see Vueba, M.L. **307**, 56
- Pinnamaneni, S., see Rao, V.M. **319**, 98
- Pinto, C.A.S.O., see Maia, A.M. **322**, 130
- Pinto, C.A.S.O., see Rolim, A. **308**, 107
- Pinto, I., see dos Santos, K.S.C.R. **310**, 37
- Pinto, J.F., see Lopes, C.M. **323**, 93
- Pintye-Hódi, K., G. Regdon, Jr., I. Erős, K. Süvegh, T. Marek, I. Kéry, R. Zelkó, Metolose-PEG interaction as seen by positron annihilation spectroscopy **313**, 66
- Piombetti, M., see Bonacucina, G. **313**, 72
- Pirisino, G., see Gavini, E. **307**, 9
- Pistos, C., see Koufopoulou, S.-A. **316**, 52
- Pitkänen, I., see Lappalainen, M. **307**, 150
- Placzek, M., see Pietkiewicz, J. **310**, 64
- Plaizier-Vercammen, J., see Atemnkeng, M.A. **317**, 161
- Planinšek, D., see Planinšek, O. **319**, 13
- Planinšek, O., D. Planinšek, A. Zega, M. Breznik, S. Srčič, Surface analysis of powder binary mixtures with ATR FTIR spectroscopy **319**, 13
- Plunkett, M., see Petrov, O. **309**, 157
- Pochard, E., see Jannin, V. **309**, 6
- Pohlmann, A.R., see Cruz, L. **313**, 198
- Pohlmann, A.R., see Raffin, R.P. **324**, 10
- Pokharkar, V.B., see Padamwar, M.N. **320**, 37
- Ponchel, G., see Bravo-Osuna, I. **316**, 170
- Pongjanyakul, T., S. Sungthongjeen, S. Puttipathkachorn, Modulation of drug release from glyceryl palmitostearate–alginate beads via heat treatment **319**, 20
- Popovic, N., P. Brundin, Therapeutic potential of controlled drug delivery systems in neurodegenerative diseases **314**, 120
- Portillo, P.M., F.J. Muzzio, M.G. Ierapetritou, Characterizing powder mixing processes utilizing compartment models **320**, 14
- Pourcelot, Y., see Chambin, O. **321**, 86
- Pradeau, D., see Bourgeois, S. **324**, 2
- Prahsarn, C., see Wittaya-arekul, S. **312**, 113, **313**, 123
- Prasad Shastri, V., see Lee, P.J. **308**, 33
- Prasad, S., see Vivekanandan, K. **313**, 214
- Prasad, Y.V.R., see Ito, Y. **317**, 114
- Préat, V., see Vandermeulen, G. **309**, 234
- Prausnitz, M.R., see Ghartey-Tagoe, E.B. **315**, 122
- Prestidge, C.A., S. Simovic, Nanoparticle encapsulation of emulsion droplets **324**, 92
- Price, R., see Jones, M.D. **313**, 87
- Price, R., see Traini, D. **320**, 58
- Pries, W., see de Vegt, O. **317**, 47
- Prime, D., see Theophilus, A. **313**, 14
- Primorac, M., see Vasiljevic, D. **309**, 171

- Pringels, E., C. Callens, C. Vervaet, F. Dumont, G. Slegers, P. Foreman, J.P. Remon, Influence of deposition and spray pattern of nasal powders on insulin bioavailability **310**, 1
- Puebla, P., see Fernández-Carballido, A. **313**, 129
- Puel, F., see Caillet, A. **307**, 201
- Puglisi, G., see Musumeci, T. **325**, 172
- Puglisi, G., see Pignatello, R. **310**, 53
- Puglisi, G., see Ventura, C.A. **314**, 37
- Puleo, D.A., see Raiche, A.T. **311**, 40
- Puoci, F., see Iemma, F. **312**, 151
- Purvis, T., J.M. Vaughn, T.L. Rogers, X. Chen, K.A. Overhoff, P. Sinswat, J. Hu, J.T. McConville, K.P. Johnston, R.O. Williams, III, Cryogenic liquids, nanoparticles, and microencapsulation **324**, 43
- Puttipipatkachorn, S., see Pongjanyakul, T. **319**, 20
- Puttipipatkachorn, S., see Sungthongjeen, S. **324**, 136
- Qaisi, A.M., see Tutunji, M.F. **323**, 110
- Qi-neng, P., see Yan-yu, X. **319**, 162
- Qian, F., see Cui, F. **316**, 154
- Qineng, P., see Yanyu, X. **307**, 77
- Qiu, F., see Cui, Z. **313**, 206
- Qiu, L., see Liu, J. **312**, 137
- Qiu, X.-M., see Sun, D.-Z. **316**, 7
- Qu, H., M. Louhi-Kultanen, J. Kallas, Solubility and stability of anhydrate/hydrate in solvent mixtures **321**, 101
- Quaglia, F., L. Ostacolo, G. De Rosa, M.I. La Rotonda, M. Ammendola, G. Nese, G. Maglio, R. Palumbo, C. Vauthier, Nanoscopic core-shell drug carriers made of amphiphilic triblock and star-diblock copolymers **324**, 56
- Quaglia, F., see Cappello, B. **319**, 63
- Rabasco, A.M., see Maestrelli, F. **312**, 53
- Rades, T., see Saupe, A. **314**, 56
- Raffin, R.P., D.S. Jornada, M.I. Ré, A.R. Pohlmann, S.S. Guterres, Sodium pantoprazole-loaded enteric microparticles prepared by spray drying: Effect of the scale of production and process validation **324**, 10
- Raghavan, K., see Rao, V.M. **319**, 98
- Raghavan, S.L., see Leveque, N. **318**, 49
- Raiche, A.T., D.A. Puleo, Modulated release of bioactive protein from multi-layered blended PLGA coatings **311**, 40
- Raith, K., C.E.H. Schmelzer, R.H.H. Neubert, Towards a molecular characterization of pharmaceutical excipients: Mass spectrometric studies of ethoxylated surfactants **319**, 1
- Ramadan, A., M. El-Massik, L. El-Khordagui, N. Daabis, Y. Hammouda, Surface treatment: A potential approach for enhancement of solid-state photostability **307**, 141
- Rantanen, J., see Louhi-Kultanen, M. **320**, 23
- Rao, V.M., M. Nerurkar, S. Pinnamaneni, F. Rinaldi, K. Raghavan, Co-solubilization of poorly soluble drugs by micellization and complexation **319**, 98
- Rassu, G., see Gavini, E. **307**, 9
- Rault, S., see Malzert-Fréon, A. **320**, 157
- Ravelli, V., see Müller, R.H. **317**, 82
- Rawat, A., see Goyal, A.K. **309**, 227
- Rawat, A., see Gupta, P.N. **318**, 163
- Ré, M.I., see Raffin, R.P. **324**, 10
- Reddy, A., see Cai, H. **308**, 133
- Reed, K., see Wong, M. **307**, 163
- Regdon Jr., G., see Pintye-Hódi, K. **313**, 66
- Rehman, I.U., see Gong, K. **315**, 93
- Reillo, A., see Peña, M.A. **321**, 155
- Remon, J.P., see Pringels, E. **310**, 1
- Remuñán-López, C., see Anal, A.K. **312**, 166
- Ren, B., see Wang, C. **308**, 160
- Reppas, C., see Vertzoni, M. **309**, 115
- Reyes, R., see Negro, S. **307**, 278
- Reynaers, H., see Goddeeris, C. **312**, 187
- Ribeiro, A.J., see Silva, C.M. **311**, 1
- Ribeiro, R.R., see Schettini, D.A. **315**, 140
- Ricci, M., S. Giovagnoli, P. Blasi, A. Schoubben, L. Perioli, C. Rossi, Development of liposomal capreomycin sulfate formulations: Effects of formulation variables on peptide encapsulation **311**, 172
- Ricci, M., see Blasi, P. **324**, 27
- Ricci-Júnior, E., J.M. Marchetti, Zinc(II) phthalocyanine loaded PLGA nanoparticles for photodynamic therapy use **310**, 187
- Riccio, M., see Chiarantini, L. **324**, 83
- Richard, A., J. Delvaux, L. Bourel-Bonnet, Effects of sterilizing-grade filters on the physico-chemical properties of onion-like vesicles **312**, 144
- Ridi, F., see Scalia, S. **308**, 155
- Ries, A., see Siepe, S. **316**, 14
- Riga, A., see Desai, J. **308**, 115
- Rigo, M.V.R., D.A. Allemandi, R.H. Manzo, Swellable drug-polyelectrolyte matrices (SDPM) of alginic acid. Characterization and delivery properties **322**, 36
- Rinaldi, F., see Desai, D. **308**, 40
- Rinaldi, F., see Rao, V.M. **319**, 98
- Rinaudo, M., see Venter, J.P. **313**, 36
- Roa, W.H., see Azarmi, S. **319**, 155
- Roberts, C.J., see Bunker, M.J. **325**, 163
- Roberts, S.A., see Elhissi, A.M.A. **320**, 124
- Rocha, O.G.F., see Schettini, D.A. **315**, 140
- Rodríguez, F., see Gil, E.C. **317**, 32
- Rodríguez-Gil, A., see Gañán-Calvo, A.M. **324**, 19
- Rodríguez-Ibáñez, M., G. Sánchez-Castaño, M. Montalar-Montero, T.M. Garrigues, M. Bermejo, V. Merino, Mathematical modelling of in situ and in vitro efflux of ciprofloxacin and grepafloxacin **307**, 33
- Rodríguez, L., see Passerini, N. **318**, 92
- Rogers, T.L., see Purvis, T. **324**, 43
- Rogueda, P., see Traini, D. **320**, 58
- Roh, S.-H., see Kim, D.-G. **319**, 130
- Rohani, S., see Bakhbaki, Y. **309**, 71
- Rolim, A., T. Oishi, C.P.M. Maciel, V. Zague, C.A.S.O. Pinto, T.M. Kaneko, V.O. Consiglieri, M.V.R. Velasco, Total flavonoids quantification from O/W emulsion with extract of Brazilian plants **308**, 107
- Rolland, H., see Giry, K. **321**, 162
- Roopdee, A., see Werawatganone, P. **321**, 138
- Ross Woolley, F., see Bao, A. **316**, 162
- Rossi, A., see Sonvico, F. **324**, 67
- Rossi, C., see Blasi, P. **324**, 27
- Rossi, C., see Ricci, M. **311**, 172
- Rossomanno, S., see Theophilus, A. **313**, 14
- Rouxhet, L., see Vandermeulen, G. **309**, 234
- Roversi, F., see Bonacucina, G. **313**, 72
- Rowat, A.C., N. Kitson, J.L. Thewalt, Interactions of oleic acid and model stratum corneum membranes as seen by <sup>2</sup>H NMR **307**, 225
- Rowley, G., see Kattige, A. **316**, 74
- Ruan, J.-X., see Zhuang, X.-M. **309**, 109
- Rubinstein, I., H. Ikezaki, H. Önyüksel, Intratracheal and subcutaneous liposomal VIP normalizes arterial pressure in spontaneously hypertensive hamsters **316**, 144
- Ruggirello, A., see Bongiorno, D. **312**, 96
- Ruiying, S., see Lixin, W. **323**, 161
- Runge, S., see Müller, R.H. **317**, 82
- Ruozi, B., see Leo, E. **323**, 131
- Ruozi, B., see Musumeci, T. **325**, 172
- Russo, R., see Cappello, B. **319**, 63
- Rytting, J.H., see Tian, F. **310**, 175
- Sabour, S., see Bao, A. **316**, 162
- Sack, M.J., see Howard, M.A. **307**, 66
- Sadeghi, F., see Akhgari, A. **320**, 137
- Sadoqi, M., see Saxena, V. **308**, 200
- Sadzuka, Y., I. Sugiyama, T. Tsuruda, T. Sonobe, Characterization and cytotoxicity of mixed polyethyleneglycol modified liposomes containing doxorubicin **312**, 83
- Sagodira, S., see Felt-Baeyens, O. **322**, 6
- Sairam, M., see Babu, V.R. **325**, 55



- Sairam, M., V.R. Babu, B.V.K. Naidu, T.M. Aminabhavi, Encapsulation efficiency and controlled release characteristics of crosslinked polyacrylamide particles **320**, 131
- Sajadi Tabassi, S.A., see Tafaghodi, M. **319**, 37
- Sajeesh, S., C.P. Sharma, Cyclodextrin–insulin complex encapsulated poly-methacrylic acid based nanoparticles for oral insulin delivery **325**, 147
- Sakaguchi, N., C. Kojima, A. Harada, K. Koiwai, K. Shimizu, N. Emi, K. Kono, Enhancement of transfection activity of lipoplexes by complexation with transferrin-bearing fusogenic polymer-modified liposomes **325**, 186
- Sakata, Y., S. Shiraishi, M. Otsuka, A novel white film for pharmaceutical coating formed by interaction of calcium lactate pentahydrate with hydroxypropyl methylcellulose **317**, 120
- Sakata, Y., see Masuda, K. **318**, 146
- Šakelj, S., K. Šturm, A. Kristl, Ciprofloxacin permeability and its active secretion through rat small intestine *in vitro* **313**, 175
- Säkkinen, M., J. Marvola, H. Kanerva, K. Lindevall, A. Ahonen, M. Marvola, Are chitosan formulations mucoadhesive in the human small intestine?. An evaluation based on gamma scintigraphy **307**, 285
- Sako, K., see Katsuma, M. **307**, 156
- Sala, N., see Scalia, S. **320**, 79
- Salama, H.A., see Ammar, H.O. **309**, 129, **320**, 53
- Salmaso, S., see Cavallaro, G. **307**, 258
- Salobir, M., see Legen, I. **308**, 84
- Salomón, C.J., see Lamas, M.C. **307**, 239
- Salvenmoser, W., see Föger, F. **319**, 139
- San, P., see Perkins, A.C. **311**, 20
- Sande, S.A., see Hiorth, M. **308**, 25
- Sanders, N.N., see Hinrichs, W.L.J. **311**, 237
- Sane, S., see Tian, F. **310**, 175
- Sang, G., see Hu, Z. **317**, 144
- Sankalia, J.M., see Sankalia, M.G. **312**, 1
- Sankalia, M.G., R.C. Mashru, J.M. Sankalia, V.B. Sutariya, Stability improvement of alpha-amylase entrapped in kappa-carrageenan beads: Physicochemical characterization and optimization using composite index **312**, 1
- Sanna, V., see Gavini, E. **307**, 9
- Santi, P., R. Bettini, Editorial **324**, 1
- Santi, P., see Nicoli, S. **325**, 2
- Santi, S., see Chiarantini, L. **324**, 83
- Santoveña, A., J.T. García, A. Oliva, M. Llabrés, J.B. Fariña, A mathematical model for interpreting *in vitro* rhGH release from laminar implants **309**, 38
- Santucci, E., see Carafa, M. **325**, 155
- Sapin, A., E. Garcion, A. Clavreul, F. Lagarce, J.P. Benoit, P. Menei, Development of new polymer-based particulate systems for anti-glioma vaccination **309**, 1
- Saracovan, I., see Swaminathan, V. **312**, 158
- Sarhan, H., see Appel, B. **314**, 170
- Saripella, K.K., see Bommareddy, G.S. **321**, 62
- Sarisuta, N., see Kunastitchai, S. **316**, 93
- Sarpietro, M.G., see Pignatello, R. **310**, 53
- Sasaki, H., S. Yoshida, T. Kitahara, T. Yoshioka, H. Nakagawa, T. Nakamura, N. Ichikawa, K. Nishida, J. Nakamura, M. Nakashima, Influence of disease stage on polyethylenimine-mediated plasmid DNA delivery in murine hepatitis **318**, 139
- Sasatsu, M., H. Onishi, Y. Machida, *In vitro* and *in vivo* characterization of nanoparticles made of MeO-PEG amine/PLA block copolymer and PLA **317**, 167
- Saulnier, P., see Malzert-Fréon, A. **320**, 157
- Saunders, M., see Buckton, G. **312**, 61
- Saupe, A., K.C. Gordon, T. Rades, Structural investigations on nanoemulsions, solid lipid nanoparticles and nanostructured lipid carriers by cryo-field emission scanning electron microscopy and Raman spectroscopy **314**, 56
- Savić, M.M., see Savić, S.D. **320**, 86
- Savić, S.D., M.M. Savić, S.A. Vesić, G.M. Vuleta, C.C. Müller-Goymann, Vehicles based on a sugar surfactant: Colloidal structure and its impact on *in vitro/in vivo* hydrocortisone permeation **320**, 86
- Savva, M., see Khairuzzaman, A. **318**, 15
- Sawant, R.M., see Dabholkar, R.D. **315**, 148
- Saxena, A., see Nimesh, S. **323**, 146
- Saxena, V., M. Sadoqi, J. Shao, Polymeric nanoparticulate delivery system for Indocyanine green: Biodistribution in healthy mice **308**, 200
- Sayago, A., A.G. Asuero, Spectrophotometric evaluation of stability constants of 1:1 weak complexes from continuous variation data **321**, 94
- Sayago, A., see Boccio, M. **318**, 70
- Scalia, S., R. Tursilli, A. Bianchi, P.L. Nostro, E. Bocci, F. Ridi, P. Baglioni, Incorporation of the sunscreen agent, octyl methoxycinnamate in a cellulosic fabric grafted with  $\beta$ -cyclodextrin **308**, 155
- Scalia, S., R. Tursilli, N. Sala, V. Iannuccelli, Encapsulation in lipospheres of the complex between butyl methoxydibenzoylmethane and hydroxypropyl- $\beta$ -cyclodextrin **320**, 79
- Scatturin, A., see Cortesi, R. **317**, 90
- Scatturin, A., see Leo, E. **307**, 103
- Schettini, D.A., R.R. Ribeiro, C. Demicheli, O.G.F. Rocha, M.N. Melo, M.S.M. Michalick, F. Frézard, Improved targeting of antimony to the bone marrow of dogs using liposomes of reduced size **315**, 140
- Schmelzer, C.E.H., see Raith, K. **319**, 1
- Schmidt, A.C., I. Schwarz, Solid-state characterization of non-stoichiometric hydrates of ester-type local anaesthetics. Part XI. Crystal polymorphism of local anaesthetic drugs **320**, 4
- Schmitt, C., see Siemoneit, U. **312**, 66
- Schmitz, T., see Bravo-Osuna, I. **316**, 170
- Schnyder, N., see Altenbach, M. **307**, 308
- Schollmeyer, E., see Fouda, M.M.G. **311**, 113
- Schoubben, A., see Blasi, P. **324**, 27
- Schoubben, A., see Ricci, M. **311**, 172
- Schreiner, S., see Guse, C. **314**, 153
- Schubert, R., see Farkas, E. **307**, 51
- Schuermans, A., see Atemnkeng, M.A. **317**, 161
- Schuleit, M., see Petrov, O. **309**, 157
- Schwartz, J.B., see Huang, J. **319**, 44
- Schwarz, I., see Schmidt, A.C. **320**, 4
- Sdrafkakis, V., see Ventura, C.A. **314**, 37
- Şensoy, D., see Cevher, E. **317**, 127
- Sentjurc, M., see Erjavec, V. **307**, 1
- Seong, H., see Han, H.D. **313**, 181
- Seong, J.-Y., Y.J. Jun, B.M. Kim, Y.M. Park, Y.S. Sohn, Synthesis and characterization of biocompatible poly(organophosphazenes) aiming for local delivery of protein drugs **314**, 90
- Seppälä, J., see Tarvainen, T. **310**, 162
- Serafini, M.F., see Di Colo, G. **310**, 154
- Serra, E., see Lamas, M.C. **307**, 239
- Sfar, S., see Limayem Blouza, I. **325**, 124
- Shah, M.H., S.V. Biradar, A.R. Paradkar, Spray dried glyceryl monooleate–magnesium trisilicate dry powder as cubic phase precursor **323**, 18
- Shalan, N.M., see Alhamami, O.M.O. **311**, 63
- Shan, L., see Gao, C. **322**, 104
- Shao, J., see Kaushal, G. **312**, 90, **313**, 29
- Shao, J., see Saxena, V. **308**, 200
- Sharma, A., see Subramony, J.A. **317**, 1
- Sharma, C.P., see Sajeesh, S. **325**, 147
- Sharma, D.K., see Singh, B. **325**, 15
- Sharma, H.L., see Stops, F. **308**, 8, 14
- Sharma, S., A. Pawar, Low density multiparticulate system for pulsatile release of meloxicam **313**, 150
- Shaw, P.N., see Pham, H.L. **310**, 196
- Shcharbin, D., see Klajnert, B. **309**, 208
- Shear, R., see Chavanpatil, M.D. **316**, 86
- Shen, Q., Y. Lin, T. Handa, M. Doi, M. Sugie, K. Wakayama, N. Okada, T. Fujita, A. Yamamoto, Modulation of intestinal P-glycoprotein function by polyethylene glycols and their derivatives by *in vitro* transport and *in situ* absorption studies **313**, 49
- Shen, Z.-G., see Zhang, J.-Y. **323**, 153
- Sheu, M.-T., see Wang, G.-M. **319**, 71
- Shibata, N., see Ito, Y. **317**, 114
- Shibata, N., see Venkatesan, N. **310**, 46

- Shimada, T., see Jin, M. **309**, 81
- Shimizu, I., see Piao, H. **313**, 159
- Shimizu, K., see Sakaguchi, N. **325**, 186
- Shimobouji, T., see Hahn, S.K. **322**, 44
- Shin, B.C., see Han, H.D. **313**, 181
- Shin, H.S., S.K. Bae, M.G. Lee, Pharmacokinetics of sildenafil after intravenous and oral administration in rats: Hepatic and intestinal first-pass effects **320**, 64
- Shin, S.-C., J.-S. Choi, X. Li, Enhanced bioavailability of tamoxifen after oral administration of tamoxifen with quercetin in rats **313**, 144
- Shin, S.-C., see Cho, C.-W. **320**, 1
- Shin, S.-C., see Kim, J. **315**, 134
- Shinohara, K., see Fukunaka, T. **310**, 146, **311**, 89
- Shiraishi, S., see Sakata, Y. **317**, 120
- Shoyele, S.A., A. Slowey, Prospects of formulating proteins/peptides as aerosols for pulmonary drug delivery **314**, 1
- Si, Q.-F., see Liu, Y.-Y. **308**, 205
- Siahi-Shadbad, M.R., see Jelvehgari, M. **308**, 124
- Siemoneit, U., C. Schmitt, C. Alvarez-Lorenzo, A. Luzardo, F. Otero-Espinar, A. Concheiro, J. Blanco-Méndez, Acrylic/cyclodextrin hydrogels with enhanced drug loading and sustained release capability **312**, 66
- Siepe, S., B. Lueckel, A. Kramer, A. Ries, R. Gurny, Strategies for the design of hydrophilic matrix tablets with controlled microenvironmental pH **316**, 14
- Siepmann, F., S. Muschert, M.P. Flament, P. Leterme, A. Gayot, J. Siepmann, Controlled drug release from Gelucire-based matrix pellets: Experiment and theory **317**, 136
- Siepmann, F., see Elkharraz, K. **314**, 127
- Siepmann, F., see Faisant, N. **314**, 189
- Siepmann, F., see Guse, C. **314**, 137
- Siepmann, F., see Klose, D. **314**, 198
- Siepmann, F., see Siepmann, J. **314**, 101
- Siepmann, J., F. Siepmann, A.T. Florence, Local controlled drug delivery to the brain: Mathematical modeling of the underlying mass transport mechanisms **314**, 101
- Siepmann, J., Local controlled drug delivery to the brain **314**, 99
- Siepmann, J., see Elkharraz, K. **314**, 127
- Siepmann, J., see Faisant, N. **314**, 189
- Siepmann, J., see Guse, C. **314**, 137, 161
- Siepmann, J., see Klose, D. **314**, 198
- Siepmann, J., see Luan, X. **324**, 168
- Siepmann, J., see Siepmann, F. **317**, 136
- Sigurdsson, H.H., T. Loftsson, C.-M. Lehr, Assessment of mucoadhesion by a resonant mirror biosensor **325**, 75
- Silva, C.M., A.J. Ribeiro, I.V. Figueiredo, A.R. Gonçalves, F. Veiga, Alginate microspheres prepared by internal gelation: Development and effect on insulin stability **311**, 1
- Silvina Tomassone, M., see Faqih, A. **324**, 116
- Simonazzi, B., see Felt-Baeyens, O. **322**, 6
- Simovic, S., see Prestidge, C.A. **324**, 92
- Simplício, A.L., see Duarte, A.R.C. **308**, 168, **311**, 50
- Singh, B., G.S. Chauhan, D.K. Sharma, A. Kant, I. Gupta, N. Chauhan, The release dynamics of model drugs from the psyllium and *N*-hydroxymethylacrylamide based hydrogels **325**, 15
- Singh, H., see Kumar, A. **323**, 117
- Singh, I., see Panchagnula, R. **313**, 5
- Singh, J., see Medi, B.M. **308**, 61
- Singh, M., A. Hawtrey, M. Ariatti, Lipoplexes with biotinylated transferrin accessories: Novel, targeted, serum-tolerant gene carriers **321**, 124
- Singh, M., M. Ariatti, A cationic cytofectin with long spacer mediates favourable transfection in transformed human epithelial cells **309**, 189
- Sinico, C., see Manconi, M. **311**, 11
- Sinisterra, R.D., see Martins, P.S. **325**, 39
- Sinka, I.C., see Djemai, A. **319**, 55
- Sinswat, P., see Purvis, T. **324**, 43
- Sintov, A.C., R. Brandy-Sitton, Facilitated skin penetration of lidocaine: Combination of a short-term iontophoresis and microemulsion formulation **316**, 58
- Sintov, A.C., S. Botner, Transdermal drug delivery using microemulsion and aqueous systems: Influence of skin storage conditions on the in vitro permeability of diclofenac from aqueous vehicle systems **311**, 55
- Sipahigil, O., A. Gürsoy, F. Çakalağaoğlu, İ. Okar, Release behaviour and biocompatibility of drug-loaded pH sensitive particles **311**, 130
- Sirgel, F.A., J.S. Maritz, A. Venter, G. Langdon, P.J. Smith, P.R. Donald, Monitoring the ingestion of anti-tuberculosis drugs by simple non-invasive methods **307**, 182
- Skupin, M., see Luan, X. **324**, 168
- Slegers, G., see Pringels, E. **310**, 1
- Sloat, B.R., see Cui, Z. **313**, 206, **317**, 187
- Slowey, A., see Shoyele, S.A. **314**, 1
- Smith, A.-M., see Stops, F. **308**, 8, 14
- Smith, D., see Cai, H. **308**, 133
- Smith, P.J., see Sirgel, F.A. **307**, 182
- Sánchez, Y., see Negro, S. **307**, 278
- Sánchez-Castaño, G., see Rodríguez-Ibáñez, M. **307**, 33
- Soares, L.U., see Cruz, L. **313**, 198
- Soh, J.L.P., C.V. Liew, P.W.S. Heng, Torque rheological parameters to predict pellet quality in extrusion-spheronization **315**, 99
- Sohn, Y.S., see Seong, J.-Y. **314**, 90
- Sokoloski, T., see Burnett, D.J. **313**, 23
- Song, C.-E., see Jeong, Y.-I. **322**, 154
- Song, C.K., see Han, H.D. **313**, 181
- Song, H.-Y., see He, J.-T. **309**, 101
- Song, S., see Lee, P.S. **316**, 29
- Song, S.-C., see Kang, G.D. **319**, 29
- Song, T.W., see Lee, P.S. **316**, 29
- Sonnergaard, J.M., On the misinterpretation of the correlation coefficient in pharmaceutical sciences **321**, 12
- Sonobe, T., see Sadzuka, Y. **312**, 83
- Sonvico, F., A. Cagnani, A. Rossi, S. Motta, M.T. Di Bari, F. Cavatorta, M.J. Alonso, A. Deriu, P. Colombo, Formation of self-organized nanoparticles by lecithin/chitosan ionic interaction **324**, 67
- Sousa, J.J., see Vueba, M.L. **307**, 56
- Souto, E.B., see Müller, R.H. **317**, 82
- Sozio, P., see Carafa, M. **325**, 155
- Spaccasassi, S., see Chiarantini, L. **324**, 83
- Sparnacci, K., see Chiarantini, L. **324**, 83
- Spiller, R.C., see Perkins, A.C. **311**, 20
- Spizzirri, U.G., see Iemma, F. **312**, 151
- Spruss, T., see Guse, C. **314**, 153
- Srčić, S., see Planinšek, O. **319**, 13
- Sriamornsak, P., R.A. Kennedy, A novel gel formation method, microstructure and mechanical properties of calcium polysaccharide gel films **323**, 72
- Staniforth, J.N., see Carvajal, M.T. **307**, 216
- Stankovic, C., see Cai, H. **308**, 133
- Stapley, J., G. Buckton, D. Merrifield, Investigation to find a suitable reference material for use as an inverse gas chromatography system suitability test **318**, 22
- Starokadomskyy, P.L., I.Y. Dubey, New absorption promoter for the buccal delivery: Preparation and characterization of lysalbinic acid **308**, 149
- Steckel, H., P. Markefka, H. teWierik, R. Kammelar, Effect of milling and sieving on functionality of dry powder inhalation products **309**, 51
- Steinfeld, U., C. Pauli, N. Kaltz, C. Bergemann, H.-H. Lee, T lymphocytes as potential therapeutic drug carrier for cancer treatment **311**, 229
- Stepanek, F., see Ansari, M.A. **321**, 108
- Stevens, H.N.E., see Matthews, K.H. **313**, 78
- Stevens, W.F., see Anal, A.K. **312**, 166
- Stoica, C., P. Verwer, H. Meekes, E. Vlieg, P.J.C.M. van Hoof, F.M. Kaspersen, Epitaxial 2D nucleation of the stable polymorphic form of the steroid 7 $\alpha$ MNa on the metastable form: Implications for Ostwald's rule of stages **309**, 16
- Stoner, C., see Cai, H. **308**, 133
- Stops, F., J.T. Fell, J.H. Collett, L.G. Martini, H.L. Sharma, A.-M. Smith, Citric acid prolongs the gastro-retention of a floating dosage form and increases bioavailability of riboflavin in the fasted state **308**, 14

- Stops, F., J.T. Fell, J.H. Collett, L.G. Martini, H.L. Sharma, A.-M. Smith, The use of citric acid to prolong the *in vivo* gastro-retention of a floating dosage form in the fasted state **308**, 8
- Story, J., see Jenke, D.R. **315**, 75
- Strømme, M., see Heidarian, M. **323**, 139
- Šturm, K., see Šakelj, S. **313**, 175
- Su, H., see Li, F.-Q. **324**, 152
- Su, H.-B., see He, J.-T. **309**, 101
- Su, W., see Ma, Y. **307**, 292
- Su, Z.-G., see Wang, L.-Y. **311**, 187
- Su, Z.-G., see Wu, J. **315**, 1
- Subramony, J.A., A. Sharma, J.B. Phipps, Microprocessor controlled transdermal drug delivery **317**, 1
- Suenaga, E., see Maia, A.M. **322**, 130
- Sugibayashi, K., see Wu, X.-M. **316**, 102
- Sugie, M., see Shen, Q. **313**, 49
- Sugimoto, M., S. Narisawa, K. Matsubara, H. Yoshino, M. Nakano, T. Handa, Development of manufacturing method for rapidly disintegrating oral tablets using the crystalline transition of amorphous sucrose **320**, 71
- Sugioka, N., see Ito, Y. **317**, 114
- Sugioka, N., see Venkatesan, N. **310**, 46
- Sugiyama, I., see Sadzuka, Y. **312**, 83
- Suitchmezian, V., I. Jeß, C. Näther, Investigations on the polymorphism and pseudopolymorphism of triamcinolone diacetate **323**, 101
- Sun, C.(Calvin), Solid-state properties and crystallization behavior of PHA-739521 polymorphs **319**, 114
- Sun, D.-Z., L. Li, X.-M. Qiu, F. Liu, B.-L. Yin, Isothermal titration calorimetry and <sup>1</sup>H NMR studies on host–guest interaction of paeonol and two of its isomers with  $\beta$ -cyclodextrin **316**, 7
- Sun, H.-h., see Chen, F.-m. **307**, 23
- Sun, L., see Liu, Y.-Y. **308**, 205
- Sun, M., see Xu, X. **310**, 139
- Sun, N., see Wei, X. **318**, 132
- Sun, S.J., see Liang, D.C. **314**, 63
- Sung, J.H., see Lee, P.S. **316**, 29
- Sunghongjeen, S., O. Paeratakul, S. Limmatvapirat, S. Puttipipatkachorn, Preparation and *in vitro* evaluation of a multiple-unit floating drug delivery system based on gas formation technique **324**, 136
- Sunghongjeen, S., see Pongjanyakul, T. **319**, 20
- Surendran, N., see Cai, H. **308**, 133
- Sutariya, V.B., see Sankalia, M.G. **312**, 1
- Süvegh, K., see Pintye-Hódi, K. **313**, 66
- Swaminathan, V., J. Cobb, I. Saracovan, Measurement of the surface energy of lubricated pharmaceutical powders by inverse gas chromatography **312**, 158
- Swamy, M.G., see Vivekanandan, K. **313**, 214
- Sweetland, H., see Birchall, J. **312**, 15
- Sznitowska, M., see Pietkiewicz, J. **310**, 64
- Sznitowska, M., see Watrobska-Swietlikowska, D. **312**, 174
- Tabata, S., see Masuda, K. **318**, 146
- Tabbakhian, M., N. Tavakoli, M.R. Jaafari, S. Daneshamouz, Enhancement of follicular delivery of finasteride by liposomes and niosomes. 1. *In vitro* permeation and *in vivo* deposition studies using hamster flank and ear models **323**, 1
- Tafaghodi, M., S.A. Sajadi Tabassi, M.R. Jaafari, Induction of systemic and mucosal immune responses by intranasal administration of alginate microspheres encapsulated with tetanus toxoid and CpG-ODN **319**, 37
- Takada, K., see Ito, Y. **317**, 114
- Takada, K., see Venkatesan, N. **310**, 46
- Takatsuka, S., T. Morita, A. Koguchi, Y. Horikiri, H. Yamahara, H. Yoshino, Synergistic absorption enhancement of salmon calcitonin and reversible mucosal injury by applying a mucolytic agent and a non-ionic surfactant **316**, 124
- Takayama, K., see Miyazaki, Y. **324**, 144
- Takemura, S., see Katsuma, M. **307**, 156
- Talluri, R.S., see Katragadda, S. **320**, 104
- Tang, G., see Zhan, X. **322**, 1
- Tang, Q., see Huang, W.X. **311**, 33
- Tang, X., see Wang, X. **317**, 40
- Tantishaiyakul, V., N. Worakul, W. Wongpoowarak, Prediction of solubility parameters using partial least square regression **325**, 8
- Tao, X., see Azarmi, S. **319**, 155
- Tao, X.-M., see He, J.-T. **309**, 101
- Taqueda, M.E.S., see Martinello, T. **322**, 87
- Tarsin, W.Y., S.B. Pearson, K.H. Assi, H. Chrystyn, Emitted dose estimates from Seretide® Diskus® and Symbicort® Turbuhaler® following inhalation by severe asthmatics **316**, 131
- Tarvainen, T., M. Malin, I. Barragan, J. Tuominen, J. Seppälä, K. Järvinen, Effects of incorporated drugs on degradation of novel 2,2'-bis(2-oxazoline) linked poly(lactic acid) films **310**, 162
- Tavakoli, N., see Tabbakhian, M. **323**, 1
- Taylor, K.M.G., see Elhissi, A.M.A. **320**, 124
- Taylor, K.M.G., see Khatri, L. **322**, 113
- Terada, K., see Fukami, J. **310**, 101
- Terada, K., see Masuda, K. **318**, 146
- Terada, T., M. Nishikawa, F. Yamashita, M. Hashida, Analysis of the molecular interaction between mannosylated proteins and serum mannan-binding lectins **316**, 117
- Teruel, J.A., see Ortiz, A. **325**, 99
- Testa, C., see Gavini, E. **307**, 9
- Tewa-Tagne, P., S. Briançon, H. Fessi, Spray-dried microparticles containing polymeric nanocapsules: Formulation aspects, liquid phase interactions and particles characteristics **325**, 63
- teWierik, H., see Steckel, H. **309**, 51
- Thakur, R., R.B. Gupta, Formation of phenytoin nanoparticles using rapid expansion of supercritical solution with solid cosolvent (RESS-SC) process **308**, 190
- Thaler, M., see Föger, F. **319**, 139
- Theophilus, A., A. Moore, D. Prime, S. Rossomanno, B. Whitcher, H. Chrystyn, Co-deposition of salmeterol and fluticasone propionate by a combination inhaler **313**, 14
- Thewalt, J.L., see Rowat, A.C. **307**, 225
- Thielmann, F., see Burnett, D.J. **313**, 23
- Thünemann, A.F., see Müller, R.H. **317**, 82
- Tho, I., see Hiorth, M. **308**, 25
- Thomas, C.P., see Heard, C.M. **317**, 26, **321**, 167
- Thomas, O., see Lagarce, F. **314**, 179
- Tian, F., S. Sane, J.H. Rytting, Calorimetric investigation of protein/amino acid interactions in the solid state **310**, 175
- Todo, H., see Wu, X.-M. **316**, 102
- Togashi, M., see Itoh, K. **312**, 37
- Toma, K., see Furuhashi, M. **316**, 109
- Tommasini, S., see Ventura, C.A. **314**, 37
- Tondelli, L., see Chiarantini, L. **324**, 83
- Toner, C.F., see Woolfson, A.D. **325**, 82
- Tong, L., see Jin, Y. **309**, 199
- Tong, Z., see Wang, C. **308**, 160
- Torchilin, V.P., see Dabholkar, R.D. **315**, 148
- Toropainen, T., see Matilainen, L. **318**, 41
- Torrecillas, A., J.D. Aroca-Aguilar, F.J. Aranda, C. Gajate, F. Mollinedo, S. Corbalán-García, A. de Godos, J.C. Gómez-Fernández, Effects of the anti-neoplastic agent ET-18-OCH<sub>3</sub> and some analogs on the biophysical properties of model membranes **318**, 28
- Tosi, G., see Leo, E. **307**, 103, **323**, 131
- Toth, I., see Pignatello, R. **310**, 53
- Traini, D., P.M. Young, P. Rogueda, R. Price, Investigation into the influence of polymeric stabilizing excipients on inter-particulate forces in pressurised metered dose inhalers **320**, 58
- Trask, A.V., W.D.S. Motherwell, W. Jones, Physical stability enhancement of theophylline via cocrystallization **320**, 114
- Trimaille, T., K. Mondon, R. Gurny, M. Möller, Novel polymeric micelles for hydrophobic drug delivery based on biodegradable poly(hexyl-substituted lactides) **319**, 147
- Trombeta, L., see Kaushal, G. **313**, 29
- Trombino, S., see Iemma, F. **312**, 151

- Tsai, W.-J., see Chung, T.-W. **311**, 122  
 Tsantili-Kakoulidou, A., see Koufopoulou, S.-A. **316**, 52  
 Tsuji, A., see Jin, M. **309**, 81  
 Tsuruda, T., see Sadzuka, Y. **312**, 83  
 Tuominen, J., see Tarvainen, T. **310**, 162  
 Turco Liveri, V., see Bongiorno, D. **312**, 96  
 Tursilli, R., see Scalia, S. **308**, 155, **320**, 79  
 Tutunji, L.F., see Tutunji, M.F. **323**, 110  
 Tutunji, M.F., A.M. Qaisi, B. El-Eswed, L.F. Tutunji, An in vitro investigation on acid catalyzed reactions of proton pump inhibitors in the absence of an electrophile **323**, 110
- Ueoka, R., see Nagami, H. **315**, 167  
 Urbanczyk-Lipkowska, Z., see Klajnert, B. **309**, 208  
 Urtti, A., see Paasonen, L. **307**, 188
- Valenti, D., see Manconi, M. **311**, 11  
 Valenzuela, B., E. López-Pintor, J.J. Pérez-Ruixo, A. Nácher, A. Martín-Villodre, V.G. Casabó, Modelling intestinal absorption of salbutamol sulphate in rats **314**, 21  
 Valsami, G., see Vertzoni, M. **309**, 115  
 Van den Mooter, G., I. Weuts, T. De Ridder, N. Blaton, Evaluation of Inutec SP1 as a new carrier in the formulation of solid dispersions for poorly soluble drugs **316**, 1  
 Van den Mooter, G., see Dillen, K. **314**, 72  
 Van den Mooter, G., see Goddeeris, C. **312**, 187  
 van der Voort Maarschalk, K., see de Vegt, O. **317**, 47  
 van der Walle, C.F., see Mohamed, F. **311**, 97  
 van Drooge, D.J., W.L.J. Hinrichs, M.R. Visser, H.W. Frijlink, Characterization of the molecular distribution of drugs in glassy solid dispersions at the nanometer scale, using differential scanning calorimetry and gravimetric water vapour sorption techniques **310**, 220  
 van het Schip, A.D., see Zielhuis, S.W. **311**, 69, **315**, 67  
 van Hoof, P.J.C.M., see Stoica, C. **309**, 16  
 van Rijk, P.P., see Zielhuis, S.W. **311**, 69  
 Vandelli, M.A., see Leo, E. **323**, 131  
 Vandermeulen, G., L. Rouxhet, A. Arien, M.E. Brewster, V. Pr at, Encapsulation of amphotericin B in poly(ethylene glycol)-block-poly( $\epsilon$ -caprolactone-co-trimethylenecarbonate) polymeric micelles **309**, 234  
 Vandervoort, J., see Dillen, K. **314**, 72  
 Vargas, E., see D az, C. **325**, 108  
 Vasanti, S., see Anroop, B. **325**, 191  
 Vasiljevic, D., J. Parojcic, M. Primorac, G. Vuleta, An investigation into the characteristics and drug release properties of multiple W/O/W emulsion systems containing low concentration of lipophilic polymeric emulsifier **309**, 171  
 Vaughn, J.M., see Purvis, T. **324**, 43  
 Vauthier, C., see Bravo-Osuna, I. **316**, 170  
 Vauthier, C., see Quaglia, F. **324**, 56  
 Vavia, P.R., see Chavanpatil, M.D. **316**, 86  
 Veiga, F., see Silva, C.M. **311**, 1  
 Veiga, F., see Vueba, M.L. **307**, 56  
 Velasco, M.V.R., see Baby, A.R. **317**, 7  
 Velasco, M.V.R., see Maia, A.M. **322**, 130  
 Velasco, M.V.R., see Martinello, T. **322**, 87  
 Velasco, M.V.R., see Rolim, A. **308**, 107  
 Venkatesan, N., J. Yoshimitsu, Y. Ohashi, Y. Ito, N. Sugioka, N. Shibata, K. Takada, Pharmacokinetic and pharmacodynamic studies following oral administration of erythropoietin mucoadhesive tablets to beagle dogs **310**, 46  
 Venter, A., see Sirgel, F.A. **307**, 182  
 Venter, J.P., A.F. Kotz e, R. Auz ely-Velty, M. Rinaudo, Synthesis and evaluation of the mucoadhesivity of a CD-chitosan derivative **313**, 36  
 Ventura, C.A., S. Tommasini, A. Falcone, I. Giannone, D. Paolino, V. Sdrafkakis, M.R. Mondello, G. Puglisi, Influence of modified cyclodextrins on solubility and percutaneous absorption of celecoxib through human skin **314**, 37  
 Ventura, C.A., see Musumeci, T. **325**, 172
- Vermehren, C., S. Frokjaer, T. Aurstad, J. Hansen, Lung surfactant as a drug delivery system **307**, 89  
 Versland, T., see Hiorth, M. **308**, 25  
 Vertzoni, M., T. Kartezini, C. Reppas, H. Archontaki, G. Valsami, Solubilization and quantification of lycopene in aqueous media in the form of cyclodextrin binary systems **309**, 115  
 Vervaet, C., see Pringels, E. **310**, 1  
 Verwer, P., see Stoica, C. **309**, 16  
 Vesi c, S.A., see Savi c, S.D. **320**, 86  
 Villaggi, L., see Lamas, M.C. **307**, 239  
 Villalobos-Hern andez, J.R., C.C. M uller-Goymann, Sun protection enhancement of titanium dioxide crystals by the use of carnauba wax nanoparticles: The synergistic interaction between organic and inorganic sunscreens at nanoscale **322**, 161  
 Viras, K., see Gardikis, K. **318**, 118  
 Visser, M.R., see Bouwman, A.M. **318**, 78  
 Visser, M.R., see van Drooge, D.J. **310**, 220  
 Vivekanandan, K., M.G. Swamy, S. Prasad, G.C. Maikap, R. Mukherjee, A.C. Burman, Identification of degradation products from aqueous carboplatin injection samples by electrospray mass spectrometry **313**, 214  
 Vivilecchia, R.V., see Huang, W.X. **311**, 33  
 Vlachou, M., see Efentakis, M. **311**, 147  
 Vlachou, M., see Papadopoulou, V. **309**, 44  
 Vlieg, E., see Stoica, C. **309**, 16  
 Voilley, A., see Chambin, O. **321**, 86  
 Vrignaud, S., see Malzert-Fr eon, A. **320**, 157  
 Vromans, H., see de Vegt, O. **317**, 47  
 Vueba, M.L., M.E. Pina, F. Veiga, J.J. Sousa, L.A.E.B. de Carvalho, Conformational study of ketoprofen by combined DFT calculations and Raman spectroscopy **307**, 56  
 Vuleta, G., see Vasiljevic, D. **309**, 171  
 Vuleta, G.M., see Savi c, S.D. **320**, 86  
 Vyas, S.P., see Goyal, A.K. **309**, 227  
 Vyas, S.P., see Gupta, P.N. **318**, 163
- Wagner, M., see Gardikis, K. **318**, 118  
 Wakasawa, T., see Hirakura, Y. **325**, 26  
 Wakayama, K., see Shen, Q. **313**, 49  
 Wang, C., C. He, Z. Tong, X. Liu, B. Ren, F. Zeng, Combination of adsorption by porous CaCO<sub>3</sub> microparticles and encapsulation by polyelectrolyte multilayer films for sustained drug delivery **308**, 160  
 Wang, C.-H., see Hsiue, G.-H. **317**, 69  
 Wang, G.-M., C.-H. Chen, H.-O. Ho, S.-S. Wang, M.-T. Sheu, Novel design of osmotic chitosan capsules characterized by asymmetric membrane structure for in situ formation of delivery orifice **319**, 71  
 Wang, J.-c., see Wang, X.-q. **322**, 146  
 Wang, L., see Cui, G. **325**, 180  
 Wang, L.-Y., Y.-H. Gu, Z.-G. Su, G.-H. Ma, Preparation and improvement of release behavior of chitosan microspheres containing insulin **311**, 187  
 Wang, Q.-t., see Chen, F.-m. **307**, 23  
 Wang, S., L. Cheng, F. Yu, W. Pan, J. Zhang, Delivery of different length poly(L-lysine)-conjugated ODN to HepG2 cells using *N*-stearylactobionamide-modified liposomes and their enhanced cellular biological effects **311**, 82  
 Wang, S.-L., see Lin, S.-Y. **318**, 86  
 Wang, S.-S., see Wang, G.-M. **319**, 71  
 Wang, T., S. Kasichayanula, X. Gu, In vitro permeation of repellent DEET and sunscreen oxybenzone across three artificial membranes **310**, 110  
 Wang, W., see Cui, J. **312**, 131  
 Wang, X., H. He, W. Leng, X. Tang, Evaluation of brain-targeting for the nasal delivery of estradiol by the microdialysis method **317**, 40  
 Wang, X.-q., J. Huang, J.-d. Dai, T. Zhang, W.-l. L u, H. Zhang, X. Zhang, J.-c. Wang, Q. Zhang, Long-term studies on the stability and oral bioavailability of cyclosporine A nanoparticle colloid **322**, 146  
 Wang, Y., see Cui, J. **312**, 131  
 Wang, Y., see Liu, H. **311**, 182  
 Wang, Y., see Wong, M. **307**, 163  
 Wang, Y.-s., see Gao, Y. **318**, 62

- Wang, Y.N., see Fan, Y.F. **324**, 158  
Wang, Z., see Azarmi, S. **319**, 155  
Wang, Z., see Mei, X. **324**, 128  
Warrier, B.K., see Cheeti, S. **325**, 48  
Watanabe, J., see Piao, H. **313**, 159  
Watanabe, M., K. Kawano, M. Yokoyama, P. Opanasopit, T. Okano, Y. Maitani, Preparation of camptothecin-loaded polymeric micelles and evaluation of their incorporation and circulation stability **308**, 183  
Watanabe, S., see Katsuma, M. **307**, 156  
Watrobska-Swietlikowska, D., M. Sznitowska, Partitioning of parabens between phases of submicron emulsions stabilized with egg lecithin **312**, 174  
Wei, B.-R., see Liu, Y.-Y. **308**, 205  
Wei, X., N. Sun, B. Wu, C. Yin, W. Wu, Sigmoidal release of indomethacin from pectin matrix tablets: Effect of in situ crosslinking by calcium cations **318**, 132  
Weiser, B., see Appel, B. **314**, 170  
Weithaler, A., see Bernkop-Schnürch, A. **317**, 76  
Wen, N., see Cheng, J. **313**, 136  
Werawatganone, P., W. Muangsiri, A. Roopdee, HPMC effect on catalyzed hydrolysis of  $\alpha$ -naphthyl acetate in cationic micellar systems **321**, 138  
Weuts, I., see Van den Mooter, G. **316**, 1  
Whitcher, B., see Theophilus, A. **313**, 14  
Whittaker, D.V., see Boyd, B.J. **309**, 218, **318**, 154  
Wigent, R.J., see Huang, J. **319**, 44  
Williams, III, R.O., see Purvis, T. **324**, 43  
Winters, R., see Cai, H. **308**, 133  
Wittaya-arekul, S., C. Praharn, Development and in vitro evaluation of chitosan–polysaccharides composite wound dressings **313**, 123  
Wittaya-arekul, S., J. Krueinate, C. Praharn, Preparation and in vitro evaluation of mucoadhesive properties of alginate/chitosan microparticles containing prednisolone **312**, 113  
Witzke, G., see Eberhard, U. **313**, 1  
Wong, M., R. Marion, K. Reed, Y. Wang, Sorption of unoprostone isopropyl to packaging materials **307**, 163  
Wong, S.M., I.W. Kellaway, S. Murdan, Enhancement of the dissolution rate and oral absorption of a poorly water soluble drug by formation of surfactant-containing microparticles **317**, 61  
Wongpoowarak, W., see Tantishaiyakul, V. **325**, 8  
Woo, J.-S., see Yong, C.S. **321**, 56  
Woolfson, A.D., R.K. Malcolm, R.J. Morrow, C.F. Toner, S.D. McCullagh, Intravaginal ring delivery of the reverse transcriptase inhibitor TMC 120 as an HIV microbicide **325**, 82  
Worakul, N., see Tantishaiyakul, V. **325**, 8  
Wüthrich, P., see Giry, K. **321**, 162  
Wu, B., see Wei, X. **318**, 132  
Wu, H., see Chen, F.-m. **307**, 23  
Wu, J., Q. Liu, R.J. Lee, A folate receptor-targeted liposomal formulation for paclitaxel **316**, 148  
Wu, J., Z.-G. Su, G.-H. Ma, A thermo- and pH-sensitive hydrogel composed of quaternized chitosan/glycerophosphate **315**, 1  
Wu, S.-L., see Zheng, X. **322**, 136  
Wu, W., see Wei, X. **318**, 132  
Wu, X.-M., H. Todo, K. Sugibayashi, Effects of pretreatment of needle puncture and sandpaper abrasion on the in vitro skin permeation of fluorescein isothiocyanate (FITC)-dextran **316**, 102  
Wu, Z.-f., see Chen, F.-m. **307**, 23  
  
Xiao, J.-H., see Zhuang, X.-M. **309**, 109  
Xie, B., Preparation of uniform biodegradable microparticles using laser ablation **325**, 194  
Xin, S.-n., see Chen, F.-m. **307**, 23  
Xing, T., see Lixin, W. **323**, 161  
Xiong, F., see Cheng, J. **313**, 136  
Xiong, S.-B., see Lu, B. **307**, 168, 175  
Xu, H., see Chen, H. **315**, 52  
Xu, S., see Li, F.-Q. **324**, 152  
Xu, X., M. Sun, F. Zhi, Y. Hu, Floating matrix dosage form for phenoprolamine hydrochloride based on gas forming agent: In vitro and in vivo evaluation in healthy volunteers **310**, 139  
Xu, Y., M.A. Hanna, Electrospray encapsulation of water-soluble protein with polylactide. Effects of formulations on morphology, encapsulation efficiency and release profile of particles **320**, 30  
Xuan, J.J., see Yong, C.S. **321**, 56  
  
Yadav, V., see Nimesh, S. **323**, 146  
Yaegashi, Y., see Fukunaka, T. **310**, 146  
Yakou, S., see Miyazaki, Y. **324**, 144  
Yalkowsky, S.H., see He, Y. **314**, 15  
Yalkowsky, S.H., see Jain, N. **319**, 169  
Yamahara, H., see Takatsuka, S. **316**, 124  
Yamamoto, A., see Shen, Q. **313**, 49  
Yamashita, F., see Chansri, N. **321**, 42  
Yamashita, F., see Terada, T. **316**, 117  
Yan, G.-B., see Bai, T.-C. **308**, 100  
Yan-yu, X., S. Yun-mei, C. Zhi-peng, P. Qi-neng, Preparation of silymarin liposome: A new way to increase oral bioavailability of silymarin in beagle dogs **319**, 162  
Yang, G., see Jain, N. **319**, 169  
Yang, H., see Lu, B. **307**, 168, 175  
Yang, J., S.-B. Park, H.-G. Yoon, Y.-M. Huh, S. Haam, Preparation of poly  $\epsilon$ -caprolactone nanoparticles containing magnetite for magnetic drug carrier **324**, 185  
Yang, J., see Choi, Y. **320**, 45  
Yang, J.-L., see Hsiue, G.-H. **317**, 69  
Yang, L., see Gao, Y. **318**, 62  
Yang, M.-C., see Chung, T.-W. **311**, 122  
Yang, R., see Huang, W.X. **311**, 33  
Yang, X., see Chen, H. **315**, 52  
Yang, X., see Hu, Z. **317**, 144  
Yanyu, X., S. Yunmei, C. Zhipeng, P. Qineng, The preparation of silybin–phospholipid complex and the study on its pharmacokinetics in rats **307**, 77  
Yao, H., see Liu, H. **311**, 182  
Yao, H.-M., W.L. Chiou, The complexity of intestinal absorption and exsorption of digoxin in rats **322**, 79  
Yasaka, W.J., see Maia, A.M. **322**, 130  
Ye, Y.-Q., see Hu, F.-Q. **314**, 83  
Yegin, B.A., A. Lamprecht, Lipid nanocapsule size analysis by hydrodynamic chromatography and photon correlation spectroscopy **320**, 165  
Yilmaz, E., H.-H. Borchert, Effect of lipid-containing, positively charged nanoemulsions on skin hydration, elasticity and erythema—An in vivo study **307**, 232  
Yin, B.-L., see Sun, D.-Z. **316**, 7  
Yin, C., see Cui, F. **316**, 154  
Yin, C., see Wei, X. **318**, 132  
Yin, J., Y. Noda, T. Yotsuyanagi, Properties of poly(lactic-co-glycolic acid) nanospheres containing protease inhibitors: Camostat mesilate and nafamostat mesilate **314**, 46  
Yin, X.-D., see Lu, B. **307**, 168, 175  
Yıldız, A., see Cevher, E. **317**, 127  
Yliperttula, M., see Paasonen, L. **307**, 188  
Yohannes, P., see Badkar, A. **309**, 146  
Yokogawa, K., see Jin, M. **309**, 81  
Yokota, S., see Hirakura, Y. **325**, 26  
Yokoyama, H., see Piao, H. **313**, 159  
Yokoyama, M., see Watanabe, M. **308**, 183  
Yonemochi, E., see Fukami, J. **310**, 101  
Yonemochi, E., see Masuda, K. **318**, 146  
Yong, C.S., J.J. Xuan, S.-H. Paek, Y.-K. Oh, J.-S. Woo, M.H. Lee, J.-A. Kim, H.-G. Choi, Enhanced anti-tumor activity and alleviated hepatotoxicity of clotrimazole-loaded suppository using poloxamer–propylene glycol gel **321**, 56  
Yong, H., see Yongguang, Y. **312**, 33  
Yongguang, Y., H. Yuzhu, H. Yong, Pulsed electric field extraction of polysaccharide from *Rana temporaria chensinensis* David **312**, 33  
Yoo, J.-W., K. Dharmala, C.H. Lee, The physicochemical properties of mucoadhesive polymeric films developed as female controlled drug delivery system **309**, 139

- Yoo, M., see Jo, Y.W. **309**, 87  
Yoon, H.-G., see Yang, J. **324**, 185  
Yoshida, S., see Sasaki, H. **318**, 139  
Yoshihashi, Y., see Fukami, J. **310**, 101  
Yoshimitsu, J., see Venkatesan, N. **310**, 46  
Yoshino, H., see Sugimoto, M. **320**, 71  
Yoshino, H., see Takatsuka, S. **316**, 124  
Yoshioka, T., see Sasaki, H. **318**, 139  
Yotsuyanagi, T., see Yin, J. **314**, 46  
You, J., see Hu, F.-Q. **315**, 158  
Youn, Y.S., see Jo, Y.W. **309**, 87  
Young, P.M., see Traini, D. **320**, 58  
Yu, F., see Wang, S. **311**, 82  
Yu, L., S. Li, Y. Yuan, Y. Dai, H. Liu, The delivery of ketoprofen from a system containing ion-exchange fibers **319**, 107  
Yuan, H., see Hu, F.-Q. **314**, 83, **315**, 158  
Yuan, Y., S.-m. Li, F.-k. Mo, D.-f. Zhong, Investigation of microemulsion system for transdermal delivery of meloxicam **321**, 117  
Yuan, Y., see Yu, L. **319**, 107  
Yumoto, N., see Eguchi, M. **311**, 215  
Yun, J., see Zhang, J.-Y. **323**, 153  
Yun-mei, S., see Yan-yu, X. **319**, 162  
Yunmei, S., see Yanyu, X. **307**, 77  
Yuzhu, H., see Yongguang, Y. **312**, 33  
  
Zague, V., see Rolim, A. **308**, 107  
Zambito, Y., see Di Colo, G. **310**, 154  
Zavaleta, C., see Bao, A. **316**, 162  
Zawislak, A.A., see Donnelly, R.F. **307**, 318  
Zega, A., see Planinšek, O. **319**, 13  
Zelkó, R., see Dredán, J. **310**, 25  
Zelkó, R., see Farkas, E. **307**, 51  
Zelkó, R., see Pintye-Hódi, K. **313**, 66  
Zeng, F., see Wang, C. **308**, 160  
Zeng, S., see Hu, F.-Q. **314**, 83, **315**, 158  
Zhan, X., G. Tang, S. Chen, Z. Mao, A new copolymer membrane controlling clonidine linear release in a transdermal drug delivery system **322**, 1  
Zhang, H., see Wang, X.-q. **322**, 146  
Zhang, H.-L., see Bai, T.-C. **308**, 100  
Zhang, J., see Wang, S. **311**, 82  
Zhang, J.-Y., Z.-G. Shen, J. Zhong, T.-T. Hu, J.-F. Chen, Z.-Q. Ma, J. Yun, Preparation of amorphous cefuroxime axetil nanoparticles by controlled nanoprecipitation method without surfactants **323**, 153  
Zhang, J.Y., see Liang, D.C. **314**, 63  
Zhang, L.-n., see Gao, Y. **318**, 62  
Zhang, Q., see Wang, X.-q. **322**, 146  
Zhang, T., see Wang, X.-q. **322**, 146  
Zhang, X., see Wang, X.-q. **322**, 146  
Zhang, Y., see Liu, H. **311**, 182  
Zhang, Y.-j., see Chen, F.-m. **307**, 23  
Zhang, Z., S.-S. Feng, Self-assembled nanoparticles of poly(lactide)-Vitamin E TPGS copolymers for oral chemotherapy **324**, 191  
Zhang, Z.-Q., see Zhuang, X.-M. **309**, 109  
Zhao, J., H.M. Burt, R.A. Miller, The Gurnham equation in characterizing the compressibility of pharmaceutical materials **317**, 109  
Zhao, M.-D., see Hu, F.-Q. **315**, 158  
Zhao, R.-B., see Lu, B. **307**, 168, 175  
Zheng, J.Y., L.J. Janis, Influence of pH, buffer species, and storage temperature on physicochemical stability of a humanized monoclonal antibody LA298 **308**, 46  
Zheng, J.Y., M.-y. Fulu, Decrease of genital organ weights and plasma testosterone levels in rats following oral administration of leuprolide microemulsion **307**, 209  
Zheng, J.Y., M.P. Keeney, Taste masking analysis in pharmaceutical formulation development using an electronic tongue **310**, 118  
Zheng, X., S.-L. Wu, W.S. Hancock, Glycation of interferon-beta-1b and human serum albumin in a lyophilized glucose formulation. Part III: Application of proteomic analysis to the manufacture of biological drugs **322**, 136  
Zheng, X., see Bao, A. **316**, 162  
Zheng, Y., Z. Zuo, A.H. L. Chow, Lack of effect of  $\beta$ -cyclodextrin and its water-soluble derivatives on in vitro drug transport across rat intestinal epithelium **309**, 123  
Zhi, F., see Xu, X. **310**, 139  
Zhi-peng, C., see Yan-yu, X. **319**, 162  
Zhipeng, C., see Yanyu, X. **307**, 77  
Zhong, D.-f., see Yuan, Y. **321**, 117  
Zhong, J., see Zhang, J.-Y. **323**, 153  
Zhong, Z., see Mu, X. **318**, 55  
Zhu, H.(., Dehydration behavior and structural characterization of the GW275919X monohydrate **315**, 18  
Zhu, J.-b., see Cheng, J. **313**, 136  
Zhuang, X.-M., J.-H. Xiao, J.-T. Li, Z.-Q. Zhang, J.-X. Ruan, A simplified model to predict *P*-glycoprotein interacting drugs from 3D molecular interaction field **309**, 109  
Zielhuis, S.W., J.F.W. Nijssen, L. Dorland, G.C. Krijger, A.D. van het Schip, W.E. Hennink, Removal of chloroform from biodegradable therapeutic microspheres by radiolysis **315**, 67  
Zielhuis, S.W., J.F.W. Nijssen, R. de Roos, G.C. Krijger, P.P. van Rijk, W.E. Hennink, A.D. van het Schip, Production of GMP-grade radioactive holmium loaded poly(L-lactic acid) microspheres for clinical application **311**, 69  
Zimmermann, C., see Altenbach, M. **307**, 308  
Zuo, A.J., see Liang, D.C. **314**, 63  
Zuo, Z., see Zheng, Y. **309**, 123