



Heat transfer bibliography – Japanese works 2005

H. Yoshida ^{a,*}, S. Maruyama ^b, K. Takeishi ^c, T. Kunugi ^a, Z. Kawara ^a, H. Iwai ^a, M. Saito ^a, Y. Oda ^c

^a Graduate School of Engineering, Kyoto University, Kyoto 606-8501, Japan

^b Graduate School of Engineering, The University of Tokyo, Tokyo 113-8656, Japan

^c Graduate School of Engineering, Osaka University, Osaka 565-0871, Japan

1. Thermal properties

- T. Fukazawa, T. Masaki, T. Itami, Y. Watanabe, Diffusion coefficient measurement of Au in liquid Ag by shear-cell method, *Netsu Bussei* (Jpn. J. Thermophys. Prop.) 19 (3) (2005) 147–152.
- N. Haruki, H. Inaba, A. Oribe, S. Tanaka, Viscosity measurements of ethylene glycol solution with flow drag reduction additives, *Netsu Bussei* (Jpn. J. Thermophys. Prop.) 19 (2) (2005) 67–72.
- T. Ishikawa, P.F. Paradis, R. Fujii, S. Yoda, Thermophysical properties of molten tungsten measured with an electrostatic levitator, *Netsu Bussei* (Jpn. J. Thermophys. Prop.) 19 (2) (2005) 61–66.
- K. Kitano, K. Hanyuda, E. Takegoshi, M. Sawada, Y. Hirasawa, A. Kosaka, A study on thermal conductivity of mixture of magnesia particle and molten nitrate by a transient hot wire method, *Netsu Bussei* (Jpn. J. Thermophys. Prop.) 19 (3) (2005) 142–146.
- Y. Koshikawa, K. Kato, I. Kano, I. Takahashi, Quality inspection in polymer processing by a thermophysical handy tester, *Netsu Bussei* (Jpn. J. Thermophys. Prop.) 19 (4) (2005) 216–221.
- X.G. Liang, Z.Y. Guo, Z.X. Li, Flow and thermal behavior at micro/nano scales, *Therm. Sci. Eng.* 13 (1) (2005) 11–18 (in English).
- N. Nakamura, H. Morooka, H. Morooka, Apparent thermal conductivity of power stretch knitted fabrics for women's foundation garments under dry and wet conditions, *Netsu Bussei* (Jpn. J. Thermophys. Prop.) 19 (2) (2005) 73–78.
- M. Ota, M. Ferdows, Monte carlo approach to structure and thermodynamic property of CO₂ hydrate, *JSME Int. J. Ser. B* 48 (4) (2005) 802–809 (in English).
- T. Otaka, Y. Asako, Thermal intumescence characteristics of heated sodium silicate (effect of SiO₂/Na₂O on thermal intumescence characteristics), *Therm. Sci. Eng.* 13 (3) (2005) 19–25.
- T. Shudo, H. Oka, Thermophysical properties of working fluid and heat transfer in a hydrogen combustion engine, *Trans. Jpn. Soc. Mech. Eng.* B 71 (702) (2005) 730–736.
- Y. Taguchi, Y. Horiguchi, M. Kobayashi, T. Saiki, Y. Nagasaka, Measurement method for nano-scale thermophysical properties by using near-field optics (applicability to single-walled carbon nano-tubes), *Trans. Jpn. Soc. Mech. Eng.* B 71 (712) (2005) 2996–3002.
- Y. Tanaka, T. Numada, S. Kaneko, S. Okabe, Thermodynamic and transport properties of Ar thermal plasmas with polymer ablated

vapors and influence of their inclusions on plasma temperature, *JSME Int. J. Ser. B* 48 (3) (2005) 417–424 (in English).

- S. Volz, G. Domingues, J.J. Greffet, Nanoscale Heat Transfer and Extreme Effects, *Therm. Sci. Eng.* 13 (1) (2005) 7–9 (in English).
- X. Zhang, H. Xie, M. Fujii, K. Takahashi, H. Ago, T. Shimizu, H. Abe, Measurements of in-plane thermal conductivity and electrical conductivity of suspended platinum thin film, *Netsu Bussei* (Jpn. J. Thermophys. Prop.) 19 (1) (2005) 9–14.

2. Heat conduction

- K. Fukuyo, Stability and Accuracy of Power-series Method (In Case of One-dimensional Heat Conduction), *Trans. Jpn. Soc. Mech. Eng. B* 71 (702) (2005) 565–572.
- C.K. Kim, Unstructured finite element method for transient heat conduction of moving heat source, *JSME Int. J. Ser. B* 48 (3) (2005) 618–623 (in English).
- M. Monde, P. Woodfield, Y. Mitutake, H. Matsueda, Improvement of Inverse Solution in Heat Conduction using Laplace Transformation, *Trans. Jpn. Soc. Mech. Eng. B* 71 (710) (2005) 2523–2530.
- Y. Osone, T. Kubo, N. Nakazato, Improvement of thermal contact conductance at interface between two solid samples by using thin metal films on the sample surface, *Trans. Jpn. Soc. Mech. Eng. B* 71 (710) (2005) 2500–2506.
- M. Sugiyama, N. Zhao, A new method for the consistent analysis of one-dimensional stationary heat conduction in a rarefied gas at rest, *J. Phys. Soc. Jpn.* 74 (7) (2005) 1899–1902 (in English).
- K. Yazawa, M. Ishizuka, Thermal modeling with transfer function for the transient chip-on-substrate problem, *Therm. Sci. Eng.* 13 (1) (2005) 37–40 (in English).

3. Radiation

- A. Goto, H. Hagiya, Y. Morozumi, H.i Aoki, T. Miura, The Effect of Soot on the Combustor Analysis, *Kagaku Kogaku Ronbunshu* (Trans. Chem. Eng. Jpn.) 31 (6) (2005) 404–410.
- T. Kumano, K. Hanamura, Spectral Emission Characteristics of a High-Temperature Alumina-Based Emitter for TPV, *Therm. Sci. Eng.* 13 (2) (2005) 13–16 (in English).
- T. Okamoto, T. Naitou, T. Takagi, Development of calculation method for radiative heat transfer in an infrared-active gas with narrow-band nonuniformity and its examination based on an absorption line data base (in case of a nonisothermal field

* Corresponding author. Tel./fax: +81 75 753 5255.

E-mail address: yoshida@mbox.kudpc.kyoto-u.ac.jp (H. Yoshida).

- including a single infrared-active gas), *Trans. Jpn. Soc. Mech. Eng.* B 71 (703) (2005) 877–884.
- T. Okamoto, T. Naitou, T. Takagi, Development of calculation method for radiative heat transfer in an infrared-active gas with narrow-band nonuniformity and its examination based on an absorption line data base (in case of a mixed gases field including H_2O and CO_2), *Trans. Jpn. Soc. Mech. Eng.* B 71 (703) (2005) 885–892.
- T. Okamoto, A. Morimune, T. Takagi, Influence of the narrow band nonuniformity on the evaluation of heat flux on the furnace wall by radiative heat transfer, *Trans. Jpn. Soc. Mech. Eng.* B 71 (704) (2005) 1120–1125.
- W.H. Park, T.K. Kim, Development of the WSGGM using a gray gas regrouping technique for the radiative solution within a 3-D enclosure filled with nonuniform gas mixtures, *JSME Int. J. Ser. B* 48 (2) (2005) 310–315 (in English).
- A. Sakurai, T.H. Song, S. Maruyama, H.K. Kim, Comparison of radiation element method and discrete ordinates interpolation method applied to three-dimensional radiative heat transfer, *JSME Int. J. Ser. B* 48 (2) (2005) 259–264 (in English).
- J. Yamada, A. Kawamura, Y. Miura, S. Takata, K. Ogawa, Study on radiation transfer in human skin for cosmetics, *Trans. Jpn. Soc. Mech. Eng.* B 71 (705) (2005) 1436–1444.
- I.S. Yoon, T.H. Song, Thermal conductance of multiple vacuum/plate layer, *Therm. Sci. Eng.* 13 (2) (2005) 29–32 (in English).

4. Natural convection

- R. Kaji, M. Ozawa, Experimental study on natural convection and heat transfer in an inclined rectangular enclosure, *Therm. Sci. Eng.* 13 (3) (2005) 27–36 (in English).
- K. Noto, K. Nakai, Numerical analysis on turbulent transition of thermal plume: formulations and numerical methodology, *Trans. Jpn. Soc. Mech. Eng.* B 71 (703) (2005) 922–930.
- K. Sakakura, S. Yamamoto, Verification of preconditioned implicit flux-splitting method to two-dimensional natural convections, *Trans. Jpn. Soc. Mech. Eng.* B 71 (709) (2005) 2213–2217.
- F. Sánchez, C. Pérez-Rosales, A. Medina, Natural convection in symmetrically interconnected tilted layers, *J. Phys. Soc. Jpn.* 74 (4) (2005) 1170–1180 (in English).
- H. Yahata, Construction of a dynamical system governing the Rayleigh–Bénard convection in a rectangular box, *J. Phys. Soc. Jpn.* 74 (6) (2005) 1750–1761 (in English).

5. Forced-convection

- H. Asano, K. Tada, M. Hirota, H. Nakayama, T. Asano, S. Hirayama, Turbulent mixing of hot and cold airflows in automobile HVAC unit (characteristics of velocity and temperature fields in mixing T-junction), *Trans. Jpn. Soc. Mech. Eng.* B 71 (712) (2005) 2970–2978.
- N. Haruki, H. Inaba, A. Horibe, S. Tanaka, T. Nakata, K. Sato, Flow drag and heat transfer characteristics of organic brine with drag reduction surfactant in a straight pipe, *Trans. Jpn. Soc. Mech. Eng.* B 71 (702) (2005) 573–580.
- K. Hashizume, Y. Sueoka, Effect of fin on forced convection heat transfer around a tube in an aligned-arranged tube bundle, *Trans. Jpn. Soc. Mech. Eng.* B 71 (701) (2005) 223–228.
- T. Igarashi, H. Nakamura, T. Morita, Pressure drop and heat transfer of a rectangular block on the wall of parallel plates channel (effect of the opening ratio), *Trans. Jpn. Soc. Mech. Eng.* B 71 (701) (2005) 208–214.
- A. Inukai, M. Takahashi, M. Hishida, G. Tanaka, Characteristic of heat transportation by an oscillatory flow, *Trans. Jpn. Soc. Mech. Eng.* B 71 (710) (2005) 2515–2522.

- K. Kawaguchi, K. Okui, T. Asai, Y. Hasegawa, The heat transfer and pressure drop characteristics of the finned tube banks in forced convection (effects of fin height on the heat transfer characteristics), *Trans. Jpn. Soc. Mech. Eng.* B 71 (707) (2005) 1854–1861.
- K. Kawaguchi, K. Okui, T. Asai, Y. Hasegawa, The heat transfer and pressure drop characteristics of the finned tube banks in forced convection (effects of fin height on the pressure drop characteristics), *Trans. Jpn. Soc. Mech. Eng.* B 71 (707) (2005) 1862–1869.
- M. Kudo, J. Shiomi, I. Ueno, G. Amberg, H. Kawamura, Feedback control of nonlinear thermocapillary convection in a half-zone liquid bridge, *Trans. Jpn. Soc. Mech. Eng.* B 71 (706) (2005) 1617–1624.
- D. Lakanette, S. Vincent, E. Arquis, P. Gardin, numerical simulation of gas-jet wiping in steel strip galvanizing process, *ISIJ Int.* 45 (2) (2005) 214–220 (in English).
- Y. Matsumura, N. Mori, Y. Kikuchi, Effect of methanol and acetone addition on heat transfer to turbulent flow of supercritical water, *Therm. Sci. Eng.* 13 (3) (2005) 1–5 (in English).
- Y. Motoyama, N. Tanaka, sensitivity analysis of numerical results of one- and two-dimensional advection–diffusion problems, *J. Nucl. Sci. Technol.* (42) (1) (2005) 20–27 (in English).
- H. Nakamura, T. Igarashi, Heat transfer enhancement of a low-profile block in a channel flow at low air-velocity, *Trans. Jpn. Soc. Mech. Eng.* B 71 (702) (2005) 581–589.
- H. Nakayama, M. Hirota, K. Shinoda, S. Koide, Flow characteristics in a counter-flow type T-junction, *Therm. Sci. Eng.* 13 (2) (2005) 17–23 (in English).
- H. Nishiyama, K. Hamada, T. Uchii, H. Kawano, Y. Tanaka, Transient response simulation of downstream thermofluid field in a gas circuit breaker during current interruption, *JSME Int. J. Ser. B* 48 (3) (2005) 381–388 (in English).
- Y. Okano, T. Nagae, M. Murase, Y. Koizumi, H. Ohtake, M. Arai, Countercurrent gas–liquid flow and heat transfer characteristics in narrow gap with closed bottom, *Trans. Jpn. Soc. Mech. Eng.* B 71 (702) (2005) 610–616.
- S.K. See, H.M. Chung, C.W. Lee, Analysis of water cooling mechanism by impinging jet for hot rolled wire rod, *ISIJ Int.* 45 (3) (2005) 356–365 (in English).
- Y. Seki, H. Kawamura, DNS of turbulent heat transfer in a channel flow with streamwisely varying thermal boundary condition, *Trans. Jpn. Soc. Mech. Eng.* B 71 (708) (2005) 2123–2130.
- T. Shiozaki, S. Maruyama, T. Mohri, Y. Hozumi, heat transfer characteristics through a wire screen for high temperature air combustion furnace at low reynolds number, *Trans. Jpn. Soc. Mech. Eng.* B 71 (709) (2005) 2379–2384.
- Y.S. Son, J.Y. Shin, Thermal response of electronic assemblies during forced convection-infrared reflow soldering in an oven with air injection, *JSME Int. J. Ser. B* 48 (4) (2005) 865–873 (in English).
- K. Suga, T.J. Craft, H. Iacovides, A generalized analytical wall-function for turbulence (1st report, a flow field model for smooth and rough wall turbulence), *Trans. Jpn. Soc. Mech. Eng.* B 71 (711) (2005) 2725–2733.
- K. Suga, T.J. Craft, H. Iacovides, A generalized analytical wall-function for turbulence (2nd report, a thermal field model for forced convection in smooth and rough wall turbulence), *Trans. Jpn. Soc. Mech. Eng.* B 71 (711) (2005) 2734–2740.
- H. Wang, G. Li, Y. Lei, Y. Zhao, Q. Dai, J. Wang, Mathematical heat transfer model research for the improvement of continuous casting slab temperature, *ISIJ Int.* 45 (9) (2005) 1291–1296 (in English).
- K. Watanabe, T. Takahashi, LES and measurement of heat transfer and flow in rectangular channels with crossed angled ribs, *Trans. Jpn. Soc. Mech. Eng.* B 71 (705) (2005) 1459–1464.
- M. Yoshida, S. Ishihara, Y. Murakami, K. Nakashima, M. Yamamoto, Air-cooling effects of fins on a motorcycle engine, *Trans. Jpn. Soc. Mech. Eng.* B 71 (709) (2005) 2324–2330.

6. Mixed-convection

- H. Makita, K. Ohba, N. Sekishita, analysis on energy transfer mechanism through the regulation of transition process of internal gravity waves, *Trans. Jpn. Soc. Mech. Eng. B* 71 (704) (2005) 1035–1042.
- S. Matsumura, H. Ishida, H. Kimoto, Internal gravity wave resonance of thermal convection fields in a square cavity with heat-flux vibration, *Trans. Jpn. Soc. Mech. Eng. B* 71 (708) (2005) 2131–2138.
- K. Shiina, T. Kawamura, M. Ohtsuka, T. Mizuno, M. Hisatsune, K. Ogura, K. Tanimoto, T. Fukuda, Y. Minami, S. Moriya, H. Madarame, Prediction of vortex penetration depth on thermal stratification by cavity flow in a branch pipe with closed end (effect of heat leak condition on temperature fluctuations), *Trans. Jpn. Soc. Mech. Eng. B* 71 (703) (2005) 954–961.
- S. Yanase, R.N. Mondal, Y. Kaga, K. Yamamoto, Transition from steady to chaotic states of isothermal and non-isothermal flows through a curved rectangular duct, *J. Phys. Soc. Jpn.* 74 (1) (2005) 345–358 (in English).

7. Evaporation and boiling

- Y. Abe, T. Arai, Study on trigger condition of base-triggered vapor explosion, *Trans. Jpn. Soc. Mech. Eng. B* 71 (702) (2005) 658–665.
- K. Hashizume, T. Yuki, Flow boiling heat transfer of tap water in micro-channels (2nd report, heat transfer correlation for boiling region in straight channels), *Trans. Jpn. Soc. Mech. Eng. B* 71 (711) (2005) 2823–2828.
- T. Hazuku, T. Takamasa, Y. Matsumoto, Measurement of interfacial structure on liquid film in annular flow using laser focus displacement meter (1st report, measurement accuracy and axial development of liquid film), *Trans. Jpn. Soc. Mech. Eng. B* 71 (705) (2005) 1265–1271.
- T. Hazuku, T. Takamasa, Y. Matsumoto, Measurement of interfacial structure on liquid film in annular flow using laser focus displacement meter (2nd report, disturbance wave frequency and local minimum film thickness), *Trans. Jpn. Soc. Mech. Eng. B* 71 (705) (2005) 1272–1277.
- S. Hidaka, A. Yamashita, Y. Takata, Effect of contact angle on wetting limit temperature, *Trans. Jpn. Soc. Mech. Eng. B* 71 (709) (2005) 2309–2315.
- M. Hirayama, H. Umekawa, M. Ozawa, Simplified flow instability analysis of a natural circulation system with parallel boiling channels, *Therm. Sci. Eng.* 13 (5) (2005) 1–16 (in English).
- Y. Imai, K. Okamoto, H. Madarame, T. Takamasa, Reduction of active nucleation site density under gamma ray irradiation, *Therm. Sci. Eng.* 13 (5) (2005) 17–23 (in English).
- T. Inoue, M. Monde, E. Yamagawa, Bubble behavior and heat transfer during pool boiling of binary mixtures, *Trans. Jpn. Soc. Mech. Eng. B* 71 (702) (2005) 546–551.
- M. Katagiri, K. Shin, Y. Fujii, K. Hatanaka, Observation of pool boiling liquid 3He by visualization method, *Teion Kogaku (J. Cryog. Soc. Jpn.)* 40 (7) (2005) 284–291.
- T.W. Lim, J.H. Kim, An Experimental investigation of pressure drop in flow boiling of pure refrigerants and their mixture in horizontal tube, *JSME Int. J. Ser. B* 48 (1) (2005) 92–98 (in English).
- M. Monde, W. Liu, Y. Mitsutake, K.Z. Oo, Characteristics of boiling curve in transition region between nucleate boiling and film boiling, *Trans. Jpn. Soc. Mech. Eng. B* 71 (705) (2005) 1390–1397.
- M. Monde, A. Mozumder, P. Woodfield, Y. Mitsutake, Quenching of high temperature cylindrical surface with an impinging jet (residence time and wetting temperature), *Trans. Jpn. Soc. Mech. Eng. B* 71 (706) (2005) 1640–1646.

- H. Sakashita, Critical heat flux on a horizontal plate in saturated pool boiling at high pressure, *Trans. Jpn. Soc. Mech. Eng. B* 71 (702) (2005) 552–558.
- S. Sato, M. Fukagawa, H. Nagakura, T. Matsuo, Prevention of steam flow disturbance in heated down flow tube at minimum load, *Trans. Jpn. Soc. Mech. Eng. B* 71 (704) (2005) 1140–1147.
- K. Sugiyama, S. Takagi, Y. Matsumoto, A new reduced-order model for the thermal damping effect on radial motion of a bubble (1st report, perturbation analysis), *Trans. Jpn. Soc. Mech. Eng. B* 71 (704) (2005) 1011–1019.
- K. Sugiyama, S. Takagi, Y. Matsumoto, A new reduced-order model for the thermal damping effect on radial motion of a bubble (2nd report, validation of the model by numerical simulation), *Trans. Jpn. Soc. Mech. Eng. B* 71 (705) (2005) 1239–1246.
- H. Umekawa, T. Kitajima, M. Hirayama, M. Ozawa, K. Mishima, Y. Saito, critical heat flux in non-uniformly heated tube under low-pressure and low-mass-flux condition, *Trans. Jpn. Soc. Mech. Eng. B* 71 (703) (2005) 939–946.
- Y. Utaka, Y. Tasaki, S. Okuda, Behaviours of micro-layer in micro-channel boiling system applying laser extinction method, *Trans. Jpn. Soc. Mech. Eng. B* 71 (704) (2005) 1133–1139.
- Y. Zhang, Z. Xiao, R.B. H. Tan, Interfacial element modeling of bubble formation with liquid viscosity, *J. Chem. Eng. Jpn.* 38 (7) (2005) 478–485 (in English).

8. Condensation

- I. Ishihara, H. Mori, K. Takemori, R. Matsumoto, Similarity between cooling heat transfer in the sub- and super-critical pressure regions, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (3) (2005) 199–208.
- M. Murase, T. Nagase, Analysis of non-condensable gas recirculation in steam generator U-tubes during reflux cooling, *Jpn. J. Multiphase Flow* 19 (2) (2005) 136–143.

9. Melting and solidification

- T. Hirata, Y. Nagatani, N. Yasue, M. Ishikawa, Freezing of liquid droplet fallen on a plate in cold room—effects of falling height and solution concentration, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (2) (2005) 115–120.
- H.S. Kim, I.S. Cho, J.S. Shin, S.M. Lee, B.M. Moon, Solidification parameters dependent on interfacial heat transfer coefficient between aluminum casting and copper mold, *ISIJ Int.* 45 (2) (2005) 192–198 (in English).
- S. Kimura, A. Okajima, T. Kiwata, T. Fusaoka, Solidification in a water-saturated porous medium when convection is present (response of the solid–liquid interface to the cooling temperature fluctuation), *Trans. Jpn. Soc. Mech. Eng. B* 71 (703) (2005) 931–938.
- H. Kumano, T. Asaoka, A. Saito, S. Okawa, Study on latent heat of fusion of ice in aqueous solutions, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (3) (2005) 209–216.
- K. Matsumoto, H. Sakurai, Study on Prevention of Ice Adhesion to Cooling Wall due to Voltage Impression in Ice Storage : Discussion on Possibility of Formation of Oil Layer on Wall, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (3) (2005) 217–225.
- K. Matsumoto, K. Oikawa, M. Okada, Y. Teraoka, T. Kawagoe, Study on formation of high performance ice slurry by emulsion in ice storage : discussion on adaptability of emulsion as thermal storage material, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (3) (2005) 237–247.
- K. Matsumoto, Y. Suzuki, M. Okada, Y. Teraoka, T. Kawagoe, Study on continuous ice slurry formation using functional fluid for

- ice storage: discussion on optimal operating conditions, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (3) (2005) 297–306.
- A. Saito, H. Kumano, S. Okawa, T. Hozumi, S. Nakamura, T. Matsunaga, Y. Isayama, M. Seki, T. Ninomiya, Study on fundamental characteristics of ice slurry of propylene glycol solution, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (1) (2005) 55–62.
- O.P. Solonenko, V.V. Kudinov, A.V. Smirnov, A.N. Cherepanov, V.N. Popov, A.A. Mikhalchenko, E.V. Kartaev, Micro-metallurgy of splats: theory, computer simulation and experiment, *JSME Int. J. Ser. B* 48 (3) (2005) 366–380 (in English).
- S. Someya, S. Bando, M. Nishio, The effect on the CO₂ solubility into water (measurement of the CO₂ solubility by a gas expansion method), *Trans. Jpn. Soc. Mech. Eng. B* 71 (704) (2005) 1155–1160.
- S. Someya, S. Bando, M. Nishio, The measurement of pH in a high-pressure condition by 2 color LIF (applicability to the measurement of the CO₂ solubility), *Trans. Jpn. Soc. Mech. Eng. B* 71 (704) (2005) 1161–1168.
- Y. Tada, A. Takimoto, T. Miyamoto, Y. Hayashi, Continuous production of ice slurry by control of solute concentration with ultrasonic vibration, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (1) (2005) 63–72.
- M. Tanaka, M. Ushio, J.J. Lowke, Numerical analysis for weld formation using a free-burning helium arc at atmospheric pressure, *JSME Int. J. Ser. B* 48 (3) (2005) 397–404 (in English).
- K. Yoshimura, S. Koyama, H. Yamamoto, A study on generation of ice containing ozone, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (4) (2005) 429–436.
- K. Kondo, K. Yoshida, T. Matsumoto, T. Okawa, I. Kataoka, Flow regimes of upward gas–liquid two-phase flow in a vertical pipe with an axisymmetric sudden expansion, *Trans. Jpn. Soc. Mech. Eng. B* 71 (711) (2005) 2679–2685.
- W. Liu, M. Kureta, A. Ohnuki, H. Akimoto, Critical power correlation for tight-lattice rod bundles, *J. Nucl. Sci. Technol.* (42) (1) (2005) 40–49 (in English).
- S. Miyatani, S. Otani, M. Hishida, G. Tanaka, Study of ice-layer exfoliation by gas bubbles generated by electrolysis, *Therm. Sci. Eng.* 13 (2) (2005) 33–38 (in English).
- T. Nagae, M. Murase, T. Wu, K. Vierow, Evaluation of reflux condensation heat transfer of steam–air mixtures under gas–liquid countercurrent flow in a vertical tube, *J. Nucl. Sci. Technol.* (42) (1) (2005) 50–57 (in English).
- T. Nagayoshi, H. Yoshida, A. Ohnuki, H. Akimoto, Investigation of water-vapor two-phase flow characteristics in a tight-lattice core by large-scale numerical simulation, (II): experimental analysis of 2-channel fluid mixing tests, *Trans. Atomic Energy Soc Jpn* (4) (1) (2005) 16–24.
- J. Ohta, T. Makara, S. Hirobe, Effects of ultrasound on behavior of fine solid particles in solid–liquid mixture (1st report, horizontal irradiation in stationary solid–liquid mixture), *Trans. Jpn. Soc. Mech. Eng. B* 71 (701) (2005) 125–132.
- J. Ohta, T. Yamamoto, Y. Kainuma, K. Takagi, Distribution characteristics of a solid–liquid two-phase flow by using a T-junction (1st report, horizontal inlet tube with a vertical branch), *Trans. Jpn. Soc. Mech. Eng. B* 71 (712) (2005) 2892–2899.
- Y. Okano, T. Nagae, M. Murase, Modeling and validation of in-vessel debris cooling during lwr severe accident, *J. Nucl. Sci. Technol.* (42) (4) (2005) 351–361 (in English).
- K. Sakoda, A. Tomiyama, A. Sou, A hybrid method for the prediction of dispersed multi-phase flows (integration of interface tracking and fluid–particle tracking methods), *Trans. Jpn. Soc. Mech. Eng. B* 71 (712) (2005) 2884–2891.
- A. Satoh, Influence of cluster–cluster interactions on particle orientational characteristics and viscosity of a colloidal dispersion composed of ferromagnetic spherocylinder particles (analysis by means of mean field approximation for a simple shear flow), *Trans. Jpn. Soc. Mech. Eng. B* 71 (702) (2005) 487–495.
- A. Serizawa, T. Inui, T. Eguchi, Flow characteristics and pseudo-laminarization of vertically upward air–water milky bubbly flow with micro bubbles in a pipe, *Jpn. J. Multiphase Flow* 19 (4) (2005) 335–343.
- N. Shimada, A. Tomiyama, A numerical method for solving compressible gas–liquid two-phase flows, *Kagaku Kogaku Ronbunshu* (Trans. Chem. Eng. Jpn.) 31 (1) (2005) 15–24.
- N. Shimada, A. Tomiyama, M. Maekawa, T. Suzuta, T. Ozaki, A numerical method for solving bubbly flow with chemisorption in a bubble column, *Kagaku Kogaku Ronbunshu* (Trans. Chem. Eng. Jpn.) 31 (6) (2005) 377–387.
- M. Sugimoto, T. Shakouchi, K. Hayakawa, M. Izawa, Gas–Particle two-phase jet flow from slot nozzle and micro-blasting process, *Trans. Jpn. Soc. Mech. Eng. B* 71 (710) (2005) 2450–2457.
- N. Takada, A. Tomiyama, A numerical method for two-phase flow based on a phase-field model, *Trans. Jpn. Soc. Mech. Eng. B* 71 (701) (2005) 117–124.
- M. Takei, Y. Saito, Application of GVSPM to reconstruction of solid–air two-phase flow CT images (comparison with Landweber and iterative Tikhonov regularization methods), *Trans. Jpn. Soc. Mech. Eng. B* 71 (703) (2005) 745–752.
- T. Tanaka, Y. Sato, K. Hishida, Transport mechanisms of turbulence energy in particle-laden channel flow (PIV measurements of interactions between particles and turbulence), *Trans. Jpn. Soc. Mech. Eng. B* 71 (706) (2005) 1534–1541.
- K. Tanimoto, J. Kasahara, T. Suzuta, T. Ueda, S. Masamori, Study on the effect of the cavity flow on the natural circulation in the

10. Multiphase flow

- A. Furukawa, N. Matsushita, S. Watanabe, S. Ohshita, K. Okuma, Development of air–water two-phase flow centrifugal pump and its operating characteristics, *Trans. Jpn. Soc. Mech. Eng. B* 71 (701) (2005) 140–146.
- M. Furuya, F. Inada, Tim H. J. J. van der Hagen, Characteristics of type-i density wave oscillations in a natural circulation BWR at relatively high pressure, *J. Nucl. Sci. Technol.* (42) (2) (2005) 191–200 (in English).
- M. Furuya, F. Inada, Tim H. J. J. van der Hagen, Regional stability estimation of natural circulation BWRs using SIRIUS-N facility, *J. Nucl. Sci. Technol.* (42) (4) (2005) 341–350 (in English).
- M. Furuya, T. Fukahori, S. Mizokami, Development of BWR regional stability experimental facility SIRIUS-F, which simulates thermalhydraulics-neutronics coupling in reactor core, and stability evaluation of ABWR, *Trans. Atomic Energy Soc. Jpn.* (4) (2) (2005) 1–13.
- A. Hibara, T. Kitamori, Liquid–liquid micro multiphase laminar flow, *Jpn. J. Multiphase Flow* 19 (1) (2005) 16–24.
- T. Hokamura, H. Ohkubo, Fluid latent heat storage materials using natural substances, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (3) (2005) 307–314.
- Y. Iso, K. Kamemoto, Vortex method and particle trajectory tracking method for liquid–solid two-phase simulation applied to internal flows, *Trans. Jpn. Soc. Mech. Eng. B* 71 (711) (2005) 2671–2678.
- S. Kawano, F. Nishimura, Numerical analysis on charge characteristics in lithium ion batteries by multiphase fluids model, *JSME Int. J. Ser. B* 48 (3) (2005) 548–554 (in English).
- S. Kimura, H. Kosaka, R. Himeno, Y. Matsui, LES of transient particle laden jet, *Trans. Jpn. Soc. Mech. Eng. B* 71 (711) (2005) 2776–2783.
- A. Kitagawa, K. Hishida, Y. Kodama, Combined particle image velocimetry of turbulence modification in a microbubble channel flow, *Trans. Jpn. Soc. Mech. Eng. B* 71 (701) (2005) 44–51.

- piping system with a closed end, *Trans. Jpn. Soc. Mech. Eng.* B 71 (712) (2005) 3003–3010.
- M. Tokeshi, T. Kitamori, Chemical process in microchannels using gas–liquid two-phase flow, *Jpn. J. Multiphase Flow* 19 (1) (2005) 25–30.
- M. Watanabe, T. Sanada, Motion of a pair of bubbles rising in line, *Trans. Jpn. Soc. Mech. Eng.* B 71 (702) (2005) 389–396.
- Y. Yasukawa, An experimental study on the bubble growth within a narrow space under the interference-piece, *Trans. Jpn. Soc. Mech. Eng.* B 71 (705) (2005) 1398–1405.
- H. Yoshida, T. Nagayoshi, Y. Ose, K. Takase, H. Akimoto, Investigation of water-vapor two-phase flow characteristics in a tight-lattice core by large-scale numerical simulation, (iii): analysis of liquid film falling down on inclined flat plate, *Trans. Atomic Energy Soc. Jpn.* (4) (1) (2005) 25–31.
- H. Yoshida, Y. Ose, M. Kureta, T. Nagayoshi, K. Takase, H. Akimoto, Investigation of water-vapor two-phase flow characteristics in a tight-lattice core by large-scale numerical simulation, (iv): large-scale analysis of water-vapor two-phase flow in rod bundles with TPFIT code using earth simulator, *Trans. Atomic Energy Soc. Jpn.* 4 (2) (2005) 14–22.

11. Mass transfer

- Y. Abe, T. Kizu, H. Nariai, K. Chitose, K. Koyama, Study on the quench behaviour of molten fuel material jetted into coolant, *Trans. Jpn. Soc. Mech. Eng.* B 71 (703) (2005) 947–953.
- S.W. Churchill, H. Ozoe, The interaction of reactions and transport: gas-phase reactions in round tubes thermoelectric actuator, *Therm. Sci. Eng.* 13 (3) (2005) 37–42 (in English).
- K. Fukiba, T. Sato, N. Tsuboi, H. Kobayashi, Mass transfer around a cold cylinder with condensation of vapor (1st report) mass flux decrease due to condensation of vapor at surface temperature from 200 to 250 K, *J. Jpn. Soc. Aeronaut. Space Sci.* 53 (623) (2005) 577–585.
- H. Hanazaki, The effect of viscosity and diffusivity on the passive and active scalar transport in stratified turbulence, *Trans. Jpn. Soc. Mech. Eng.* B 71 (705) (2005) 1322–1328.
- H. Higashi, Y. Iwai, T. Oda, K. Murai, Y. Arai, Diffusion coefficients of cetyl alcohol in supercritical carbon dioxide, *J. Chem. Eng. Jpn.* 38 (11) (2005) 865–869 (in English).
- Y. Ito, S. Komori, Momentum and mass transfer in developing liquid plane mixing layers, *Trans. Jpn. Soc. Mech. Eng.* B 71 (701) (2005) 15–22.
- K. Myong, H. Suzuki, J. Senda, H. Fujimoto, A study of spray behaviour for the multi-component fuel (2nd report, analysis of inner structure of evaporating multi-component fuel spray), *Trans. Jpn. Soc. Mech. Eng.* B 71 (708) (2005) 2200–2205.
- J. Saini, A. Darayi, Simultaneous effect of contamination and agitation on mass transfer of high interfacial tension liquid–liquid extraction systems, *J. Chem. Eng. Jpn.* 38 (9) (2005) 692–700 (in English).
- T. Sawai, M. Kaji, G. Matsui, Effect of flow orientation on characteristics of gas–liquid interfacial waves in narrow rectangular channel, *Trans. Jpn. Soc. Mech. Eng.* B 71 (710) (2005) 2427–2433.
- K. Sugioka, S. Komori, The effects of droplets on mass transfer in wind-driven turbulence with breaking waves, *Trans. Jpn. Soc. Mech. Eng.* B 71 (701) (2005) 7–14.
- N. Takagaki, S. Komori, Effects of rainfall on mass transfer across the air–water interface, *Trans. Jpn. Soc. Mech. Eng.* B 71 (712) (2005) 2900–2906.
- S. Wang, Y. Utaka, Y. Tasaki, A basic study on humidity recovery by using micro-porous media (general characteristics and effect of property of materials on transport performance), *Trans. Jpn. Soc. Mech. Eng.* B 71 (706) (2005) 1647–1654.

- S. Yamada, T. Amano, H. Minagawa, A study for distribution of microbubbles and effects of oxygen supplying into water, *Trans. Jpn. Soc. Mech. Eng.* B 71 (705) (2005) 1301–1306.
- S. Yamada, H. Minagawa, Study for oxygen supplying to deep part with microbubbles and construction of a model to estimate its efficiency, *Jpn. J. Multiphase Flow* 19 (4) (2005) 344–351.

12. Molecular dynamics

- S. Furukawa, T. Nitta, A new algorithm of boundary-driven type non-equilibrium molecular dynamics for simulating membrane permeation of gas mixtures, *J. Chem. Eng. Jpn.* 38 (4) (2005) 278–282 (in English).
- S. Furukawa, A. Fujisawa, S. Morisawa, T. Nitta, Non-equilibrium MD simulation studies on effects of structural difference in outer surfaces of a silicalite membrane on effusion processes of propane, *J. Chem. Eng. Jpn.* 38 (9) (2005) 677–683 (in English).
- S. Furukawa, T. Nishiumi, N. Aoyama, T. Nitta, M. Nakano, A molecular simulation study on adsorption of acetone/water in mesoporous silicas modified by pore surface silylation, *J. Chem. Eng. Jpn.* 38 (12) (2005) 999–1007 (in English).
- C. Ji, T. Tsuruta, G. Nagayama, Effects of solid heating surfaces on nanometer-sized liquid films, *Therm. Sci. Eng.* 13 (2) (2005) 25–28 (in English).
- S. Maruyama, Heat conduction of single-walled carbon nanotubes, *Netsu Bussei* (Jpn. J. Thermophys. Prop.) 19 (3) (2005) 185–191.
- M. Matsumoto, Evaluation of thermophysical properties with molecular simulation, *Netsu Bussei* (Jpn. J. Thermophys. Prop.) 19 (3) (2005) 171–180.
- T.H. Nishino, H. Hayakawa, Knudsen effect in a nonequilibrium gas, *J. Phys. Soc. Jpn.* 74 (10) (2005) 2655–2658 (in English).
- F. Ogushi, S. Yukawa, N. Ito, Heat conduction of Lennard-Jones particle system in supercritical fluid phase, *J. Phys. Soc. Jpn.* 74 (3) (2005) 827–830 (in English).
- T. Ohara, Thinking about "Quality" of heat conduction flux, *Netsu Bussei* (Jpn. J. Thermophys. Prop.) 19 (3) (2005) 181–184.
- M. Shibahara, T. Kunugi, K. Muko, M. Katsuki, A study on effects of surface structure clearance in nanometer scale on energy transfer at an interface, *Trans. Jpn. Soc. Mech. Eng.* B 71 (708) (2005) 2108–2111.
- M. Shibahara, T. Kunugi, K. Muko, M. Katsuki, A study on effects of surface structure clearance in nanometer scale on molecular behaviour in the vicinity of a liquid–solid interface, *Trans. Jpn. Soc. Mech. Eng.* B 71 (708) (2005) 2112–2116.
- Y. Shibata, S. Maruyama, Molecular dynamics of generation process of double-walled carbon nanotubes from peapods, *Trans. Jpn. Soc. Mech. Eng.* B 71 (708) (2005) 2117–2122.
- D. Torii, T. Ohara, Molecular dynamics study on ultra-thin liquid film sheared between solid surfaces (influence of the crystal plane to energy and momentum transfer at the solid–liquid interfaces), *Trans. Jpn. Soc. Mech. Eng.* B 71 (710) (2005) 2507–2514.
- S. Tsuda, T. Tokumasu, K. Kamijo, Molecular dynamics study of bubble nucleation in liquid oxygen including impurities, *Trans. Jpn. Soc. Mech. Eng.* B 71 (701) (2005) 200–207.
- S. Tsuda, T. Tokumasu, S. Takagi, Y. Matsumoto, Inverse phenomenon of nucleation rate in binary liquid–gas mixtures (molecular dynamics study of molecular diameter dependence on the inverse phenomenon), *Trans. Jpn. Soc. Mech. Eng.* B 71 (707) (2005) 1893–1900.
- T. Tsuruta, G. Nagayama, A microscopic formulation of the condensation coefficient for molecular scale interface transport phenomena, *Trans. Jpn. Soc. Mech. Eng.* B 71 (705) (2005) 1424–1427.

13. Measurements

- T. Aizawa, H. Kosaka, Laser spectroscopy of early soot formation process in a transient spray flame (imaging and spectral measurements of laser-induced emission at two different excitation wavelengths), *Trans. Jpn. Soc. Mech. Eng. B* 71 (706) (2005) 1708–1714.
- T. Haishi, K. Ogawa, Principle of magnetic resonance imaging and MRI measurement : Part 3: hardware of mri system and limitation of MRI measurement, *Netsu Bussei (Jpn. J. Thermophys. Prop.)* 19 (3) (2005) 153–170.
- K. Hoshi, H. Kusaka, A. Kido, H. Ogawa, N. Miyamoto, Instantaneous measurement of local concentration and vapor fraction in liquid-gas mixtures by laser-induced breakdown spectroscopy, *Trans. Jpn. Soc. Mech. Eng. B* 71 (706) (2005) 1702–1707.
- S. Ikeuchi, T. Yagi, H. Kato, Distribution measurement of thermal effusivity for YBCO thin-film superconducting material using thermal microscope, *Teion Kogaku (J. Cryog. Soc. Jpn.)* 40 (8) (2005) 335–339.
- T. Mizukaki, Non-intrusive and quick response thermometry using laser-induced thermal acoustics (LITA), *Trans. Jpn. Soc. Mech. Eng. B* 71 (701) (2005) 52–57.
- K. Ogawa, Principle of magnetic resonance imaging and MRI measurement: Part 1: principle of nuclear magnetic resonance, *Netsu Bussei (Jpn. J. Thermophys. Prop.)* 19 (1) (2005) 15–21.
- K. Ogawa, Principle of magnetic resonance imaging and mri measurement: Part 2: principle of magnetic resonance imaging, *Netsu Bussei (Jpn. J. Thermophys. Prop.)* 19 (2) (2005) 79–94.
- K. Ogawa, Principle of magnetic resonance imaging and mri measurement : Part 4: methods and results measured by MRI, *Netsu Bussei (Jpn. J. Thermophys. Prop.)* 19 (4) (2005) 222–236.
- M. Tagawa, K. Kato, Y. Ohta, Response compensation of fine-wire temperature sensors, *Trans. Jpn. Soc. Mech. Eng. B* 71 (706) (2005) 1663–1670.
- Y. Taguchi, Y. Nagasaka, Wide variety of thermophysical properties sensing techniques using lasers, *Netsu Bussei (Jpn. J. Thermophys. Prop.)* 19 (2) (2005) 95–102.
- T. Toyoda, Photoacoustic and photothermal techniques for electronic and thermophysical properties, *Netsu Bussei (Jpn. J. Thermophys. Prop.)* 19 (2) (2005) 109–114.
- Y. Yamada, Development of diffuse optical tomography based on time-resolved measurement of photon migration, *Netsu Bussei (Jpn. J. Thermophys. Prop.)* 19 (2) (2005) 103–108.
- phase turbulent flow inside internally helical-grooved tubes, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (4) (2005) 437–447.
- M. Ishikawa, S. Sekimori, S. Ogihara, T. Ochiai, T. Hirata, Dehumidification system with steam permeability films, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (3) (2005) 287–296.
- H. Iwai, K. Tatsumi, K. Suzuki, Effect of the plate thermal resistance on the heat transfer performance of a corrugated thin plate heat exchanger, *Trans. Jpn. Soc. Mech. Eng. B* 71 (705) (2005) 1406–1413.
- S. Koyama, D. Ito, S.M. Lee, K. Kuwahara, C. Saeki, Experimental study on flow boiling of CO₂ and CO₂-PAG oil mixture in smooth and micro-fin tubes, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (4) (2005) 385–393.
- M. Kushibe, Y. Ikegami, M. Monde, H. Uehara, Evaporation heat transfer of ammonia and pressure drop of warm water for plate type evaporator, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (4) (2005) 403–415.
- O. Makishi, H. Honda, New correlation methods of evaporation heat transfer in horizontal microfin tubes, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (4) (2005) 369–378.
- M. Tago, K. Morita, M. Sugawara, T. Fujita, Heat extraction characteristics by coaxial heat exchanger, *Trans. Jpn. Soc. Mech. Eng. B* 71 (701) (2005) 251–259.
- D. Tochio, S. Nakagawa, T. Furusawa, Heat exchanger performance in main cooling system on high temperature test operation at high temperature gas-cooled reactor 'HTTR', *Trans. Atomic Energy Soc. Jpn.* (4) (2) (2005) 55–63.
- S. Wongwises, P. Naphon, Heat transfer characteristics and performance of a spirally coiled heat exchanger under sensible cooling conditions, *JSME Int. J. Ser. B* 48 (4) (2005) 810–819 (in English).
- Y. Yamashita, Y. Hirata, Y. Iwata, K. Yamazaki, Y. Ito, Performance and heat transfer characteristics of a latent heat storage unit with finned tubes: experimental study on storage of LNG cold energy by freezing n-pentane as a phase-change material, *Kagaku Kogaku Ronbunshu (Trans. Chem. Eng. Jpn.)* 31 (2) (2005) 144–150.
- Y. Yamashita, Y. Hirata, Y. Iwata, K. Yamazaki, Y. Ito, Performance and heat transfer characteristics of a latent heat storage unit with finned tubes: numerical analysis on freezing and melting processes of n-pentane as a phase-change material, *Kagaku Kogaku Ronbunshu (Trans. Chem. Eng. Jpn.)* 31 (2) (2005) 151–158.

16. Heat transport devices

- M. Katsuta, T. Shindo, K. Saito, T. Shinohara, A. Jalilvand, Y. Kimura, Y. Nakamura, J. Sotani, Heat transfer steady and transient characteristics in flat plate micro heat pipe, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (4) (2005) 437–447.
- Y. Kitamura, M. Ishizuka, S. Nakagawa, Study on chimney effect in natural air cooled electronic equipment casings under inclination (2nd report, the proposal of a thermal design correlation including porosity coefficient of an outlet opening), *Trans. Jpn. Soc. Mech. Eng. B* 71 (706) (2005) 1625–1632.
- T. Kobayashi, T. Nomura, M. Kamifugi, A. Yao, T. Ogushi, A. Goto, Thermal robustness and mass optimization of heat pipe shape for spacecraft panel using a combination of response surface methodology and monte carlo simulation, *Trans. Jpn. Soc. Mech. Eng. B* 71 (703) (2005) 914–921.
- Y. Koito, H. Imura, M. Mochizuki, Y. Saito, S. Torii, Theoretical study on heat transfer characteristics of a vapor chamber, *Therm. Sci. Eng.* 13 (1) (2005) 23–30 (in English).
- H. Mura, Y. Koito, Heat transport using top-heat-type thermosyphons, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (1) (2005) 1–12.

15. Heat exchangers, evaporators and condensers

- M. Goto, N. Inoue, K. Siromoto, Y. Emoto, Y. Li, M. Sato, A. Kiyotani, Development of general correlation for heat transfer in single-

- H. Nagano, A. Ohnishi, Y. Nagasaka, Y.H. Mori, A. Nagashima, Study on a reversible thermal panel for spacecraft (detailed design based on parametric studies and experimental verification), *Trans. Jpn. Soc. Mech. Eng. B* 71 (712) (2005) 2987–2995.
- O. Nakabeppu, Y. Miyata, T. Hori, Heat transport characteristics of micro-loop heat pipe with capillary pump structure, *Therm. Sci. Eng.* 13 (1) (2005) 47–52 (in English).
- K. Tanaka, M. Katsuta, flight evaluation of the capillary pumped deployable radiator (cpdr) (thermal performance of the capillary pumped loop (cpl) under micro-gravity), *Trans. Jpn. Soc. Mech. Eng. B* 71 (706) (2005) 1655–1662.
- A. Tominaga, Simple heat-conduction and thermoacoustic self-sustained oscillation branches, *Teion Kogaku (J. Cryog. Soc. Jpn.)* 40 (1) (2005) 13–21.
- S. Uemura, M. Kudo, I. Ueno, H. Kawamura, Azimuthal wave number control of oscillatory thermocapillary convection in a liquid bridge by local heating, *Trans. Jpn. Soc. Mech. Eng. B* 71 (702) (2005) 559–564.
- Y. Yokoyama, M. Takeda, T. Umemoto, T. Ogushi, Thermal pumping system for a loop-type micro channel, *Jpn. J. Multiphase Flow* 19 (2) (2005) 108–114.

17. Air conditioning and refrigeration

- H. Gao, T. Matsuzaki, J. Wang, E. Hihara, Effect of surfactant supplying with refrigerant vapor on absorption enhancement, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (1) (2005) 83–93.
- H. Kakiuchi, S. Shimooka, M. Iwade, K. Oshima, M. Yamazaki, S. Terada, H. Watanabe, T. Takewaki, Water vapor adsorbent FAM-Z02 and its applicability to adsorption heat pump, *Kagaku Kogaku Ronbunshu (Trans. Chem. Eng. Jpn.)* 31 (4) (2005) 273–277.
- H. Kakiuchi, S. Shimooka, M. Iwade, K. Oshima, M. Yamazaki, S. Terada, H. Watanabe, T. Takewaki, Novel water vapor adsorbent FAM-Z01 and its applicability to an adsorption heat pump, *Kagaku Kogaku Ronbunshu (Trans. Chem. Eng. Jpn.)* 31 (5) (2005) 361–364.
- M. Kato, A. Tsujimori, H. Morita, Performance analysis of the absorption refrigeration cycle using TFE/NMP as a working fluid: 1st report: the characteristics of the steady states, and the separation and mixture of refrigerant, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (3) (2005) 279–286.
- A. Kodama, K. Ando, T. Hirose, M. Goto, T. Tsujiguchi, H. Okano, Effective operation for an adsorptive desiccant cooling process using a double-stage regeneration of honeycomb rotary dehumidifier, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (1) (2005) 33–43.
- T. Koshimizu, H. Kubota, Y. Takata, T. Ito, Numerical simulation of effect of wall in a basic pulse-tube refrigerator, *Therm. Sci. Eng.* 13 (3) (2005) 7–17 (in English).
- C.H. Lee, Y.T. Kang, H.U. Kang, S.H. Kim, Numerical and experimental study for falling film in ammonia absorption refrigeration systems, *J. Chem. Eng. Jpn.* 38 (7) (2005) 520–527 (in English).
- Y. Mizuno, H. Asano, K. Tada, M. Hirota, H. Nakayama, S. Hirayama, Turbulent mixing of hot and cold air in HVAC unit for automobile (thermal mixing in planar shear layer), *Trans. Jpn. Soc. Mech. Eng. B* 71 (701) (2005) 215–222.
- K. Nakao, E. Ozaki, T. Yumikura, M. Ikeuchi, G. Yamanaka, Y. Hirata, Flow characteristics of a vertical falling film flow on a strip-finned tube for absorber, *Kagaku Kogaku Ronbunshu (Trans. Chem. Eng. Jpn.)* 31 (3) (2005) 168–176.
- T. Okazaki, Performance analysis of a cooling system with natural-circulation loop using CO₂, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (1) (2005) 73–81.
- T. Okazaki, Y. Hirata, Reverse circulation phenomena of a cooling system with natural-circulation loop using CO₂ and control

method of the reverse circulation, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (3) (2005) 325–333.

- H. Takamatsu, H. Yamashiro, S. Ide, N. Takata, N. Sasaki, Theoretical analysis of vapor absorption on a falling liquid film for the comparison with vertical in-tube absorption, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (3) (2005) 227–236.
- T. Tsujiguchi, A. Kodama, Adsorption/desorption behavior of water vapor in an adsorbent desiccant rotor, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (4) (2005) 417–428.
20. Packed or fluidized beds and porous media.
- M. Fukagawa, K. Ogata, J. Miyagawa, S. Yoshida, H. Mori, Heat Transfer Enhancement in Honeycomb Elements, *Trans. Jpn. Soc. Mech. Eng. B* 71 (703) (2005) 893–900.
- N.M. Ghasem, M.Z. Sulaiman, M.A. Hussain, Simulation, Optimization and parametric studies of a solid catalyzed gas phase ethylene polymerization fluidized bed reactor, *J. Chem. Eng. Jpn.* 38 (3) (2005) 171–175 (in English).
- Y. Kakimoto, T. Masuoka, A. Nomura, M. Ooba, Fluid flow through a permeable porous obstacle, *Trans. Jpn. Soc. Mech. Eng. B* 71 (702) (2005) 590–595.
- Y. Tatemoto, M. Tsunekawa, Y. Mawatari, Y. Shiota, K. Noda, Drying characteristics of porous materials in a fluidized bed of hygroscopic porous particles, *J. Chem. Eng. Jpn.* 38 (12) (2005) 976–982 (in English).
- Y. Tatemoto, K. Sugita, S. Yano, Y. Mawatari, K. Noda, N. Komatsu, Drying characteristics of porous materials in superheated steam fluidized bed under reduced pressure, *J. Chem. Eng. Jpn.* 38 (12) (2005) 983–989 (in English).

18. Energy and environmental systems

- H. Asano, T. Fujii, Y. Hisazumi, T. Hori, T. Abiko, S. Kubokawa, Development of new heat supply unit using latent heat (dynamic characteristics of heat storage unit by a use of plate fin type heat exchanger), *Trans. Jpn. Soc. Mech. Eng. B* 71 (704) (2005) 1126–1132.
- T. Fujii, M. Wada, K. Narita, H. Asano, K. Sugimoto, S. Toyama, H. Kawasaki, Temperature control due to the operation of vapor valve opening in thermal management system utilizing the latent heat, *Trans. Jpn. Soc. Mech. Eng. B* 71 (703) (2005) 908–913.
- K. Fukuda, Y. Ohmori, K. Wakahara, T. Araki, K. Onda, Thermal behavior of small lithium-ion secondary cell during rapid charge and discharge cycles, *Trans. Jpn. Soc. Mech. Eng. B* 71 (709) (2005) 2367–2374.
- H. Imanishi, T. Nakamura, Y. Takada, T. Wakisaka, Application of a hybrid system with passive-type polymer electrolyte fuel cells and capacitors to a lightweight electric vehicle (power control by time-splitting method), *Trans. Jpn. Soc. Mech. Eng. B* 71 (702) (2005) 674–681.
- H. Ishitani, H. Oonishi, H. Tsunemoto, T. Yamada, System for increasing exhaust gas temperature for catalyst activation at light load condition in diesel engines, *Trans. Jpn. Soc. Mech. Eng. B* 71 (705) (2005) 1453–1458.
- S. Isshiki, S. Kamei, A. Takahashi, N. Isshiki, Study of stirling engine having heat exchangers consisting of pin-fin arrays, *Trans. Jpn. Soc. Mech. Eng. B* 71 (701) (2005) 260–267.
- M. Izumi, Effects of gas-flow types on stack characteristics of solid oxide fuel cells, *Trans. Jpn. Soc. Mech. Eng. B* 71 (707) (2005) 1901–1908.
- Y. Kawamura, N. Ogura, T. Yahata, K. Yamamoto, T. Terazaki, T. Yamamoto, A. Igarashi, Multi-layered microreactor system with methanol reformer for small PEMFC, *J. Chem. Eng. Jpn.* 38 (10) (2005) 854–858 (in English).

- H. Kawasaki, T. Fujii, Functional estimation of accumulator for two-phase fluid loop, *Trans. Jpn. Soc. Mech. Eng. B* 71 (705) (2005) 1414–1423.
- T. Konomi, I. Saho, Research on diagnosis technique on PEFC running condition (high speed analysis by fft and feasibility study of diagnosis), *Trans. Jpn. Soc. Mech. Eng. B* 71 (701) (2005) 245–250.
- T. Konomi, Y. Sasaki, Effects of running condition on over voltage in PEFC, *Trans. Jpn. Soc. Mech. Eng. B* 71 (705) (2005) 1428–1435.
- T. Konomi, A. Kawakami, H. Tachibana, Effects of internal leak current on PEFC output voltage (internal leak current at open circuit and close circuit in smaller current density region), *Trans. Jpn. Soc. Mech. Eng. B* 71 (712) (2005) 3025–3030.
- M. Koyama, Y. Teraoka, M. Okada, K. Matumoto, T. Kawagoe, Dynamic-type ice-making cold thermal energy storage by using water–oil emulsion (investigation of choking conditions of continuous ice formation in a tube), *Trans. Jpn. Soc. Mech. Eng. B* 71 (712) (2005) 3011–3016.
- S. Kubokawa, T. Fujii, H. Asano, Development of new heat supply unit using latent heat (prediction of the high capacity heat exchanger characteristic with PCM), *Trans. Jpn. Soc. Mech. Eng. B* 71 (707) (2005) 1870–1877.
- J. Liu, S. Koshizuka, Y. Oka, Evaluation of the energy conversion ratio of vapor explosions for the assessment of nuclear reactor safety, *J. Nucl. Sci. Technol.* (42) (1) (2005) 28–39 (in English).
- T. Matsuura, M. Kato, M. Hori, Study on water management of polymer electrolyte fuel cell (1st report, development of cell simulator for polymer electrolyte fuel cell), *Trans. Jpn. Soc. Mech. Eng. B* 71 (707) (2005) 1941–1946.
- K. Nishida, H. Yoshizumi, T. Takagi, S. Kinoshita, Performance analysis of tubular type internal reforming SOFC, *Trans. Jpn. Soc. Mech. Eng. B* 71 (701) (2005) 229–236.
- T. Nishino, H. Iwai, K. Suzuki, Comprehensive numerical simulation of an indirect internal reforming tubular SOFC, *Trans. Jpn. Soc. Mech. Eng. B* 71 (711) (2005) 2800–2807.
- S. Obara, K. Kudo, Study on improvement in efficiency of partial load driving of installing fuel cell network with water electrolysis operation, *Trans. Jpn. Soc. Mech. Eng. B* 71 (701) (2005) 237–244.
- S. Obara, K. Kudo, Study of fuel cell network system in consideration of reduction of fuel cell capacity using load equalization and heat release loss, *Trans. Jpn. Soc. Mech. Eng. B* 71 (702) (2005) 666–673.
- S. Obara, K. Kudo, Route planning of heat supply piping of fuel cell energy network, *Trans. Jpn. Soc. Mech. Eng. B* 71 (704) (2005) 1169–1176.
- Y. Oda, H. Yoshida, Theoretical analysis on thermoelectric power generation with rectangular-fin elements and its applicability in micro systems, *Trans. Jpn. Soc. Mech. Eng. B* 71 (702) (2005) 649–657.
- T. Okazaki, Y. Seshimo, Y. Maeda, Study of a cooling system for the telecommunication base site (performance analysis of a cooling system using natural-circulation loop), *Trans. Jpn. Soc. Mech. Eng. B* 71 (707) (2005) 1878–1884.
- S. Park, K. Kikuta, Y. Tabe, T. Chikahisa, Y. Hishinuma, Effect of cathode separator structures on performance characteristics of free-breathing PEMFCs, *Trans. Jpn. Soc. Mech. Eng. B* 71 (711) (2005) 2808–2815.
- M. Saho, T. Nakazato, K. Kobayashi, N. Nakagawa, Comparison of *i*–*V* performances in a direct methanol fuel cell at different flow phases of methanol, *Kagaku Kogaku Ronbunshu* (Trans. Chem. Eng. Jpn.) 31 (1) (2005) 62–67.
- T.S. Saitoh, N. Yamada, S. Wakashima, Study of solar organic rankine cycle system using scroll expander, *Trans. Jpn. Soc. Mech. Eng. B* 71 (703) (2005) 986–992.
- T.S. Saitoh, J. Kato, Micro 3-D CPC solar collector for thermal electric system, *Trans. Jpn. Soc. Mech. Eng. B* 71 (710) (2005) 2531–2536.
- S. Sugiyama, K. Yoshikawa, T. Ishii, Performance of high temperature air blown wood biomass gasification and power generation, *Trans. Jpn. Soc. Mech. Eng. B* 71 (701) (2005) 268–274.
- H. Takana, Y. Okuno, Numerical simulation on annular hall energy conversion device under wide range of operating condition, *JSME Int. J. Ser. B* 48 (3) (2005) 389–396 (in English).
- S. Tsushima, T. Mibae, K. Teranishi, S. Hirai, Elucidation of pressurization effect on pfc performance using electrochemical impedance spectroscopy and magnetic resonance imaging, *Therm. Sci. Eng.* 13 (1) (2005) 31–36 (in English).
- A. Yamaji, Y. Oka, S. Koshizuka, Three-dimensional core design of high temperature supercritical-pressure light water reactor with neutronic and thermal-hydraulic coupling, *J. Nucl. Sci. Technol.* (42) (1) (2005) 8–19 (in English).
- J.S. Zhang, Combined heat, air, moisture, and pollutants transport in building environmental systems, *JSME Int. J. Ser. B* 48 (2) (2005) 182–190 (in English).

19. Manufacturing and materials processings

- M. Choi, Gas phase synthesis of nanoparticles and their growth control, *Therm. Sci. Eng.* 13 (2) (2005) 7–11 (in English).
- H. Fujishima, S. Haruna, T. Kuroki, M. Okubo, T. Yamamoto, NO_x removal using indirect plasma oxidation and chemical hybrid process (comparison of air radical injection with direct oxidation), *Trans. Jpn. Soc. Mech. Eng. B* 71 (711) (2005) 2816–2822.
- T. Hatakeyama, K. Fushinobu, K. Okazaki, Electro-thermal analysis of interaction between n-type and p-type MOSFET in Si CMOS, *Therm. Sci. Eng.* 13 (5) (2005) 25–32 (in English).
- S. Hirasawa, H. Ishibashi, K. Kurashige, A. Gunji, Analysis to reduce thermal stress in oxide-single-crystal during Czochralski growth, *Trans. Jpn. Soc. Mech. Eng. B* 71 (708) (2005) 2206–2212.
- S. Inoue, S. Maruyama, Chemical reaction of cobalt clusters with ethanol by using FT-ICR mass spectrometer, *Trans. Jpn. Soc. Mech. Eng. B* 71 (707) (2005) 1909–1914.
- S. Inoue, S. Maruyama, Chemical reactivity and tendency of Fe, Co and Ni clusters with ethanol by using FT-ICR Mass Spectrometer, *Trans. Jpn. Soc. Mech. Eng. B* 71 (707) (2005) 1915–1920.
- M. Kohno, S. Inoue, S. Maruyama, Chemisorption of silicon cluster ions (Si_n⁺, n = 10–30) with ethylene (C₂H₄) by using FT-ICR mass spectrometer, *Trans. Jpn. Soc. Mech. Eng. B* 71 (704) (2005) 1148–1154.
- T. Kuroki, S. Tanaka, M. Okubo, T. Yamamoto, CF4 decomposition using low-pressure pulse-modulated radio frequency plasma, *JSME Int. J. Ser. B* 48 (3) (2005) 440–447 (in English).
- Y. Okumura, K. Kaneuchi, K. Okazaki, Mechanism of coal-pyrolysis under elevated pressure and rapid heating conditions, *Trans. Jpn. Soc. Mech. Eng. B* 71 (702) (2005) 702–710.
- T. Sasaki, N. Saito, K. Kikuta, T. Chikahisa, Y. Hishinuma, K. Morimitsu, Visualization and numerical simulation of rarefied gas flow in vertical low-pressure CVD reactors for thin film formation of semiconductors, *Trans. Jpn. Soc. Mech. Eng. B* 71 (704) (2005) 1113–1119.
- T. Sato, M. Kambe, H. Nishiyama, Analysis of a methanol decomposition process by a nonthermal plasma flow, *JSME Int. J. Ser. B* 48 (3) (2005) 432–439 (in English).
- M. Shigeta, T. Watanabe, Numerical analysis for preparation of silicon-based intermetallic nano-particles in induction thermal plasma flow systems, *JSME Int. J. Ser. B* 48 (3) (2005) 425–431 (in English).
- T. Tomimura, S. Hirasawa, M. Haneda, S. Hirano, K. Aota, Unsteady-state numerical analysis of spot friction stir welding by spreadsheet of excel, *Therm. Sci. Eng.* 13 (2) (2005) 39–43 (in English).
- R. Yamakita, Y. Ishino, N. Ohiwa, An investigation on thermal recycling of recycled plastic resin (combustion characteristics of

- pet-resin powder in a ceramic kiln furnace), *Trans. Jpn. Soc. Mech. Eng. B* 71 (701) (2005) 357–364.
- R. Yamakita, K. Miura, Y. Ishino, N. Ohiwa, An investigation on thermal recycling of recycled plastic resin (combustion characteristics of polyethylene terephthalate resin powder in a high temperature oxidizing atmosphere), *JSME Int. J. Ser. B* 48 (1) (2005) 83–91 (in English).
- W. Yang, K. Yang, S. Choi, Effect of fuel characteristics on the thermal processes in an iron ore sintering bed, *JSME Int. J. Ser. B* 48 (2) (2005) 316–321 (in English).
- Y.K. Yeo, K.S. Hwang, Y.G. Kim, H. Kang, Modeling of the drying process in paper plants, *J. Chem. Eng. Jpn.* 38 (2) (2005) 120–129 (in English).
- T. Goto, Y. Futamura, Y. Yamaguchi, K. Yamamoto, Condensation reactions of amino acids under hydrothermal conditions with adiabatic expansion cooling, *J. Chem. Eng. Jpn.* 38 (4) (2005) 295–299 (in English).
- Y. He, H. Liu, R. Himeno, M. Shirazaki, Numerical and experimental study of the effect of blood circulation on the human finger temperature, *Trans. Jpn. Soc. Mech. Eng. B* 71 (702) (2005) 641–648.
- H. Kai, T. Murakami, S. Morino, T. Shuto, Development of cancer hyperthermia, *Jpn. J. Multiphase Flow* 19 (4) (2005) 329–334.
- S. Kawano, T. Misaka, Numerical analysis of microdischarge oxygen plasma and prediction of ozone production efficiency, *JSME Int. J. Ser. B* 48 (3) (2005) 448–455 (in English).
- R. Shirakashi, R. Reuss, J. Ludwig, F. Ehrhart, U. Zimmermann, V. Sukhorukov, Introduction of lyo- and cryoprotective carbohydrates into mammalian cells through swelling-activated channels, *Trans. Jpn. Soc. Mech. Eng. B* 71 (703) (2005) 901–907.
- Y. Tada, E. Murayama, Y. Hayashi, Micro-behavior and viability of biological cell during freezing, *Trans. Jpn. Soc. Mech. Eng. B* 71 (702) (2005) 602–609.

20. Biological technology and food processing

- G.S. Do, M. Tsuta, J. Sugiyama, S. Ueno, Y. Sagara, Three-dimensional visualization of ice crystals in frozen materials by near-infrared imaging spectroscopy, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 22 (2) (2005) 185–191.