



Heat transfer bibliography – Japanese works 2006

H. Yoshida ^{a,*}, S. Maruyama ^b, K. Takeishi ^c, T. Kunugi ^a, Z. Kawara ^a, H. Iwai ^a, M. Saito ^a, Y. Oda ^c

^a Graduate School of Engineering, Kyoto University, Kyoto 606-8501, Japan

^b Graduate School of Engineering, The University of Tokyo, Tokyo 113-8656, Japan

^c Graduate School of Engineering, Osaka University, Osaka 565-0871, Japan

1. Thermal properties

- J. Fujino, T. Honda, Measurement of thermal conductivity of recycled composite of plastic waste and fly ash using guarded hot plate apparatus, *Netsu Bussei (Jpn. J. Thermophys. Proper.)* 20 (2) (2006) 75–82.
- Y.S. Indartono, H. Usui, H. Suzuki, Y. Komoda, K. Nakayama, Hydrodynamics and heat transfer characteristics of drag-reducing trimethylolethane solution and suspension by cationic surfactant, *J. Chem. Eng. Jpn.* 39 (6) (2006) 623–632 (in English).
- Y. Kang, K. Morita, Thermal conductivity of the CaO–Al₂O₃–SiO₂ system, *ISIJ Int.* 46 (3) (2006) 420–426 (in English).
- K. Komatsu, S. Yamada, T. Takano, Measurement of dough effective thermal conductivity using integrated thermocouple under bread baking process, *Netsu Bussei (Jpn. J. Thermophys. Proper.)* 20 (4) (2006) 179–185.
- N. Matsunaga, M. Hori, A. Nagashima, Gaseous diffusion coefficients of dimethyl ether and diethyl ether into air, nitrogen and oxygen, *Netsu Bussei (Jpn. J. Thermophys. Proper.)* 20 (2) (2006) 83–86.
- K.C. Mills, Y.M. Youssef, Z. Li, Y. Su, Calculation of thermophysical properties of Ni-based superalloys, *ISIJ Int.* 46 (4) (2006) 623–632 (in English).
- K. Morita, W. Maschek, M. Flad, H. Yamano, Y. Tobita, Thermophysical properties of lead–bismuth eutectic alloy in reactor safety analyses, *J. Nucl. Sci. Technol.* (43) (5) (2006) 526–536 (in English).
- O. Nakabeppu, K. Tokita, On local thermal conductivity measurement by the SThM, *Trans. Jpn. Soc. Mech. Eng. B* 72 (722) (2006) 2524–2531.
- K. Nishioka, T. Maeda, M. Shimizu, Application of square-wave pulse heat method to thermal properties measurement of CaO–Al₂O₃–SiO₂ system fluxes, *ISIJ Int.* 46 (3) (2006) 427–433 (in English).
- T. Oba, K. Yabui, Y. Nagasaka, Application of laser-induced capillary wave for a new viscosity measurement method (theory and experimental apparatus for measuring wide range of viscosity), *Trans. Jpn. Soc. Mech. Eng. B* 72 (714) (2006) 428–433.
- H. Ohta, H. Shibata, T. Kasamoto, Estimation of heat transfer of a front-heating front-detection laser flash method measuring thermal conductivity for silicate melts at high temperatures, *ISIJ Int.* 46 (3) (2006) 434–440 (in English).
- D. Tomida, S. Kenmochi, T. Tsukada, C. Yokoyama, Measurements of thermal conductivity of 1-butyl-3-methylimidazolium tetrafluoroborate at high pressure, *Netsu Bussei (Jpn. J. Thermophys. Proper.)* 20 (4) (2006) 173–178.
- S. Uchida, K. Yoshida, H. Takamatsu, Z. Xing, M. Fujii, Noninvasive measurement of thermal conductivity and thermal diffusivity of biological materials (preliminary examination of heat transfer models and measurement accuracy), *Trans. Jpn. Soc. Mech. Eng. B* 72 (723) (2006) 2774–2779.
- Y. Yamamoto, Y. Nagasaka, Development of the Soret forced Rayleigh scattering method for measurement of mass diffusion coefficient (1st report, development of the measurement system and measurement of the fullerene in solution), *Trans. Jpn. Soc. Mech. Eng. B* 72 (715) (2006) 709–714.
- Y. Yamamoto, Y. Nagasaka, Measurement of mass diffusion coefficient by the soret forced Rayleigh scattering method (2nd report, theoretical analysis of systematic effect of experimental parameters), *Trans. Jpn. Soc. Mech. Eng. B* 72 (715) (2006) 715–722.
- X. Zhang, H. Gu, M. Fujii, Measurements of the effective thermal conductivity and thermal diffusivity of nanofluids, *Netsu Bussei (Jpn. J. Thermophys. Proper.)* 20 (1) (2006) 14–19.

2. Heat conduction

- T. Hatakeyama, K. Fushinobu, K. Okazaki, Mesh zoning method for electro-thermal analysis of submicron Si MOSFET, *J. Therm. Sci. Technol.* 1 (2) (2006) 101–112 (in English).
- A.M.M. Mukaddes, M. Ogino, H. Kanayama, R. Shioya, A scalable balancing domain decomposition based preconditioner for large scale heat transfer problems, *JSME Int. J. Ser. B* 49 (2) (2006) 533–540 (in English).
- M.M. Sano, Steady thermal conduction far from equilibrium in Ding-Dong model, *J. Phys. Soc. Jpn.* 75 (9) (2006) 094002 (in English).

3. Radiation

- Y. Itaya, N. Nishio, S. Hatano, N. Kobayashi, J. Kobayashi, S. Mori, Near-infrared radiation and scattering properties of coal fly ash particles cloud, *J. Chem. Eng. Jpn.* 39 (7) (2006) 718–723 (in English).
- M. Kihara, K. Miyazaki, H. Tsukamoto, K. Inoue, O. Yoshida, Reflectivity of photonic crystals self-assembled with silica spheres, *J. Therm. Sci. Technol.* 1 (1) (2006) 12–19 (in English).

* Corresponding author. Tel./fax: +81 75 753 5255.

E-mail address: yoshida@mbox.kudpc.kyoto-u.ac.jp (H. Yoshida).

- Y.P. Lu, K. Kudo, B.X. Li, H.P. Tan, S. Obara, Irradiance uniformity of a new gas-fired directional radiant heater, *JSME Int. J. Ser. B* 49 (1) (2006) 159–166 (in English).
- T. Makino, H. Wakabayashi, Interference of spherical wave of thermal radiation emitted by a film system, *Trans. Jpn. Soc. Mech. Eng. B* 72 (721) (2006) 2256–2264.
- T. Makino, H. Wakabayashi, Development of a functional surface for emitting spectrally-selective thermal radiation, *Trans. Jpn. Soc. Mech. Eng. B* 72 (723) (2006) 2741–2746.
- M. Shimogori, H. Yoshizako, Y. Shimogori, M. Richardson, Characterization of coal ash emissivity in high temperature atmospheres, *JSME Int. J. Ser. B* 49 (2) (2006) 265–270 (in English).
- S. Zhang, L. Wen, C. Bai, D. Chen, Q. Ouyang, The temperature field digitization of radiation images in blast furnace raceway, *ISIJ Int.* 46 (10) (2006) 1410–1415 (in English).

4. Natural convection

- H. Ambarita, K. Kishinami, M. Daimaruya, T. Saitoh, H. Takahashi, J. Suzuki, Laminar natural convection heat transfer in an air filled square cavity with two insulated baffles attached to its horizontal walls, *Therm. Sci. Eng.* 14 (3) (2006) 35–46.
- N. Himeno, C. Masuda, Effects of the inner cylinder diameter on free convection heat transfer in a stably stratified fluid between coaxial cylinders (the case of the inner cylinder diameter being large), *Trans. Jpn. Soc. Mech. Eng. B* 72 (716) (2006) 993–1000.
- K. Hirata, R. Hakui, K. Ishihara, H. Tanigawa, J. Funaki, On frequency response of fluid in a cubic cavity heated below, *Trans. Jpn. Soc. Mech. Eng. B* 72 (714) (2006) 279–284.
- H. Inaba, Y. Zhang, A. Horibe, Transient heat storage characteristics on horizontal rectangular enclosures filled with fluidity slurry of micro-encapsulated phase-change-material dispersed in water, *J. Therm. Sci. Technol.* 1 (2) (2006) 66–77 (in English).
- T. Karasudani, H. Ueda, Y. Ohya, Evolution and structure of the free convective layer developing under a water surface, *JSME Int. J. Ser. B* 49 (3) (2006) 616–620 (in English).
- C. Lei, J.C. Patterson, Natural convection induced by diurnal heating and cooling in a reservoir with slowly varying topography, *JSME Int. J. Ser. B* 49 (3) (2006) 605–615 (in English).
- Y. Nishino, S. Nakagawa, R. Imai, M. Ishizuka, Study on natural convection cooling of electronic equipment (effects of wall clearance), *Therm. Sci. Eng.* 14 (4) (2006) 95–102.
- K. Noto, K. Nakai, Direct numerical analysis of turbulent thermal plume in stably stratified ambient [turbulent suppression (reverse transition and relaminarization) and turbulent enhancement], *Trans. Jpn. Soc. Mech. Eng. B* 72 (717) (2006) 1278–1286.
- T. Ogasawara, S. Toh, Turbulent relative dispersion in two-dimensional free convection turbulence, *J. Phys. Soc. Jpn.* 75 (10) (2006) 104402 (in English).
- K. Ohba, H. Makita, N. Sekishita, H. Watanabe, Spatial structure of internal gravity waves and occurrence of counter-gradient heat flux, *Trans. Jpn. Soc. Mech. Eng. B* 72 (716) (2006) 877–884.
- R. Shiroishi, Y. Teraoka, M. Okada, Natural convection heat transfer of suspension in a rectangular vessel heated from a vertical wall and cooled from the opposite one, *Trans. Jpn. Soc. Mech. Eng. B* 72 (714) (2006) 412–419.
- K. Tsujimoto, N. Ohya, T. Shakouchi, T. Ando, Analysis of turbulent structures of natural convection in a vertical channel by using DNS, *Trans. Jpn. Soc. Mech. Eng. B* 72 (719) (2006) 1666–1673.
- K. Yazawa, Y. Nishino, S. Nakagawa, M. Ishizuka, Empirical measurement with PIV and numerical analysis on multi channel wall cooling in electronics equipment, *Trans. Jpn. Soc. Mech. Eng. B* 72 (714) (2006) 420–427.

5. Forced-convection

- H. Arima, Y. Mori, Y. Ikegami, Effect on forced oscillation flow in periodically grooved channel under low Re number flow in the parallel plate, *Trans. Jpn. Soc. Mech. Eng. B* 72 (717) (2006) 1327–1334.
- T. Aso, M. Monde, H. Sato, R. Hino, H. Tatsumoto, T. Kato, Experimental investigation of characteristics of impinging jet heat transfer and application to JSNS moderator design, *Trans. Atom. Energy Soc. Jpn.* (5) (3) (2006) 179–189.
- T. Bednarz, E. Fornalik, T. Tagawa, H. Ozoe, J.S. Szymid, Convection of paramagnetic fluid in a cube heated and cooled from side walls and placed below a superconducting magnet - comparison between experiment and numerical computations-, *Therm. Sci. Eng.* 14 (4) (2006) 107–114 (in English).
- I. Furuhashi, N. Kasahara, H. Shibamoto, Extension of applicable area of thermal stress charts (thermal stress of plate subjected to heat transfer on both surfaces), *Trans. Jpn. Soc. Mech. Eng. B* 72 (721) (2006) 2083–2090.
- S. Hiraoka, Y. Kato, S. Iwata, Y. Tada, H. Sakai, T. Yamaguchi, M. Yamamura, I. Nagasaka, K. Shiobara, Estimation of tangential velocity near side wall of fully turbulent agitated vessel without baffles, *J. Chem. Eng. Jpn.* 39 (6) (2006) 583–586 (in English).
- K. Ichimiya, K. Tsukamoto, Heat transfer from an inflow-type swirling turbulent impinging jet, *JSME Int. J. Ser. B* 49 (4) (2006) 995–999 (in English).
- T. Ikeno, T. Kajishima, T. Murata, The effect of mixing-vane arrangements in a subchannel turbulent flow, *J. Nucl. Sci. Technol.* (43) (10) (2006) 1194–1205 (in English).
- M. Inuzuka, K. Abe, A hybrid LES/RANS approach using anisotropy-resolving algebraic turbulence models for predicting turbulent heat transfer, *Trans. Jpn. Soc. Mech. Eng. B* 72 (720) (2006) 2002–2009.
- H. Iwai, S. Kawakami, K. Suzuki, J. Tsujii, T. Abiko, Performance of wire springs as extended heat transfer surface for compact heat exchangers, *J. Therm. Sci. Technol.* 1 (2) (2006) 78–89 (in English).
- K. Kawaguchi, K. Okui, Y. Takaki, Effects of flow around fin on the heat transfer and pressure drop characteristics of the spiral finned tube banks, *Trans. Jpn. Soc. Mech. Eng. B* 72 (717) (2006) 1310–1317.
- K. Kawaguchi, K. Okui, Y. Takaki, Effects of flow around fin on the heat transfer and pressure drop characteristics of the serrated finned tube banks, *Trans. Jpn. Soc. Mech. Eng. B* 72 (717) (2006) 1318–1326.
- M. Kudo, H. Kawamura, Control of oscillatory thermocapillary convection in a half-zone liquid bridge by circumferential round heating, *Therm. Sci. Eng.* 14 (2) (2006) 19–25.
- Q. Liu, K. Fukuda, Z. Zhang, Theoretical and experimental studies on transient heat transfer for forced convection flow of helium gas over a horizontal cylinder, *JSME Int. J. Ser. B* 49 (2) (2006) 326–333 (in English).
- Y. Mitsutake, M. Monde, K. Shigetaka, S. Tsunokake, T. Fuura, Enhancement of heat transfer in hydrogen storage tank with hydrogen absorbing alloy (optimum fin arrangement), *Trans. Jpn. Soc. Mech. Eng. B* 72 (718) (2006) 1396–1403.
- Y. Mitsutake, M. Monde, K. Oyakawa, H. Uchida, S. Tsunokake, T. Fuura, Enhancement of heat transfer in hydrogen storage tank using hydrogen absorbing alloy (improvement of metal hydride tank design for high charging rate), *Trans. Jpn. Soc. Mech. Eng. B* 72 (719) (2006) 1645–1651.
- H. Murata, K. Sawada, K. Suzuki, A numerical investigation of flow in a channel obstructed by an array of square rods (2nd report, investigation of a criterion for judging the uniqueness and validity of numerical results), *Trans. Jpn. Soc. Mech. Eng. B* 72 (715) (2006) 693–700.

- K. Murata, K. Araga, Heat transfer enhancement in surfactant solution flow by air injection, *Trans. Jpn. Soc. Mech. Eng. B* 72 (717) (2006) 1303–1309.
- R. Nakamura, S. Yamada, H. Suzuki, Y. Komoda, H. Usui, Heat transfer characteristics of hydrate slurries transported by visco-elastic fluid in a cavity, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (4) (2006) 491–499.
- Y. Seki, K. Iwamoto, H. Kawamura, Prandtl number effect on turbulence statistics through high spatial resolution DNS of turbulent heat transfer in a channel flow, *Trans. Jpn. Soc. Mech. Eng. B* 72 (724) (2006) 2856–2861.
- Y. Shiina, Reduction of temperature changes in heat transfer fluid by the use of latent heat storage technology, *Trans. Atom. Energy Soc. Jpn.* (5) (3) (2006) 190–199.
- H. Sugiyama, H. Mukai, D. Hitomi, Numerical analysis of turbulent flow separation in a rectangular duct with sharp 180 degree turn, *Trans. Atom. Energy Soc. Jpn.* (5) (1) (2006) 1–13.
- H. Suzuki, S. Yamada, H. Usui, Numerical computations on heat transfer characteristics from the cavity bottom in parallel plates swept by viscoelastic fluid, *J. Chem. Eng. Jpn.* 39 (9) (2006) 915–923 (in English).
- Y. Takahashi, M. Inayoshi, Y. Gokan, T. Ishima, T. Obokata, Numerical prediction of heat transfer coefficient by Karman's analogy and an application for air-cooled motorcycle's engines, *Trans. Jpn. Soc. Mech. Eng. B* 72 (724) (2006) 2886–2893.
- I. Tanno, K. Morinishi, K. Matsuno, H. Nishida, Validation of virtual flux method for forced convection flows, *Trans. Jpn. Soc. Mech. Eng. B* 72 (714) (2006) 217–224.
- I. Tanno, K. Morinishi, K. Matsuno, H. Nishida, Validation of virtual flux method for forced convection flow, *JSME Int. J. Ser. B* 49 (4) (2006) 1141–1148 (in English).
- D. Tochio, J. Sumita, E. Takada, N. Fujimoto, S. Nakagawa, Evaluation of fuel temperature on high temperature test operation at high temperature gas-cooled reactor 'HTTR,' *Trans. Atom. Energy Soc. Jpn.* (5) (1) (2006) 57–67.
- M. Tsubokura, On the Large-scale flow motions in fully developed turbulent channel flow (2nd report, effect of thermal stratification and self-similarity), *Trans. Jpn. Soc. Mech. Eng. B* 72 (724) (2006) 2909–2916.
- Y. Yamamoto, M. Akiba, S. Morooka, K. Shirakawa, N. Abe, Thermal hydraulic performance of tight lattice bundle, *JSME Int. J. Ser. B* 49 (2) (2006) 334–342 (in English).
- K. Yamamoto, M. Imazeki, N. Hasegawa, K. Hishida, Neural network control of temperature profile by impinging jet arrays, *JSME Int. J. Ser. B* 49 (4) (2006) 951–958 (in English).
- M. Yoshida, S. Ishihara, Y. Murakami, K. Nakashima, M. Yamamoto, Air-cooling effects of fins on a motorcycle engine, *JSME Int. J. Ser. B* 49 (3) (2006) 869–875 (in English).
- ## 6. Mixed-convection
- K. Ichimiya, K. Toriyama, Effects of density inverse of water on the heat transfer and flow of mixed convection, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (4) (2006) 447–454.
- S. Matsumura, H. Ishida, K. Momose, G. Kawahara, Internal gravity wave resonance of thermal convection fields in rectangular cavities with heat-flux vibration (effects of aspect ratio on the fields), *Trans. Jpn. Soc. Mech. Eng. B* 72 (719) (2006) 1789–1796.
- T. Misumi, S. Shigemaru, K. Kitamura, K. Kamiya, Fluid flow and heat transfer of opposing mixed convection adjacent to upward-facing, inclined heated plates, *Trans. Jpn. Soc. Mech. Eng. B* 72 (720) (2006) 1993–2001.
- K. Toriyama, K. Ichimiya, Effect of heated and cooled wall temperatures on swirl-type mixed convective heat transfer in a horizontal square duct, *Trans. Jpn. Soc. Mech. Eng. B* 72 (714) (2006) 397–403.
- ## 7. Evaporation and boiling
- K. Hata, M. Shiotsu, N. Noda, Influence of heating rate on subcooled flow boiling critical heat flux in a short vertical tube, *JSME Int. J. Ser. B* 49 (2) (2006) 309–317 (in English).
- H. Honda, O. Makishi, H. Yamashiro, Stability of vapor film in subcooled film boiling on a sphere, *Therm. Sci. Eng.* 14 (4) (2006) 83–93.
- K. Iwakabe, M. Nakaiwa, K. Huang, T. Nakanishi, A. Rosjorde, T. Ohmori, A. Endo, T. Yamamoto, Performance of an internally heat-integrated distillation column (HIDiC) in separation of ternary mixtures, *J. Chem. Eng. Jpn.* 39 (4) (2006) 417–425 (in English).
- T. Kadota, K. Takemura, H. Tanaka, H. Tokumura, D. Segawa, S. Nakaya, Evaporation of a binary component miscible fuel droplet on a hot surface in high pressure gaseous environments, *Trans. Jpn. Soc. Mech. Eng. B* 72 (717) (2006) 1365–1370.
- K. Kawaguchi, T. Terao, T. Matsumoto, Cooling unit for computer chip by using boiling heat transfer (evaluation of basic cooling performance and simulation for predicting cooling performance), *Trans. Jpn. Soc. Mech. Eng. B* 72 (718) (2006) 1388–1395.
- H. Kawasaki, R. Imai, K. Ohonishi, K. Ohkubo, T. Fujii, Functional estimation of plate type evaporator with communication wick for two-phase fluid loop in space, *Trans. Jpn. Soc. Mech. Eng. B* 72 (719) (2006) 1781–1788.
- J.H. Kim, K. Okuyama, Y. Iida, Allowable repetition frequency of pulse heating in microactuators using rapid boiling (effect of electrical insulation layer beneath heater), *J. Therm. Sci. Technol.* 1 (1) (2006) 20–30 (in English).
- Y. Koito, H. Imura, M. Mochizuki, Y. Saito, S. Torii, Fundamental experiments and numerical analyses on heat transfer characteristics of a vapor chamber (effect of heat source size), *Trans. Jpn. Soc. Mech. Eng. B* 72 (714) (2006) 404–411.
- H. Matsueda, M. Monde, S. Matsuda, Characteristics of transient heat transfer during quench of a vertical hot surface with a falling liquid film, *Trans. Jpn. Soc. Mech. Eng. B* 72 (723) (2006) 2753–2760.
- K. Matsuura, I. Kataoka, K. Mishima, Post-dryout heat transfer analysis model with droplet Lagrangian simulation, *JSME Int. J. Ser. B* 49 (2) (2006) 377–383 (in English).
- M. Monde, A.K. Mozumder, P.L. Woodfield, Y. Mitsutake, Quenching of high temperature cylindrical surface with an impinging jet (maximum heat flux), *Trans. Jpn. Soc. Mech. Eng. B* 72 (714) (2006) 383–389.
- O. Nakabeppu, Y. Furukawa, On Heat transfer mechanism of nucleate boiling with MEMS sensors (1st report, temperature measurement beneath boiling bubble), *Trans. Jpn. Soc. Mech. Eng. B* 72 (722) (2006) 2532–2539.
- A. Nakayama, K. Kodama, M. Tsutsui, Heat transfer enhancement in saturated pool nucleate boiling using a heating surface with a one-screwed fin fitted with a flat plate, *Kagaku Kogaku Ronbunshu (Trans. Chem. Eng. Jpn.)* 32 (2) (2006) 163–166.
- H. Ohtake, Y. Koizumi, Derivations of correlation and liquid-solid contact model of transition boiling heat transfer, *JSME Int. J. Ser. B* 49 (2) (2006) 343–351 (in English).
- K. Okuyama, T. Kishi, S. Mori, Y. Iida, Y. Shiraishi, G. Kojima, Heat transfer from a high-temperature solid to a water-containing porous plate separated by a narrow gap, *J. Chem. Eng. Jpn.* 39 (7) (2006) 709–717 (in English).
- J. Park, K. Fukuda, Q. Liu, Effects of surface conditions on transient pool boiling CHF in various liquids with different mechanisms depending on pressure and subcooling, *JSME Int. J. Ser. B* 49 (2) (2006) 318–325 (in English).
- T. Seta, K. Okui, The single component thermal lattice Boltzmann simulation of pool boiling in two dimensions, *J. Therm. Sci. Technol.* 1 (2) (2006) 125–137 (in English).

- S. Takada, M. Murakami, M. Nozawa, N. Kimura, The dependence of the heat transfer coefficient on film boiling modes in He II, *Teikon Kogaku (J. Cryo. Soc. Jpn.)* 41 (6) (2006) 252–257.
- H. Tanaka, T. Kadota, D. Segawa, S. Nakaya, H. Yamasaki, Effect of ambient pressure on micro-explosion of an emulsion droplet evaporating on a hot surface, *Trans. Jpn. Soc. Mech. Eng. B* 72 (713) (2006) 138–143.
- H. Tanaka, T. Kadota, D. Segawa, S. Nakaya, H. Yamasaki, Effect of ambient pressure on micro-explosion of an emulsion droplet evaporating on a hot surface, *JSME Int. J. Ser. B* 49 (4) (2006) 1345–1350 (in English).
- T. Tsuruta, T. Hayashi, Enhancement of microwave drying under reduced pressure condition by irradiation control and external air supply, *Trans. Jpn. Soc. Mech. Eng. B* 72 (723) (2006) 2761–2766.
- M. Yamamura, T. Inoue, Y. Mawatari, H. Kage, Drying-rate limit in condenser drying of thin film coatings, *J. Chem. Eng. Jpn.* 39 (8) (2006) 814–817 (in English).
- H. Yoshida, H. Ishibe, S. Yoshitomi, M. Saito, H. Matsui, T. Egawa, H. Iwai, H. Tsubota, T. Kuwabara, K. Kanamaru, Hybrid gas bearing effectively stabilized by water evaporation from ultra-fine porous medium, *Trans. Jpn. Soc. Mech. Eng. B* 72 (722) (2006) 2562–2569.
- 8. Condensation**
- R. Chu, T. Hatanaka, S. Nishio, Enhancement of condensation on a vertical plate (effect of fin thickness on dispersed finned surface), *Therm. Sci. Eng.* 14 (4) (2006) 103–106.
- J.W. Rose, Enhanced condensation heat transfer, *JSME Int. J. Ser. B* 49 (3) (2006) 626–635 (in English).
- Q. Yang, A. Gu, Dropwise condensation on SAM and electroless composite coating surfaces, *J. Chem. Eng. Jpn.* 39 (8) (2006) 826–830 (in English).
- 9. Melting and solidification**
- T. Asaoka, A. Saito, S. Okawa, H. Kumano, T. Hozumi, T. Matsunaga, J. Ichioka, Study on formation of ice slurry using ethanol solution with vacuum evaporation, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (2) (2006) 165–174.
- R. Chiba, M. Izumi, A numerical analysis on freezing behavior of flowing water inside a pipe cooled from surroundings: critical velocity of water flow to avoid freezing and period required for ice to blockade a pipe, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (1) (2006) 25–32.
- K. Fukui, K. Nada, N. Tani, Y. Asakuma, K. Maeda, Melt crystallization of fatty acids on a rotating cold cylinder, *J. Chem. Eng. Jpn.* 39 (11) (2006) 1154–1160 (in English).
- Y. Hirasawa, F. Mizaki, E. Takegoshi, Study on melting process of frozen silica gel including water, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (3) (2006) 249–255.
- Y. Hirasawa, A. Kosaka, K. Kitano, Discussion for ice formation and melting process in LiBr aqueous solution by numerical analysis, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (4) (2006) 519–524.
- N. Ito, Numerical method for deforming solidification fronts in continuous casting, *J. Therm. Sci. Technol.* 1 (2) (2006) 54–65 (in English).
- K. Kamiyama, D.J. Brear, Y. Tobita, S. Kondo, Establishment of freezing model for reactor safety analysis, *J. Nucl. Sci. Technol.* (43) (10) (2006) 1206–1217 (in English).
- Y. Komatsu, M. Sugawara, T. Fujita, Melting phenomena of combined two ice plates having a 90° corner with double effects of temperature and concentration, *Trans. Jpn. Soc. Mech. Eng. B* 72 (718) (2006) 1582–1589.
- Y. Komatsu, M. Sugawara, T. Fujita, The influence of melting system sizes on two vertical parallel ice plates melting with double effects of temperature and concentration, *Trans. Jpn. Soc. Mech. Eng. B* 72 (724) (2006) 3096–3104.
- S. Koyama, D.H. Kim, K. Kuwahara, C. Kondo, K. Oguni, An experimental study for frosting phenomena on heat transfer surface with fins, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (3) (2006) 209–215.
- H. Kumano, A. Saito, S. Okawa, H. Yamada, Effects of additives in the process of ice slurry production, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (4) (2006) 501–508.
- H. Okubo, Y. Yasunari, Fluid latent heat storage material using ethanol water mixture, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (4) (2006) 525–531.
- G. Su, K. Sugiyama, H. Aoki, I. Kimura, Experimental study on coolability of particulate core-metal debris bed with oxidization, (II): Fragmentation and enhanced heat transfer in zircaloy debris bed, *J. Nucl. Sci. Technol.* (43) (5) (2006) 537–545 (in English).
- Y. Tanaka, M. Hishida, G. Tanaka, Heat transfer of melting immiscible sphere in water, *Trans. Jpn. Soc. Mech. Eng. B* 72 (715) (2006) 730–737.
- G. Yang, M. Louhi-Kultanen, Z. Sha, N. Kubota, J. Kallas, A model for the prediction of supersaturation level in batch cooling crystallization, *J. Chem. Eng. Jpn.* 39 (4) (2006) 426–436 (in English).
- Y. Yu, A.W. Cramb, R. Heard, Y. Fang, J. Cui, The effect of oxygen partial pressure on heat transfer and solidification, *ISIJ Int.* 46 (10) (2006) 1427–1431 (in English).
- 10. Multiphase flow**
- R. Duan, S. Koshizuka, S. Jiang, Y. Oka, A. Yamaguchi, T. Takata, Numerical analyses of flashing jet structure and droplet size characteristics, *J. Nucl. Sci. Technol.* (43) (3) (2006) 285–294.
- I. Hashim, W. Sarma, On the onset of marangoni convection in a rotating fluid layer, *J. Phys. Soc. Jpn.* 75 (3) (2006) 035001 (in English).
- K. Ikeda, M. Hoshi, Development of rod-embedded fiber LDV to measure velocity in fuel rod bundles, *J. Nucl. Sci. Technol.* (43) (2) (2006) 150–158 (in English).
- E. Ishii, T. Ishikawa, Y. Tanabe, Simulation of multi-scale free surfaces within gas-liquid flows using combined particle and grid methods, *Therm. Sci. Eng.* 14 (3) (2006) 51–59.
- Y. Ishiwatari, Y. Oka, S. Koshizuka, J. Liu, LOCA analysis of super LWR, *J. Nucl. Sci. Technol.* (43) (3) (2006) 231–241 (in English).
- Y. Iso, K. Kamemoto, Vortex method and particle trajectory tracking method for liquid-solid two-phase simulation in a mixing tee with experimental validation, *Trans. Jpn. Soc. Mech. Eng. B* 72 (720) (2006) 1880–1887.
- A. Kawahara, M. Sadatomi, H. Kudo, K. Kano, Single- and two-phase turbulent mixing rate between subchannels in triangle tight lattice rod bundle, *JSME Int. J. Ser. B* 49 (2) (2006) 287–295 (in English).
- K. Kobayashi, T. Inamuro, F. Ogino, Numerical simulation of advancing interface in a micro heterogeneous channel by the lattice Boltzmann method, *J. Chem. Eng. Jpn.* 39 (3) (2006) 257–266 (in English).
- P. Li, H. Tsuge, Ozone transfer in a new gas-induced contactor with microbubbles, *J. Chem. Eng. Jpn.* 39 (11) (2006) 1213–1220 (in English).
- A. Minato, M. Misawa, Numerical analysis of CCFL in perforated thick plate using extended two-fluid model, *Trans. Atom. Energy Soc. Jpn.* (5) (2) (2006) 96–102.
- K. Mori, H. Yoshida, K. Nakano, Y. Shiomi, Effects of liquid viscosity on inception of disturbance waves and droplets in gas-liquid annular two-phase flow, *Trans. Jpn. Soc. Mech. Eng. B* 72 (719) (2006) 1797–1804.

- S. Mori, D. Matsushita, T. Fukano, Characteristics of the disturbance wave and the base film in vertical upward boiling annular flow, *Trans. Jpn. Soc. Mech. Eng. B* 72 (723) (2006) 2723–2732.
- H. Murakawa, H. Kikura, G. Yamanaka, M. Aritomi, Measurement of two-phase flow using multi-wave ultrasound (measurement of bubble rising velocity using correlation method), *Trans. Jpn. Soc. Mech. Eng. B* 72 (722) (2006) 2465–2472.
- M. Nakagawa, H. Miyazaki, A. Harada, Rarefaction waves at the outlet of the supersonic two-phase flow nozzle, *Therm. Sci. Eng.* 14 (4) (2006) 67–73.
- M. Sadatomi, K. Kano, A. Kawahara, N. Mori, Void fraction and pressure drop in two-phase equilibrium flows in a vertical 2×3 rod bundle channel (assessment of correlations against the present subchannel data), *JSME Int. J. Ser. B* 49 (2) (2006) 279–286 (in English).
- T. Sakaguchi, T. Yoshinaga, Correlations for volumetric fractions of each phase of developed steady solid-fluids multiphase flows in vertical pipes, *Jpn. J. Multiphase Flow* 20 (3) (2006) 236–243.
- M. Sato, S. Morooka, K. Shirakawa, Y. Yamamoto, K. Watanabe, R. Arai, Liquid film thickness on fuel rod under high pressure and high temperature steam-water two phase flow, *Trans. Atom. Energy Soc. Jpn.* (5) (1) (2006) 14–24.
- G. Sorokin, H. Ninokata, A. Sorokin, H. Endo, E. F. Ivanov, Experimental and numerical study of liquid metal boiling in a system of parallel bundles under natural circulation conditions, *J. Nucl. Sci. Technol.* (43) (6) (2006) 623–634 (in English).
- M. Sugimoto, T. Shakouchi, K. Hayakawa, M. Izawa, Gas-particle two-phase jet flow from slot nozzle and micro-blasting process, *JSME Int. J. Ser. B* 49 (3) (2006) 705–713 (in English).
- N. Takada, A. Tomiyama, A numerical method for two-phase flow based on a phase-field model, *JSME Int. J. Ser. B* 49 (3) (2006) 636–644 (in English).
- H. Tamai, M. Kureta, A. Ohunuki, T. Sato, H. Akimoto, Pressure drop experiments using tight-lattice 37-rod bundles, *J. Nucl. Sci. Technol.* (43) (6) (2006) 699–706 (in English).
- T. Uchiyama, T. Degawa, Numerical simulation for gas-liquid two-phase free turbulent flow based on vortex in cell method, *JSME Int. J. Ser. B* 49 (4) (2006) 1008–1015 (in English).
- A. Voutsinas, T. Shakouchi, K. Tsujimoto, T. Ando, Gas-liquid two-phase oscillating, fluctuating flow through vertical sudden contraction pipe, *Trans. Jpn. Soc. Mech. Eng. B* 72 (717) (2006) 1131–1136.
- A. Voutsinas, T. Shakouchi, K. Tsujimoto, T. Ando, Flow characteristics and drag reduction of vertical upward gas-liquid two-phase flow through sudden contraction pipe, *Trans. Jpn. Soc. Mech. Eng. B* 72 (720) (2006) 1888–1894.
- A. Voutsinas, T. Shakouchi, J. Takamura, K. Tsujimoto, T. Ando, Flow characteristics and control of vertical upward gas-liquid two-phase flow through a sudden contraction pipe, *JSME Int. J. Ser. B* 49 (4) (2006) 1000–1007 (in English).
- T. Hayashi, T. Tsuruta, H. Tanigawa, Heat and mass transfer in warm-air drying of seafood, *Trans. Jpn. Soc. Mech. Eng. B* 72 (715) (2006) 723–729.
- C.D. Ho, J.J. Fu, J.W. Tu, An analytical study of mass transfer efficiency in double-pass parallel-plate mass exchangers under uniform wall fluxes, *J. Chem. Eng. Jpn.* 39 (12) (2006) 1243–1254 (in English).
- Y. Ito, N. Takenaka, S. Komori, Mass transfer through gas-liquid interface in a micro channel, *Trans. Jpn. Soc. Mech. Eng. B* 72 (715) (2006) 584–589.
- Akanksha, K.K. Pant, P.M. Pandey and V.K. Srivastava, Modeling of gas absorption with an exothermic reaction in a falling liquid film, *J. Chem. Eng. Jpn.* 39 (12) (2006) 1229–1236 (in English).
- S. Nedeltchev, U. Jordan, A. Schumpe, A new correction factor for theoretical prediction of mass transfer coefficients in bubble columns, *J. Chem. Eng. Jpn.* 39 (12) (2006) 1237–1242 (in English).
- K. Nishida, S. Tsushima, K. Teranishi, S. Hirai, K. Fukuzato, Non-contact measurement of H₂O concentration in a fuel cell channel by tunable diode laser absorption spectroscopy, *Trans. Jpn. Soc. Mech. Eng. B* 72 (718) (2006) 1627–1632.
- T. Nishio, K. Takahashi, Gas-liquid mass transfer coefficient of a pitched bladed paddle up-pumping at extraordinary large gas flow rates, *J. Chem. Eng. Jpn.* 39 (8) (2006) 783–789 (in English).
- K. Ogawa, K. Ito, T. Haishi, K. Hishida, Local water-content measurement of polymer electrolyte membrane for fuel cell applications using planar surface coil as a NMR signal detector, *Trans. Jpn. Soc. Mech. Eng. B* 72 (716) (2006) 1013–1020.
- T. Okawa, N. Shimada, A. Kotani, I. Kataoka, An experimental study on the mass transfer rate of droplets in annular two-phase flow, *JSME Int. J. Ser. B* 49 (2) (2006) 271–278 (in English).
- Y. Sha, L. Ye, Unordered roll flow patterns of interfacial turbulence and its influence on mass transfer, *J. Chem. Eng. Jpn.* 39 (3) (2006) 267–274 (in English).
- J.M.F. Silva, C.E. Lopes, A.J.A. Meirelles, M.R. Wolf-Maciel, Stefan's problem applied to solution crystallization, *J. Chem. Eng. Jpn.* 39 (9) (2006) 940–947 (in English).
- K. Sung-Sub, A. Mohammadi, T. Ishiyama, T. Kakuta, T. Takada, Characteristics of particulate matter collection in a diesel engine using a fluidized-bed DPF, *Trans. Jpn. Soc. Mech. Eng. B* 72 (715) (2006) 839–845.
- K. Takeno, T. Ichinose, N. Fukuda, Characteristics of thermal decomposition of biomass and numerical simulation for the gasification of decomposed mixture, *Trans. Jpn. Soc. Mech. Eng. B* 72 (715) (2006) 778–783.
- Y. Yamamoto, M. Yamauchi, T. Uemura, Numerical simulation of a droplet taking the effect of surfactant transport on the interface by front-tracking method, *Trans. Jpn. Soc. Mech. Eng. B* 72 (720) (2006) 1913–1919.
- T. Yoshimoto, Y. Matsukuma, G. Inoue, M. Minemoto, Mass transfer analysis in PEFC diffusion layer by lattice gas automata method, *JSME Int. J. Ser. B* 49 (3) (2006) 653–659 (in English).

11. Mass transfer

- N. Baba, S. Kojima, K. Kato, T. Ito, Numerical prediction of NO_x reduction amount by NO_x storage-reduction catalysts under sulphur poisoning condition (application of catalyst model considering diffusion into wash-coat), *Trans. Jpn. Soc. Mech. Eng. B* 72 (713) (2006) 112–119.
- K. Fukiba, T. Sato, N. Tsuboi, H. Kobayashi, Mass transfer around a cold cylinder with condensation of vapor (2nd report) mass transfer including mist attachment at surface temperatures from 120 to 250 K, *J. Jpn. Soc. Aeronaut. Space Sci.* 54 (629) (2006) 257–265.
- Y. Hasegawa, N. Kasagi, Dependency of local scalar flux on surface divergence at a turbulent air-water interface, *Trans. Jpn. Soc. Mech. Eng. B* 72 (717) (2006) 1206–1213.

12. Molecular dynamics

- T. Chonan, S. Katayama, Molecular-dynamics simulation of lattice thermal conductivity in Pb_{1-x}Sn_xTe and Pb_{1-x}GexTe at high temperature, *J. Phys. Soc. Jpn.* 75 (6) (2006) 064601 (in English).
- S. Furukawa, N. Aoyama, T. Nishiumi, T. Nitta, H. Takahashi, M. Nakano, Molecular simulation study on adsorption of methanol/water mixed gases in mesoporous silicas with surface modification, *Kagaku Kogaku Ronbunshu (Trans. Chem. Eng. Jpn.)* 32 (1) (2006) 18–24.
- S. Maruyama, Y. Igarashi, Y. Taniguchi, J. Shiomi, Anisotropic heat transfer of single-walled carbon nanotubes, *J. Therm. Sci. Technol.* 1 (2) (2006) 138–148 (in English).

- A. Murata, S. Mochizuki, Molecular dynamics simulation of micro-droplet motion on solid surface induced by temperature gradient, *Trans. Jpn. Soc. Mech. Eng. B* 72 (716) (2006) 987–992.
- F. Ogushi, S. Yukawa, N. Ito, Asymmetric structure of gas-liquid interface, *J. Phys. Soc. Jpn.* 75 (7) (2006) 073001 (in English).
- H. Shiba, S. Yukawa, N. Ito, Divergent thermal conductivity in three-dimensional nonlinear lattices, *J. Phys. Soc. Jpn.* 75 (10) (2006) 103001 (in English).
- M. Shibahara, H. Takada, T. Iritani, H. Takehara, M. Katsuki, N. Kunishi, PAH and fullerene formation from low pressure combustion of toluene, methane and oxygen premixed flame, *Trans. Jpn. Soc. Mech. Eng. B* 72 (719) (2006) 1805–1811.
- M. Shibahara, T. Kunugi, K. Muko, M. Katsuki, A study on effects of surface structural clearance in nanometer scale on energy transfer and molecular behavior at a liquid-solid interface, *JSME Int. J. Ser. B* 49 (2) (2006) 506–511 (in English).
- Y. Shibuta, S. Maruyama, Molecular dynamics of nucleation process of single-walled carbon nanotubes in catalytic CVD method, *Trans. Jpn. Soc. Mech. Eng. B* 72 (722) (2006) 2505–2512.
- Y. Shibuta, S. Maruyama, Molecular dynamics simulation of nucleation process of single-walled carbon nanotubes from a metal cluster on a substrate, *Trans. Jpn. Soc. Mech. Eng. B* 72 (722) (2006) 2519–2523.
- T. Yoshioka, T. Tsuru, M. Asaeda, Transport properties of condensable and non-condensable gas mixtures through microporous silica membranes studied with molecular dynamics simulation, *Kagaku Kogaku Ronbunshu (Trans. Chem. Eng. Jpn.)* 32 (1) (2006) 11–17.

13. Measurements

- J. Fujino, T. Honda, Measurement of the specific heat capacity of plastic waste/fly ash recycled composite using differential scanning calorimeter, *Netsu Bussei (Jpn. J. Thermophys. Proper.)* 20 (4) (2006) 166–172.
- H. Hayashi, H. Inaba, K. Tozaki, S. Wang, Current differential scanning calorimetry of γ -W-nW level sensitivity, *Netsu Bussei (Jpn. J. Thermophys. Proper.)* 20 (3) (2006) 121–130.
- Y. Kanaoka, S. Kimura, T. Kiwata, A. Okajima, O. Kimura, J. Tanigawa, A new method for measuring flow velocity using periodic heating and the sensing characteristics of a micro flow sensor manufactured by MEMS technique, *Trans. Jpn. Soc. Mech. Eng. B* 72 (723) (2006) 2596–2603.
- K. Kato, M. Tagawa, K. Kaifuku, Influences of physical properties and coating on frequency response of fine-wire thermocouple probes, *Trans. Jpn. Soc. Mech. Eng. B* 72 (718) (2006) 1566–1573.
- K. Kubota, M. Funatsu, H. Shirai, F. Takakusagi, Temperature measurements of micro-air plasma-jets by N_2+1 bands, *Trans. Jpn. Soc. Mech. Eng. B* 72 (715) (2006) 628–633.
- G. Matsui, K. Hatori, S. Ikeuchi, T. Yagi, H. Kato, Development of equipments for thermophysical measurement by light heating thermoreflectance technique, *Netsu Bussei (Jpn. J. Thermophys. Proper.)* 20 (3) (2006) 131–137.
- Y. Matsushita, K. Sugawara, Y. Morozumi, H. Aoki, T. Miura, H. Tomi-naga, A numerical investigation of temperature measurement error upon insertion of a suction pyrometer into a combustor, *Kagaku Kogaku Ronbunshu (Trans. Chem. Eng. Jpn.)* 32 (6) (2006) 494–499.
- O. Nakabeppu, Technology trends in nanocalorimetry, *Netsu Bussei (Jpn. J. Thermophys. Proper.)* 20 (3) (2006) 138–144.
- N. Urayama, Nano-thermal analysis, *Netsu Bussei (Jpn. J. Thermophys. Proper.)* 20 (3) (2006) 145–147.

14. Micromechanical systems

- K. Horiuchi, P. Dutta, Heat transfer characteristics of mixed electro-osmotic and pressure driven micro-flows, *JSME Int. J. Ser. B* 49 (3) (2006) 812–819 (in English).
- O. Nakabeppu, J. Sakayori, Cell metabolism monitoring with MEMS sensor, *Therm. Sci. Eng.* 14 (4) (2006) 115–120.

15. Heat exchangers, evaporators and condensers

- K. Hamaguchi, I. Furukawa, I. Yamashita, Effects of entrance and exit shapes on a uniform flow in regenerators, *Trans. Jpn. Soc. Mech. Eng. B* 72 (714) (2006) 491–497.
- N. Haruki, H. Inaba, A. Horibe, Y. Kodama, Flow drag and heat transfer reduction characteristics of organic brine with drag reduction surfactant in a straight pipe, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (4) (2006) 479–490.
- S. Higashiiue, S. Momoki, T. Shigechi, H. Mori, T. Yamaguchi, Experimental study on states of liquid film on heat transfer surface inside a horizontal spirally grooved tube during evaporation, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (2) (2006) 121–132.
- H. Honda, Enhanced evaporation and condensation in tubes, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (4) (2006) 341–353.
- I. Ishihara, R. Matsumoto, T. Kitamoto, S. Yoshioka, Y. Shibata, Mist formation in heat exchanger of air conditioners, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (3) (2006) 257–263.
- K. Kawaguchi, K. Okui, T. Shimoura, T. Ohkouchi, H. Osakabe, T. Ninagawa, The heat transfer and pressure loss characteristics of the heat exchanger for recovering latent heat (effects of straight fin length and fin pitch on the heat transfer and pressure loss characteristics), *Trans. Jpn. Soc. Mech. Eng. B* 72 (713) (2006) 96–103.
- K. Kawaguchi, K. Okui, T. Shimoura, T. Ohkouchi, H. Osakabe, T. Ninagawa, The heat transfer and pressure loss characteristics of the heat exchanger for recovering latent heat (the heat transfer and pressure loss characteristics of the heat exchanger with Wing Fin), *Trans. Jpn. Soc. Mech. Eng. B* 72 (713) (2006) 104–111.
- C. Kondo, T. Senshu, K. Oguni, Performance prediction of cross-finned tube heat exchangers: 2nd report: investigation of dimensionless functions for plane fins, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (4) (2006) 437–446.
- C. Kondou, T. Senshu, K. Matsumura, K. Oguni, Performance prediction of cross-finned tube heat exchangers: 1st report: dimensional optimization for slit fins, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (2) (2006) 175–185.
- M. Kushibe, Y. Ikegami, M. Monde, Evaporation heat transfer of ammonia/water mixtures for plate type evaporator, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (4) (2006) 389–397.
- T. Man'o, M. Tanino, T. Okazaki, S. Koyama, The performance of refrigeration cycle with vapor re-circulation evaporator using an ejector, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (3) (2006) 265–272.
- S. Momoki, S. Higashiiue, T. Shigechi, H. Mori, T. Yamaguchi, Prediction of evaporation heat transfer coefficient of refrigerants inside a horizontal spirally grooved tube based on flow regime information, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (3) (2006) 225–235.
- K. Nakaso, S. Nogami, H. Teshima, Y. Inatomi, K. Kitamura, J. Fukai, Performance of a latent thermal energy storage tank fitted with carbon-fiber cloths to expand the heat transfer area, *Kagaku Kogaku Ronbunshu (Trans. Chem. Eng. Jpn.)* 32 (5) (2006) 414–419.
- N. Shikazono, D. Okawa, M. Kobayashi, N. Kasagi, Proposal and assessment of high performance finless heat exchanger composed

- of micro tubes, *Trans. Jpn. Soc. Mech. Eng. B* 72 (717) (2006) 1295–1302.
- H. Takahashi, C. Saeki, S. Koyama, Effect of fin geometry on condensation heat transfer of refrigerant R134a on enhanced finned tubes, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (1) (2006) 57–65.
- T. Yara, S. Koyama, Prediction of heat transfer characteristics of binary refrigerant mixtures in a plate-fin condenser, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (3) (2006) 187–197.
- 16. Heat transport devices**
- Y.H. Cheng, C. Shih, Optimizing the arrangement of two-stage thermoelectric coolers through a genetic algorithm, *JSME Int. J. Ser. B* 49 (3) (2006) 831–838 (in English).
- K. Fumoto, M. Ikegawa, H. Yamagishi, Study on mini-heat transfer device using temperature-sensitive magnetic fluid, *Trans. Jpn. Soc. Mech. Eng. B* 72 (723) (2006) 2767–2773.
- H. Imura, Y. Koito, Heat transfer characteristics in a two-phase crank-shape closed thermosyphon: the effect of offset length, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (1) (2006) 13–23.
- H. Ishikawa, T. Ogushi, T. Nomura, T. Iwakami, H. Noda, T. Yabe, Study on heat transfer characteristics of reservoir embedded loop heat pipe (1st report, influence of evaporator direction against gravity and charged liquid weight on heat transfer characteristics), *Trans. Jpn. Soc. Mech. Eng. B* 72 (720) (2006) 2010–2017.
- Y. Koito, Y. Horiuchi, T. Yamaguchi, H. Imura, S. Torii, Development of a top-heat-type heat transport loop utilizing vapor pressure (fundamental experiments on heat transport characteristics), *Trans. Jpn. Soc. Mech. Eng. B* 72 (718) (2006) 1574–1581.
- Y. Koito, H. Imura, M. Mochizuki, Y. Saito, S. Torii, Fundamental experiments and numerical analyses on heat transfer characteristics of a vapor chamber (effect of heat source size), *JSME Int. J. Ser. B* 49 (4) (2006) 1233–1240 (in English).
- T. Motoki, Y. Ohno, M. Hishida, G. Tanaka, Augmentation of thermal energy transportation by an oscillatory flow in grooved ducts, *Trans. Jpn. Soc. Mech. Eng. B* 72 (721) (2006) 2271–2278.
- M. Oba, F. Takemura, A. Yabe, Advanced thermoelectric cooling method utilizing dissimilar electrode metals, *Therm. Sci. Eng.* 14 (2) (2006) 27–33.
- 17. Heat sinks**
- K. Tanahashi, Development of high performance cooling modules in notebook PC's, *Therm. Sci. Eng.* 14 (1) (2006) 9–18.
- 18. Air conditioning and refrigeration**
- S. Bae, M. Katsuta, Reaction rate of $\text{Ti}_{0.18}\text{Zr}_{0.84}\text{Cr}_{1.0}\text{Fe}_{0.7}\text{Mn}_{0.3}\text{Cu}_{0.057}$ to use for the heat driven type compact metal hydride refrigerator, *Therm. Sci. Eng.* 14 (1) (2006) 1–8 (in English).
- M. Goto, K. Tanifuji, M. Fujita, T. Yamauchi, K. Nagata, I. Ueno, T. Hasegawa, Operation of air-conditioning machine with an additional condenser, *Trans. Jpn. Soc. Mech. Eng. B* 72 (716) (2006) 1095–1102.
- S. Inoue, S. Inoue, N. Kobayashi, Research on improvement in a performance of an adsorption refrigerator (the effect of multistage adsorption in highly ambient temperature), *Trans. Jpn. Soc. Mech. Eng. B* 72 (714) (2006) 483–490.
- K. Kariya, I.I. El-Sharkawy, K. Suda, B.B. Saha, K. Kuwahara, S. Koyama, Study on adsorption process of ethanol vapor to activated carbon fibers, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (4) (2006) 355–363.
- T. Kawanami, K. Chiba, M. Ikegawa, K. Sakurai, Cooling characteristics of a magnetic refrigerator at room temperature for air cooling systems, *Trans. Jpn. Soc. Mech. Eng. B* 72 (714) (2006) 439–446.
- M. Monde, H. Mustafa, Prediction of mass absorption of ammonia vapor into ammonia water solution, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (2) (2006) 157–164.
- K. Nakao, E. Ozaki, T. Yumikura, M. Ikeuchi, G. Yamanaka, Y. Hirata, Analogy-based evaluation of heat and mass transfer characteristics in a falling liquid film along a vertical absorber with spirally wound fin-finned tube, *Kagaku Kogaku Ronbunshu (Trans. Chem. Eng. Jpn.)* 32 (1) (2006) 48–58.
- K. Nakao, E. Ozaki, T. Yumikura, M. Ikeuchi, G. Yamanaka, A. Tsujimori, Y. Hirata, Characteristic analysis of $\text{LiBr-H}_2\text{O}$ vertically falling liquid film absorber with fin-finned tube based on a model of one-dimensional finite numerical simulation, *Kagaku Kogaku Ronbunshu (Trans. Chem. Eng. Jpn.)* 32 (3) (2006) 253–261.
- K. Nakao, E. Ozaki, T. Yumikura, M. Ikeuchi, G. Yamanaka, A. Tsujimori, Y. Hirata, Influence of fin parameter and winding pattern on heat and mass transfer characteristics of a vertical absorber with spirally wound fin-finned tube, *Kagaku Kogaku Ronbunshu (Trans. Chem. Eng. Jpn.)* 32 (6) (2006) 484–493.
- T. Okazaki, Y. Kato, T. Obayashi, Y. Hirata, Composition change characteristics of R407C by a packed column rectifier, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (3) (2006) 199–207.
- T. Tsujiguchi, A. Kodama, Adsorption/desorption behavior of water vapor in an adsorbent desiccant rotor: 2nd report: estimation of mass transfer coefficient and influence of rotation speed and air velocity, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (4) (2006) 467–477.
- 19. Packed or fluidized beds and porous media**
- R.G. Chen, Simultaneous heat and moisture transfer investigation for a packed agricultural particle pile bed, *JSME Int. J. Ser. B* 49 (4) (2006) 1226–1232 (in English).
- Y. Hirasawa, R. Ohta, E. Takegoshi, A study on effective thermal conductivity of packed bed of adsorbent including water, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (2) (2006) 113–119.
- K. Ichimiya, T. Takeda, T. Uemura, T. Norikuni, Thermal performance of a circular tube filled with a high porous material, *Trans. Jpn. Soc. Mech. Eng. B* 72 (723) (2006) 2747–2752.
- T. Sakata, T. Iwase, S. Kambara, H. Moritomi, Prediction of the effective thermal conductivity of the in-gap particle layer of heat exchanger tubes with wastage covers in a pressurized fluidized bed, *Kagaku Kogaku Ronbunshu (Trans. Chem. Eng. Jpn.)* 32 (3) (2006) 246–252.
- A. Senol, Optimum mass transfer area in a pilot plant packed distillation column, *J. Chem. Eng. Jpn.* 39 (12) (2006) 1265–1275 (in English).
- T. Seta, E. Takegoshi, K. Kitano, K. Okui, Thermal lattice Boltzmann model for incompressible flows through porous media, *J. Therm. Sci. Technol.* 1 (2) (2006) 90–100 (in English).
- W. Shixue, Y. Utaka, Y. Tasaki, A basic study on humidity recovery by using micro-porous media (effects of thermal condition of fluids and geometrical condition of apparatus on transport performance), *Trans. Jpn. Soc. Mech. Eng. B* 72 (714) (2006) 390–396.
- T. Suekane, T. Ishii, S. Tsushima, S. Hirai, Migration of CO_2 in porous media filled with water, *J. Therm. Sci. Technol.* 1 (1) (2006) 1–11 (in English).
- S. Yamamoto, S. Nagano, T. Asano, K. Ohsawa, Numerical study on honeycomb type methanol steam reformer, *Trans. Jpn. Soc. Mech. Eng. B* 72 (724) (2006) 3105–3112.

20. Energy and environmental systems

- C.M. Chang, L.N. Chang, H.C. Hsiao, F.C. Lu, P.F. Shieh, C.N. Chen, S.C. Lu, A further study of high air pollution episodes in Taiwan using the microwave temperature profiler (MTP-5HE), *JSME Int. J. Ser. B* 49 (1) (2006) 60–64 (in English).
- F. Costabile, F. Wang, W. Hong, F. Liu, I. Allegrini, Spatial distribution of traffic air pollution and evaluation of transport vehicle emission dispersion in ambient air in urban areas, *JSME Int. J. Ser. B* 49 (1) (2006) 27–34 (in English).
- F. Costabile, F. Desantis, W. Hong, F. Liu, R. Salvatori, F. Wang, I. Allegrini, Representativeness of urban highest polluted zones for sitting traffic-oriented air monitoring stations in a Chinese city, *JSME Int. J. Ser. B* 49 (1) (2006) 35–41 (in English).
- M. Kato, M. Hori, Study on water management of polymer electrolyte fuel cell (2nd report, operation of PEMFC in wide range of current density under low-humidification condition), *Trans. Jpn. Soc. Mech. Eng. B* 72 (714) (2006) 463–468.
- K. Kitabayashi, S. Konishi, A. Katatani, A NO_x plume dispersion model with chemical reaction in polluted environment, *JSME Int. J. Ser. B* 49 (1) (2006) 42–47 (in English).
- T. Kitahara, T. Konomi, Y. Sasaki, Effects of clamp load on PEFC performance and over voltages (comparison of performance between paper and cloth type GDLs), *Trans. Jpn. Soc. Mech. Eng. B* 72 (715) (2006) 752–757.
- T. Kitahara, T. Konomi, Effects of clamp load on PEFC performance and over voltages (comparison of contact pressure between paper and cloth type GDLs), *Trans. Jpn. Soc. Mech. Eng. B* 72 (716) (2006) 1007–1012.
- T. Konomi, H. Tachibana, A. Kawakami, Effects of internal leak current on PEFC output voltage (internal leak current with concentration over voltage region), *Trans. Jpn. Soc. Mech. Eng. B* 72 (713) (2006) 156–161.
- T. Konomi, I. Saho, Research of diagnosis technique on PEFC running condition (over voltage analysis and diagnosis of PEFC by FFT), *Trans. Jpn. Soc. Mech. Eng. B* 72 (714) (2006) 455–462.
- T. Konomi, G. Nakamura, Study of water production behaviour by the visualization of PEFC (plug flow generation mechanism in dual serpentine channel), *Trans. Jpn. Soc. Mech. Eng. B* 72 (715) (2006) 745–751.
- T. Konomi, T. Kitahara, Y. Sasaki, Effects of design parameters in paper type GDL on PEFC performance (effects of hydrophobic treatment, micro porous layer and specific density on performance), *Trans. Jpn. Soc. Mech. Eng. B* 72 (715) (2006) 758–763.
- T. Konomi, T. Kitahara, Y. Iwata, Analysis of water balance in PEFC at transient operation mode (effects of hydrophobic treatment and micro porous layer on PEFC performance at starting test procedure mode), *Trans. Jpn. Soc. Mech. Eng. B* 72 (715) (2006) 764–770.
- T. Konomi, T. Hoshiko, A. Kawakami, Research on PEFC overvoltage analysis method by impedance technique (1st report, estimation of resistances and overvoltages), *Trans. Jpn. Soc. Mech. Eng. B* 72 (723) (2006) 2780–2785.
- T. Konomi, T. Hoshiko, A. Kawakami, Research on PEFC overvoltage analysis method by impedance technique (2nd report, separation of concentration OV from cathode OV), *Trans. Jpn. Soc. Mech. Eng. B* 72 (723) (2006) 2786–2791.
- T. Kotake, D. Watanabe, Y. Takagi, Characteristics of output power and cell efficiency in direct methanol fuel cells targeting micro power source (optimization of cathode air flow rate, methanol concentration and PEM thickness), *Trans. Jpn. Soc. Mech. Eng. B* 72 (713) (2006) 144–149.
- H. Kusaka, H. Hayami, Numerical simulation of local weather for a high photochemical oxidant event using the WRF model, *JSME Int. J. Ser. B* 49 (1) (2006) 72–77 (in English).
- M. Monde, Y. Mitsutake, P. Woodfield, S. Maruyama, Characteristics of heat transfer and temperature increase of hydrogen during filling at high pressure, *Trans. Jpn. Soc. Mech. Eng. B* 72 (715) (2006) 738–744.
- T. Nakagiri, T. Kase, S. Kato, K. Aoto, Development of a new thermochemical and electrolytic hybrid hydrogen production system for sodium cooled FBR, *JSME Int. J. Ser. B* 49 (2) (2006) 302–308 (in English).
- M. Nogawa, S. Shaowei, T. Inoue, Numerical simulation analysis of thermal acoustic generator, *Trans. Jpn. Soc. Mech. Eng. B* 72 (716) (2006) 1089–1094.
- S. Obara, K. Kudo, Output response characteristics of a small-scale fuel cell for house, *Trans. Jpn. Soc. Mech. Eng. B* 72 (713) (2006) 162–169.
- S. Obara, K. Kudo, Relation between control variables of PEM fuel cell system and power generation efficiency, *Trans. Jpn. Soc. Mech. Eng. B* 72 (714) (2006) 447–454.
- K. Sada, T. Michioka, Y. Ichikawa, Numerical simulation of atmospheric flow and stack gas diffusion under building and complex terrain conditions (estimations of effective stack height and comparisons with wind tunnel experiments), *JSME Int. J. Ser. B* 49 (1) (2006) 48–59 (in English).
- Y. Sato, N. Yoshida, Y. Tanabe, H. Fujita, Study on the output power characteristic of a shape memory alloy engine, *Trans. Jpn. Soc. Mech. Eng. B* 72 (717) (2006) 1335–1341.
- S. Taninaka, Y. Takada, T. Wakisaka, N. Furuichi, S. Toga, T. Hachiga, Investigation of the shape of the anode flow channel in a direct ethanol polymer electrolyte fuel cell (optimization of the sharp turn corner shape by numerical flow analysis with a genetic algorithm), *Trans. Jpn. Soc. Mech. Eng. B* 72 (720) (2006) 2048–2055.
- W. Yin, T. Namioka, K. Yoshikawa, Research on gasification and power generation from waste paint dregs, *Trans. Jpn. Soc. Mech. Eng. B* 72 (714) (2006) 477–482.
- T. Yoshimoto, G. Inoue, Y. Matsukuma, M. Minemoto, Microscopic analysis of polymer electrolyte fuel cell by lattice gas automata, *J. Chem. Eng. Jpn.* 39 (5) (2006) 537–544 (in English).

21. Manufacturing and materials processings

- S. Chiashi, Y. Murakami, Y. Miyauchi, E. Einarsson, S. Maruyama, Single-walled carbon nanotube generation by laser-heated ACCVD method, *Therm. Sci. Eng.* 14 (4) (2006) 61–65.
- S. Das, I.C. Howard, E.J. Palmiere, A probabilistic approach to model interfacial phenomena during hot flat rolling of steels, *ISIJ Int.* 46 (4) (2006) 560–566 (in English).
- E. Einarsson, Y. Murakami, M. Kadowaki, H.M. Duog, M. Inoue, S. Maruyama, Production and applications of vertically aligned single-walled carbon nanotubes, *Therm. Sci. Eng.* 14 (3) (2006) 47–49 (in English).
- S.I. Jang, S.M. Kim, J.P. Wu, T.O. Kim, Simulation of thermal behavior of suspension polymerization of styrene in a batch reactor, *J. Chem. Eng. Jpn.* 39 (3) (2006) 305–313 (in English).
- H.S. Jong, Z. Jian, Y. Morohashi, K. Yamamoto, T. Namioka, K. Yoshikawa, A study on fuelization technology of sewage sludge as fuel for thermochemical energy conversion by steam heating treatment, *Trans. Jpn. Soc. Mech. Eng. B* 72 (722) (2006) 2346–2352.
- S. Lu, H. Fujii, K. Nogi, Marangoni convection and gas tungsten arc weld shape variations on pure iron plates, *ISIJ Int.* 46 (2) (2006) 276–280 (in English).
- Y. Miyagoshi, T. Takefuku, M. Nishino, T. Yokoyama, S. Kadowaki, Efficient vitrification process for Stoker-type MSW incinerator (integrated ash-melting with Stoker-type incinerator), *Trans. Jpn. Soc. Mech. Eng. B* 72 (722) (2006) 2359–2366.

- T. Nozaki, K. Sasaki, T. Ogino, D. Asahi, K. Okazaki, Synthesis of silicon nanocrystals in microplasma reactor, *Therm. Sci. Eng.* 14 (4) (2006) 75–81.
- Y. Shibuta, S. Maruyama, The effect of catalytic metals of various elements in nucleation process of single-walled carbon nanotubes, *Trans. Jpn. Soc. Mech. Eng. B* 72 (722) (2006) 2513–2518.
- M. Takasuga, Y. Yabuki, Y. Kato, Pharmaceutical industrial experiments on continuous cryogenic reactions using mini-sized multi-stage reactors, *J. Chem. Eng. Jpn.* 39 (7) (2006) 772–776 (in English).
- A. Trivedi, A. Suman, A. De, Integrating finite element based heat transfer analysis with multivariate optimization for efficient weld pool modeling, *ISIJ Int.* 46 (2) (2006) 267–275 (in English).
- R. Yamakita, Y. Ishino, N. Ohiwa, An investigation on thermal recycling of recycled plastic resin (optical analysis of abrupt heating characteristics of a micro plastic-resin particle), *Trans. Jpn. Soc. Mech. Eng. B* 72 (716) (2006) 1060–1066.
- Q. Zhang, L. Wang, M. Sakurai, T. Kitajima, H. Takahashi, M. Nakaya, T. Ootani, H. Kameyama, Two-dimensional coaxial model for a cylinder methane steam reformer using a novel plate catalyst, *J. Chem. Eng. Jpn.* 39 (11) (2006) 1172–1181 (in English).

22. Biological technology and food processing

- T. Hayashi, T. Tsuruta, Evaluation of internal resistance of sea food in drying process (comparison between microwave-vacuum drying and warm-air drying), *Trans. Jpn. Soc. Mech. Eng. B* 72 (721) (2006) 2249–2255.
- Y. Koshiro, M. Watanabe, R. Takai, T. Hagiwara, T. Suzuki, Evaluation of morphological change and aggregation process of ice crystals in frozen food by using fractal analysis, *Trans. Jpn. Soc. Refrig. Air Condition. Eng.* 23 (3) (2006) 299–304.
- H. Takamatsu, S. Zawlodzka, T. Miyanaga, Effect of extracellular ice formation and electrolyte concentration on injury of slowly frozen cells, *Trans. Jpn. Soc. Mech. Eng. B* 72 (717) (2006) 1342–1348.