



Contents lists available at [ScienceDirect](http://www.sciencedirect.com)

International Journal of Heat and Mass Transfer

journal homepage: www.elsevier.com/locate/ijhmt



Erratum

Erratum to “Effectiveness correlations for heat and mass transfer in membrane humidifiers” [Int. J. Heat Mass Transfer 52 (2009) 1504–1509]

David Kadylak^a, Peter Cave^a, Walter Mérida^{a,b,*}

^aClean Energy Research Centre, University of British Columbia, 6250 Applied Science Lane, Vancouver, BC, Canada V6T 1Z4

^bInstitute for Fuel Cell Innovation, 4250 Wesbrook Mall, Vancouver, BC, Canada V6T 1W5

The Publisher regrets that an error occurred in Eq. (4) on page 1505 of this paper. The corrected Eq. (4) appears below. The Publisher apologises for any inconvenience caused.

$$\varepsilon_L = 1 - \exp \left[\frac{\exp(-NTU_L^{0.78} R_L) - 1}{NTU_L^{-0.22} R_L} \right] \quad (4)$$

DOI of original article: [10.1016/j.ijheatmasstransfer.2008.09.002](https://doi.org/10.1016/j.ijheatmasstransfer.2008.09.002)

* Corresponding author. Permanent address: Clean Energy Research Centre, University of British Columbia, 6250 Applied Science Lane, Vancouver, BC, Canada V6T 1Z4. Tel.: +1 604 822 4189; fax: +1 604 822 2403.

E-mail address: walter.merida@ubc.ca (W. Mérida).