

Subject index Volumes 249/250

Ab initio

Why ketonization is favored over enolization in 5-membered ring H-transfers by $\text{CH}_3\text{C}(=\text{OH}^+)\text{CH}_2\text{C}\backslash\text{H}_2$ and in 6-membered ring H-transfers by $\text{CH}_3(\text{C}=\text{OH}^+)\text{CH}_2\text{CH}_2\text{C}\backslash\text{H}_2$, 120

Ab initio calculations

Direct determination of the ionization energy of histidine with VUV synchrotron radiation, 155

Dissociation of protonated oxalic acid $[\text{HOOC-C}(\text{OH})_2]^+$ into $\text{H}_3\text{O}^+ + \text{CO} + \text{CO}_2$: An experimental and CBS-QB3 computational study, 240

Accurate mass

Volatile compounds from six species of truffle – head-space analysis and vapor analysis at high mass resolution, 60

Amino acid derivatives

Mid-IR spectroscopy of protonated leucine methyl ester performed with an FTICR or a Paul type ion-trap, 14

Amino acids

Direct determination of the ionization energy of histidine with VUV synchrotron radiation, 155

Anchimeric assistance

The effect of steric hindrance on the relative rates of anchimerically assisted alcohol eliminations from MH^+ ions of 2-substituted 1,4-dialkoxybutanes upon CI and CID. Experiment and theory, 433

Angiotensin III analogue

Fragmentation of doubly-protonated peptide ion populations labeled by H/D exchange with CD_3OD , 93

Angular momentum

Analysis of kinetic energy release distributions by the maximum entropy method, 330

Antiknock

Pyrolysis of 2-methoxy-2,3,3-trimethylbutane (MTMB) monitored by 118 nm photoionization mass spectrometry, 303

Appearance energy

Appearance energies of singly, doubly, and triply charged coronene and corannulene ions produced by electron impact, 353

Arenium ions

Gas-phase titration of C_7H_9^+ ion mixtures by FT-ICR mass spectrometry: Semiquantitative determination of ion populations generated by CI-induced protonation of C_7H_8 isomers and by EI-induced fragmentation of some monoterpenes, 340

b- and y-fragment ions

Fragmentation of doubly-protonated peptide ion populations labeled by H/D exchange with CD_3OD , 93

Bidentate bases

Gas phase basicity of $\text{X}(\text{CH}_2)_3\text{Y}$ ($\text{X}, \text{Y} = \text{OH}, \text{NH}_2$) by the thermo-kinetic method, 412

Biological nanoparticles

Direct determination of the ionization energy of histidine with VUV synchrotron radiation, 155

Bond dissociation energies

An experimental and theoretical investigation into the binding interactions of silver cluster cations with ethene and propene, 252

Bond-forming

Electron transfer and bond-forming reactions following collisions of SF_2^+ with Ar, 279

Bradykinin

Fragmentation of doubly-protonated peptide ion populations labeled by H/D exchange with CD_3OD , 93

Breath analysis

A general method for the calculation of absolute trace gas concentrations in air and breath from selected ion flow tube mass spectrometry data, 230

Butanol

On the dissociation of the 2-pentanone ion studied by threshold photoelectron photoion coincidence spectroscopy, 403

$\text{C}_4\text{H}_8\text{O}^+$

Why ketonization is favored over enolization in 5-membered ring H-transfers by $\text{CH}_3\text{C}(=\text{OH}^+)\text{CH}_2\text{C}\backslash\text{H}_2$ and in 6-membered ring H-transfers by $\text{CH}_3(\text{C}=\text{OH}^+)\text{CH}_2\text{CH}_2\text{C}\backslash\text{H}_2$, 120

$\text{C}_5\text{H}_{10}\text{O}^+$

Why ketonization is favored over enolization in 5-membered ring H-transfers by $\text{CH}_3\text{C}(=\text{OH}^+)\text{CH}_2\text{C}\backslash\text{H}_2$ and in 6-membered ring H-transfers by $\text{CH}_3(\text{C}=\text{OH}^+)\text{CH}_2\text{CH}_2\text{C}\backslash\text{H}_2$, 120

C-82

The stability of singly and multiply charged La@C_{80} and La@C_{82} ions determined from kinetic energy release measurements, 396

Carbenium ions

Gas-phase titration of C_7H_9^+ ion mixtures by FT-ICR mass spectrometry: Semiquantitative determination of ion populations generated by CI-induced protonation of C_7H_8 isomers and by EI-induced fragmentation of some monoterpenes, 340

Catalysis

Mechanisms of catalytic dehydrogenation of alkanes by rhodium clusters Rh_n^+ probed by isotope labelling, 191

Cation

An infrared spectroscopic study of protonated and cationic indazole, 199

Chemical ionization (CI)

The effect of steric hindrance on the relative rates of anchimerically assisted alcohol eliminations from MH^+ ions of 2-substituted 1,4-dialkoxybutanes upon CI and CID. Experiment and theory, 433

Chemical kinetics

On the reaction of ground-state nitrogen atoms with bromomethyl radicals: A computational study, 451

Chlorine dioxide

Core-level excitation and fragmentation of chlorine dioxide, 68

Chloro(hydroxy) phosphanyl

Generation and characterization of ionic and neutral chloro(hydroxy) phosphanyl $[\text{Cl-P-OH}]^{+/\cdot}$ and chloro(thiohydroxy) phosphanyl $[\text{Cl-P-SH}]^{+/\cdot}$ in the gas phase by tandem mass spectrometry and computational chemistry, 206

Chloro(thiohydroxy) phosphanyl

Generation and characterization of ionic and neutral chloro(hydroxy) phosphanyl $[\text{Cl-P-OH}]^{+/\cdot}$ and chloro(thiohydroxy) phosphanyl $[\text{Cl-P-SH}]^{+/\cdot}$ in the gas phase by tandem mass spectrometry and computational chemistry, 206

Chrysene

Photodetachment-photoelectron spectroscopy of jet-cooled chrysene, 364

CID

The effect of steric hindrance on the relative rates of anchimerically assisted alcohol eliminations from MH^+ ions of 2-substituted 1,4-dialkoxybutanes upon CI and CID. Experiment and theory, 433

CI–GC–MS

An accelerated mass spectrometric method for measuring *myo*-inositol in phosphatidylinositol in rat brain, 392

Clusters

Chemical reactions in clusters of trifluoroacetic acid (CF_3COOH) triggered by electrons at sub-excitation energy (<2 eV), 477

Coincidence

State-selected $\text{C}_2\text{H}_2^+ + \text{C}_2\text{H}_4$ reaction: Controlled by dynamics or statistics?, 31

Collision induced dissociation

Generation and characterization of ionic and neutral chloro(hydroxy) phosphanyl $[\text{Cl-P-OH}]^{+/\cdot}$ and chloro(thiohydroxy) phosphanyl $[\text{Cl-P-SH}]^{+/\cdot}$ in the gas phase by tandem mass spectrometry and computational chemistry, 206

Collisional activation

Characterization of a distonic isomer $\text{C}_6\text{H}_5\text{C}^+(\text{OH})\text{OCH}_2^\cdot$ of methyl benzoate radical cation by associative ion–molecule reactions, 484

Collisional stabilization

Collisional stabilization of highly vibrationally excited *o*-, *m*- and *p*-xylene ions ($\text{C}_8\text{H}_{10}^+$) from 300–900 K and 1–250 Torr, 379

Computation

Gas-phase proton transfer from dications: Coulombic repulsion between reaction products in $\text{C}_{60}\text{H}^{2+} + \text{B}$ ($\text{B} = \text{C}_3\text{H}_3\text{N}$, HCN and CO), 359

Computational chemistry

Generation and characterization of ionic and neutral chloro(hydroxy) phosphanyl $[\text{Cl-P-OH}]^{+/\cdot}$ and chloro(thiohydroxy) phosphanyl $[\text{Cl-P-SH}]^{+/\cdot}$ in the gas phase by tandem mass spectrometry and computational chemistry, 206

Core-level excitation

Core-level excitation and fragmentation of chlorine dioxide, 68

Coulomb explosion

Coulomb instability of multicharged proteins, 184

Cu(II) complexes

The role of the position of the basic residue in the generation and fragmentation of peptide radical cations, 171

Cyclic ether

The proton affinities of saturated and unsaturated heterocyclic molecules, 370

Cyclization

The mass spectrometry-induced cyclization of protonated *N*-[2-(benzoyloxy)phenyl]-benzamide: A gas-phase analog of a solution reaction, 21

Decarbonylation

The unexpected decarbonylation of ionized 2,3-pentanedione and related diketones, 222

Defect structures

How useful is mass spectrometry for the characterization of dendrimers?. “Fake defects” in the ESI and MALDI mass spectra of dendritic compounds, 138

Dehydrotropylium

Rearrangement of phenylcarbene radical cation to dehydrotropylium cation, 1

Dendrimers

How useful is mass spectrometry for the characterization of dendrimers?. “Fake defects” in the ESI and MALDI mass spectra of dendritic compounds, 138

Density functional (DFT) calculations

The effect of steric hindrance on the relative rates of anchimerically assisted alcohol eliminations from MH^+ ions of 2-substituted 1,4-dialkoxybutanes upon CI and CID. Experiment and theory, 433

Density functional theory

The mass spectrometry-induced cyclization of protonated *N*-[2-(benzoyloxy)phenyl]-benzamide: A gas-phase analog of a solution reaction, 21

Deuterium labeling

Mechanisms of catalytic dehydrogenation of alkanes by rhodium clusters Rh_n^+ probed by isotope labelling, 191

The effect of steric hindrance on the relative rates of anchimerically assisted alcohol eliminations from MH^+ ions of 2-substituted 1,4-dialkoxybutanes upon CI and CID. Experiment and theory, 433

DFT

An experimental and theoretical investigation into the binding interactions of silver cluster cations with ethene and propene, 252

DFT calculation

Unimolecular reactions of halogeno phenylarsenium ions: Kinetic energy release during the elimination of halogen hydride, 130

Dication

Surface-induced dissociation and reactions of dications and cations: Collisions of dications $\text{C}_7\text{H}_8^{2+}$, $\text{C}_7\text{H}_7^{2+}$, and $\text{C}_7\text{H}_6^{2+}$ and a comparison with the respective cations $\text{C}_7\text{D}_8^{\cdot+}$ and C_7H_7^+ , 162

Electron transfer and bond-forming reactions following collisions of SF_2^{2+} with Ar, 279

Gas-phase proton transfer from dications: Coulombic repulsion between reaction products in $\text{C}_{60}\text{H}^{2+} + \text{B}$ ($\text{B} = \text{C}_3\text{H}_3\text{N}$, HCN and CO), 359

Diethers

The effect of steric hindrance on the relative rates of anchimerically assisted alcohol eliminations from MH^+ ions of 2-substituted 1,4-dialkoxybutanes upon CI and CID. Experiment and theory, 433

Diketones

The unexpected decarbonylation of ionized 2,3-pentanedione and related diketones, 222

Dilithiated peptides

Structural characterization of peptides via tandem mass spectrometry of their dilithiated monocations, 45

Dimer radical cation

Dissociation of protonated oxalic acid $[\text{HOOC-C}(\text{OH})_2]^+$ into $\text{H}_3\text{O}^+ + \text{CO} + \text{CO}_2$: An experimental and CBS-QB3 computational study, 240

Dioxygen

Gas-phase reactions of an iridium(I) complex with dioxygen – Comparison to solution-phase reactivity, 446

Dissociation energy

Delayed neutral-atom evaporation of photoexcited anionic gold clusters, 215

Distonic ions

A novel route to $\text{H}_2\text{O}_2^{+/\cdot}$ ions via direct generation of the oxywater cation $\text{H}_2\text{OO}^{+/\cdot}$, 311

Distonic radical cations

Characterization of a distonic isomer $\text{C}_6\text{H}_5\text{C}^+(\text{OH})\text{OCH}_2^\cdot$ of methyl benzoate radical cation by associative ion–molecule reactions, 484

Dynamic

State-selected $\text{C}_2\text{H}_2^+ + \text{C}_2\text{H}_4$ reaction: Controlled by dynamics or statistics?, 31

Electron affinity

Photodetachment-photoelectron spectroscopy of jet-cooled chrysene, 364

- Electron attachment
Chemical reactions in clusters of trifluoroacetic acid (CF_3COOH) triggered by electrons at sub-excitation energy (<2 eV), 477
- Electron impact ionization
Appearance energies of singly, doubly, and triply charged coronene and corannulene ions produced by electron impact, 353
Mass spectrum of the 1-butene-3-yne-2-yl radical ($i\text{-C}_4\text{H}_3$; $\text{X}^2\text{A}'$), 420
- Electron promotion
Gas-phase reactions of nitric oxide with atomic lanthanide cations: Room-temperature kinetics and periodicity in reactivity, 385
- Electron transfer
Electron transfer and bond-forming reactions following collisions of SF_2^+ with Ar, 279
- Electronic structure
Gas-phase proton transfer from dications: Coulombic repulsion between reaction products in $\text{C}_{60}\text{H}^{2+} + \text{B}$ ($\text{B} = \text{C}_3\text{H}_3\text{N}$, HCN and CO), 359
- Electronic transitions
Gas-phase electronic spectra of C_6NH_2 and C_8NH_2 , 317
- Electrospray
Gram-negative bacterial lipid A analysis by negative electrospray ion trap mass spectrometry: Stepwise dissociations of deprotonated species under low energy CID conditions, 77
- Electrospray ionization
The mass spectrometry-induced cyclization of protonated *N*-[2-(benzoyloxy)phenyl]-benzamide: A gas-phase analog of a solution reaction, 21
How useful is mass spectrometry for the characterization of dendrimers?. "Fake defects" in the ESI and MALDI mass spectra of dendritic compounds, 138
The role of the position of the basic residue in the generation and fragmentation of peptide radical cations, 171
Gas-phase reactions of an iridium(I) complex with dioxygen – Comparison to solution-phase reactivity, 446
- Endohedral
The stability of singly and multiply charged La@C_{80} and La@C_{82} ions determined from kinetic energy release measurements, 396
- Endohedral fullerene
Impact formation of endohedral fullerenes at surfaces: Comparing field-free yield measurements with model calculations, 8
- Energy transfer
Effects of projectile orientation and surface impact site on the efficiency of projectile excitation in surface-induced dissociation. Protonated diglycine collisions with diamond {1 1 1}, 321
- Enol
On the dissociation of the 2-pentanone ion studied by threshold photoelectron photoion coincidence spectroscopy, 403
- Equilibrium method
Gas phase basicity of $\text{X}(\text{CH}_2)_3\text{Y}$ ($\text{X}, \text{Y} = \text{OH}, \text{NH}_2$) by the thermokinetic method, 412
- Ergodicity
Analysis of kinetic energy release distributions by the maximum entropy method, 330
- Ethene
An experimental and theoretical investigation into the binding interactions of silver cluster cations with ethene and propene, 252
- Ether
Pyrolysis of 2-methoxy-2,3,3-trimethylbutane (MTMB) monitored by 118 nm photoionization mass spectrometry, 303
- Fast atom bombardment
The mass spectrometry-induced cyclization of protonated *N*-[2-(benzoyloxy)phenyl]-benzamide: A gas-phase analog of a solution reaction, 21
- Fluorescence confocal laser scan microscopy
Matrix-analyte-interaction in MALDI-MS: Pellet and nano-electrospray preparations, 426
- Folch extraction
An accelerated mass spectrometric method for measuring *myo*-inositol in phosphatidylinositol in rat brain, 392
- Formic acid
Reactions of hydrated electrons ($\text{H}_2\text{O})_n^-$ with formic acid, 106
- Fourier Transform Ion Cyclotron Resonance mass spectrometry
The proton affinities of saturated and unsaturated heterocyclic molecules, 370
- Fragmentation
Core-level excitation and fragmentation of chlorine dioxide, 68
- Fragmentation energetics
Mechanisms of peptide fragmentation from time- and energy-resolved surface-induced dissociation studies: Dissociation of angiotensin analogs, 462
- Fragmentation mechanism
Unimolecular reactions of halogeno phenylarsenium ions: Kinetic energy release during the elimination of halogen hydride, 130
Mechanisms of peptide fragmentation from time- and energy-resolved surface-induced dissociation studies: Dissociation of angiotensin analogs, 462
- Fragmentation pattern
Mass spectrum of the 1-butene-3-yne-2-yl radical ($i\text{-C}_4\text{H}_3$; $\text{X}^2\text{A}'$), 420
- Free radical
Mass spectrum of the 1-butene-3-yne-2-yl radical ($i\text{-C}_4\text{H}_3$; $\text{X}^2\text{A}'$), 420
- FT-ICR mass spectrometry
IR spectroscopy of protonated toluene: Probing ring hydrogen shifts in gaseous arenium ions, 149
- FT-ICR MS
Mechanisms of peptide fragmentation from time- and energy-resolved surface-induced dissociation studies: Dissociation of angiotensin analogs, 462
Gas-phase H/D exchange of the protonated serine octamer cluster: "Ion ping pong" of populations A and B, 473
- Furan
Gas phase studies of metal dimer complexes, M_2L_n^+ , where $\text{M} = \text{Zn}$ and Mn , and $\text{L} = \text{pyrrole}$ and furan , for n in the range 1–5, 289
- G3 calculation
The proton affinities of saturated and unsaturated heterocyclic molecules, 370
- Gas chromatography
Volatile compounds from six species of truffle – head-space analysis and vapor analysis at high mass resolution, 60
- Gas phase basicity
Gas phase basicity of $\text{X}(\text{CH}_2)_3\text{Y}$ ($\text{X}, \text{Y} = \text{OH}, \text{NH}_2$) by the thermokinetic method, 412
- Gas-phase chemistry
Gas-phase H/D exchange of the protonated serine octamer cluster: "Ion ping pong" of populations A and B, 473
- Gas-phase reaction
On the reaction of ground-state nitrogen atoms with bromomethyl radicals: A computational study, 451
- Glucosides
Stereoselective noncovalent interactions of monosaccharides with hydrazine, 112
- H/D exchange
Fragmentation of doubly-protonated peptide ion populations labeled by H/D exchange with CD_3OD , 93
- Head-space analysis
Volatile compounds from six species of truffle – head-space analysis and vapor analysis at high mass resolution, 60
- Heteroaromatic compound
The proton affinities of saturated and unsaturated heterocyclic molecules, 370

- Hydrated electron
Reactions of hydrated electrons (H_2O_n^-) with formic acid, 106
- Hydrazine
Stereoselective noncovalent interactions of monosaccharides with hydrazine, 112
- Hydrogen formation
Reactions of hydrated electrons (H_2O_n^-) with formic acid, 106
- Hydrogen/deuterium exchange
Gas-phase H/D exchange of the protonated serine octamer cluster: "Ion ping pong" of populations A and B, 473
- ICP-MS
Characterization of natural water resources in Israel by inductively coupled plasma mass spectrometry, 296
- Indazole
An infrared spectroscopic study of protonated and cationic indazole, 199
- Infrared spectroscopy
Mid-IR spectroscopy of protonated leucine methyl ester performed with an FTICR or a Paul type ion-trap, 14
An infrared spectroscopic study of protonated and cationic indazole, 199
- Ion impact
Impact formation of endohedral fullerenes at surfaces: Comparing field-free yield measurements with model calculations, 8
- Ion mixture analysis
Gas-phase titration of C_7H_9^+ ion mixtures by FT-ICR mass spectrometry: Semiquantitative determination of ion populations generated by CI-induced protonation of C_7H_8 isomers and by EI-induced fragmentation of some monoterpenes, 340
- Ion molecule reaction
Mechanisms of catalytic dehydrogenation of alkanes by rhodium clusters Rh_n^+ probed by isotope labelling, 191
- Ion trap mass spectrometry
Gram-negative bacterial lipid A analysis by negative electrospray ion trap mass spectrometry: Stepwise dissociations of deprotonated species under low energy CID conditions, 77
- Ion-dipole
Gram-negative bacterial lipid A analysis by negative electrospray ion trap mass spectrometry: Stepwise dissociations of deprotonated species under low energy CID conditions, 77
- Ionization energies
Direct determination of the ionization energy of histidine with VUV synchrotron radiation, 155
- Ion-molecule reaction
State-selected $\text{C}_2\text{H}_2^+ + \text{C}_2\text{H}_4$ reaction: Controlled by dynamics or statistics?, 31
- Ion-molecule reactions
Characterization of a distonic isomer $\text{C}_6\text{H}_5\text{C}^+(\text{OH})\text{OCH}_2^\cdot$ of methyl benzoate radical cation by associative ion-molecule reactions, 484
- IR spectroscopy
IR spectroscopy of protonated toluene: Probing ring hydrogen shifts in gaseous arenium ions, 149
- Iridium
Gas-phase reactions of an iridium(I) complex with dioxygen – Comparison to solution-phase reactivity, 446
- Isotope effect
Mechanisms of catalytic dehydrogenation of alkanes by rhodium clusters Rh_n^+ probed by isotope labelling, 191
- Isotope ratio measurement
Characterization of natural water resources in Israel by inductively coupled plasma mass spectrometry, 296
- Kinetic energy release
Unimolecular reactions of halogeno phenylarsenium ions: Kinetic energy release during the elimination of halogen hydride, 130
- Kinetic energy release distribution (KERD)
The stability of singly and multiply charged La@C_{80} and La@C_{82} ions determined from kinetic energy release measurements, 396
- Lanthanide cations
Gas-phase reactions of nitric oxide with atomic lanthanide cations: Room-temperature kinetics and periodicity in reactivity, 385
- Lanthanum
The stability of singly and multiply charged La@C_{80} and La@C_{82} ions determined from kinetic energy release measurements, 396
- Laser ablation
Gas-phase electronic spectra of C_6NH_2 and C_8NH_2 , 317
- Leucine
Mid-IR spectroscopy of protonated leucine methyl ester performed with an FTICR or a Paul type ion-trap, 14
- Lipid A
Gram-negative bacterial lipid A analysis by negative electrospray ion trap mass spectrometry: Stepwise dissociations of deprotonated species under low energy CID conditions, 77
- Liquid drop model
Coulomb instability of multicharged proteins, 184
- Long-lived radionuclide
Characterization of natural water resources in Israel by inductively coupled plasma mass spectrometry, 296
- Low energy collision
Gram-negative bacterial lipid A analysis by negative electrospray ion trap mass spectrometry: Stepwise dissociations of deprotonated species under low energy CID conditions, 77
- Low energy electrons
Chemical reactions in clusters of trifluoroacetic acid (CF_3COOH) triggered by electrons at sub-excitation energy (<2 eV), 477
- MALDI
Matrix-analyte-interaction in MALDI-MS: Pellet and nano-electrospray preparations, 426
- MALDI-analyte-incorporation
Matrix-analyte-interaction in MALDI-MS: Pellet and nano-electrospray preparations, 426
- MALDI-dry-preparation
Matrix-analyte-interaction in MALDI-MS: Pellet and nano-electrospray preparations, 426
- Manganese
Gas phase studies of metal dimer complexes, M_2L_n^+ , where $\text{M} = \text{Zn}$ and Mn , and $\text{L} = \text{pyrrole}$ and furan , for n in the range 1–5, 289
- Mass spectrometry
Volatile compounds from six species of truffle – head-space analysis and vapor analysis at high mass resolution, 60
Core-level excitation and fragmentation of chlorine dioxide, 68
Stereoselective noncovalent interactions of monosaccharides with hydrazine, 112
How useful is mass spectrometry for the characterization of dendrimers?. "Fake defects" in the ESI and MALDI mass spectra of dendritic compounds, 138
A general method for the calculation of absolute trace gas concentrations in air and breath from selected ion flow tube mass spectrometry data, 230
A novel route to $\text{H}_2\text{O}_2^{+\vee}$ ions via direct generation of the oxywater cation $\text{H}_2\text{OO}^{+\vee}$, 311
Matrix-analyte-interaction in MALDI-MS: Pellet and nano-electrospray preparations, 426
- Mass spectrum
Mass spectrum of the 1-butene-3-yne-2-yl radical ($i\text{-C}_4\text{H}_3$; $\text{X}^2\text{A}'$), 420
- Matrix-assisted laser desorption ionization
How useful is mass spectrometry for the characterization of dendrimers?. "Fake defects" in the ESI and MALDI mass spectra of dendritic compounds, 138

- Maximum entropy**
Analysis of kinetic energy release distributions by the maximum entropy method, 330
- McLafferty rearrangement**
The unexpected decarbonylation of ionized 2,3-pentanedione and related diketones, 222
- Mechanism**
The unexpected decarbonylation of ionized 2,3-pentanedione and related diketones, 222
- 6-Membered rings**
Why ketonization is favored over enolization in 5-membered ring H-transfers by $\text{CH}_3\text{C}(\text{OH}^+)\text{CH}_2\text{C}\backslash\text{H}_2$ and in 6-membered ring H-transfers by $\text{CH}_3(\text{C}=\text{OH}^+)\text{CH}_2\text{CH}_2\text{C}\backslash\text{H}_2$, 120
- Metal cluster**
Mechanisms of catalytic dehydrogenation of alkanes by rhodium clusters Rh_n^+ probed by isotope labelling, 191
- Metal cluster anions**
Delayed neutral-atom evaporation of photoexcited anionic gold clusters, 215
- Metal dimer**
Gas phase studies of metal dimer complexes, M_2L_n^+ , where $\text{M} = \text{Zn}$ and Mn , and $\text{L} = \text{pyrrole}$ and furan , for n in the range 1–5, 289
- Metastable reaction**
The stability of singly and multiply charged La@C_{80} and La@C_{82} ions determined from kinetic energy release measurements, 396
- Methyl benzoate**
Characterization of a distonic isomer $\text{C}_6\text{H}_5\text{C}^+(\text{OH})\text{OCH}_2\backslash$ of methyl benzoate radical cation by associative ion–molecule reactions, 484
- Monoterpenes**
Gas-phase titration of C_7H_9^+ ion mixtures by FT-ICR mass spectrometry: Semiquantitative determination of ion populations generated by CI-induced protonation of C_7H_8 isomers and by EI-induced fragmentation of some monoterpenes, 340
- Morse cluster**
Coulomb instability of multicharged proteins, 184
- MS/MS**
Structural characterization of peptides via tandem mass spectrometry of their dilithiated monocations, 45
- Multicharged protein**
Coulomb instability of multicharged proteins, 184
- Multiply charged ion**
Appearance energies of singly, doubly, and triply charged coronene and corannulene ions produced by electron impact, 353
- Multipole ion guide**
Gas-phase reactions of an iridium(I) complex with dioxygen – Comparison to solution-phase reactivity, 446
- Multistage mass spectrometry**
The role of the position of the basic residue in the generation and fragmentation of peptide radical cations, 171
- myo-Inositol**
An accelerated mass spectrometric method for measuring *myo*-inositol in phosphatidylinositol in rat brain, 392
- Nanotechnology**
Mechanisms of catalytic dehydrogenation of alkanes by rhodium clusters Rh_n^+ probed by isotope labelling, 191
- Negative ions**
Chemical reactions in clusters of trifluoroacetic acid (CF_3COOH) triggered by electrons at sub-excitation energy (<2 eV), 477
- Neutralisation–reionization**
Generation and characterization of ionic and neutral chloro(hydroxy) phosphanyl $[\text{Cl-P-OH}]^{+/\backslash}$ and chloro(thiohydroxy) phosphanyl $[\text{Cl-P-SH}]^{+/\backslash}$ in the gas phase by tandem mass spectrometry and computational chemistry, 206
Characterization of a distonic isomer $\text{C}_6\text{H}_5\text{C}^+(\text{OH})\text{OCH}_2\backslash$ of methyl benzoate radical cation by associative ion–molecule reactions, 484
- Niobium sulfide**
Gas-phase thermochemistry of the early cationic transition-metal sulfides of the second row: YS^+ , ZrS^+ , and NbS^+ , 263
- Nitric oxide**
Gas-phase reactions of nitric oxide with atomic lanthanide cations: Room-temperature kinetics and periodicity in reactivity, 385
- Nitrogen containing hydrocarbons**
Gas-phase electronic spectra of C_6NH_2 and C_8NH_2 , 317
- Nonadiabatic reactions**
Analysis of kinetic energy release distributions by the maximum entropy method, 330
- Noncovalent complexes**
Stereoselective noncovalent interactions of monosaccharides with hydrazine, 112
- O-atom transfer**
Gas-phase reactions of nitric oxide with atomic lanthanide cations: Room-temperature kinetics and periodicity in reactivity, 385
- Optical spectroscopy**
Gas-phase electronic spectra of C_6NH_2 and C_8NH_2 , 317
- Oxywater cation**
A novel route to $\text{H}_2\text{O}_2^{+/\backslash}$ ions via direct generation of the oxywater cation $\text{H}_2\text{OO}^{+/\backslash}$, 311
- Ozone chemistry**
A novel route to $\text{H}_2\text{O}_2^{+/\backslash}$ ions via direct generation of the oxywater cation $\text{H}_2\text{OO}^{+/\backslash}$, 311
- 2-Pentanone**
On the dissociation of the 2-pentanone ion studied by threshold photoelectron photoion coincidence spectroscopy, 403
- Penning trap**
Delayed neutral-atom evaporation of photoexcited anionic gold clusters, 215
- Peptide conformation**
Fragmentation of doubly-protonated peptide ion populations labeled by H/D exchange with CD_3OD , 93
- Peptide radicals**
Structural characterization of peptides via tandem mass spectrometry of their dilithiated monocations, 45
- Peptide sequencing**
Structural characterization of peptides via tandem mass spectrometry of their dilithiated monocations, 45
- Peroxo-complexes**
Gas-phase reactions of an iridium(I) complex with dioxygen – Comparison to solution-phase reactivity, 446
- Phenyl carbene**
Rearrangement of phenylcarbene radical cation to dehydrotropylium cation, 1
- Phenylarsane**
Unimolecular reactions of halogeno phenylarsenium ions: Kinetic energy release during the elimination of halogen hydride, 130
- Phosphatidylinositol**
An accelerated mass spectrometric method for measuring *myo*-inositol in phosphatidylinositol in rat brain, 392
- Photodetachment**
Photodetachment-photoelectron spectroscopy of jet-cooled chrysene, 364
- Photodissociation**
IR spectroscopy of protonated toluene: Probing ring hydrogen shifts in gaseous arenium ions, 149
- Photoelectron spectroscopy**
Photodetachment-photoelectron spectroscopy of jet-cooled chrysene, 364
- Photoionisation**
State-selected $\text{C}_2\text{H}_2^+ + \text{C}_2\text{H}_4$ reaction: Controlled by dynamics or statistics?, 31

- Core-level excitation and fragmentation of chlorine dioxide, 68
- Pyrolysis of 2-methoxy-2,3,3-trimethylbutane (MTMB) monitored by 118 nm photoionization mass spectrometry, 303
- Polyaromatic hydrocarbon
- Appearance energies of singly, doubly, and triply charged coronene and corannulene ions produced by electron impact, 353
- Pressure dependence
- Collisional stabilization of highly vibrationally excited *o*-, *m*- and *p*-xylene ions ($C_8H_{10}^+$) from 300–900 K and 1–250 Torr, 379
- Projectile orientation
- Effects of projectile orientation and surface impact site on the efficiency of projectile excitation in surface-induced dissociation. Protonated diglycine collisions with diamond {1 1 1}, 321
- Propen-2-ol
- On the dissociation of the 2-pentanone ion studied by threshold photoelectron photoion coincidence spectroscopy, 403
- Propene
- An experimental and theoretical investigation into the binding interactions of silver cluster cations with ethene and propene, 252
- Proton affinity
- The proton affinities of saturated and unsaturated heterocyclic molecules, 370
 - Gas phase basicity of $X(CH_2)_3Y$ ($X, Y = OH, NH_2$) by the thermokinetic method, 412
- Proton transfer
- Gas-phase proton transfer from dications: Coulombic repulsion between reaction products in $C_{60}H^{2+} + B$ ($B = C_3H_3N, HCN$ and CO), 359
- Proton transfer reactions
- Gas-phase titration of $C_7H_9^+$ ion mixtures by FT-ICR mass spectrometry: Semiquantitative determination of ion populations generated by CI-induced protonation of C_7H_8 isomers and by EI-induced fragmentation of some monoterpenes, 340
- Proton transport catalysis
- Dissociation of protonated oxalic acid $[HOOC-C(OH)_2]^+$ into $H_3O^+ + CO + CO_2$: An experimental and CBS-QB3 computational study, 240
- Protonated
- Mid-IR spectroscopy of protonated leucine methyl ester performed with an FTICR or a Paul type ion-trap, 14
 - An infrared spectroscopic study of protonated and cationic indazole, 199
- Protonated peptide
- The role of the position of the basic residue in the generation and fragmentation of peptide radical cations, 171
 - Mechanisms of peptide fragmentation from time- and energy-resolved surface-induced dissociation studies: Dissociation of angiotensin analogs, 462
- Proton-induced isomerization
- Gas-phase titration of $C_7H_9^+$ ion mixtures by FT-ICR mass spectrometry: Semiquantitative determination of ion populations generated by CI-induced protonation of C_7H_8 isomers and by EI-induced fragmentation of some monoterpenes, 340
- Pyrolysis
- Pyrolysis of 2-methoxy-2,3,3-trimethylbutane (MTMB) monitored by 118 nm photoionization mass spectrometry, 303
- Pyrrole
- Gas phase studies of metal dimer complexes, $M_2L_n^+$, where $M = Zn$ and Mn , and $L =$ pyrrole and furan, for n in the range 1–5, 289
- Quantum chemical calculations
- Characterization of a distonic isomer $C_6H_5C^+(OH)OCH_2\cdot$ of methyl benzoate radical cation by associative ion–molecule reactions, 484
- Quantum chemistry
- On the reaction of ground-state nitrogen atoms with bromomethyl radicals: A computational study, 451
- Radical
- Pyrolysis of 2-methoxy-2,3,3-trimethylbutane (MTMB) monitored by 118 nm photoionization mass spectrometry, 303
- Radical cation
- Rearrangement of phenylcarbene radical cation to dehydrotropylum cation, 1
- Radical cations of peptides
- The role of the position of the basic residue in the generation and fragmentation of peptide radical cations, 171
- Radical reactivity
- On the reaction of ground-state nitrogen atoms with bromomethyl radicals: A computational study, 451
- Rat brain
- An accelerated mass spectrometric method for measuring *myo*-inositol in phosphatidylinositol in rat brain, 392
- Reaction mechanism
- Mechanisms of catalytic dehydrogenation of alkanes by rhodium clusters Rh_n^+ probed by isotope labelling, 191
- Reactive intermediates
- IR spectroscopy of protonated toluene: Probing ring hydrogen shifts in gaseous arenium ions, 149
- Rearrangement
- Rearrangement of phenylcarbene radical cation to dehydrotropylum cation, 1
- Rhodium cluster
- Mechanisms of catalytic dehydrogenation of alkanes by rhodium clusters Rh_n^+ probed by isotope labelling, 191
- Salt bridges
- Structural characterization of peptides via tandem mass spectrometry of their dilithiated monocations, 45
- Scattering experiments
- Surface-induced dissociation and reactions of dications and cations: Collisions of dications $C_7H_8^{2+}$, $C_7H_7^{2+}$, and $C_7H_6^{2+}$ and a comparison with the respective cations $C_7D_8^+$ and $C_7H_7^+$, 162
- Selected ion flow tube
- A general method for the calculation of absolute trace gas concentrations in air and breath from selected ion flow tube mass spectrometry data, 230
- Serine octamer
- Gas-phase H/D exchange of the protonated serine octamer cluster: “Ion ping pong” of populations A and B, 473
- SID
- Effects of projectile orientation and surface impact site on the efficiency of projectile excitation in surface-induced dissociation. Protonated diglycine collisions with diamond {1 1 1}, 321
- SIFT-MS
- A general method for the calculation of absolute trace gas concentrations in air and breath from selected ion flow tube mass spectrometry data, 230
- Silver cluster cations
- An experimental and theoretical investigation into the binding interactions of silver cluster cations with ethene and propene, 252
- Single photon ionization
- Direct determination of the ionization energy of histidine with VUV synchrotron radiation, 155
- Solubility
- Pyrolysis of 2-methoxy-2,3,3-trimethylbutane (MTMB) monitored by 118 nm photoionization mass spectrometry, 303
- Solution analogy
- The mass spectrometry-induced cyclization of protonated *N*-[2-(benzoyloxy)phenyl]-benzamide: A gas-phase analog of a solution reaction, 21
- Solvation
- Reactions of hydrated electrons ($H_2O)_n^-$ with formic acid, 106

Statistical theory

State-selected $\text{C}_2\text{H}_2^+ + \text{C}_2\text{H}_4$ reaction: Controlled by dynamics or statistics?, 31

Steric effects in mass spectrometry

The effect of steric hindrance on the relative rates of anchimerically assisted alcohol eliminations from MH^+ ions of 2-substituted 1,4-dialkoxybutanes upon CI and CID. Experiment and theory, 433

Structural discrimination

Stereoselective noncovalent interactions of monosaccharides with hydrazine, 112

Structure

The unexpected decarbonylation of ionized 2,3-pentanedione and related diketones, 222

Structure elucidation

IR spectroscopy of protonated toluene: Probing ring hydrogen shifts in gaseous arenium ions, 149

Sulfonamides

How useful is mass spectrometry for the characterization of dendrimers?. "Fake defects" in the ESI and MALDI mass spectra of dendritic compounds, 138

Sulfur transfer

Gas-phase thermochemistry of the early cationic transition-metal sulfides of the second row: YS^+ , ZrS^+ , and NbS^+ , 263

Supersonic jet

Pyrolysis of 2-methoxy-2,3,3-trimethylbutane (MTMB) monitored by 118 nm photoionization mass spectrometry, 303

Surface collision

Impact formation of endohedral fullerenes at surfaces: Comparing field-free yield measurements with model calculations, 8

Surface reactions

Surface-induced dissociation and reactions of dications and cations: Collisions of dications $\text{C}_7\text{H}_8^{2+}$, $\text{C}_7\text{H}_7^{2+}$, and $\text{C}_7\text{H}_6^{2+}$ and a comparison with the respective cations C_7D_8^+ and C_7H_7^+ , 162

Surface-induced dissociation

Surface-induced dissociation and reactions of dications and cations: Collisions of dications $\text{C}_7\text{H}_8^{2+}$, $\text{C}_7\text{H}_7^{2+}$, and $\text{C}_7\text{H}_6^{2+}$ and a comparison with the respective cations C_7D_8^+ and C_7H_7^+ , 162
Mechanisms of peptide fragmentation from time- and energy-resolved surface-induced dissociation studies: Dissociation of angiotensin analogs, 462

Tandem mass spectrometry

Mid-IR spectroscopy of protonated leucine methyl ester performed with an FTICR or a Paul type ion-trap, 14
Unimolecular reactions of halogeno phenylarsenium ions: Kinetic energy release during the elimination of halogen hydride, 130

Tautomerism

An infrared spectroscopic study of protonated and cationic indazole, 199

Temperature dependence

Collisional stabilization of highly vibrationally excited *o*-, *m*- and *p*-xylene ions ($\text{C}_8\text{H}_{10}^+$) from 300–900 K and 1–250 Torr, 379

Ter-body complex

Dissociation of protonated oxalic acid $[\text{HOOC-C}(\text{OH})_2]^+$ into $\text{H}_3\text{O}^+ + \text{CO} + \text{CO}_2$: An experimental and CBS-QB3 computational study, 240

Thermokinetic method

Gas phase basicity of $\text{X}(\text{CH}_2)_3\text{Y}$ ($\text{X}, \text{Y} = \text{OH}, \text{NH}_2$) by the thermokinetic method, 412

Time-resolved photodissociation

Delayed neutral-atom evaporation of photoexcited anionic gold clusters, 215

Toluene

Surface-induced dissociation and reactions of dications and cations: Collisions of dications $\text{C}_7\text{H}_8^{2+}$, $\text{C}_7\text{H}_7^{2+}$, and $\text{C}_7\text{H}_6^{2+}$ and a comparison with the respective cations C_7D_8^+ and C_7H_7^+ , 162

TPEPICO

On the dissociation of the 2-pentanone ion studied by threshold photoelectron photoion coincidence spectroscopy, 403

Trace analysis

Characterization of natural water resources in Israel by inductively coupled plasma mass spectrometry, 296

Trace gas analysis

A general method for the calculation of absolute trace gas concentrations in air and breath from selected ion flow tube mass spectrometry data, 230

Transition-metal sulfide

Gas-phase thermochemistry of the early cationic transition-metal sulfides of the second row: YS^+ , ZrS^+ , and NbS^+ , 263

Translational energy release

Analysis of kinetic energy release distributions by the maximum entropy method, 330

Truffle volatile

Volatile compounds from six species of truffle – head-space analysis and vapor analysis at high mass resolution, 60

Unimolecular dissociation

Dissociation of protonated oxalic acid $[\text{HOOC-C}(\text{OH})_2]^+$ into $\text{H}_3\text{O}^+ + \text{CO} + \text{CO}_2$: An experimental and CBS-QB3 computational study, 240

Collisional stabilization of highly vibrationally excited *o*-, *m*- and *p*-xylene ions ($\text{C}_8\text{H}_{10}^+$) from 300–900 K and 1–250 Torr, 379

Volatile organic compounds

A general method for the calculation of absolute trace gas concentrations in air and breath from selected ion flow tube mass spectrometry data, 230

Water sample

Characterization of natural water resources in Israel by inductively coupled plasma mass spectrometry, 296

Xylene

Collisional stabilization of highly vibrationally excited *o*-, *m*- and *p*-xylene ions ($\text{C}_8\text{H}_{10}^+$) from 300–900 K and 1–250 Torr, 379

Yttrium sulfide

Gas-phase thermochemistry of the early cationic transition-metal sulfides of the second row: YS^+ , ZrS^+ , and NbS^+ , 263

Zinc

Gas phase studies of metal dimer complexes, M_2L_n^+ , where $\text{M} = \text{Zn}$ and Mn , and $\text{L} = \text{pyrrole}$ and furan , for n in the range 1–5, 289

Zirconium sulfide

Gas-phase thermochemistry of the early cationic transition-metal sulfides of the second row: YS^+ , ZrS^+ , and NbS^+ , 263