

## Subject index of Volume 183

### Aluminium

- new alkali earth metal chlorooxometalate with  $\text{Ir}^{5+}$ :  $\text{Ba}_5\text{IrIn}_2\text{Al}_2\text{O}_3\text{Cl}$ , 18
- magnetism of europium clusters in intermetallic compounds containing magnesium, on the influence of aluminium on the intra- and intercluster exchange effect in  $\text{Eu}(\text{Mg}_{1-x}\text{Al}_x)$ , 271
- on the structure of high-temperature-phase  $\text{Cr}_5\text{Al}_8(\text{h})$ , 444
- synthesis of platinum-rich Al–Pt compounds by reaction in the Pt/Al<sub>3</sub>/I<sub>2</sub> system, 281
- effects of Gd substitutions on the heavy fermion compounds  $\text{CeAl}_3$ , 385

### Ammonium

- synthesis, structure and properties of the cluster anions  $[(\text{Mo}_8\text{Cl}^{\text{I}}_8)\text{X}^{\text{a}}_6]^{2-}$  with  $\text{X}^{\text{a}} = \text{F}, \text{Cl}, \text{Br}, \text{I}$ , 413

### Anisotropy

- heat capacity (150–300 K) and anisotropic magnetic susceptibility (5–300 K) of single-crystal  $\text{La}_2\text{CuO}_{4+x}$ , 312

### Arsenic

- synthesis and crystal structure of the compounds SEPdAs ( $\text{SE} = \text{La}–\text{Lu}$ ), 210

### Barium

- new alkali earth metal chlorooxometalate with  $\text{Ir}^{5+}$ :  $\text{Ba}_5\text{IrIn}_2\text{Al}_2\text{O}_3\text{Cl}$ , 18
- A-axis-oriented  $\text{YBa}_2\text{Cu}_3\text{O}_7/\text{PrBa}_2\text{Cu}_3\text{O}_7$  superlattices: growth and transport properties, 224
- new halogeno-oxoindate  $\text{Ba}_3\text{In}_2\text{O}_5\text{Br}_2$  with the  $\text{Sr}_3\text{Ti}_2\text{O}_7$  structure, 24

### Bismuth

- magnetization and flux pinning studies of superconducting In–21.8at%Bi eutectic alloys, 288
- structural peculiarities of the 123 and 2212 phases and materials based on them, 59

### Boron

- A-axis-oriented  $\text{YBa}_2\text{Cu}_3\text{O}_7/\text{PrBa}_2\text{Cu}_3\text{O}_7$  superlattices: growth and transport properties, 224
- Nd–Fe–B-based magnets: magnetic properties and microstructural appearance with copper addition, 54
- synthesis and crystal structure of the zinc–iridium borides  $\text{ZnIrB}_3$ ,  $\text{Zn}_6\text{Ir}_{11}\text{B}_{6-x}$ ,  $\text{ZnIr}_2\text{B}_2$  and  $\text{Zn}_3\text{Ir}_2\text{B}$ , 363
- synthesis and structure of  $\text{Na}_3\text{B}_5\text{O}_8\text{S}$ , the first oxothioborate, 393

### Bromine

- new halogeno-oxoindate  $\text{Ba}_3\text{In}_2\text{O}_5\text{Br}_2$  with the  $\text{Sr}_3\text{Ti}_2\text{O}_7$  structure, 24

### Caesium

- first caesium-containing oxoiridate(IV):  $\text{Cs}_2\text{Na}_2(\text{IrO}_4)$  containing the quadratic-planar building block  $(\text{IrO}_4)^{4-}$ , 198
- synthesis and structure of the silver-rich alkali metal silver sulphides  $\text{CsAg}_7\text{S}_4$  and  $\text{RbAg}_7\text{S}_4$ , 377

### Carbon

- quaternary pseudo-intercalation phases  $\text{T}_x[\text{Nb}_2\text{S}_2\text{C}]$  ( $\text{T} = \text{V}, \text{Cr}, \text{Mn}, \text{Fe}, \text{Co}, \text{Ni}, \text{Cu}$ ) and metastable  $\text{Nb}_2\text{S}_2\text{C}$  formed by topochemical synthesis, 438
- structure and magnetic ordering of holmium carbide fluoride,  $\text{Ho}_2\text{CF}_2$ , 241

### Cerium

- effects of Gd substitutions on the heavy fermion compounds  $\text{CeAl}_3$ , 385

### Chlorine

- new alkali earth metal chlorooxometalate with  $\text{Ir}^{5+}$ :  $\text{Ba}_5\text{IrIn}_2\text{Al}_2\text{O}_3\text{Cl}$ , 18

### Chromium

- structure of high-temperature-phase  $\text{Cr}_5\text{Al}_8(\text{h})$ , 444

### Conductivity

- formation of the Laves phases in Co/Fe–V–Zr and their magnetic and superconducting properties, 138

- magnetization and flux pinning studies of superconducting In-21.8at%Bi eutectic alloys, 288
- Copper**
- A-axis-oriented  $\text{YBa}_2\text{Cu}_3\text{O}_7/\text{PrBa}_2\text{Cu}_3\text{O}_7$  superlattices: growth and transport properties, 224
- extension of solid solubility of rare earth metals in copper by rapid solidification, 168
- thermal behaviour of transition metal niobates, synthesis and structure of orthorhombic  $\text{CuNb}_2\text{O}_6$ , 75
- Crystal structure**
- redetermination of the crystal structure of trimagnesium platinum,  $\text{Mg}_3\text{Pt}$ , 430
- crystal structure and electronic structure of  $\text{Nb}_x\text{Ta}_{2-x}\text{S}$  ( $x=0.95$ ): a new layered compound in ternary Ta-Nb-S system, 7
- crystal structure of the compound  $\text{DyGe}_3$ , 181
- crystal structures of octacyanomolybdates(IV), quadratic antiprismatic  $[\text{Mo}(\text{CN})_8]^{4-}$  coordination in the thallium compound  $\text{Tl}_4[\text{Mo}(\text{CN})_8]$ , 158
- electrochemical synthesis and crystal structure of three new clathrates  $\text{HgAg}_6\text{O}_8\text{ClO}_4$ ,  $\text{HgAg}_6\text{O}_8\text{NO}_3$  and  $\text{Hg}_2\text{Ag}_{18}\text{O}_{33}\text{H}_{22}(\text{ClO}_4)_4$ , 45
- synthesis and crystal structure of the compounds SEPdAs ( $\text{SE} \equiv \text{La-Lu}$ ), 210
- synthesis and crystal structure of the zinc-iridium borides  $\text{ZnIrB}_3$ ,  $\text{Zn}_6\text{Ir}_{11}\text{B}_{6-x}$ ,  $\text{ZnIr}_2\text{B}_2$  and  $\text{Zn}_2\text{Ir}_2\text{B}$ , 363
- Electric fields**
- ultrafine fibers formed in electric fields, 109
- Electronic structure**
- crystal structure and electronic structure of  $\text{Nb}_x\text{Ta}_{2-x}\text{S}$  ( $x=0.95$ ): a new layered compound in ternary Ta-Nb-S system, 7
- Europium**
- magnetism of europium clusters in intermetallic compounds containing magnesium, on the influence of aluminium on the intra- and intercluster exchange effect in  $\text{Eu}(\text{Mg}_{1-x}\text{Al}_x)$ , 271
- Fluorine**
- neutron diffraction study of the anion-excess cubic  $\text{ReO}_3$ -type derived phase  $\text{Fe}_{0.80}\text{Zr}_{0.20}\text{F}_{3.20}$ , 263
- structure and magnetic ordering of holmium carbide fluoride,  $\text{Ho}_2\text{CF}_2$ , 241
- Gadolinium**
- effects of Gd substitutions on the heavy fermion compounds  $\text{CeAl}_3$ , 385
- Gold**
- $\text{Na}_7\text{Au}_5\text{S}_8$  - a novel thioaurate(I) based on a b.c.c. chalcogen packing, 252
- Heat capacity**
- heat capacity (150-300 K) and anisotropic magnetic susceptibility (5-300 K) of single-crystal  $\text{La}_2\text{CuO}_{4+x}$ , 312
- Holmium**
- structure and magnetic ordering of holmium carbide fluoride,  $\text{Ho}_2\text{CF}_2$ , 241
- Hydrates**
- tru- $\mu$ -iodo-hexachloro-triaquo-trirhenate(III)-3-hydrate  $[\text{Re}_3(\mu\text{-I})_3\text{Cl}_6(\text{H}_2\text{O})_3] \cdot 3\text{H}_2\text{O}$  and the corresponding 2.5-hydrate  $[\text{Re}_3(\mu\text{-I})_3\text{Cl}_6(\text{H}_2\text{O})_3] \cdot 2.5\text{H}_2\text{O}$ , 144
- Indium**
- magnetization and flux pinning studies of superconducting In-21.8at%Bi eutectic alloys, 288
- new halogeno-oxoindate  $\text{Ba}_3\text{In}_2\text{O}_5\text{Br}_2$  with the  $\text{Sr}_3\text{Ti}_2\text{O}_7$  structure, 24
- Iridium**
- new alkali earth metal chlorooxometalate with  $\text{Ir}^{5+}$ :  $\text{Ba}_5\text{IrIn}_2\text{Al}_2\text{O}_3\text{Cl}$ , 18
- synthesis and crystal structure of the zinc-iridium borides  $\text{ZnIrB}_3$ ,  $\text{Zn}_6\text{Ir}_{11}\text{B}_{6-x}$ ,  $\text{ZnIr}_2\text{B}_2$  and  $\text{Zn}_2\text{Ir}_2\text{B}$ , 363
- first caesium-containing oxoiridate(IV):  $(\text{S}_2\text{Na}_2(\text{IrO}_4))$  containing the quadratic-planar building block  $(\text{IrO}_4)^{4-}$ , 198
- Iron**
- neutron diffraction study of the anion-excess cubic  $\text{ReO}_3$ -type derived phase  $\text{Fe}_{0.80}\text{Zr}_{0.20}\text{F}_{3.20}$ , 263
- Nd-Fe-B-based magnets: magnetic properties and microstructural appearance with copper addition, 54

**Lead**

structure determination of a new misfit layer compound  $(\text{PbS})_{1.18}(\text{TiS}_2)_2$ , 129

**Lithium**

synthesis and structure of a mixed-valent ternary tantalum nitride containing lithium and magnesium, 325

**Magnesium**

redetermination of the crystal structure of trimagnesium platinum,  $\text{Mg}_3\text{Pt}$ , 430

magnetism of europium clusters in intermetallic compounds containing magnesium, on the influence of aluminium in the intra- and intercluster exchange effect in  $\text{Eu}(\text{Mg}_{1-x}\text{Al}_x)$ , 271

synthesis and structure of a mixed-valent ternary tantalum nitride containing lithium and magnesium, 325

**Magnetic properties**

formation of the Laves phases in Co/Fe-V-Zr and their magnetic and superconducting properties, 138

Nd-Fe-B-based magnets: magnetic properties and microstructural appearance with copper addition, 54

**Magnetic structure**

magnetic structure of  $\eta\text{-Mn}_3\text{N}_2$ , 345

**Magnetic susceptibility**

heat capacity (150–300 K) and anisotropic magnetic susceptibility (5–300 K) of single-crystal  $\text{La}_2\text{CuO}_{4+x}$ , 312

**Manganese**

magnetic structure of  $\eta\text{-Mn}_3\text{N}_2$ , 345  
new oxomanganate(V) in the elpasolite variant:  $(\text{KNa})\text{K}(\text{MnO}_4)$ , 187

**Mercury**

electrochemical synthesis and crystal structure of three new clathrates  $\text{HgAg}_6\text{O}_8\text{ClO}_4$ ,  $\text{HgAg}_6\text{O}_8\text{NO}_3$  and  $\text{HgAg}_{18}\text{O}_{33}\text{H}_{22}(\text{ClO}_4)_4$ , 45

**Metallic glasses**

influence of 5f electrons on transport properties in uranium based metallic glasses, 116

**Microstructure**

formation of the Laves phases in Co/Fe-V-Zr and their magnetic and superconducting properties, 138

Nd-Fe-B-based magnets: magnetic properties and microstructural appearance with copper addition, 54

**Molybdenum**

crystal structures of octacyanomolybdates(IV), quadratic antiprismatic  $[\text{Mo}(\text{CN})_8]^{4-}$  coordination in the thallium compound  $\text{Tl}_4[\text{Mo}(\text{CN})_8]$ , 158

**Neodymium**

Nd-Fe-B-based magnets: magnetic properties and microstructural appearance with copper addition, 54  
preparation, thermal behaviour and structure investigation of  $\text{M-Nd}_2\text{Ti}_4\text{O}_{11}$ , 85

**Neutron diffraction**

neutron diffraction study of the anion-excess cubic  $\text{ReO}_3$ -type derived phase  $\text{Fe}_{0.80}\text{Zr}_{0.20}\text{F}_{3.20}$ , 263

Debye-Waller factors of  $\text{PdD}_x$  materials by neutron powder diffraction, 174

**Niobium**

crystal structure and electronic structure of  $\text{Nb}_x\text{Ta}_{2-x}\text{S}$  ( $x=0.95$ ): a new layered compound in ternary Ta-Nb-S system, 7

thermal behaviour of transition metal niobates, synthesis and structure of orthorhombic  $\text{CuNb}_2\text{O}_6$ , 75

quaternary pseudo-intercalation phases  $\text{T}_x[\text{Nb}_2\text{S}_2\text{C}]$  ( $\text{T} \equiv \text{V}, \text{Cr}, \text{Mn}, \text{Fe}, \text{Co}, \text{Ni}, \text{Cu}$ ) and metastable  $\text{Nb}_2\text{S}_2\text{C}$  formed by topochemical synthesis, 438

synthesis and crystal structure of  $[\text{Na}(15\text{-crown-5})]\{\text{NbF}_5(\text{NPPPh}_3)\}$ ,  $(\text{PPh}_3\text{NH}_2)[\text{NbF}_5(\text{NPPPh}_3)]$  and  $\{\text{Cs}(15\text{-crown-5})_2\}(\text{WOF}_6)$ , 30  
synthesis and structure of  $\text{Na}_5\text{WP}_4$ ,  $\text{Na}_5\text{SrNbP}_4$  and  $\text{Na}_5\text{SrTaP}_4$ , 403

**Nitrates**

electrochemical synthesis and crystal structure of three new clathrates  $\text{HgAg}_6\text{O}_8\text{ClO}_4$ ,  $\text{HgAg}_6\text{O}_8\text{NO}_3$  and  $\text{HgAg}_{18}\text{O}_{33}\text{H}_{22}(\text{ClO}_4)_4$ , 45

**Nitrogen**

magnetic structure of  $\eta\text{-Mn}_3\text{N}_2$ , 345

**Oxygen**

new alkali earth metal chlorooxometalate with  $\text{Ir}^{5+}$ :  $\text{Ba}_5\text{IrIn}_2\text{Al}_2\text{O}_3\text{Cl}$ , 18  
new oxomanganate(V) in the elpasolite variant:  $(\text{KNa})\text{K}(\text{MnO}_4)$ , 187  
new halogeno-oxoindate  $\text{Ba}_3\text{In}_2\text{O}_5\text{Br}_2$  with the  $\text{Sr}_3\text{Ti}_2\text{O}_7$  structure, 24

- thermal behaviour of transition metal niobates, synthesis and structure of orthorhombic  $\text{CuNb}_2\text{O}_6$ , 75
- preparation, thermal behaviour and structure investigation of  $\text{M-Nd}_2\text{Ti}_4\text{O}_{11}$ , 85
- synthesis and structure of  $\text{Na}_3\text{B}_5\text{O}_9\text{S}$ , the first oxothioborate, 393
- Palladium**
- Debye-Waller factors of  $\text{PdD}_x$  materials by neutron powder diffraction, 174
- synthesis and crystal structure of the compounds  $\text{SEPdAs}$  ( $\text{SE} \equiv \text{La-Lu}$ ), 210
- Perchlorates**
- electrochemical synthesis and crystal structure of three new clathrates  $\text{HgAg}_6\text{O}_8\text{ClO}_4$ ,  $\text{HgAg}_6\text{O}_8\text{NO}_3$  and  $\text{Hg}_2\text{Al}_{18}\text{O}_{33}\text{H}_{22}$  ( $\text{ClO}_4$ )<sub>4</sub>, 45
- Phosphorus**
- synthesis and crystal structure of  $[\text{Na}(15\text{-crown-5})]\text{-}[\text{NbF}_5(\text{NPPPh}_3)]$ ,  $(\text{PPh}_3\text{NH}_2)[\text{NbF}_5(\text{NPPPh}_3)]$  and  $\{\text{Cs}(15\text{-crown-5})_2\}\text{-}(\text{WOF}_5)$ , 30
- synthesis and structure of  $\text{Na}_5\text{WP}_4$ ,  $\text{Na}_5\text{SrNbP}_4$  and  $\text{Na}_5\text{SrTaP}_4$ , 403
- Platinum**
- redetermination of the crystal structure of trimagnesium platinum,  $\text{Mg}_3\text{Pt}$ , 430
- synthesis of platinum-rich Al-Pt compounds by reaction in the  $\text{Pt/AlI}_3/\text{I}_2$  system, 281
- Potassium**
- new oxomanganate(V) in the elpasolite variant:  $(\text{KNa})\text{K}(\text{MnO}_4)$ , 187
- Praseodymium**
- A-axis-oriented  $\text{YB}_2\text{Cu}_3\text{O}_7/\text{PrBa}_2\text{Cu}_3\text{O}_7$  superlattices: growth and transport properties, 224
- Rare earth**
- extension of solid solubility of rare earth metals in copper by rapid solidification, 168
- Rhenium**
- neutron diffraction study of the anion-excess cubic  $\text{ReO}_3$ -type derived phase  $\text{Fe}_{0.80}\text{Zr}_{0.20}\text{F}_{3.20}$ , 263
- Rubidium**
- synthesis and structure of the silver-rich alkali metal silver sulphides  $\text{CsAg}_7\text{S}_4$  and  $\text{RbAg}_7\text{S}_4$ , 377
- Silicon**
- ternary tellurides with the  $\text{W}_5\text{Si}_3$ -type structure:  $\text{M}_x\text{K}_4\text{Te}_3$  ( $\text{M} \equiv \text{Ca, Sr}$ ), 98
- Silver**
- electrochemical synthesis and crystal structure of three new clathrates  $\text{HgAg}_6\text{O}_8\text{ClO}_4$ ,  $\text{HgAg}_6\text{O}_8\text{NO}_3$  and  $\text{Hg}_2\text{Al}_{18}\text{O}_{33}\text{H}_{22}$  ( $\text{ClO}_4$ )<sub>4</sub>, 45
- synthesis and structure of the silver-rich alkali metal silver sulphides  $\text{CsAg}_7\text{S}_4$  and  $\text{RbAg}_7\text{S}_4$ , 377
- Single crystal**
- heat capacity (150–300 K) and Anisotropic magnetic susceptibility (5–300 K) of single crystal  $\text{La}_2\text{CuO}_{4+x}$ , 312
- first caesium-containing oxoironate(IV):  $(\text{S}_2\text{Na}_2(\text{IrO}_4))$  containing the quadratic-planar building block  $(\text{IrO}_4)_4$ , 198
- Sodium**
- new oxomanganate(V) in the elpasolite variant:  $(\text{KNa})\text{K}(\text{MnO}_4)$ , 187
- $\text{Na}_7\text{Au}_5\text{S}_6$  – a novel thioaurate(I) based on a b.c.c. chalcogen packing, 252
- synthesis and crystal structure of  $[\text{Na}(15\text{-crown-5})]\text{-}[\text{NbF}_5(\text{NPPPh}_3)]$ ,  $(\text{PPh}_3\text{NH}_2)[\text{NbF}_5(\text{NPPPh}_3)]$  and  $\{\text{Cs}(15\text{-crown-5})_2\}\text{-}(\text{WOF}_5)$ , 30
- synthesis and structure of  $\text{Na}_3\text{B}_5\text{O}_9\text{S}$ , the first oxothioborate, 393
- synthesis and structure of  $\text{Na}_5\text{WP}_4$ ,  $\text{Na}_5\text{SrNbP}_4$  and  $\text{Na}_5\text{SrTaP}_4$ , 403
- first caesium-containing oxoironate(IV):  $(\text{S}_2\text{Na}_2(\text{IrO}_4))$  containing the quadratic-planar building block  $(\text{IrO}_4)^{4-}$ , 198
- Solidification**
- extension of solid solubility of rare earth metals in copper by rapid solidification, 168
- Strontium**
- new halogen-oxoironate  $\text{Ba}_3\text{In}_2\text{O}_5\text{Br}_2$  with the  $\text{Sr}_3\text{Ti}_2\text{O}_7$  structure, 24
- synthesis and structure of  $\text{Na}_5\text{WP}_4$ ,  $\text{Na}_5\text{SrNbP}_4$  and  $\text{Na}_5\text{SrTaP}_4$ , 403
- Structure**
- formation of the Laves phases in  $\text{Co/Fe-V-Zr}$  and their magnetic and superconducting properties, 138
- structure of high-temperature-phase  $\text{Cr}_5\text{Al}_8(\text{h})$ , 444

- thermal behaviour of transition metal niobates, synthesis and structure of orthorhombic  $\text{CuNb}_2\text{O}_6$ , 75
- preparation, thermal behaviour and structure investigation of  $\text{M-Nd}_2\text{Ti}_4\text{O}_{11}$ , 85
- structural peculiarities of the 123 and 2212 phases and materials based on them, 59
- structure and magnetic ordering of holmium carbide fluoride,  $\text{Ho}_2\text{CF}_2$ , 241
- structure determination of a new misfit layer compound  $(\text{PbS})_{1.18}(\text{TiS}_2)_2$ , 129
- synthesis and structure of a mixed-valent ternary tantalum nitride containing lithium and magnesium, 325
- synthesis and structure of the silver-rich alkali metal silver sulphides  $\text{CsAg}_7\text{S}_4$  and  $\text{RbAg}_7\text{S}_4$ , 377
- synthesis and structure of  $\text{Na}_3\text{B}_5\text{O}_8\text{S}$ , the first oxothioborate, 393
- synthesis and structure of  $\text{Na}_4\text{WP}_4$ ,  $\text{Na}_5\text{SrNbP}_4$  and  $\text{Na}_5\text{SrTaP}_4$ , 403
- synthesis, structure and properties of the cluster anions  $[(\text{Mo}^i\text{Cl}_8^o)\text{X}^a_6]^{2-}$  with  $\text{X}^a \equiv \text{F, Cl, Br, I}$ , 413
- ternary tellurides with the  $\text{W}_5\text{Si}_3$ -type structure:  $\text{M}_x\text{K}_4\text{Te}_3$  ( $\text{M} \equiv \text{Ca, Sr}$ ), 98
- Sulphur**
- crystal structure and electronic structure of  $\text{Nb}_x\text{Ta}_{2-x}\text{S}$  ( $x=0.95$ ): a new layered compound in ternary Ta-Nb-S system, 7
- $\text{Na}_7\text{Au}_5\text{S}_6$  - a novel thioaurate(I) based on a b.c.c. chalcogen packing, 252
- quaternary pseudo-intercalation phases  $\text{T}_x[\text{Nb}_2\text{S}_2\text{C}]$  ( $\text{T} \equiv \text{V, Cr, Mn, Fe, Co, Ni, Cu}$ ) and metastable  $\text{Nb}_2\text{S}_2\text{C}$  formed by topochemical synthesis, 438
- structure determination of a new misfit layer compound  $(\text{PbS})_{1.18}(\text{TiS}_2)_2$ , 129
- synthesis and structure of the silver-rich alkali metal silver sulphides  $\text{CsAg}_7\text{S}_4$  and  $\text{RbAg}_7\text{S}_4$ , 377
- Synthesis**
- electrochemical synthesis and crystal structure of three new clathrates  $\text{HgAg}_6\text{O}_8\text{ClO}_4$ ,  $\text{HgAg}_6\text{O}_8\text{NO}_3$  and  $\text{Hg}_2\text{Ag}_{18}\text{O}_{33}\text{H}_{22}$  ( $\text{ClO}_4$ )<sub>4</sub>, 45
- quaternary pseudo-intercalation phases  $\text{T}_x[\text{Nb}_2\text{S}_2\text{C}]$  ( $\text{T} \equiv \text{V, Cr, Mn, Fe, Co, Ni, Cu}$ ) and metastable  $\text{Nb}_2\text{S}_2\text{C}$  formed by topochemical synthesis, 438
- synthesis and crystal structure of the compounds SEPdAs ( $\text{SE} \equiv \text{La-Lu}$ ), 210
- synthesis and crystal structure of the zinc-iridium borides  $\text{ZnIrB}_3$ ,  $\text{Zn}_6\text{Ir}_{11}\text{B}_{6-x}$ ,  $\text{ZnIr}_2\text{B}_2$  and  $\text{Zn}_2\text{Ir}_2\text{B}$ , 363
- synthesis and structure of a mixed-valent ternary tantalum nitride containing lithium and magnesium, 325
- synthesis and structure of the silver-rich alkali metal silver sulphides  $\text{CsAg}_7\text{S}_4$  and  $\text{RbAg}_7\text{S}_4$ , 377
- synthesis and structure of  $\text{Na}_3\text{B}_5\text{O}_8\text{S}$ , the first oxothioborate, 393
- synthesis and structure of  $\text{Na}_4\text{WP}_4$ ,  $\text{Na}_5\text{SrNbP}_4$  and  $\text{Na}_5\text{SrTaP}_4$ , 403
- synthesis of platinum-rich Al-Pt compounds by reaction in the Pt/AlI<sub>3</sub>/I<sub>2</sub> system, 281
- synthesis, structure and properties of the cluster anions  $[(\text{Mo}^i\text{Cl}_8^o)\text{X}^a_6]^{2-}$  with  $\text{X}^a \equiv \text{F, Cl, Br, I}$ , 413
- ternary tellurides with the  $\text{W}_5\text{Si}_3$ -type structure:  $\text{M}_x\text{K}_4\text{Te}_3$  ( $\text{M} \equiv \text{Ca, Sr}$ ), 98
- thermal behaviour of transition metal niobates, synthesis and structure of orthorhombic  $\text{CuNb}_2\text{O}_6$ , 75
- Tantalum**
- crystal structure and electronic structure of  $\text{Nb}_x\text{Ta}_{2-x}\text{S}$  ( $x=0.95$ ): a new layered compound in ternary Ta-Nb-S system, 7
- synthesis and structure of a mixed-valent ternary tantalum nitride containing lithium and magnesium, 325
- Thallium**
- crystal structures of octacyanomolybdates(IV), quadratic antiprismatic  $[\text{Mo}(\text{CN})_8]^{4-}$  coordination in the thallium compound  $\text{Tl}_4[\text{Mo}(\text{CN})_8]$ , 158
- Thermal behaviour**
- thermal behaviour of transition metal niobates, synthesis and structure of orthorhombic  $\text{CuNb}_2\text{O}_6$ , 75
- preparation, thermal behaviour and structure investigation of  $\text{M-Nd}_2\text{Ti}_4\text{O}_{11}$ , 85
- Titanium**
- new halogeno-oxoindate  $\text{Ba}_3\text{In}_2\text{O}_6\text{Br}_2$  with the  $\text{Sr}_3\text{Ti}_2\text{O}_7$  structure, 24

- preparation, thermal behaviour and structure investigation of  $M\text{-Nd}_2\text{Ti}_4\text{O}_{11}$ , 85
- structure determination of a new misfit layer compound  $(\text{PbS})_{1.18}(\text{TiS}_2)_2$ , 129
- Transport properties
- A-axis-oriented  $\text{YB}_2\text{Cu}_3\text{O}_7/\text{PrBa}_2\text{Cu}_3\text{O}_7$  superlattices: growth and transport properties, 224
- influence of 5f electrons on transport properties in uranium based metallic glasses, 116
- Tungsten
- ternary tellurides with the  $\text{W}_5\text{Si}_3$ -type structure:  $\text{M}_x\text{K}_4\text{Te}_3$  ( $M \equiv \text{Ca}, \text{Sr}$ ), 98
- Uranium
- Influence of 5f electrons on transport properties in uranium based metallic glasses, 116
- Ytterbium
- existence of heavy fermion ytterbium compounds, 303
- Yttrium
- A-axis-oriented  $\text{YB}_2\text{Cu}_3\text{O}_7/\text{PrBa}_2\text{Cu}_3\text{O}_7$  superlattices: growth and transport properties, 224
- structural peculiarities of the 123 and 2212 phases and materials based on them, 59
- zinc
- synthesis and crystal structure of the zinc-iridium borides  $\text{ZnIrB}_3$ ,  $\text{Zn}_6\text{Ir}_{11}\text{B}_{6-x}$ ,  $\text{ZnIr}_2\text{B}_2$  and  $\text{Zn}_2\text{Ir}_2\text{B}$ , 363
- Zirconium
- neutron diffraction study of the anion-excess cubic  $\text{ReO}_3$ -type derived phase  $\text{Fe}_{0.80}\text{Xr}_{0.20}\text{F}_{3.20}$ , 263