

## Subject Index of Volume 185

---

### Actinides

electrochemical properties of actinides in non-aqueous media — reduction of hexavalent U in various organic solvents, 151

local volume potentials for actinide metals, 353

### Alkaline earth hydrides

tetracalcium trimagnesium tetradecahydride,  $\text{Ca}_4\text{Mg}_3\text{H}_{14}$ : the first ternary alkaline earth hydride, 273

### Alumina

effect of thermal treatment on phase composition and thermal shock resistance of plasma sprayed calcia-stabilized zirconia–alumina composite coatings, 169

### Aluminium

$\text{Ca}_{8-x}\text{Li}_x\text{Al}_3$ : defects and substitution in the  $\text{Fe}_3\text{Al}$  structure type, 221

solution thermodynamics of H in mischmetal– $\text{Ni}_5$  system with Al, Mn and Sn substitutions, 259

### Bismuth

existence of 2212-structure type phase in Bi–Sr–Nd–Cu–O system, L9

### Boron

thermodynamic analysis of  $\text{B}_4\text{C}$ –SiC double layer on graphite, 121  
effect of ingot heat treatment on magnetic properties of Pr–Fe–B–Cu H decrepitation sintered magnets, 81

### BSCCO rods

DCZ and DCA of melt-cast Bi–Pb–Sr–Ca–Cu–O rods, 311

### Calcium

$\text{Ca}_{8-x}\text{Li}_x\text{Al}_3$ : defects and substitution in  $\text{Fe}_3\text{Al}$  structure type, 221

### Calorimetry

calorimetric investigation of the Au–Pb system, 241

thermodynamic characterization of Zr–Mn–H system — reaction of  $\text{H}_2$  with single-phase  $\text{ZrMn}_{2+x}$  C-14 Laves phase alloys, 321

thermodynamic characterization of

Zr–Mn–H system — reaction of  $\text{H}_2$  with two-phase alloys, 339

### Cerium

characterization of new Fe-1222 layered cuprate,  $\text{FeSr}_2(\text{LnCe})_2\text{Cu}_2\text{O}_y$ , 45

### Cerium oxides

characterization of cerium oxides prepared in  $\text{H}_2\text{O}$  and NaOH mixtures, 279

### Chalcogenides

phase relations in systems of tin chalcogenides, 183

### Chromium

formation of silver chromium spinels and structure determination of ferromagnetic  $\text{AgCr}_2\text{Te}_4$ , 89

### Cobalt

electrical resistivity of  $\text{Lu}(\text{M}_{1-x}\text{Al}_x)_2$  ( $\text{M} \equiv \text{Co}, \text{Ni}$ ), 59

### Copper

characterization of new Fe-1222 layered cuprate,  $\text{FeSr}_2(\text{LnCe})_2\text{Cu}_2\text{O}_y$ , 45  
diffusion in amorphous and crystalline Cu–Ti studied by muon spin relaxation technique, 35

physical properties of  $\text{Zr}_2\text{CuH}_{4.2}$  in relation to those observed for other  $\text{MoSi}_2$ -type hydrides, 7

effect of ingot heat treatment on magnetic properties of Pr–Fe–B–Cu H decrepitation sintered magnets, 81

### Crystal structure

tetracalcium trimagnesium tetradecahydride,  $\text{Ca}_4\text{Mg}_3\text{H}_{14}$ : the first ternary alkaline earth hydride, 273

### Degradation

disproportionation of  $\text{LaNi}_5$  and TiFe in 4 MPa  $\text{H}_2$  at 300 °C, 1

### Direct current annealing

DCZ and DCA of melt-cast Bi–Pb–Sr–Ca–Cu–O rods, 311

### Direct current zoning

DCZ and DCA of melt-cast Bi–Pb–Sr–Ca–Cu–O rods, 311

## Disproportionation

disproportionation of  $\text{LaNi}_5$  and  $\text{TiFe}$  in  
4 MPa  $\text{H}_2$  at 300 °C, 1

## Electrical properties

electrical resistivity of  $\text{Lu}(\text{M}_{1-x}\text{Al}_x)_2$   
( $\text{M}=\text{Co}, \text{Ni}$ ), 59

## Electrochemical properties

electrochemical properties of actinides  
in non-aqueous media -- reduction  
of hexavalent U in various organic  
solvents, 151

## Electrodes

activation behaviour of  $\text{ZrCrNiM}_{0.05}$   
metal hydride electrodes ( $\text{M}=\text{La},$   
 $\text{Mm}$  (misch metal),  $\text{Nd}$ ), L1

## Electromigration

electromigration and residual resistivity  
of H in row 5 and 6 transition met-  
als, 207

## Electronic structure

electronic structure of  $\text{RBiPt}$  com-  
pounds, ( $\text{R}=\text{Y}, \text{Yb}$ ), 145

## Gallium

crystal structure of  $\text{R}_{15}\text{Ni}_{96-x}\text{Ga}_x$   
( $\text{R}=\text{Sm}, \text{Y}, \text{Tb}, \text{Dy}, \text{Er}, \text{Tm}, \text{Yb}, \text{Lu}$ ),  
19

information on  $\text{Mg}_{2-x}\text{Zn}_x\text{GaV}_3\text{O}_{11}$  ( $x =$   
0, 3), 163

## Germanium

crystallographic data and magnetic  
properties of  $\text{RT}_8\text{Ge}_6$  compounds  
( $\text{R}=\text{Sc}, \text{Y}, \text{Nd}, \text{Sm}, \text{Gd-Lu}$ ;  $\text{T}=\text{Mn},$   
 $\text{Fe}$ ), 99

## Gold

calorimetric investigation of  $\text{Au-Pb}$  sys-  
tem, 241

## Hydrides

activation behaviour of  $\text{ZrCrNiM}_{0.05}$   
metal hydride electrodes ( $\text{M}=\text{La},$   
 $\text{Mm}$  (misch metal),  $\text{Nd}$ ), L1  
disproportionation of  $\text{LaNi}_5$  and  $\text{TiFe}$  in  
4 MPa  $\text{H}_2$  at 300 °C, 1  
physical properties of  $\text{Zr}_2\text{CuH}_{4.2}$  in rela-  
tion to those observed for other  
 $\text{MoSi}_2$ -type hydrides, 7  
H activation of  $\text{LaNi}_5$ , 369

## Hydrogen

electromigration and residual resistivity  
of H in row 5 and 6 transition met-  
als, 207

permeability and diffusivity of H in Pd-  
rich Pd-Y(Gd)-Ag ternary alloys,  
191

solution thermodynamics of H in  
mischmetal-Ni<sub>5</sub> systems with Al, Mn  
and Sn substitutions, 259

H activation of  $\text{LaNi}_5$ , 369

thermodynamic characterization of  
 $\text{Zr-Mn-H}$  system -- reaction of  $\text{H}_2$   
with single-phase  $\text{ZrMn}_{2+x}$  C-14  
Laves phase alloys, 321

thermodynamic characterization of  
 $\text{Zr-Mn-H}$  system -- reaction of  $\text{H}_2$   
with two-phase alloys, 339

## Hydrogen diffusion

diffusion in amorphous and crystalline  
 $\text{Cu-Ti}$  studied by muon spin relaxa-  
tion technique, 35

## Hydrogen-induced amorphization

IR spectra of Pt-impregnated  $\text{V}_2\text{O}_5$  pow-  
ders on H insertion, 177

## Infrared spectroscopy

IR spectra of Pt-impregnated  $\text{V}_2\text{O}_5$  pow-  
ders on H insertion, 177

## Insulators

existence of 2212-structure type phase  
in Bi-Sr-Nd-Cu-O system, L9

## Iron

improvement in cast structure of  
 $\text{Sm}_2\text{Fe}_{17}$  alloys by Nb additions, 251  
nitrogenation of  $\text{Sm}_2\text{Fe}_{17}$  prepared by  
mechanical alloying and subsequent  
heat treatment, 73

## Lanthanides

characterization of new Fe-1222 lay-  
ered cuprate,  $\text{FeSr}_2(\text{LnCe})_2\text{Cu}_2\text{O}_y$ , 45  
crystal structure of  $\text{R}_{15}\text{Ni}_{96-x}\text{Ga}_x$   
( $\text{R}=\text{Sm}, \text{Y}, \text{Tb}, \text{Dy}, \text{Er}, \text{Tm}, \text{Yb}, \text{Lu}$ ),  
19

crystallographic data and magnetic  
properties of  $\text{RT}_8\text{Ge}_6$  compounds  
( $\text{R}=\text{Sc}, \text{Y}, \text{Nd}, \text{Sm}, \text{Gd-Lu}$ ;  $\text{T}=\text{Mn},$   
 $\text{Fe}$ ), 99

temperature dependence of exchange  
field of  $\text{R}_2\text{Fe}_{14}\text{B}$  ( $\text{R}=\text{Sm}, \text{Pr}, \text{Nd}, \text{Gd},$   
 $\text{Dy}, \text{Tb}, \text{Er}, \text{Ho}, \text{Tm}, \text{Lu}$ ) com-  
pounds, 363

## Lanthanum

activation behaviour of  $\text{ZrCrNiM}_{0.05}$   
metal hydride electrodes ( $\text{M}=\text{La},$   
 $\text{Mm}$  (misch metal),  $\text{Nd}$ ), L1  
disproportionation of  $\text{LaNi}_5$  and  $\text{TiFe}$  in  
4 MPa  $\text{H}_2$  at 300 °C, 1

- LaRuSi<sub>2</sub>: monoclinic variation of orthorhombic CeNiSi<sub>2</sub>-type structure, 235  
 H activation of LaNi<sub>5</sub>, 369
- Lead**  
 calorimetric investigation of Au-Pb system, 241
- Lithium**  
 Ca<sub>8-x</sub>Li<sub>x</sub>Al<sub>3</sub>: defects and substitution in Fe<sub>3</sub>Al structure type, 221  
 preparation and structure of new nitride-oxide: Li<sub>16</sub>Ta<sub>2</sub>N<sub>8</sub>O, 109
- Lutetium**  
 electrical resistivity of Lu(M<sub>1-x</sub>Al<sub>x</sub>)<sub>2</sub> (M≡Co, Ni), 59
- Magnetic properties**  
 crystallographic data and magnetic properties of RT<sub>6</sub>Ge<sub>6</sub> compounds (R≡Sc, Y, Nd, Sm, Gd-Lu; T≡Mn, Fe), 99  
 electrical resistivity of Lu(M<sub>1-x</sub>Al<sub>x</sub>)<sub>2</sub> (M≡Co, Ni), 59  
 loss of ferromagnetism in PrYSi<sub>3-δ</sub>, L5  
 structural and magnetic properties of nonequilibrium b.c.c. Ni prepared by leaching of mechanically alloyed Ni<sub>35</sub>Al<sub>65</sub>, 25  
 effect of ingot heat treatment on magnetic properties of Pr-Fe-B-Cu H decrepitation sintered magnets, 81
- Magnetic structure**  
 ferromagnetic ordering of NdNiSi<sub>2</sub> and PrNiSi<sub>2</sub> studied by neutron diffraction and magnetic measurements, 51
- Manganese**  
 solution thermodynamics of H in mischmetal-Ni<sub>5</sub> system with Al, Mn and Sn substitutions, 259  
 thermodynamic characterization of Zr-Mn-H system - reaction of H<sub>2</sub> with single-phase ZrMn<sub>2+x</sub> C-14 Laves phase alloys, 321  
 thermodynamic characterization of Zr-Mn-H system - reaction of H<sub>2</sub> with two-phase alloys, 339
- Mechanical alloying**  
 nitrogenation of Sm<sub>2</sub>Fe<sub>17</sub> prepared by mechanical alloying and subsequent heat treatment, 73
- Molecular field theory**  
 temperature dependence of exchange field of R<sub>2</sub>Fe<sub>14</sub>B (R≡Sm, Pr, Nd, Gd, Dy, Tb, Er, Ho, Tm, Lu) compounds, 363
- Molybdenum**  
 physical properties of Zr<sub>2</sub>CuH<sub>4.2</sub> in relation to those observed for other MoSi<sub>2</sub>-type hydrides, 7
- Muon spin relaxation**  
 diffusion in amorphous and crystalline Cu-Ti studied by muon spin relaxation technique, 35
- Neodymium**  
 activation behaviour of ZrCrNiM<sub>0.05</sub> metal hydride electrodes (M≡La, Mm (misch metal), Nd), L1  
 ferromagnetic ordering of NdNiSi<sub>2</sub> and PrNiSi<sub>2</sub> studied by neutron diffraction and magnetic measurements, 51  
 existence of 2212-structure type phase in Bi-Sr-Nd-Cu-O system, L9
- Neutron diffraction**  
 ferromagnetic ordering of NdNiSi<sub>2</sub> and PrNiSi<sub>2</sub> studied by neutron diffraction and magnetic measurements, 51
- Nickel**  
 crystal structure of R<sub>15</sub>Ni<sub>96-x</sub>Ga<sub>x</sub> (R≡Sm, Y, Tb, Dy, Er, Tm, Yb, Lu), 19  
 disproportionation of LaNi<sub>5</sub> and TiFe in 4 MPa H<sub>2</sub> at 300 °C, 1  
 electrical resistivity of Lu(M<sub>1-x</sub>Al<sub>x</sub>)<sub>2</sub> (M≡Co, Ni), 59  
 ferromagnetic ordering of NdNiSi<sub>2</sub> and PrNiSi<sub>2</sub> studied by neutron diffraction and magnetic measurements, 51  
 solution thermodynamics of H in mischmetal-Ni<sub>5</sub> system with Al, Mn and Sn substitutions, 259  
 structural and magnetic properties of nonequilibrium b.c.c. Ni prepared by leaching of mechanically alloyed Ni<sub>35</sub>Al<sub>65</sub>, 25  
 H activation of LaNi<sub>5</sub>, 369
- Niobium**  
 improvement in cast structure of Sm<sub>2</sub>Fe<sub>17</sub> alloys by Nb additions, 251
- Nitriding**  
 improvement in cast structure of Sm<sub>2</sub>Fe<sub>17</sub> alloys by Nb additions, 251
- Nitrogenation**  
 nitrogenation of Sm<sub>2</sub>Fe<sub>17</sub> prepared by mechanical alloying and subsequent heat treatment, 73
- Palladium**  
 permeability and diffusivity of H in Pd-rich Pd-Y(Gd)-Ag ternary alloys, 191

## Phase characterization

phase relations in systems of tin chalcogenides, 183

## Phosphorium salts

chemistry of polyhalozirconates --  
preparation of some diphosphonium  
hexachlorozirconates, 67

## Plasma-sprayed coatings

effect of thermal treatment on phase  
composition and thermal shock re-  
sistance of plasma sprayed calcia-  
stabilized zirconia-alumina compos-  
ite coatings, 169

## Platinum

electronic structure of RBiPt com-  
pounds, (R=Y and Yb), 145

## Plutonium

local volume potentials for actinide  
metals, 353

## Polyhalozirconates

chemistry of polyhalozirconates --  
preparation of some diphosphonium  
hexachlorozirconates, 67

## Praseodymium

ferromagnetic ordering of NdNiSi<sub>2</sub> and  
PrNiSi<sub>2</sub> studied by neutron diffrac-  
tion and magnetic measurements, 51  
loss of ferromagnetism in PrYSi<sub>3-δ</sub>, L5  
effect of ingot heat treatment on mag-  
netic properties of Pr-Fe-B-Cu H  
decrepitation sintered magnets, 81

## Ruthenium

LaRuSi<sub>2</sub>: monoclinic variant of ortho-  
rhombic CeNiSi<sub>2</sub>-type structure, 235  
preparation and crystal structure of  
actinoid ruthenium phosphides  
ThRu<sub>2</sub>P<sub>2</sub> and URu<sub>2</sub>P<sub>2</sub>, 301

## Samarium

crystal structure of R<sub>15</sub>Ni<sub>96-x</sub>Ga<sub>x</sub>  
(R=Sm, Y, Tb, Dy, Er, Tm, Yb, Lu),  
19  
improvement in cast structure of  
Sm<sub>2</sub>Fe<sub>17</sub> alloys by Nb additions, 251  
nitrogenation of Sm<sub>2</sub>Fe<sub>17</sub> prepared by  
mechanical alloying and subsequent  
heat treatment, 73

## Silicon

thermodynamic analysis of B<sub>4</sub>C-SiC  
double layer on graphite, 121  
ferromagnetic ordering of NdNiSi<sub>2</sub> and  
PrNiSi<sub>2</sub> studied by neutron diffrac-  
tion and magnetic measurements, 51

LaRuSi<sub>2</sub>: monoclinic variant of ortho-  
rhombic CeNiSi<sub>2</sub>-type structure, 235  
loss of ferromagnetism in PrYSi<sub>3-δ</sub>, L5  
physical properties of Zr<sub>2</sub>CuH<sub>4.2</sub> in rela-  
tion to those observed for other  
MoSi<sub>2</sub>-type hydrides, 7

## Silver

formation of silver chromium spinels  
and structure determination of ferro-  
magnetic AgCr<sub>2</sub>Te<sub>4</sub>, 89

## Sodium hydroxide

characterization of cerium oxides pre-  
pared in H<sub>2</sub>O and NaOH mixtures,  
279

## Spinels

formation of silver chromium spinels  
and structure determination of ferro-  
magnetic AgCr<sub>2</sub>Te<sub>4</sub>, 89

## Superconductivity

existence of 2212-structure type phase  
in Bi-Sr-Nd-Cu-O system, L9

## Tantalum

preparation and structure of new ni-  
tride-oxide: Li<sub>16</sub>Ta<sub>2</sub>N<sub>8</sub>O, 109

## Tellurium

formation of silver chromium spinels  
and structure determination of ferro-  
magnetic AgCr<sub>2</sub>Te<sub>4</sub>, 89

## Thermodynamics

thermodynamic analysis of B<sub>4</sub>C-SiC  
double layer on graphite, 121

## Thorium

local volume potentials for actinide  
metals, 353

## Tin

phase relations in systems of tin chal-  
cogenides, 183  
solution thermodynamics of H in  
mischmetal-Ni<sub>5</sub> system with Al, Mn  
and Sn substitutions, 259

## Titanium

diffusion in amorphous and crystalline  
Cu-Ti studied by muon spin relaxa-  
tion technique, 35  
disproportionation of LaNi<sub>5</sub> and TiFe in  
4 MPa H<sub>2</sub> at 300 °C, 1

## Uranium

electrochemical properties of actinides  
in non-aqueous media -- reduction  
of hexavalent U in various organic  
solvents, 151

- preparation and crystal structure of actinoid ruthenium phosphides,  $\text{ThRu}_2\text{P}_2$  and  $\text{URu}_2\text{P}_2$ , 301
- $\text{V}_2\text{O}_5$  powders  
IR spectra of Pt-impregnated  $\text{V}_2\text{O}_5$  powders on H insertion, 177
- Vanadium  
information on  $\text{Mg}_{2-x}\text{Zn}_x\text{GaV}_3\text{O}_{11}$  ( $x=0, 3$ ), 163
- Volume potentials  
local volume potentials for actinide metals, 353
- Ytterbium  
electronic structure of RBiPt compounds, (R=Y and Yb), 145
- Yttrium  
electronic structure of RBiPt compounds, (R=Y and Yb), 145  
loss of ferromagnetism in  $\text{PrYSi}_{3-\delta}$ , L5
- Zinc  
information on  $\text{Mg}_{2-x}\text{Zn}_x\text{GaV}_3\text{O}_{11}$  ( $x=0, 3$ ), 163
- Zirconia  
effect of thermal treatment on phase composition and thermal shock resistance of plasma sprayed calcia-stabilized zirconia-alumina composite coatings, 169
- Zirconium  
physical properties of  $\text{Zr}_2\text{CuH}_{4.2}$  in relation to those observed for other  $\text{MoSi}_2$ -type hydrides, 7  
thermodynamic characterization of Zr-Mn-H system — reaction of  $\text{H}_2$  with single-phase  $\text{ZrMn}_{2+x}$  C-14 Laves phase alloys, 321  
thermodynamic characterization of Zr-Mn-H system — reaction of  $\text{H}_2$  with two-phase alloys, 339