

Subject Index of Volume 186

- Aluminium**
 calorimetric study of solid-state amorphization reaction of rod-milled $\text{Al}_x\text{Ta}_{1-x}$ alloy powders, 15
 formation of the amorphous phase in Zr_2Al by H absorption and the effects of Ti substitution on the amorphization behaviour, 45
 new ternary RE–silver aluminides (RE = La, Ce, Pr, Yb) with puckered Ag–Al Kagomé nets, 161
 quaternary selenodiphosphates(IV): $\text{M}^{\text{I}}\text{M}^{\text{III}}[\text{P}_2\text{Se}_6]$, ($\text{M}^{\text{I}} = \text{Cu, Ag}$; $\text{M}^{\text{III}} = \text{Cr, Al, Ga, In}$), 111
- Anisotropy fields**
 anisotropy fields in tetragonal $\text{RFe}_{10}\text{V}_2$ compounds, L11
- Barium**
 analysis of $\text{YBa}_2\text{Cu}_3\text{O}_{7-s}$ crystal growth from BaCO_3 – CuO – Y_2O_3 charges, 361
 BaO– $\text{TlO}_{1.5}$ system, 347
- Binary liquid alloys**
 thermochemistry of binary liquid alloys of silver with rare earth metals, 255
- Bismuth**
 Bi-containing glasses as materials for optoelectronics, 279
- Boron**
 corrosion behaviour of hot-worked Nd–Fe–B and Nd–Fe–Cu–B permanent magnets, 201
 influence of interstitially soluted iron on structural, optical and electrical properties of β -rhombohedral boron, 187
 single-phase $\text{Nd}_2\text{Fe}_{14}\text{B}$ by co-reduction, 177
- Calcium**
 Ca[($\text{Ni}_{1-x}\text{Li}_x$)N]: limited solid solutions ($0 \leq x \leq 0.58$) in the system Ca[NiN] (Y[CoC]-type structure)–Ca[LiN] (modified fluorite-type structure), 339
- on the Mo–Ca–O system, 369
- Calorimetry**
 calorimetric study of solid-state amorphization reaction of rod-milled $\text{Al}_x\text{Ta}_{1-x}$ alloy powders, 15
 calorimetry study about $\text{Ni}_{50}\text{Ti}_{50}$ ball milled powders, 33
- Carbides**
 crystal structure and physical properties of the carbides UAl_3C_3 and YbAl_3C_3 , 321
 structural and magnetic behaviour of the series $\text{Th}_2\text{Fe}_{17}\text{C}_x$ ($x = 0$ to 1.25), 135
 structure refinement of $\text{Ce}_2\text{Ni}_{22}\text{C}_{3-x}$ and properties of the isotypic carbides $\text{Ln}_2\text{Ni}_{22}\text{C}_{3-x}$ (Ln = La–Nd, Sm, Gd–Ho), 223
- Ceramics**
 kinetics of deposition of zirconia-based ceramics from ZrCl_4 – H_2 – CO_2 –Ar gas mixtures, 65
- Cerium**
 structure refinement of $\text{Ce}_2\text{Ni}_{22}\text{C}_{3-x}$ and properties of the isotypic carbides $\text{Ln}_2\text{Ni}_{22}\text{C}_{3-x}$ (Ln = La–Nd, Sm, Gd–Ho), 223
- Chemical vapor deposition**
 CVD of Y_2O_3 from YCl_3 – CO_2 – H_2 –Ar gas mixtures: an experimental study, 77
- Cobalt**
 zinc thermodynamic activities in Co–Ni–Zn β' 1 and β 1 phases, 99
- Cohesion**
 band structure influence on cohesion in quasi-crystals, 153
- Copper**
 amorphization in an immiscible Cu–Ta system by mechanical alloying, 217
 corrosion behaviour of hot-worked Nd–Fe–B and Nd–Fe–Cu–B permanent magnets, 201
 quaternary selenodiphosphates(IV): $\text{M}^{\text{I}}\text{M}^{\text{III}}[\text{P}_2\text{Se}_6]$, ($\text{M}^{\text{I}} = \text{Cu, Ag}$; $\text{M}^{\text{III}} = \text{Cr, Al, Ga, In}$), 111

- Deposition kinetics
kinetics of deposition of zirconia-based ceramics from $ZrCl_4-H_2-CO_2-Ar$ gas mixtures, 65
- Deuterium
 $MgRhD_{1-x}$, a new interstitial deuteride containing square planar $[Rh_4D_4]$ rings with nearly linear Rh-D-Rh bridges, 209
- Direct hydrothermal crystallization
luminescent properties of RE-silicalite-I and RE-ZSM-5 zeolites synthesized by direct hydrothermal crystallization, 267
- Fluorite
 $Ca[(Ni_{1-x}Li_x)N]$: limited solid solutions ($0 \leq x \leq 0.58$) in the system $Ca[NiN]$ (Y[CoC]-type structure)- $Ca[LiN]$ (modified fluorite-type structure), 339
- Gallium
phase relationships in the systems $MGa_2S_4-MSc_2S_4$, 147
quaternary selenodiphosphates(IV): $M^I M^{III} [P_2Se_6]$, ($M^I = Cu, Ag; M^{III} = Cr, Al, Ga, In$), 111
- Glasses
Bi-containing glasses as materials for optoelectronics, 279
extreme glass forming range for amorphization by mechanical alloying, 37
- Gold
characterization of $Sr_5Au_2O_8$, 105
- Graphite intercalation compounds
synthesis and X-ray diffraction study of graphite intercalation compounds with multilayered metallic packages, 89
- Hydrides
 ^{47}Ti and ^{49}Ti nuclear magnetic resonance in TiH_2 , 53
structural study of hyperstoichiometric alloys $ZrMn_{2+x}$ and their hydrides, 241
tetragonal trimagnesium ruthenium trideuteride, Mg_3RuD_3 , containing dinuclear $[Ru_2D_6]^{12-}$ complex anions, 309
- Hydrogen
formation of the amorphous phase in Zr_2Al by H absorption and the effects of Ti substitution on the amorphization behaviour, 45
- Indium
quaternary selenodiphosphates(IV): $M^I M^{III} [P_2Se_6]$, ($M^I = Cu, Ag; M^{III} = Cr, Al, Ga, In$), 111
- IR lasers
mechanical properties of V_2O_5 polycrystals grown by laser light irradiation, L1
- Iron
corrosion behaviour of hot-worked Nd-Fe-B and Nd-Fe-Cu-B permanent magnets, 201
influence of interstitially soluted iron on structural, optical and electrical properties of β -rhombohedral boron, 187
single-phase $Nd_2Fe_{14}B$ by co-reduction, 177
structural and magnetic behaviour of the series $Th_2Fe_{17}C_x$ ($x = 0$ to 1.25), 135
- Kagomé nets
new ternary RE-silver aluminides (RE \equiv La, Ce, Pr, Yb) with puckered Ag-Al Kagomé nets, 161
- Lanthanide sesquioxides
systematics of the phase behaviour in lanthanide sesquioxides, 233
- Lanthanum
XPS study of absorbed oxygen of nanocrystalline $LaFeO_3$ materials, 315
- Laser light irradiation
mechanical properties of V_2O_5 polycrystals grown by laser light irradiation, L1
- Lead
Bi-containing glasses as materials for optoelectronics, 279
- Magnesium
tetragonal trimagnesium ruthenium trideuteride, Mg_3RuD_3 , containing dinuclear $[Ru_2D_6]^{12-}$ complex anions, 309

- Magnetism**
 structural and magnetic behaviour of the series $\text{Th}_2\text{Fe}_{17}\text{C}_x$ ($x=0$ to 1.25), 135
- Manganese**
 structural study of hyperstoichiometric alloys ZrMn_{2+x} and their hydrides, 241
- Mechanical alloying**
 extreme glass forming range for amorphization by mechanical alloying, 37
- Molybdenum**
 on the Mo–Ca–O system, 369
- Neodymium**
 corrosion behaviour of hot-worked Nd–Fe–B and Nd–Fe–Cu–B permanent magnets, 201
 single-phase $\text{Nd}_2\text{Fe}_{14}\text{B}$ by co-reduction, 177
- Neutron powder diffraction**
 structural and magnetic behaviour of the series $\text{Th}_2\text{Fe}_{17}\text{C}_x$ ($x=0$ to 1.25), 135
- Nickel**
 calorimetry study about $\text{Ni}_{50}\text{Ti}_{50}$ ball milled powders, 33
 single crystal X-ray study of Zr_3NiO , L7
 structure refinement of $\text{Ce}_2\text{Ni}_{22}\text{C}_{3-x}$ and properties of the isotypic carbides $\text{Ln}_2\text{Ni}_{22}\text{C}_{3-x}$ ($\text{Ln} \equiv \text{La–Nd, Sm, Gd–Ho}$), 223
 zinc thermodynamic activities in Co–Ni–Zn β' 1 and β 1 phases, 99
- Nitrides**
 bulk $\delta\text{-TiN}_{1-x}$ prepared by Ni diffusion into Ti metal, 293
- Nuclear magnetic resonance**
 ^{47}Ti and ^{49}Ti nuclear magnetic resonance in TiH_2 , 53
- Oxidation**
 bulk $\delta\text{-TiN}_{1-x}$ prepared by Ni diffusion into Ti metal, 293
- Oxygen**
 on the Mo–Ca–O system, 389
 XPS study of adsorbed oxygen of nanocrystalline LaFeO_3 materials, 315
- Peroxomolybdates**
 studies on peroxomolybdates XVII:
 Synthesis and structure of tri-(ammonium) fluoride difluorooxodiperoxomolybdate(VI), $(\text{NH}_4)_3\text{F}[\text{MoF}_2\text{O}(\text{O}_2)_2]$, 271
- Phase relationships**
 phase relationships in the systems $\text{MgGa}_2\text{S}_4\text{–MSc}_2\text{S}_4$, 147
- Polarization**
 ^{47}Ti and ^{49}Ti nuclear magnetic resonance in TiH_2 , 53
- Quasi-crystals**
 band structure influence on cohesion in quasi-crystals, 153
- Rare earth**
 luminescent properties of RE–silicalite-I and RE–ZSM-5 zeolites synthesized by direct hydrothermal crystallization, 267
 thermochemistry of binary liquid alloys of silver with rare earth metals, 257
- Rare earths**
 new ternary RE–silver aluminides (RE \equiv La, Ce, Pr, Yb) with puckered Ag–Al Kagomé nets, 161
- Rhodium**
 MgRhD_{1-x} , a new interstitial deuteride containing square planar $[\text{Rh}_4\text{D}_4]$ rings with nearly linear Rh–D–Rh bridges, 209
- Ruthenium**
 tetragonal trimagnesium ruthenium trideuteride, Mg_3RuD_3 , containing dinuclear $[\text{Ru}_2\text{D}_6]^{12-}$ complex anions, 309
- Scandium**
 phase relationships in the systems $\text{MgGa}_2\text{S}_4\text{–MSc}_2\text{S}_4$, 147
- Selenodiphosphates**
 quaternary selenodiphosphates(IV): $\text{M}^{\text{I}}\text{M}^{\text{III}}[\text{P}_2\text{Se}_6]$, ($\text{M}^{\text{I}} = \text{Cu, Ag}$; $\text{M}^{\text{III}} = \text{Cr, Al, Ga, In}$), 111
- Silver**
 a new phase in the Ti–Ag–Te system: crystal structure of $\text{Ti}_4\text{Ag}_{24-x}\text{Te}_{15-y}$, 249
 new ternary RE–silver aluminides (RE \equiv La, Ce, Pr, Yb) with puckered Ag–Al Kagomé nets, 161

- quaternary selenodiphosphates(IV):
 $M^I M^{III} [P_2Se_6]$, ($M^I = Cu, Ag$; $M^{III} = Cr, Al, Ga, In$), 111
- the binary system Sb–Ag: a revision of the Ag_3Sb phase boundaries, L17
- thermochemistry of binary liquid alloys of silver with rare earth metals, 255
- Sodium chloride
 interactions of transition metal carbides and sodium chloride in the temperature range 900–1200 K in O, 1
- Strontium
 characterization of $Sr_5Au_2O_8$, 105
- Sulphur
 single crystal X-ray study of Zr_3NiO , L7
- Tantalum
 amorphization in an immiscible Cu–Ta system by mechanical alloying, 217
- calorimetric study of solid-state amorphization reaction of rod-milled Al_xTa_{1-x} alloy powders, 15
- Tellurium
 a new phase in the Tl–Ag–Te system: crystal structure of $Tl_4Ag_{24-x}Te_{15-y}$, 249
- Thallium
 a new phase in the Tl–Ag–Te system: crystal structure of $Tl_4Ag_{24-x}Te_{15-y}$, 249
- BaO–TiO_{1.5} system, 347
- Thermodynamics
 extreme glass forming range for amorphization by mechanical alloying, 37
- zinc thermodynamic activities in Co–Ni–Zn β' 1 and β 1 phases, 99
- Thermogravimetry
 interactions of transition metal carbides and sodium chloride in the temperature range 900–1200 K in O, 1
- Thorium
 structural and magnetic behaviour of the series $Th_2Fe_{17}C_x$ ($x = 0$ to 1.25), 135
- Titanium
⁴⁷Ti and ⁴⁹Ti nuclear magnetic resonance in TiH₂, 53
- calorimetry study about Ni₅₀Ti₅₀ ball milled powders, 33
- formation of the amorphous phase in Zr₂Al by H absorption and the effects of Ti substitution on the amorphization behaviour, 45
- bulk δ -TiN_{1-x} prepared by Ni diffusion into Ti metal, 293
- Transition metals
 structural and magnetic properties of some new U ternary pnictides: UTX₂ (T \equiv Fe, Co, Ni, Cu; X \equiv P, As, Sb, Bi), 333
- studies of the interactions of transition metal carbides and sodium chloride in the temperature range 900–1200 K in O, 1
- Uranium
 crystal structure and physical properties of the carbides UAl₃C₃ and YbAl₃C₃, 321
- structural and magnetic properties of some new U ternary pnictides: UTX₂ (T \equiv Fe, Co, Ni, Cu; X \equiv P, As, Sb, Bi), 333
- X-ray diffraction
 amorphization in an immiscible Cu–Ta system by mechanical alloying, 217
- synthesis and XRD study of graphite intercalation compounds with multi-layered metallic packages, 89
- the binary system Sb–Ag: a revision of the Ag_3Sb phase boundaries, L17
- X-ray powder diffraction
 single crystal X-ray study of Zr_3NiO , L7
- Ytterbium
 crystal structure and physical properties of the carbides UAl₃C₃ and YbAl₃C₃, 321
- Yttria
 CVD of Y₂O₃ from YCl₃–CO₂–H₂–Ar gas mixtures: an experimental study, 77
- Yttrium
 analysis of YBa₂Cu₃O_{7- δ} crystal growth from BaCO₃–CuO–Y₂O₃ charges, 361
- Ca[(Ni_{1-x}Li_x)N]: limited solid solutions (0 $\leq x \leq 0.58$) in the system Ca[NiN] (Y[CoC]-type structure)–Ca[LiN] (modified fluorite-type structure), 339
- Zeolites
 luminescent properties of RE–silicalite-I and RE–ZSM-5 zeolites synthesized by direct hydrothermal crystallization, 267

Zinc

zinc thermodynamic activities in
Co–Ni–Zn β '1 and β 1 phases, 99

Zirconium

formation of the amorphous phase in
Zr₂Al by H absorption and the
effects of Ti substitution on the
amorphization behaviour, 45

kinetics of deposition of zirconia-based
ceramics from ZrCl₄–H₂–CO₂–Ar gas
mixtures, 65

single crystal X-ray study of Zr₃NiO,
L7

structural study of hyperstoichiometric
alloys ZrMn_{2+x} and their hydrides,
241