

Subject Index of Volume 187

- Aluminium**
nanoscale quasi-amorphous Ni produced by leaching sputter-deposited Ni₂₅Al₇₅ alloys, L1
stage formation of quasi-crystals during mechanical treatment of the cubic Frank–Kasper phase Mg₃₂(Zn,Al)₄₉, 207
- Amorphization mechanisms**
mechanism of H-induced amorphization in intermetallic compounds, 1
- Anisotropy**
evidence of U magnetic ordering in UFe₁₀Si₂, 293
magnetic anisotropy of R₂Co₁₄B_{1-x}C_x compounds (R≡Pr, Nd), 249
- Antiferromagnetism**
magnetic and electrical properties of the tetragonal U(Cu, Ni)_{2-x}Ga_{2+x} phases, 255
magnetic ordering of TbNi_{0.4}Ge₂ and TbCu_{0.4}Ge₂ studied by neutron diffraction and magnetic measurements, 73
- Argon films**
CVD of Ag films for superconducting wire applications, 331
- Atomic stacking sequence**
structural irregularity of the stacking sequence in the Sr₃V₂O₇ compound, 31
- Barium**
high J_cY–Ba–Cu–O thin films prepared by a spray pyrolysis method, 193
- Borides**
crystal structure of defective YAIB₁₄ and ErAIB₁₄, 39
- Boron**
magnetic anisotropy of R₂Co₁₄B_{1-x}C_x compounds (R≡Pr, Nd), 249
NMR study of the RE(Co, B)₅-type compounds (RE≡Y, Gd), 409
- Cadmium**
determination of the phase diagrams of the Cd–Sn(0.2)–Zn ternary system at high pressure, 137
- Calorimetry**
liquid Cd–Ga–Sn: enthalpy of formation, 215
- Chalcogenides**
relationships between crystal structure and ¹⁹⁷Au Mössbauer effect in ternary alkali metal Au chalcogenides, 351
polarization dependent X-ray absorption study of Cu_xNbS₂ (x=0.00, 0.16) and Cu_xNbSe₂ (x=0.00, 0.38), 157
- Chemical vapor deposition**
CVD of Ag films for superconducting wire applications, 331
- Chromium**
thermal decomposition products of (NH₄)₂CrO₄ and (NH₄)₂Cr₂O₇, 171
influence of substrate temperature on structure and electrical properties of Cr–Si–O films, 363
- Copper**
high J_cY–Ba–Cu–O thin films prepared by a spray pyrolysis method, 193
polarization dependent X-ray absorption study of Cu_xNbS₂ (x=0.00, 0.16) and Cu_xNbSe₂ (x=0.00, 0.38), 157
- Corrosion**
formation of a barrier oxide layer on a Zr–2.5wt.%Nb alloy during corrosion in high temperature pressurized water, 317
- Crystal structure**
relationships between crystal structure and ¹⁹⁷Au Mössbauer effect in ternary alkali metal Au chalcogenides, 351
- Deuterides**
hexamagnesium dicobalt undecadeuteride Mg₆Co₂D₁₁: containing [CoD₄]⁵⁻ and [CoD₅]⁴⁻ complex anions conforming to the 18-electron rule, 233
- Electrical properties**
influence of substrate temperature on structure and electrical properties of Cr–Si–O films, 363

- magnetic and electrical properties of the tetragonal $U(Cu, Ni)_{2-x}Ga_{2+x}$ phases, 255
- Exchange reaction milling
exchange reaction milling in Fe nitrides, fluorides and carbides, 305
- Ferromagnetism
nanoscale quasi-amorphous Ni produced by leaching sputter-deposited $Ni_{25}Al_{75}$ alloy, L1
- Germanium
ternary RE alloys: RAuGe compounds, 267
- Gold
relationships between crystal structure and ^{197}Au Mössbauer effect in ternary alkali metal Au chalcogenides, 351
different stacking of the Au and Si atoms in the phases RAuSi ($R \equiv Sc, Y, Lu$), 243
ternary RE alloys: RAuGe compounds, 267
- Hydrides
ternary Pd hydride A_3PdH_5 with $A \equiv K, Rb$ and Cs , 81
description, structure and phase transition of Rb_2PdH_4 and Cs_2PdH_4 , 87
equilibria in $C_xLa_{1-x}Ni_{5-y}Al_y-H_2$ systems at subcritical and supercritical parameters, 9
hexamagnesium dicobalt undecadeuteride $Mg_6Co_2D_{11}$: containing $[CoD_4]^{5-}$ and $[CoD_5]^{4-}$ complex anions conforming to the 18-electron rule, 233
hydriding properties of $LaNi_{4.8}Sn_{0.2}$, $LaNi_{4.27}Sn_{0.24}$ and $La_{0.9}Gd_{0.1}Ni_5$ after thermal cycling and aging, 113
kinetics for the reaction of H with Pu powder, 271
strontium dimagnesium iron octahydride, $SrMg_2FeH_8$, containing octahedral $[FeH_6]^{4-}$ complex anions, 227
strontium Mg tetrahydride ($SrMgH_4$), 105
- Hydrogen
kinetics for the reaction of H with Pu powder, 271
- microstructures and hydrogenation properties of $TiFe_{1-x}M_x$ alloys, 49
Raman and IR spectroscopy of H-charged $YBa_2Cu_3O_{7-\delta}$ films, 59
mechanisms of H-induced amorphization in intermetallic compounds, 1
structure and magnetic properties of binuclear compounds Cs_3FeS_3 , Na_3FeS_3 and Na_3FeSe_3 , 95
- Intermetallics
change of anisotropy type in $UFe_{10-x}Al_xSi_2$, 381
magnetic properties and ^{57}Fe Mössbauer effect investigation in $U_{1-x}Y_xFe_{10}Si_2$ solid solutions, 401
- Iron
the formation of $ThMn_{12}$ and $NaZn_{13}$ structures in $RFe_{10}Si_2$, 67
microstructures and hydrogenation properties of $TiFe_{1-x}M_x$ alloys, 49
strontium dimagnesium iron octahydride, $SrMg_2FeH_8$, containing octahedral $[FeH_6]^{4-}$ complex anions, 227
structure and magnetic properties of binuclear compounds Cs_3FeS_3 , Na_3FeS_3 and Na_3FeSe_3 , 95
- Isobars
equilibria in $Ce_xLa_{1-x}Ni_{5-y}Al_y-H_2$ systems at subcritical and supercritical parameters, 9
- Isotherms
equilibria in $Ce_xLa_{1-x}Ni_{5-y}Al_y-H_2$ systems at subcritical and supercritical parameters, 9
- Kinetics
kinetics for the reaction of H with Pu powder, 271
- Lanthanides
the formation of $ThMn_{12}$ and $NaZn_{13}$ structures in $RFe_{10}Si_2$, 67
- Lanthanum
hydriding properties of $LaNi_{4.8}Sn_{0.2}$, $LaNi_{4.27}Sn_{0.24}$ and $La_{0.9}Gd_{0.1}Ni_5$ after thermal cycling and aging, 113
magnetostriction of $LaCo_{13}$ -based alloys, 285
- Lutetium
different stacking of the Au and Si atoms in the phases RAuSi ($R \equiv Sc, Y, Lu$), 243
- Magnesium
stage formation of quasi-crystals during mechanical treatment of the cubic

- Frank–Kasper phase $\text{Mg}_{32}(\text{Zn}, \text{Al})_{49}$, 207
- Magnetic properties
- change of anisotropy type in $\text{UFe}_{10-x}\text{Al}_x\text{Si}_2$, 381
 - magnetic and electrical properties of the tetragonal $\text{U}(\text{Cu}, \text{Ni})_{2-x}\text{Ga}_{2+x}$ phases, 255
 - magnetic properties and ^{57}Fe Mössbauer effect investigation in $\text{U}_{1-x}\text{Y}_x\text{Fe}_{10}\text{Si}_2$ solid solutions, 401
- Magnetism
- evidence of U magnetic ordering in $\text{UFe}_{10}\text{Si}_2$, 293
 - magnetic anisotropy of $\text{R}_2\text{Co}_{14}\text{B}_{1-x}\text{C}_x$ compounds ($\text{R}=\text{Pr}, \text{Nd}$), 249
 - magnetic coupling in rare earth–nickel compounds of the type R_2Ni_7 , 299
 - magnetic ordering of $\text{TbNi}_{0.4}\text{Ge}_2$ and $\text{TbCu}_{0.4}\text{Ge}_2$ studied by neutron diffraction and magnetic measurements, 73
 - structure, magnetism and absorption spectra of some orthouranates and orthoneptunates, 17
 - structure and magnetic properties of binuclear compound Cs_3FeS_3 , Na_3FeS_3 and Na_3FeSe_3 , 95
- Magnetocrystalline anisotropy
- change of anisotropy type in $\text{UFe}_{10-x}\text{Al}_x\text{Si}_2$, 381
- Magnetostriction
- magnetostriction of LaCo_{13} -based alloys, 285
- Manganese
- electronic specific heat of Mn_2Sb and $\text{Mn}_{1.9}\text{Cr}_{0.1}\text{Sb}$, L7
- Mechanosynthesis
- exchange reaction milling in Fe nitrides, fluorides and carbides, 305
- Molybdenum
- synthesis, structure and characterization of $\text{SrMoO}_{2.6}^{15}\text{N}_{0.4}$, 145
 - thermodynamic investigation on the vaporization of Mo trioxide, 373
- Mössbauer effect
- magnetic properties and ^{57}Fe Mössbauer effect investigation in $\text{U}_{1-x}\text{Y}_x\text{Fe}_{10}\text{Si}_2$ solid solutions, 401
- Neptunium
- structure, magnetism and absorption spectra of some orthouranates and orthoneptunates, 17
- Neutron diffraction
- ternary Pd hydride A_3PdH_5 with $\text{A}=\text{K}, \text{Rb}$ and Cs , 81
 - hexamagnesium dicobalt undecadeuteride $\text{Mg}_6\text{Co}_2\text{D}_{11}$: containing $[\text{CoD}_4]^{5-}$ and $[\text{CoD}_5]^{4-}$ complex anions conforming to the 18-electron rule, 233
 - magnetic ordering of $\text{TbNi}_{0.4}\text{Ge}_2$ and $\text{TbCu}_{0.4}\text{Ge}_2$ studied by neutron diffraction and magnetic measurements, 73
 - strontium Mg tetrahydride (SrMgH_4), 105
 - synthesis, structure and characterization of $\text{SrMoO}_{2.6}^{15}\text{N}_{0.4}$, 145
- Nickel
- hydriding properties of $\text{LaNi}_{4.8}\text{Sn}_{0.2}$, $\text{LaNi}_{4.27}\text{Sn}_{0.24}$ and $\text{La}_{0.9}\text{Gd}_{0.1}\text{Ni}_5$ after thermal cycling and aging, 113
 - magnetic coupling in rare earth–nickel compounds of the type R_2Ni_7 , 299
 - nanoscale quasi-amorphous Ni produced by leaching sputter-deposited $\text{Ni}_{25}\text{Al}_{75}$ alloy, L1
- Niobium
- formation of a barrier oxide layer on a $\text{Zr}-2.5\text{wt.}\%\text{Nb}$ alloy during corrosion in high temperature pressurized water, 317
- Nitrides
- formation of a nitrogen-rich $\alpha\text{-U}_2\text{N}_{3+x}$ phase by the reaction of U with a stream of ammonia, 389
 - synthesis, structure and characterization of $\text{SrMoO}_{2.6}^{15}\text{N}_{0.4}$, 145
- Nuclear magnetic resonance
- NMR study of the $\text{RE}(\text{Co}, \text{B})_5$ -type compounds ($\text{RE}=\text{Y}, \text{Gd}$), 409
- Palladium
- ternary Pd hydride A_3PdH_5 with $\text{A}=\text{K}, \text{Rb}$ and Cs , 81
 - description, structure and phase transition of Rb_2PdH_4 and Cs_2PdH_4 , 87
- Plutonium
- kinetics for the reaction of H with Pu powder, 271
- Polytherms
- equilibria in $\text{Ce}_2\text{La}_{1-x}\text{Ni}_{5-y}\text{Al}_y\text{-H}_2$ systems at subcritical and supercritical parameters, 9
- Quasi-crystals
- stage formation of quasi-crystals during mechanical treatment of the cubic

- Frank-Kasper phase $Mg_{32}(Zn, Al)_{49}$, 207
- Rare earths
 the formation of $ThMn_{12}$ and $NaZn_{13}$ structures in $RFe_{10}Si_2$, 67
 magnetic coupling in rare earth-nickel compounds of the type R_2Ni_7 , 299
 magnetic ordering of $TbNi_{0.4}Ge_2$ and $TbCu_{0.4}Ge_2$ studied by neutron diffraction and magnetic measurements, 73
 NMR study of the RE(Co, B)₅-type compounds (RE= Y, Gd), 409
 ternary RE alloys: RAuGe compounds, 267
 crystal structure of defective $YAlB_{14}$ and $ErAlB_{14}$, 39
- Scandium
 different stacking of the Au and Si atoms in the phases RAuSi (R= Sc, Y, Lu), 243
- Silicon
 different stacking of the Au and Si atoms in the phases RAuSi (R= Sc, Y, Lu), 243
 influence of substrate temperature on structure and electrical properties of Cr-Si-O films, 363
- Specific heat
 electronic specific heat of Mn_2Sb and $Mn_{1.9}Cr_{0.1}Sb$, L7
- Spectroscopy
 Raman and IR spectroscopy of H-charged $YBa_2Cu_3O_{7-\delta}$ films, 59
 structure, magnetism and absorption spectra of some orthouranates and orthoneptunates, 17
- Spray pyrolysis
 high J_c Y-Ba-Cu-O thin films prepared by a spray pyrolysis method, 193
- Strontium
 synthesis, structure and characterization of $SrMoO_{2.6}^{18}N_{0.4}$, 145
- Sulphur
 structure and magnetic properties of binuclear compounds Cs_3FeS_3 , Na_3FeS_3 and Na_3FeSe_3 , 95
- Superconductors
 structural irregularity of stacking sequence in the $Sr_3V_2O_7$ compound, 31
 CVD of Ag films for superconducting wire applications, 331
- Raman and IR spectroscopy of H-charged $YBa_2Cu_3O_{7-\delta}$ films, 59
- Tantalum
 synthesis of Ta tellurides: the crystal structure of Ta_2Te_3 , 181
- Tellurium
 synthesis of Ta tellurides: the crystal structure of Ta_2Te_3 , 181
- Ternary systems
 liquid Cd-Ga-Sn: enthalpy of formation, 215
- Thermal decomposition
 thermal decomposition products of $(NH_4)_2CrO_4$ and $(NH_4)_2Cr_2O_7$, 171
- Thermodynamics
 liquid Cd-Ga-Sn: enthalpy of formation, 215
- Thermogravimetry
 thermodynamic investigation on vaporization of Mo trioxide, 373
- Tin
 determination of the phase diagrams of the Cd-Sn(0.2)-Zn ternary system at high pressure, 137
 hydriding properties of $LaNi_{4.8}Sn_{0.2}$, $LaNi_{4.27}Sn_{0.24}$ and $La_{0.9}Gd_{0.1}Ni_5$ after thermal cycling and aging, 113
- Titanium
 microstructures and hydrogenation properties of $TiFe_{1-x}M_x$ alloys, 49
- Uranium
 change of anisotropy type in $UF_{10-x}Al_xSi_2$, 381
 evidence of U magnetic ordering in $UF_{10}Si_2$, 293
 formation of a nitrogen-rich $\alpha-U_2N_{3+x}$ phase by the reaction of U with a stream of ammonia, 389
 magnetic and electrical properties of the tetragonal $U(Cu, Ni)_{2-x}Ga_{2+x}$ phases, 255
 magnetic properties and ^{57}Fe Mössbauer effect investigation in $U_{1-x}Y_xFe_{10}Si_2$ solid solutions, 401
 structure, magnetism and absorption spectra of some orthouranates and orthoneptunates, 17
- X-ray absorption
 polarization dependent X-ray absorption study of Cu_xNbS_2 ($x=0.00, 0.16$) and Cu_xNbSe_2 ($x=0.00, 0.38$), 157
- X-ray diffraction
 thermal decomposition products of $(NH_4)_2CrO_4$ and $(NH_4)_2Cr_2O_7$, 171

- structural irregularity of the stacking sequence in the $\text{Sr}_3\text{V}_2\text{O}_7$ compound, 31
- nanoscale quasi-amorphous Ni produced by leaching sputter-deposited $\text{Ni}_{25}\text{Al}_{75}$ alloy, L1
- strontium dimagnesium iron octahydride, $\text{SrMg}_2\text{FeH}_8$, containing octahedral $[\text{FeH}_6]^{4-}$ complex anions, 227
- strontium Mg tetrahydride (SrMgH_4), 105
- Yttrium
- different stacking of the Au and Si atoms in the phases RAuSi ($\text{R} \equiv \text{Sc}, \text{Y}, \text{Lu}$), 243
- high J_c - Y-Ba-Cu-O thin films prepared by a spray pyrolysis method, 193
- Zinc
- determination of the phase diagrams of the Cd-Sn(0.2)-Zn ternary system at high pressure, 137
- stage formation of quasi-crystals during mechanical treatment of the cubic Frank-Kasper phase $\text{Mg}_{32}(\text{Zn}, \text{Al})_{49}$, 207
- Zirconium
- formation of a barrier oxide layer on a Zr-2.5wt.\%Nb alloy during corrosion in high temperature pressurized water, 317