



Journal of Alloys and Compounds 218 (1995) 271-275

Subject Index of Volume 218

A.C. susceptibility

magnetic phase diagram of TbRh_{2-x}Ir_xSi₂ in high magnetic fields I 19

magnetic properties of RNiX₂ (X≡Si, Ge) and RMn_xGe₂ compounds, L24

Al substitution

investigation of the δ and μ phases in the Nd-Fe-Al system, 31

Aluminium

structure and magnetostriction of $(Dy_{0.65}Tb_{0.25}Pr_{0.1})(Fe_{1-x}Al_x)_3$ alloys, 28

on the rare-earth palladium aluminides LnPdAl, 44 phase relations in the Al-Ta system: on the translational symmetries of a triclinic structure and a new hexagonal giant cell structure, 177

Aluminum-cobalt system

mechanical alloying of aluminium and Al₁₃Co₄ to an amorphous phase, L7

Ammonia oxidation

changes of composition and surface state of palladium-nickel alloy gauzes used in ammonia oxidation apparatus, 51 Amorphization

mechanical alloying of aluminium and Al₁₃Co₄ to an amorphous phase, L7

Anisotropy

structure and magnetic properties of $(Sm_{1-x}Y_x)_2Fe_{14}Ga_3C_2$ (x=0-1.0) compounds prepared by arc melting, L1

Annealing

solubility of Ti with C in the Nd₂Fe₁₄B system and controlled carbide precipitation, 143

influence of annealing on hydrogenation characteristics and microstructure of LaNi_{4.55}Al_{0.45} alloy, 216

on products of InMg corrosion in wet air and their conversion during annealing in vacuum, 259

Antiferromagnetic phase

the magnetic properties of BaLaCoIrO₆ and Ba₃CoIr_xRu_{2-x}O₉, 110

Antiferromagnetism

crystal structure, magnetic and electrical properties of the new ternary stannide Ce₂Ni₂Sn, 90

neutron diffraction study of CeMn₂Ge₂, PrMn₂Ge₂ and NdMn₂Ge₂: evidence of dominant antiferromagnetic components within the (001) Mn planes in ferromagnetic ThCr₂Si₂-type manganese ternary compounds, 204

Arc melting

structure and magnetic properties of $(Sm_{1-x}Y_x)_2Fe_{14}Ga_3C_2$ (x=0-1.0) compounds prepared by arc melting, L1

Calorimetry

redetermination of the standard enthalpies of formation of LaPt, LuPt and LuPt₃ by high temperature direct synthesis calorimetry, L21

Cerium stannides

crystal structure, magnetic and electrical properties of the new ternary stannide Ce₂Ni₂Sn, 90

Chemical activities

determination of chemical activities of Fe, Cr, Ni and Mn in stainless steel 316 by Knudsen effusion cell mass spectrometry, 95

Chromium

chromium, cobalt, nickel and copper as pigments of sol-gel glasses, 77

Cluster compounds

the synthesis of LiMo₄O₆, Zn_{0.5}Li_xMo₄O₆ and Li_xMo₄O₆ $(x \approx 0.1)$ from InMo₄O₆, 9

Cobalt

chromium, cobalt, nickel and copper as pigments of sol-gel glasses, 77

Coercivity

crystallographic and magnetic properties of Nd_{1+x}Fe₁₀Mo₂N_y, 131

Co-evaporation

structural and optical properties of $Cd_{1-x}Zn_xTe$ thin films, 86 Composition change

changes of composition and surface state of palladium-nickel alloy gauzes used in ammonia oxidation apparatus, 51

Concentration quenching

luminescence properties of layered perovskites activated by Eu^{3+} ions, 228

Coppe

chromium, cobalt, nickel and copper as pigments of sol-gel glasses. 77

room-temperature crystal structure of the layered phase $Cu^I In^{III} P_2 S_{6}$, 157

Corrosion

on products of InMg corrosion in wet air and their conversion during annealing in vacuum, 259

electrochemical aspects of corrosion in sintered and hotdeformed Nd-Fe-B magnets, 263

Crystal fields

low temperature specific heat of DyBi and ErBi, 73

Crystal growth

single crystals of (Bi, Pb)₂Sr₂CaCu₂O_y grown by the flux method using KCl as the flux, 117

Crystal lattice distortions

hydrogen-induced magnetic anisotropy and crystal lattice distortion in Sm_{1-x}Tb_x(Fe_{0.2}Co_{0.8})₂ compounds, 165

Crystallization

solubility of Ti with C in the Nd₂Fe₁₄B system and controlled carbide precipitation, 143

Crystal structure

new ternary iron sulphides $A_3Fe_2S_4$ (A = K, Rb, Cs): syntheses and crystal structures, 22

crystal structure, magnetic and electrical properties of the new ternary stannide Ce₂Ni₂Sn, 90

crystal structure, phase abundance and electrode performance of Laves phase compounds (Zr, A) $V_{0.5}Ni_{1.1}Mn_{0.2}Fe_{0.2}$ (A \equiv Ti, Nb or Hf), 101

crystal structure of erbium sesquiselenide, Er₂Se₃, 224 luminescence properties of layered perovskites activated by Eu³⁺ ions, 228

Differential scanning calorimetry

diffusion of nitrogen in R₂Fe₁₇ (R=rare earth) compounds determined by the Kissinger method, L15

Diffusion

influence of annealing on hydrogenation characteristics and microstructure of LaNi_{4.55}Al_{0.45} alloy, 216

diffusion of nitrogen in R₂Fe₁₇ (R=rare earth) compounds determined by the Kissinger method, L15

Electrical conductivity

thermally stimulated depolarization current studies in sodiumand barium-doped potassium yttrium fluoride, 121

Electrical resistivity

magnetic behaviour of CePd₂Al, L11

Electrode performance

crystal structure, phase abundance and electrode performance of Laves phase compounds (Zr, A) $V_{0.5}Ni_{1.1}Mn_{0.2}Fe_{0.2}$ (A=Ti, Nb or Hf), 101

Electron microscopy

characterization of the Nd-Fe-Al μ phase in the microstructure of an aluminium- and vanadium-substituted Nd-Fe-B magnet, 17

Erbium sesquiselenide

crystal structure of erbium sesquiselenide, $\mathrm{Er}_2\mathrm{Se}_3$, 224 Expansion

some properties of honeycomb-type Bi_{1.6}Pb_{0.4}Sr₂Ca₃Cu₄O_y superconductors, 47

Ferromagnetism

neutron diffraction study of CeMn₂Ge₂, PrMn₂Ge₂ and NdMn₂Ge₂: evidence of dominant antiferromagnetic components within the (001) Mn planes in ferromagnetic ThCr₂Si₂-type manganese ternary compounds, 204

f-ligand hybridization

formation of Kondo clouds in $U(Sn_{1-x}M_x)_3$ compounds (M=Al, Ga, Ge), 5

Formation enthalpies

redetermination of the standard enthalpies of formation of LaPt, LuPt and LuPt₃ by high temperature direct synthesis calorimetry, L21

Germanides

crystal structure and physical properties of new ternary silicides R₄T₁₃X₉ (R, rare earth or uranium; T, rhodium or iridium; X, silicon or germanium), 197

Hafnium

electrorefining in molten salts — an effective method of high purity tantalum, hafnium and scandium metal production, 173

Heat capacity

magnetic behaviour of CePd₂Al, L11

Heavy fermion

formation of Kondo clouds in $U(Sn_{1-x}M_x)_3$ compounds (M = Al, Ga, Ge), 5

High field magnetization measurements

magnetic phase diagram of TbRh_{2-x}Ir_xSi₂ in high magnetic fields, L19

High-purity

electrorefining in molten salts — an effective method of high purity tantalum, hafnium and scandium metal production, 173

Honeycomb-type structure

some properties of honeycomb-type Bi_{1.6}Pb_{0.4}Sr₂Ca₃Cu₄O_y superconductors, 47

Hot deformation

electrochemical aspects of corrosion in sintered and hotdeformed Nd-Fe-B magnets, 263

Hydration

mechanically assisted solid state hydrogenation for formation of nanocrystalline NiTiH₃ alloy powders, 36

Hydriding-dehydriding cycles

the effects of hydriding-dehydriding cycles on the plateau pressures and van't Hoff plots for Pd-Ni alloys, 139

Hydrogen

hydrogen-induced magnetic anisotropy and crystal lattice distortion in Sm_{1-x}Tb_x(Fe_{0.2}Co_{0.8})₂ compounds, 165

effect of hydrogen on the superplasticity and microstructure of Ti-6Al-4V alloy, 233

Hydrogenation

influence of annealing on hydrogenation characteristics and microstructure of LaNi_{4.55}Al_{0.45} alloy, 216

Indium

room-temperature crystal structure of the layered phase Cu¹In^{III}P₂S₆, 157

on products of lnMg corrosion in wet air and their conversion during annealing in vacuum, 259

Induced magnetic anisotropy

hydrogen-induced magnetic anisotropy and crystal lattice distortion in $Sm_{1-x}Tb_x(Fe_{0.2}Co_{0.8})_2$ compounds, 165 Intercalation

the synthesis of LiMo₄O₆, Zn_{0.5}Li_xMo₄O₆ and Li_xMo₄O₆ ($x \approx 0.1$) from InMo₄O₆, 9

Intermetallic compounds

structural and physical properties of UFe₁₀Mo₂, 183

Ion exchange chemistry

the synthesis of LiMo₄O₆, Zn_{0.5}Li_xMo₄O₆ and Li_xMo₄O₆ ($x \approx 0.1$) from InMo₄O₆, 9

Iron

structure and magnetostriction of $(Dy_{0.65}Tb_{0.25}Pr_{0.1})(Fc_{1-x}Al_x)_3$ alloys, 28

Isothermal sections

the isothermal section of the phase diagram of the ternary system Al-Sn-Y at room temperature, 221

KCl flux

single crystals of (Bi, Pb)₂Sr₂CaCu₂O_y grown by the flux method using KCl as the flux, 117

Kissinger method

diffusion of nitrogen in R₂Fe₁₇ (R=rare earth) compounds determined by the Kissinger method, L15

Knudsen cell mass spectrometry

determination of chemical activities of Fe, Cr, Ni and Mn in stainless steel 316 by Knudsen effusion cell mass spectrometry, 95

Kondo effect

formation of Kondo clouds in $U(Sn_{1-x}M_x)_3$ compounds $(M=Al,\ Ga,\ Ge),\ 5$

crystal structure, magnetic and electrical properties of the new ternary stannide Ce₂Ni₂Sn, 90 magnetic behaviour of CePd₂Al, L11

Lattice strain

study on the development of the lattice strain in $(Mg,U)O_{2+x}$ solid solution, 149

Laves phase compounds

crystal structure, phase abundance and electrode performance of Laves phase compounds (Zr, A) $V_{0.5}Ni_{1.1}Mn_{0.2}Fe_{0.2}$ (A=Ti, Nb or Hf), 101

Layered perovskite

luminescence properties of layered perovskites activated by Eu³⁺ ions, 228

Luminescence

luminescence properties of layered perovskites activated by Eu³⁺ ions, 228

Magnesium

study on the development of the lattice strain in (Mg,U)O_{2+x} solid solution, 149

on products of InMg corrosion in wet air and their conversion during annealing in vacuum, 259

Magnetic behaviour

magnetic behaviour of CePd2Al, L11

Magnetic ordering

on rare earth gold aluminides LnAuAl₃ and related compounds, 255

Magnetic phase diagrams

magnetic phase diagram of TbRh_{2-x}Ir_xSi₂ in high magnetic fields, L19

magnetic properties of RNiX₂ (X≡Si, Ge) and RMn_xGe₂ compounds, L24

Magnetic properties

magnetic properties of ordered perovskite oxide Ba₃ZnU₂O₉,

crystallographic and magnetic properties of Nd_{1+x}Fe₁₀Mo₂N_y, 131

solubility of Ti with C in the Nd₂Fe₁₄B system and controlled carbide precipitation, 143

structural and physical properties of UFe₁₀Mo₂, 183

crystal structure and physical properties of new ternary silicides R₄T₁₃X₉ (R, rare earth or uranium; T, rhodium or iridium; X, silicon or germanium), 197

structure and magnetic properties of $(Sm_{1-x}Y_x)_2Fe_{14}Ga_3C_2$ (x=0-1.0) compounds prepared by arc melting, L1

magnetic properties of RNiX₂ (X≡Si, Ge) and RMn_xGe₂ compounds, L24

Magnetic structure

the magnetic properties of BaLaCoIrO₆ and Ba₃CoIr_xRu_{2-x}O₉, 110

Magnetic susceptibility

magnetic properties of ordered perovskite oxide Ba₃ZnU₂O₉,

on rare earth gold aluminides LnAuAl₃ and related compounds, 255

Magnetostriction

structure and magnetostriction of (Dy_{0.65}Tb_{0.25}Pr_{0.1})(Fe_{1-x}Al_x)₃ alloys, 28

hydrogen-induced magnetic anisotropy and crystal lattice distortion in Sm_{1-x}Tb_x(Fe_{0.2}Co_{0.8})₂ compounds, 165

Magnets

characterization of the Nd-Fe-Al μ phase in the microstructure of an aluminium- and vanadium-substituted Nd-Fe-B magnet, 17

electrochemical aspects of corrosion in sintered and hotdeformed Nd-Fe-B magnets, 263

Main group intermetallics

structural stability of networks in main group intermetallics,

Manganese ternary compounds

neutron diffraction study of CeMn₂Ge₂, PrMn₂Ge₂ and NdMn₂Ge₂: evidence of dominant antiferromagnetic components within the (001) Mn planes in ferromagnetic ThCr₂Si₂-type manganese ternary compounds, 204

Mechanical alloying

mechanically assisted solid state hydrogenation for formation of nanocrystalline NiTiH₃ alloy powders, 36

sequence of phase formation during mechanical alloying in the Mo-Si system, 190

mechanical alloying of aluminium and $Al_{13}Co_4$ to an amorphous phase, L7

Metal hydrides

mechanically assisted solid state hydrogenation for formation of nanocrystalline NiTiH₃ alloy powders, 36

structural studies of LaNi₄CoD_{6.11} and LaNi_{3.55}Mn_{0.4}Al_{0.3}-Co_{0.75}D_{5.57} by means of neutron powder diffraction, 64 Metallic systems

high-temperature oxidation of one- and two-component metallic systems studied by in-situ X-ray absorption spectroscopy, 237

Method of moments

structural stability of networks in main group intermetallics,

Microstructure

characterization of the Nd-Fe-Al μ phase in the microstructure of an aluminium- and vanadium-substituted Nd-Fe-B magnet, 17

solubility of Ti with C in the Nd₂Fe₁₄B system and controlled carbide precipitation, 143

effect of hydrogen on the superplasticity and microstructure of Ti-6Al-4V alloy, 233

Molar enthalpies

the standard molar enthalpy of formation of $HfTe_3O_8$, 135 Molten salt electrolysis

electrorefining in molten salts — an effective method of high purity tantalum, hafnium and scandium metal production, 173

Molybdenum disilicide

sequence of phase formation during mechanical alloying in the Mo-Si system, 190

Mössbauer spectrometry

investigation of the δ and μ phases in the Nd-Fe-Al system,

Neodymium vanadate

X-ray study of the thermal expansion anisotropy in neodymium vanadate, L4

Neutron diffraction

the magnetic properties of BaLaCoIrO₆ and Ba₃CoIr_xRu_{2-x}O₉, 110

neutron diffraction study of CeMn₂Ge₂, PrMn₂Ge₂ and NdMn₂Ge₂: evidence of dominant antiferromagnetic components within the (001) Mn planes in ferromagnetic ThCr₂Si₂-type manganese ternary compounds, 204

Neutron powder diffraction

structural studies of LaNi₄CoD_{6.11} and LaNi_{3.55}Mn_{0.4}Al_{0.3}Co_{0.75}D_{5.57} by means of neutron powder diffraction, 64
Nickel

chromium, cobalt, nickel and copper as pigments of sol-gel glasses, 77

the effects of hydriding-dehydriding cycles on the plateau pressures and van't Hoff plots for Pd-Ni alloys, 139

Nitrides

crystallographic and magnetic properties of Nd_{1+x}Fe₁₀Mo₂N_y, 131

Nitrogen

diffusion of nitrogen in R₂Fe₁₇ (R=rare earth) compounds determined by the Kissinger method, L15

Optical properties

structural and optical properties of Cd_{1-x}Zn_xTe thin films, 86 Ordered perovskite

magnetic properties of ordered perovskite oxide $Ba_3ZnU_2O_9$, 58

Oxidation

high-temperature oxidation of one- and two-component metallic systems studied by in-situ X-ray absorption spectroscopy, 237

Oxides

magnetic properties of ordered perovskite oxide $Ba_3ZnU_2O_9$, 58

Palladium

on the rare-earth palladium aluminides LnPdAl, 44 the effects of hydriding-dehydriding cycles on the plateau pressures and van't Hoff plots for Pd-Ni alloys, 139

Permanent magnetism

crystallographic and magnetic properties of $Nd_{1+x}Fe_{10}Mo_2N_y$, 131

Phase abundance

crystal structure, phase abundance and electrode performance of Laves phase compounds (Zr, A) $V_{0.5}Ni_{1.1}Mn_{0.2}Fe_{0.2}$ (A=Ti, Nb or Hf), 101

Phase diagrams

the isothermal section of the phase diagram of the ternary system Al-Sn-Y at room temperature, 221

Phase formations

sequence of phase formation during mechanical alloying in the Mo-Si system, 190

Phase relations

subsolidus phase relations of the La-Fe-Al ternary system, 127

phase relations in the Al-Ta system: on the translational symmetries of a triclinic structure and a new hexagonal giant cell structure, 177

Pigments

chromium, cobalt, nickel and copper as pigments of sol-gel glasses, 77

Plateau pressures

the effects of hydriding-dehydriding cycles on the plateau pressures and van't Hoff plots for Pd-Ni alloys, 139

Platinum recovery

changes of composition and surface state of palladium-nickel alloy gauzes used in ammonia oxidation apparatus, 51

Polytypes

characterization of the Nd-Fe-Al μ phase in the microstructure of an aluminium- and vanadium-substituted Nd-Fe-B magnet, 17

Potassium yttrium fluoride

thermally stimulated depolarization current studies in sodiumand barium-doped potassium yttrium fluoride, 121

Powder metallurgy

mechanically assisted solid state hydrogenation for formation of nanocrystalline NiTiH₃ alloy powders, 36

Pressure-composition isotherms

influence of annealing on hydrogenation characteristics and microstructure of LaNi_{4.55}Al_{0.45} alloy, 216

Rare-earth 3d metal compounds

crystallographic and magnetic properties of Nd_{1+x}Fe₁₀Mo₂N_y,

Rare earth gold aluminides

on rare earth gold aluminides LnAuAl₃ and related compounds, 255

Rare earth intermetallics

magnetic properties of RNiX₂ ($X \equiv Si$, Ge) and RMn_xGe₂ compounds, L24

Rare earth metals

on the rare-earth palladium aluminides LnPdAl, 44

Rare earths

subsolidus phase relations of the La-Fe-Al ternary system,

electrochemical aspects of corrosion in sintered and hotdeformed Nd-Fe-B magnets, 263

Rietveld analysis

luminescence properties of layered perovskites activated by Eu³⁺ ions, 228

Rod milling

mechanically assisted solid state hydrogenation for formation of nanocrystalline NiTiH₃ alloy powders, 36

Scandium

electrorefining in molten salts — an effective method of high purity tantalum, hafnium and scandium metal production, 173

Semiconductors

CsAg₅Te₃: a new metal-rich telluride with a unique tunnel structure. 1

Single crystals

single crystals of (Bi, Pb)₂Sr₂CaCu₂O_y grown by the flux method using KCl as the flux, 117

Sintering

electrochemical aspects of corrosion in sintered and hotdeformed Nd-Fe-B magnets, 263

Solid-gas reaction

mechanically assisted solid state hydrogenation for formation of nanocrystalline NiTiH₃ alloy powders, 36

Solid state reactions

crystalline structure of the strontium niobates Sr₄Nb₂O₉ and Sr₅Nb₄O₁₅, 13

mechanically assisted solid state hydrogenation for formation of nanocrystalline NiTiH₃ alloy powders, 36

Specific heat

low temperature specific heat of DyBi and ErBi, 73

Stainless steel

determination of chemical activities of Fe, Cr, Ni and Mn in stainless steel 316 by Knudsen effusion cell mass spectrometry, 95

Strontium niobates

crystalline structure of the strontium niobates $Sr_4Nb_2O_9$ and $Sr_5Nb_4O_{15},\ 13$

Structural properties

structural and optical properties of Cd_{1-x}Zn_xTe thin films, 86 Structural stability

structural stability of networks in main group intermetallics, 244

Superconductivity

single crystals of (Bi, Pb)₂Sr₂CaCu₂O_y grown by the flux method using KCl as the flux, 117

Superconductors

some properties of honeycomb-type Bi_{1.6}Pb_{0.4}Sr₂Ca₃Cu₄O_y superconductors, 47

Superplasticity

effect of hydrogen on the superplasticity and microstructure of Ti-6Al-4V alloy, 233

Surface state

changes of composition and surface state of palladium-nickel alloy gauzes used in ammonia oxidation apparatus, 51

Synthesis

new ternary iron sulphides A₃Fe₂S₄ (A=K, Rb, Cs): syntheses and crystal structures, 22

Tantalum

electrorefining in molten salts — an effective method of high purity tantalum, hafnium and scandium metal production, 173

phase relations in the Al-Ta system: on the translational symmetries of a triclinic structure and a new hexagonal giant cell structure, 177

Ternary iron sulphides

new ternary iron sulphides A₃Fe₂S₄ (A=K, Rb, Cs): syntheses and crystal structures, 22

Ternary silicides

crystal structure and physical properties of new ternary silicides R₄T₁₃X₉ (R, rare earth

or uranium; T, rhodium or iridium; X, silicon or germanium). 197

Ternary silver telluride

CsAg₅Te₃: a new metal-rich telluride with a unique tunnel structure. 1

Ternary systems

the isothermal section of the phase diagram of the ternary system Al-Sn-Y at room temperature, 221

Thermal expansion

X-ray study of the thermal expansion anisotropy in neodymium vanadate, L4

Thermally stimulated depolarization current

thermally stimulated depolarization current studies in sodiumand barium-doped potassium yttrium fluoride, 121

Thermal stability

phase relations in the Al-Ta system: on the translational symmetries of a triclinic structure and a new hexagonal giant cell structure, 177

Thin films

structural and optical properties of Cd_{1-x}Zn_xTe thin films, 86 Phiophosphate

room-temperature crystal structure of the layered phase $Cu^{I}In^{III}P_{2}S_{6}$, 157

Tight-binding Hückel investigation

structural stability of networks in main group intermetallics,

Titanium alloy

effect of hydrogen on the superplasticity and microstructure of Ti-6Al-4V alloy, 233

Transition metal oxides

the synthesis of LiMo₄O₆, Zn_{0.5}Li_xMo₄O₆ and Li_xMo₄O₆ ($x \approx 0.1$) from InMo₄O₆, 9

Transpiration technique

the standard molar enthalpy of formation of $HfTe_3O_8$, 135 Tunnel structure

CsAg₅Te₃: a new metal-rich telluride with a unique tunnel structure, 1

Uranium

magnetic properties of ordered perovskite oxide $Ba_3ZnU_2O_9$, 58

study on the development of the lattice strain in (Mg,U)O_{2+x} solid solution, 149

Uranium compounds

structural and physical properties of UFe₁₀Mo₂, 183

X-ray absorption spectroscopy

high-temperature oxidation of one- and two-component metallic systems studied by in-situ X-ray absorption spectroscopy, 237

X-ray diffraction

investigation of the δ and μ phases in the Nd-Fe-Al system, 31

X-ray powder diffraction

crystalline structure of the strontium niobates $Sr_4Nb_2O_9$ and $Sr_5Nb_4O_{15},\ 13$

subsolidus phase relations of the La-Fe-Al ternary system,

X-ray study of the thermal expansion anisotropy in neodymium vanadate, L4

X-ray structure determination

room-temperature crystal structure of the layered phase $Cu^I In^{III} P_2 S_6$, 157