

## Subject Index of Volume 224

- Ag–O–S system**  
Ag<sub>6</sub>S<sub>3</sub>O<sub>4</sub> phase and its basic properties, 203
- Ag–Te**  
thermodynamic investigation of the Ag–Te and Cu–Te eutectic alloys, 351
- Alloys**  
hydrogen absorbing-desorbing properties and crystal structure of the Zr–Ti–Ni–Mn–V AB<sub>2</sub> Laves phase alloys, 121
- Americium nitride**  
vaporization behaviour of (Pu, Am)N, 55
- Annealing**  
the stannides RE<sub>3</sub>Co<sub>6</sub>Sn<sub>5</sub> (RE = Y, Nd, Sm, Gd, Tb, Ho–Tm) with Dy<sub>3</sub>Co<sub>6</sub>Sn<sub>5</sub>-type structure, 14
- Arc melting**  
the stannides RE<sub>3</sub>Co<sub>6</sub>Sn<sub>5</sub> (RE = Y, Nd, Sm, Gd, Tb, Ho–Tm) with Dy<sub>3</sub>Co<sub>6</sub>Sn<sub>5</sub>-type structure, 14  
magnetic properties of Er<sub>2</sub>Fe<sub>16</sub>SiC<sub>x</sub> (x = 0–2.5) compounds prepared by arc melting, 66
- Association model calculations**  
thermodynamic investigations of binary liquid and solid Cu–Mg and Mg–Ni alloys and ternary liquid Cu–Mg–Ni alloys, 42
- Bend properties**  
rhenium effect on bend properties at liquid nitrogen temperature in single-crystal molybdenum, 148
- Binary systems**  
description of the Cu–As–Se ternary system, 316
- Bis(benzoylacetato)beryllium(II)**  
vapour pressures and standard molar enthalpies of sublimation of beryllium(II) and aluminium(III) benzoylacetates, 181
- Boric acid**  
characterization of the nitridation process of boric acid, 22
- Boron oxynitride**  
characterization of the nitridation process of boric acid, 22
- Calorimetry**  
enthalpies of formation of Ru–Ge compounds and of the Ge-rich RuGe liquid by direct reaction calorimetry, 228  
thermodynamic investigation of the Ag–Te and Cu–Te eutectic alloys, 351
- Cerium**  
rare earth and uranium transition metal pnictides with LaFe<sub>4</sub>P<sub>12</sub> structure, 184
- Cerium intermetallics**  
magnetic properties of several Ce<sub>2</sub>T<sub>2</sub>M phases with T = Ni, Pd and M = In, Sn, Pb, 101
- Chalcogenide glasses**  
lasing transition (<sup>4</sup>F<sub>3/2</sub> → <sup>4</sup>I<sub>11/2</sub> at 1.06 μm) lifetimes and non-linearity characteristics of Nd<sup>3+</sup>-doped chalcogenide glasses, 97
- Channel compounds**  
preparation and crystal structures of the new channel compounds Tl<sub>0.5</sub>Nb<sub>6</sub>Te<sub>8–y</sub>As<sub>y</sub> (y = 0, 0.5 and 2.0) and Nb<sub>3</sub>Te<sub>3</sub>As, 220
- Churchite**  
preparation of rhabdophane-type RPO<sub>4</sub>·nH<sub>2</sub>O (R = Y or Er, n = 0.7–0.8) by pot-milling churchite-type RPO<sub>4</sub>·2H<sub>2</sub>O at 20–25 °C in air, L1
- CoN**  
crystal structure and magnetic properties of the compound CoN, 232
- Crystal defects**  
X-ray and time differential perturbed angular correlation measurements in ZrCr<sub>2</sub> and ZrCr<sub>2</sub>H<sub>3</sub> Laves phase compounds, 60
- Crystal electric field**  
magnetic structures of RNi<sub>2</sub>Ge<sub>2</sub> (R = Dy, Ho and Er) and YbNi<sub>2</sub>Si<sub>2</sub>, 253
- Crystal field**  
the role of the g-factor in the magnetism of rare-earth intermetallics, 283
- Crystal structure**  
hydrogen absorbing-desorbing properties and crystal structure of the Zr–Ti–Ni–Mn–V AB<sub>2</sub> Laves phase alloys, 121  
synthesis and crystal structure of BaPd<sub>2</sub>S<sub>4</sub>—a sulphide-disulphide compound, BaPd<sub>2</sub>S<sub>2</sub>(S<sub>2</sub>), 190  
synthesis and structure of BaSc<sub>3</sub>AgS<sub>6</sub>, 199  
crystal structure of triaquadihydrogen triaquatris(oxydiacetato)dieuropate(II), 217  
preparation and crystal structures of the new channel compounds Tl<sub>0.5</sub>Nb<sub>6</sub>Te<sub>8–y</sub>As<sub>y</sub> (y = 0, 0.5 and 2.0) and Nb<sub>3</sub>Te<sub>3</sub>As, 220  
crystal structure of single crystal and electrical resistivity of UMn<sub>2</sub>Al<sub>7</sub>, 225  
crystal structure and magnetic properties of the compound CoN, 232  
the luminescence of MoO<sub>3</sub> and WO<sub>3</sub>: a comparison, 342
- Cubic americium hydrides**  
resistivity studies of cubic americium hydrides from 20 to 300 K, 237
- Cu–Te**  
thermodynamic investigation of the Ag–Te and Cu–Te eutectic alloys, 351
- Deuterium site occupancy**  
formation and crystal structure of UTi<sub>2</sub>D<sub>2</sub>, 36
- Dielectric measurement**  
crystal structure and phase transitions in β-NH<sub>3</sub>(CH<sub>2</sub>)<sub>2</sub>-NH<sub>3</sub>HPO<sub>4</sub>, 207
- Differential thermal analysis**  
T(z) diagram and optical energy gap values of Cu<sub>2(1–x)</sub>Mn<sub>x</sub>In<sub>2</sub>Te<sub>4</sub> alloys, 93
- Directional solidification**  
magnetostriction of grain-aligned Tb<sub>0.3</sub>Dy<sub>0.7</sub>Fe<sub>1.95</sub>, 76
- Direct synthesis calorimetry**  
standard enthalpies of formation of some lutetium alloys by high-temperature direct synthesis calorimetry, 345

- Double chromates  
 synthesis and characterization of  $\beta$ -RbSc(CrO<sub>4</sub>)<sub>2</sub>, L5
- Electrical resistivity  
 electrical resistivity of metastable phases of BaSi<sub>2</sub> synthesized under high pressure and high temperature, 111  
 investigation of the homogenisation behaviour of Nd-Fe-Nb-B alloys, 135  
 crystal structure of single crystal and electrical resistivity of UMn<sub>5</sub>Al<sub>7</sub>, 225
- Electrochemical charging  
 hydride dissociation and hydrogen evolution behavior of electrochemically charged pure titanium, 269
- Electrode materials  
 deterioration of copper-containing mischmetal-nickel-based hydrogen absorption electrode materials, 292
- Electroless plating  
 an improvement in the properties of hydrogen storage alloy by copper microencapsulation, 140
- Electronic structure  
 appearance potential study of PrMn<sub>2</sub> and SmMn<sub>2</sub> intermetallics, 287
- Electron transfer  
 electron transfer between Eu and Tb in complex fluorides, 177
- Enthalpies of formation  
 enthalpies of formation of Ru-Ge compounds and of the Ge-rich RuGe liquid by direct reaction calorimetry, 228
- Enthalpy  
 thermodynamic investigation of the Ag-Te and Cu-Te eutectic alloys, 351
- Enthalpy mixing  
 thermodynamic investigations of binary liquid and solid Cu-Mg and Mg-Ni alloys and ternary liquid Cu-Mg-Ni alloys, 42
- Enthalpy of formation  
 thermodynamic investigations of binary liquid and solid Cu-Mg and Mg-Ni alloys and ternary liquid Cu-Mg-Ni alloys, 42  
 vaporization behaviour of (Pu, Am)N, 55
- Enthalpy of melting  
 thermodynamic investigations of binary liquid and solid Cu-Mg and Mg-Ni alloys and ternary liquid Cu-Mg-Ni alloys, 42
- Enthalpy of sublimation  
 vapour pressures and standard molar enthalpies of sublimation of beryllium(II) and aluminium(III) benzoylacetates, 181
- Europium  
 electron transfer between Eu and Tb in complex fluorides, 177  
 rare earth and uranium transition metal pnictides with LaFe<sub>4</sub>P<sub>12</sub> structure, 184  
 crystal structure of triaquadihydrogen triaquatris(oxydiacetato)dieuropate(II), 217
- Eutectic  
 thermodynamic investigation of the Ag-Te and Cu-Te eutectic alloys, 351
- Formation enthalpies  
 standard enthalpies of formation of some lutetium alloys by high-temperature direct synthesis calorimetry, 345
- Free energy of formation  
 vaporization behaviour of (Pu, Am)N, 55
- Gallium-gallium bonds  
 structural phase transition of GaTe at high pressure, 212
- Geometric factors  
 a geometric analysis of solubility ranges in Laves phases, 330
- Glassy domain  
 description of the Cu-As-Se ternary system, 316
- Gold substitution  
 gold substitution and superconductivity in YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7- $\delta$</sub> :Au, 274
- Hard magnetic materials  
 the formation of Z-phase Sm(Fe, Ti)<sub>8.5</sub>, 29
- Heat capacity  
 superconductivity in LaCd<sub>2</sub>, 249  
 thermodynamic investigation of the Ag-Te and Cu-Te eutectic alloys, 351
- Heteronuclear complexes  
 preparation of perovskite-type oxides by thermal decomposition of heteronuclear complexes, {Ln[Fe(CN)<sub>6</sub>]·nH<sub>2</sub>O}<sub>x</sub>, (Ln = La ~ Ho), 194
- Hexahalogenozirconates  
 thermal features and thermochemistry of hexachlorozirconates of aliphatic and aromatic mono-amines—stability of hexahalogenozirconates, 1
- High pressures  
 electrical resistivity of metastable phases of BaSi<sub>2</sub> synthesized under high pressure and high temperature, 111  
 structural phase transition of GaTe at high pressure, 212
- High-temperature alloys  
 hydrogen evolution from cathodically charged two-phase (Ti<sub>3</sub>Al + TiAl) titanium aluminides, 299
- Homogeneity  
 a geometric analysis of solubility ranges in Laves phases, 330
- Homogenisation behaviour  
 investigation of the homogenisation behaviour of Nd-Fe-Nb-B alloys, 135
- $\delta$ -Hydride  
 hydride dissociation and hydrogen evolution behavior of electrochemically charged pure titanium, 269
- Hydrides  
 deterioration of copper-containing mischmetal-nickel-based hydrogen absorption electrode materials, 292
- Hydrogen  
 hydrogen absorbing-desorbing properties and crystal structure of the Zr-Ti-Ni-Mn-V AB<sub>2</sub> Laves phase alloys, 121
- Hydrogen absorption  
 hydrogen evolution from cathodically charged two-phase (Ti<sub>3</sub>Al + TiAl) titanium aluminides, 299
- Hydrogen absorption-desorption  
 phase structure of V-based solid solutions containing Ti and Ni and their hydrogen absorption-desorption properties, 162
- Hydrogen diffusion  
 pulsed-field-gradient NMR study of hydrogen diffusion in the hydrogen-stabilized Laves phase C15-ZrTi<sub>2</sub>H<sub>3.7</sub>, 127
- Hydrogen storage alloys  
 an improvement in the properties of hydrogen storage alloy by copper microencapsulation, 140
- Hydrostatic pressure  
 effect of pressure on magnetic susceptibility of UCu<sub>5-x</sub>Au<sub>x</sub> alloys, 39
- Intermediate valence  
 magnetic susceptibility and magnetization measurements of an YbAl<sub>3</sub> single crystal for groundstate investigations, 33
- Intermetallic compounds  
 the site occupancies for the excess manganese atoms and the

- third element niobium in the intermetallic compound  
ZrMn<sub>2</sub>, 70
- Intermetallics  
appearance potential study of PrMn<sub>2</sub> and SmMn<sub>2</sub> intermetallics, 287
- Ionic radii  
high-temperature X-ray diffraction study of the rhombohedral-cubic phase transition of ROF with R = Y, La, Pr, Nd, Sm-Er, 18
- Isothermal section  
isothermal section of the phase diagram of the ternary system Nd-Fe-Mn at room temperature, 168
- Judd-Ofelt theory  
an alternative formulations of the Judd-Ofelt theory of  $f \leftrightarrow f$  transitions, 81
- Kondo-effect  
magnetic susceptibility and magnetization measurements of an YbAl<sub>3</sub> single crystal for groundstate investigations, 33
- LaMn<sub>2-x</sub>Fe<sub>x</sub>Ge<sub>2</sub>  
magnetic properties of the LaMn<sub>2-x</sub>Fe<sub>x</sub>Ge<sub>2</sub> solid solution ( $0 < x < 1$ ) and magnetic structures of LaMn<sub>1.5</sub>Fe<sub>0.5</sub>Ge<sub>2</sub> from neutron diffraction study, 262
- Lande' factor  
the role of the  $g$ -factor in the magnetism of rare-earth intermetallics, 283
- Lanthanides  
crystal structure of triaquadihydrogen triaquatris(oxydiacetato)dicuopate(II), 217
- Lasing transition lifetimes  
lasing transition ( ${}^4F_{3/2} \rightarrow {}^4I_{11/2}$  at 1.06  $\mu\text{m}$ ) lifetimes and non-linearity characteristics of Nd<sup>3+</sup>-doped chalcogenide glasses, 97
- Lattice parameters  
high-temperature X-ray diffraction study of the rhombohedral-cubic phase transition of ROF with R = Y, La, Pr, Nd, Sm-Er, 18
- Laves phases  
X-ray and time differential perturbed angular correlation measurements in ZrCr<sub>2</sub> and ZrCr<sub>2</sub>H<sub>3</sub> Laves phase compounds, 60  
hydrogen absorbing-desorbing properties and crystal structure of the Zr-Ti-Ni-Mn-V AB<sub>2</sub> Laves phase alloys, 121  
pulsed-field-gradient NMR study of hydrogen diffusion in the hydrogen-stabilized Laves phase C15-ZrTi<sub>2</sub>H<sub>3.7</sub>, 127  
a geometric analysis of solubility ranges in Laves phases, 330
- Lead zirconate titanate  
size effect on the Raman spectra and phase transition in PbZr<sub>0.2</sub>Ti<sub>0.8</sub>O<sub>3</sub> nanocrystalline powders, 130
- Liquid-liquid miscibility gap  
description of the Cu-As-Se ternary system, 316
- Liquid nitrogen temperatures  
rhenium effect on bend properties at liquid nitrogen temperature in single-crystal molybdenum, 148
- Low purity  
magnetostriction of grain-aligned Tb<sub>0.3</sub>Dy<sub>0.7</sub>Fe<sub>1.95</sub>, 76
- Lu alloys  
standard enthalpies of formation of some lutetium alloys by high-temperature direct synthesis calorimetry, 345
- Luminescence  
the luminescence of MoO<sub>3</sub> and WO<sub>3</sub>: a comparison, 342
- Magnetic properties  
magnetic properties of Er<sub>2</sub>Fe<sub>16</sub>Si<sub>x</sub> ( $x = 0-2.5$ ) compounds prepared by arc melting, 66  
magnetic properties of doped UCoSn, 86  
magnetic properties of UCo<sub>1-x</sub>Fe<sub>x</sub>Sn, 89  
magnetic properties of UCo<sub>0.5</sub>Tb<sub>0.1</sub>Al (T = Fe, Ni, Ru, Pd), 117  
crystal structure and magnetic properties of the compound CoN, 232  
magnetic properties of non-stoichiometric UNiGa, 244  
magnetic properties of the LaMn<sub>2-x</sub>Fe<sub>x</sub>Ge<sub>2</sub> solid solution ( $0 < x < 1$ ) and magnetic structures of LaMn<sub>1.5</sub>Fe<sub>0.5</sub>Ge<sub>2</sub> from neutron diffraction study, 262
- Magnetic structures  
magnetic structures of RNi<sub>2</sub>Ge<sub>2</sub> (R = Dy, Ho and Er) and YbNi<sub>2</sub>Si<sub>2</sub>, 253
- Magnetic susceptibility  
effect of pressure on magnetic susceptibility of UCu<sub>5-x</sub>Au<sub>x</sub> alloys, 39  
magnetic properties of several Ce<sub>2</sub>T<sub>2</sub>M phases with T = Ni, Pd and M = In, Sn, Pb, 101
- Magnetization  
the role of the  $g$ -factor in the magnetism of rare-earth intermetallics, 283
- Magnetostriction  
magnetostriction of grain-aligned Tb<sub>0.3</sub>Dy<sub>0.7</sub>Fe<sub>1.95</sub>, 76
- Manganese atoms  
the site occupancies for the excess manganese atoms and the third element niobium in the intermetallic compound ZrMn<sub>2</sub>, 70
- Mechanical alloying  
mechanical alloying of Ni-Nb in different atmospheres, 159
- Mechanical conversion  
preparation of rhabdophane-type RPO<sub>4</sub>·nH<sub>2</sub>O (R = Y or Er,  $n = 0.7-0.8$ ) by pot-milling churchite-type RPO<sub>4</sub>·2H<sub>2</sub>O at 20-25 °C in air, L1
- Metal hydrides  
X-ray and time differential perturbed angular correlation measurements in ZrCr<sub>2</sub> and ZrCr<sub>2</sub>H<sub>3</sub> Laves phase compounds, 60  
temperature-induced structural changes in Be<sub>2</sub>ZrD<sub>1.5</sub> studied by powder neutron diffraction, 241  
a surface analytical study of SO<sub>2</sub> stabilisation of LaNi<sub>5</sub>H<sub>x</sub> surfaces, 305
- Metallic conductors  
the crystal structure of room-temperature synthesised orthorhombic TiCu<sub>4</sub>Se<sub>3</sub> from direct methods on X-ray powder data, 171
- Metastable phase  
electrical resistivity of metastable phases of BaSi<sub>2</sub> synthesized under high pressure and high temperature, 111  
structural phase transition of GaTe at high pressure, 212
- Microencapsulation  
an improvement in the properties of hydrogen storage alloy by copper microencapsulation, 140
- Microhardness  
investigation of the homogenisation behaviour of Nd-Fe-Nb-B alloys, 135
- Molecular field parameter  
the role of the  $g$ -factor in the magnetism of rare-earth intermetallics, 283
- Molybdenum  
rhenium effect on bend properties at liquid nitrogen temperature in single-crystal molybdenum, 148
- Neutron diffraction  
formation and crystal structure of UTi<sub>2</sub>D<sub>x</sub>, 36  
magnetic properties of the LaMn<sub>2-x</sub>Fe<sub>x</sub>Ge<sub>2</sub> solid solution ( $0 < x < 1$ ) and magnetic structures of LaMn<sub>1.5</sub>Fe<sub>0.5</sub>Ge<sub>2</sub> from neutron diffraction study, 262

- Nickel  
mechanical alloying of Ni–Nb in different atmospheres, 159
- Niobium  
mechanical alloying of Ni–Nb in different atmospheres, 159
- Nitridation  
characterization of the nitridation process of boric acid, 22
- Nitrogen  
computational thermodynamics of the Zr–N system, 153  
phase structure of V-based solid solutions containing Ti and Ni and their hydrogen absorption–desorption properties, 162
- NMR  
pulsed-field-gradient NMR study of hydrogen diffusion in the hydrogen-stabilized Laves phase  $C15\text{-ZrTi}_2\text{H}_{3.7}$ , 127
- Optical energy gap values  
 $T(z)$  diagram and optical energy gap values of  $\text{Cu}_{2(1-x)}\text{Mn}_x\text{In}_2\text{Te}_4$  alloys, 93
- Optical properties  
lasing transition ( ${}^4F_{3/2} \rightarrow {}^4I_{11/2}$  at  $1.06 \mu\text{m}$ ) lifetimes and non-linearity characteristics of  $\text{Nd}^{3+}$ -doped chalcogenide glasses, 97
- Organic phosphate  
crystal structure and phase transitions in  $\beta\text{-NH}_3(\text{CH}_2)_2\text{-NH}_3\text{HPO}_4$ , 207
- Oxydiacetate  
crystal structure of triaquadihydrogen triaquatris(oxydiacetato)dieuropate(II), 217
- Perovskite-type oxides  
preparation of perovskite-type oxides by thermal decomposition of heteronuclear complexes,  $\{\text{Ln}[\text{Fe}(\text{CN})_6] \cdot n\text{H}_2\text{O}\}_x$ , ( $\text{Ln} = \text{La} \sim \text{Ho}$ ), 194
- Phase diagram calculations  
thermodynamic investigations of binary liquid and solid Cu–Mg and Mg–Ni alloys and ternary liquid Cu–Mg–Ni alloys, 42
- Phase diagrams  
isothermal section of the phase diagram of the ternary system Nd–Fe–Mn at room temperature, 168  
description of the Cu–As–Se ternary system, 316
- Phase transitions  
high-temperature X-ray diffraction study of the rhombohedral–cubic phase transition of ROF with  $R = \text{Y, La, Pr, Nd, Sm-Er}$ , 18  
size effect on the Raman spectra and phase transition in  $\text{PbZr}_{0.2}\text{Ti}_{0.8}\text{O}_3$  nanocrystalline powders, 130  
crystal structure and phase transitions in  $\beta\text{-NH}_3(\text{CH}_2)_2\text{-NH}_3\text{HPO}_4$ , 207
- Phosphors  
electron transfer between Eu and Tb in complex fluorides, 177
- Plutonium nitride  
vaporization behaviour of (Pu, Am)N, 55
- Pot-milling  
preparation of rhabdophane-type  $\text{RPO}_4 \cdot n\text{H}_2\text{O}$  ( $R = \text{Y}$  or  $\text{Er}$ ,  $n = 0.7\text{--}0.8$ ) by pot-milling churchite-type  $\text{RPO}_4 \cdot 2\text{H}_2\text{O}$  at  $20\text{--}25 \text{ }^\circ\text{C}$  in air, L1
- Powder neutron diffraction  
temperature-induced structural changes in  $\text{Be}_2\text{ZrD}_{1.5}$  studied by powder neutron diffraction, 241
- Pulsed-field-gradient NMR  
pulsed-field-gradient NMR study of hydrogen diffusion in the hydrogen-stabilized Laves phase  $C15\text{-ZrTi}_2\text{H}_{3.7}$ , 127
- Quaternary sulfide  
synthesis and structure of  $\text{BaSc}_3\text{AgS}_6$ , 199
- Raman spectrum  
size effect on the Raman spectra and phase transition in  $\text{PbZr}_{0.2}\text{Ti}_{0.8}\text{O}_3$  nanocrystalline powders, 130
- Rare earth intermetallic compounds  
deterioration of copper-containing mischmetal–nickel-based hydrogen absorption electrode materials, 292
- Rare-earth intermetallics  
the formation of Z-phase  $\text{Sm}(\text{Fe, Ti})_{8.5}$ , 29
- Rare earth oxide fluorides  
high-temperature X-ray diffraction study of the rhombohedral–cubic phase transition of ROF with  $R = \text{Y, La, Pr, Nd, Sm-Er}$ , 18
- Rare earth phosphate  
preparation of rhabdophane-type  $\text{RPO}_4 \cdot n\text{H}_2\text{O}$  ( $R = \text{Y}$  or  $\text{Er}$ ,  $n = 0.7\text{--}0.8$ ) by pot-milling churchite-type  $\text{RPO}_4 \cdot 2\text{H}_2\text{O}$  at  $20\text{--}25 \text{ }^\circ\text{C}$  in air, L1
- Rare earths  
magnetic susceptibility and magnetization measurements of an  $\text{YbAl}_3$  single crystal for groundstate investigations, 33  
magnetostriction of grain-aligned  $\text{Tb}_{0.3}\text{Dy}_{0.7}\text{Fe}_{1.95}$ , 76  
rare earth and uranium transition metal pnictides with  $\text{LaFe}_4\text{P}_{12}$  structure, 184  
magnetic structures of  $\text{RNi}_2\text{Ge}_2$  ( $R = \text{Dy, Ho}$  and  $\text{Er}$ ) and  $\text{YbNi}_2\text{Si}_2$ , 253  
the role of the  $g$ -factor in the magnetism of rare-earth intermetallics, 283
- Resistivity  
resistivity studies of cubic americium hydrides from 20 to 300 K, 237  
superconductivity in  $\text{LaCd}_2$ , 249
- Rhabdophane  
preparation of rhabdophane-type  $\text{RPO}_4 \cdot n\text{H}_2\text{O}$  ( $R = \text{Y}$  or  $\text{Er}$ ,  $n = 0.7\text{--}0.8$ ) by pot-milling churchite-type  $\text{RPO}_4 \cdot 2\text{H}_2\text{O}$  at  $20\text{--}25 \text{ }^\circ\text{C}$  in air, L1
- Rhenium effect  
rhenium effect on bend properties at liquid nitrogen temperature in single-crystal molybdenum, 148
- Rietveld analysis  
temperature-induced structural changes in  $\text{Be}_2\text{ZrD}_{1.5}$  studied by powder neutron diffraction, 241
- RKKY theory  
magnetic structures of  $\text{RNi}_2\text{Ge}_2$  ( $R = \text{Dy, Ho}$  and  $\text{Er}$ ) and  $\text{YbNi}_2\text{Si}_2$ , 253
- RKKY-type interaction  
effect of pressure on magnetic susceptibility of  $\text{UCu}_{5-x}\text{Au}_x$  alloys, 39
- Rubidium  
synthesis and characterization of  $\beta\text{-RbSc}(\text{CrO}_4)_2$ , L5
- Ruthenium–germanium alloys  
enthalpies of formation of Ru–Ge compounds and of the Ge-rich  $\text{RuGe}$  liquid by direct reaction calorimetry, 228
- Scandium  
synthesis and characterization of  $\beta\text{-RbSc}(\text{CrO}_4)_2$ , L5
- Silver sulphate  
 $\text{Ag}_6\text{S}_3\text{O}_4$  phase and its basic properties, 203
- Silver sulphide  
 $\text{Ag}_6\text{S}_3\text{O}_4$  phase and its basic properties, 203
- Single crystals  
crystal structure of single crystal and electrical resistivity of  $\text{UMn}_2\text{Al}_7$ , 225
- Single crystal X-ray diffraction  
synthesis and crystal structure of  $\text{BaPd}_2\text{S}_4$ —a sulphide–disulphide compound,  $\text{BaPd}_2\text{S}_2(\text{S}_2)$ , 190
- Site occupancies  
the site occupancies for the excess manganese atoms and the

- third element niobium in the intermetallic compound  
ZrMn<sub>2</sub>, 70
- Size effect  
size effect on the Raman spectra and phase transition in  
PbZr<sub>0.2</sub>Ti<sub>0.8</sub>O<sub>3</sub> nanocrystalline powders, 130
- Solubility ranges  
a geometric analysis of solubility ranges in Laves phases, 330
- Stabilisation  
a surface analytical study of SO<sub>2</sub> stabilisation of LaNi<sub>5</sub>H<sub>x</sub> sur-  
faces, 305
- Stability  
thermal features and thermochemistry of hexachlorozirconates  
of aliphatic and aromatic mono-amines—stability of hexa-  
halogenozirconates, 1
- Stannides  
the stannides RE<sub>3</sub>Co<sub>6</sub>Sn<sub>5</sub> (RE = Y, Nd, Sm, Gd, Tb, Ho–Tm)  
with Dy<sub>3</sub>Co<sub>6</sub>Sn<sub>5</sub>-type structure, 14
- Stokes shift  
the luminescence of MoO<sub>3</sub> and WO<sub>3</sub>: a comparison, 342
- Structural phase transitions  
structural phase transition of GaTe at high pressure, 212
- Structure  
crystal structure and phase transitions in β-NH<sub>3</sub>(CH<sub>2</sub>)<sub>2</sub>-  
NH<sub>3</sub>HPO<sub>4</sub>, 207
- Substitution  
hydrogen absorbing-desorbing properties and crystal structure  
of the Zr–Ti–Ni–Mn–V AB<sub>2</sub> Laves phase alloys, 121
- Sulphide–disulphide compound  
synthesis and crystal structure of BaPd<sub>2</sub>S<sub>4</sub>—a sulphide–  
disulphide compound, BaPd<sub>2</sub>S<sub>2</sub>(S<sub>2</sub>), 190
- Sulphides  
a surface analytical study of SO<sub>2</sub> stabilisation of LaNi<sub>5</sub>H<sub>x</sub> sur-  
faces, 305
- Superconductivity  
superconductivity in LaCd<sub>2</sub>, 249  
gold substitution and superconductivity in YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7–δ</sub>:Au,  
274
- Susceptibility  
magnetic susceptibility and magnetization measurements of an  
YbAl<sub>3</sub> single crystal for groundstate investigations, 33
- SXAPS  
appearance potential study of PrMn<sub>2</sub> and SmMn<sub>2</sub> intermetal-  
lics, 287
- Synthesis  
synthesis and crystal structure of BaPd<sub>2</sub>S<sub>4</sub>—a sulphide–  
disulphide compound, BaPd<sub>2</sub>S<sub>2</sub>(S<sub>2</sub>), 190  
synthesis and structure of BaSc<sub>3</sub>AgS<sub>6</sub>, 199  
synthesis and characterization of β-RbSc(CrO<sub>4</sub>)<sub>2</sub>, L5
- TDPAC measurements  
X-ray and time differential perturbed angular correlation mea-  
surements in ZrCr<sub>2</sub> and ZrCr<sub>2</sub>H<sub>3</sub> Laves phase compounds,  
60
- Terbium  
electron transfer between Eu and Tb in complex fluorides,  
177
- Ternary systems  
description of the Cu–As–Se ternary system, 316
- Thermal analyses  
hydride dissociation and hydrogen evolution behavior of elec-  
trochemically charged pure titanium, 269
- Thermal decomposition  
preparation of perovskite-type oxides by thermal decomposition  
of heteronuclear complexes, {Ln[Fe(CN)<sub>6</sub>]·nH<sub>2</sub>O}<sub>x</sub>,  
(Ln = La ~ Ho), 194
- Thermal features  
thermal features and thermochemistry of hexachlorozirconates  
of aliphatic and aromatic mono-amines—stability of hexa-  
halogenozirconates, 1
- Thermal parameters  
rare earth and uranium transition metal pnictides with  
LaFe<sub>4</sub>P<sub>12</sub> structure, 184
- Thermochemistry  
thermal features and thermochemistry of hexachlorozirconates  
of aliphatic and aromatic mono-amines—stability of hexa-  
halogenozirconates, 1  
enthalpies of formation of Ru–Ge compounds and of the  
Ge-rich RuGe liquid by direct reaction calorimetry, 228
- Thermodynamics  
computational thermodynamics of the Zr–N system, 153
- Third element niobium  
the site occupancies for the excess manganese atoms and the  
third element niobium in the intermetallic compound  
ZrMn<sub>2</sub>, 70
- Titanium  
pulsed-field-gradient NMR study of hydrogen diffusion in the  
hydrogen-stabilized Laves phase C15–ZrTi<sub>2</sub>H<sub>3.7</sub>, 127  
phase structure of V-based solid solutions containing Ti and  
Ni and their hydrogen absorption–desorption properties,  
162  
hydride dissociation and hydrogen evolution behavior of elec-  
trochemically charged pure titanium, 269
- Titanium aluminides  
hydrogen evolution from cathodically charged two-phase  
(Ti<sub>3</sub>Al + TiAl) titanium aluminides, 299
- Transformation mechanisms  
the crystal structure of room-temperature synthesised ortho-  
rhombic TiCu<sub>4</sub>Se<sub>3</sub> from direct methods on X-ray powder  
data, 171
- Tris(benzoylacetato)aluminium(III)  
vapour pressures and standard molar enthalpies of sublimation  
of beryllium(II) and aluminium(III) benzoylacetates, 181
- Uranium intermetallics  
magnetic properties of doped UCoSn, 86  
magnetic properties of UCo<sub>1–x</sub>Fe<sub>x</sub>Sn, 89  
magnetic properties of UCo<sub>0.9</sub>Ti<sub>0.1</sub>Al (T = Fe, Ni, Ru, Pd), 117  
magnetic properties of non-stoichiometric UNiGa, 244
- Uranium titanium deuteride  
formation and crystal structure of UTi<sub>2</sub>D<sub>3</sub>, 36
- Uranium transition metal pnictides  
rare earth and uranium transition metal pnictides with  
LaFe<sub>4</sub>P<sub>12</sub> structure, 184
- Van der Waals gap  
the luminescence of MoO<sub>3</sub> and WO<sub>3</sub>: a comparison, 342
- Vapour pressures  
vaporization behaviour of (Pu, Am)N, 55  
vapour pressures and standard molar enthalpies of sublimation  
of beryllium(II) and aluminium(III) benzoylacetates, 181
- XPS characterization  
characterization of the nitridation process of boric acid, 22
- X-ray diffraction  
hydride dissociation and hydrogen evolution behavior of elec-  
trochemically charged pure titanium, 269
- X-ray measurements  
X-ray and time differential perturbed angular correlation mea-  
surements in ZrCr<sub>2</sub> and ZrCr<sub>2</sub>H<sub>3</sub> Laves phase compounds,  
60

- X-ray powder data  
the crystal structure of room-temperature synthesised orthorhombic  $\text{TlCu}_4\text{Se}_3$  from direct methods on X-ray powder data, 171
- X-ray powder diffraction  
 $T(z)$  diagram and optical energy gap values of  $\text{Cu}_{2(1-x)}\text{Mn}_x\text{In}_2\text{Te}_4$  alloys, 93
- isothermal section of the phase diagram of the ternary system Nd-Fe-Mn at room temperature, 168
- Zirconium  
pulsed-field-gradient NMR study of hydrogen diffusion in the hydrogen-stabilized Laves phase  $\text{C15-ZrTi}_2\text{H}_{3.7}$ , 127  
computational thermodynamics of the Zr-N system, 153