



ELSEVIER

Journal of
ALLOYS
AND COMPOUNDS

Journal of Alloys and Compounds 227 (1995) 195–198

Subject Index of Volume 227

- Activity
thermodynamic properties of copper–arsenic liquid solutions 86
- Alloys
thermodynamic properties of copper–arsenic liquid solutions 86
- Antiferromagnetic compounds
formation, crystal chemistry and magnetism of compounds RE_2TGe_6 , RE = rare earth, T = Pd, Pt, Cu, Ag and Au 37
- Antiferromagnetism
magnetic behaviour of the rare earth molybdenum silicides $RE_2Mo_3Si_4$ with the $U_2Mo_3Si_4$ structure type 154
- Arc melting
DTA investigation of the $(Ni_2Cu)_{1-x}Sn_x$ system L6
magnetic hardening of $Sm_2Fe_{17-x}Ga_xC_{2.5}$ compounds 82
- Arsenic
thermodynamic properties of copper–arsenic liquid solutions 86
- Atomic oxygen
enhanced oxidation of nickel in atomic oxygen 5
- Atomic spectra
atomic spectra and instabilities of valence 145
- Ball-milling
effects of relaxation on hydrogen absorption in Fe–Ti produced by ball-milling 53
- Bond character
correlation between pseudopotential radii and interatomic distance and evaluation of bond characters for transition and lanthanide elements 18
- B–C–N compounds
on the nature of boron–carbon–nitrogen compounds synthesised from organic precursors 102
- C15 Laves phase
hydrogenation of multicomponent Zr-base C15 type alloys 180
- Caesium
hexaamidostannates(IV) of the alkali metals potassium, rubidium and caesium, $M_2[Sn(NH_2)_6]$ (M = K, Rb, Cs), synthesis and crystal structures 109
- Cobalt hydride complexes
 $Ca_4Mg_4Co_3H_{19}$ and $Yb_4Mg_4Co_3H_{19}$, containing orientationally disordered square-pyramidal $[CoH_5]^{4-}$ anions 116
- Complex metal hydrides
 $Ca_4Mg_4Co_3H_{19}$ and $Yb_4Mg_4Co_3H_{19}$, containing orientationally disordered square-pyramidal $[CoH_5]^{4-}$ anions 116
new iron(II) complex metal hydrides with $SrMg_2FeH_8$ type structure 121
- Compound formation
ternary compounds $REMSb_2$, RE = La, Ce, Pr, Nd, Sm, Gd; M = Mn, Zn, Cd; compound formation, crystal structure and magnetism 40
- Copper
thermodynamic properties of copper–arsenic liquid solutions 86
a contribution to the ternary copper–magnesium–nickel phase diagram 186
- Crystal growth
flux growth of perovskite-type $RAIO_3$ single crystals 175
- Crystal structure
cubic $Mg_{29}Ir_4$ crystallizing with an ordered variant of the Mg_6Pd -type structure L1
crystal structure and magnetism of YbT_xGa_{4-x} , T = Zn, Cd with the $BaAl_4$ -type L4
ternary compounds $REMSb_2$, RE = La, Ce, Pr, Nd, Sm, Gd; M = Mn, Zn, Cd; compound formation, crystal structure and magnetism 40
characterization of novel ternary uranium silicides and germanides with the $U_2Mo_3Si_4$ structure type in the U–(Mo, W, V)–(Si, Ge) systems 44
hexaamidostannates(IV) of the alkali metals potassium, rubidium and caesium, $M_2[Sn(NH_2)_6]$ (M = K, Rb, Cs), synthesis and crystal structures 109
flux growth of perovskite-type $RAIO_3$ single crystals 175
- Dehydriding
preparation of fine Nb_3Al powder by hydriding and dehydriding of bulk material 141
- Differential thermal analysis
DTA investigation of the $(Ni_2Cu)_{1-x}Sn_x$ system L6
- Diffusion
nuclear magnetic resonance study of deuterium diffusion in $ZrCr_2D_x$ 28
- Direct synthesis calorimetry
standard enthalpies of formation of AlB_{12} and Al_4C_3 by high temperature direct synthesis calorimetry 93
- Electrochemical discharge capacity
hydrogen absorption–desorption characteristics of $Ti_{0.35}Zr_{0.65}Mo_xV_{2-x-y}Mn_y$ alloys with C14 Laves phase for nickel/metal hydride batteries 69
- Electron microscopy
preparation of fine Nb_3Al powder by hydriding and dehydriding of bulk material 141
- Enthalpies of formation
standard enthalpies of formation of AlB_{12} and Al_4C_3 by high temperature direct synthesis calorimetry 93
- Europium
optical transition probabilities and compositional dependence of Judd–Ofelt parameters of Er^{3+} ions in fluorindate glass 135
- Film growth
on the necessary experimental conditions to grow titanium films on hot tungsten filaments using titanium tetraiodide 167

- Fluorination
 stability and tolerance to impurities of the fluorinated surface of hydrogen-absorbing alloys 58
- Fluoroindate glass
 optical transition probabilities and compositional dependence of Judd–Ofelt parameters of Er^{3+} ions in fluoroindate glass 135
- Grinding
 influence of the nature of milling media on phase transformations induced by grinding in some oxides 157
- Hexaamidostannates(IV) of potassium
 hexaamidostannates(IV) of the alkali metals potassium, rubidium and caesium, $\text{M}_2[\text{Sn}(\text{NH}_2)_6]$ ($\text{M} = \text{K}, \text{Rb}, \text{Cs}$), synthesis and crystal structures 109
- High pressure ammonolysis
 structure determination of $\gamma\text{-Fe}_4\text{N}$ and $\epsilon\text{-Fe}_3\text{N}$ 10
- sd hybridization
 correlation between pseudopotential radii and interatomic distance and evaluation of bond characters for transition and lanthanide elements 18
- Hydriding
 preparation of fine Nb_3Al powder by hydriding and dehydriding of bulk material 141
- Hydrogen absorbing alloys
 stability and tolerance to impurities of the fluorinated surface of hydrogen-absorbing alloys 58
- Hydrogen absorption
 effects of relaxation on hydrogen absorption in Fe–Ti produced by ball-milling 53
 hydrogen absorption–desorption characteristics of $\text{Ti}_{0.35}\text{Zr}_{0.65}\text{Mo}_x\text{V}_{2-x-y}\text{Mn}_y$ alloys with C14 Laves phase for nickel/metal hydride batteries 69
- Hydrogen desorption
 hydrogen absorption–desorption characteristics of $\text{Ti}_{0.35}\text{Zr}_{0.65}\text{Mo}_x\text{V}_{2-x-y}\text{Mn}_y$ alloys with C14 Laves phase for nickel/metal hydride batteries 69
- Hydrogen in metals
 nuclear magnetic resonance study of deuterium diffusion in ZrCr_2D_x 28
- Hydrogen storage
 on the synthesis of the Mg_2Ni alloy by mechanical alloying 63
- Hydrogenation
 hydrogenation of multicomponent Zr-base C15 type alloys 180
- Instability
 atomic spectra and instabilities of valence 145
- Interatomic distances
 correlation between pseudopotential radii and interatomic distance and evaluation of bond characters for transition and lanthanide elements 18
- Intermetallic compounds
 cubic $\text{Mg}_{29}\text{Ir}_4$ crystallizing with an ordered variant of the Mg_6Pd -type structure L1
 crystal structure and magnetism of $\text{YbT}_x\text{Ga}_{4-x}$, $\text{T} = \text{Zn}, \text{Cd}$ with the BaAl_4 -type L4
 formation of the intermetallic compound VSi_2 and a $\text{VSi}_2\text{-SiC}$ composite by mechanical alloying 76
 an NMR study on the mechanochemical interaction between Al and Ti in metals and hydrogels 97
- preparation of fine Nb_3Al powder by hydriding and dehydriding of bulk material 141
- IR spectra
 structure and site-symmetry investigation on the hexagonal $\text{KCaY}(\text{PO}_4)_2$ 1
- Isotope effects
 nuclear magnetic resonance study of deuterium diffusion in ZrCr_2D_x 28
- Judd–Ofelt parameters
 optical transition probabilities and compositional dependence of Judd–Ofelt parameters of Er^{3+} ions in fluoroindate glass 135
- Lanthanides
 correlation between pseudopotential radii and interatomic distance and evaluation of bond characters for transition and lanthanide elements 18
- Light alloys
 a contribution to the ternary copper–magnesium–nickel phase diagram 186
- Liquid
 thermodynamic properties of copper–arsenic liquid solutions 86
- Low pressures
 enhanced oxidation of nickel in atomic oxygen 5
- Magnetic hardening
 magnetic hardening of $\text{Sm}_2\text{Fe}_{17-x}\text{Ga}_xC_{2.5}$ compounds 82
- Magnetic phase diagrams
 effect of Cr substitution on the magnetic properties of SmMn_2Ge_2 49
- Magnetic properties
 characterization of novel ternary uranium silicides and germanides with the $\text{U}_2\text{Mo}_3\text{Si}_4$ structure type in the U–(Mo, W, V)–(Si, Ge) systems 44
- Magnetism
 crystal structure and magnetism of $\text{YbT}_x\text{Ga}_{4-x}$, $\text{T} = \text{Zn}, \text{Cd}$ with the BaAl_4 -type L4
 ternary compounds REMSb_2 , $\text{RE} \equiv \text{La}, \text{Ce}, \text{Pr}, \text{Nd}, \text{Sm}, \text{Gd}$; $\text{M} \equiv \text{Mn}, \text{Zn}, \text{Cd}$; compound formation, crystal structure and magnetism 40
- Mechanical alloying
 on the synthesis of the Mg_2Ni alloy by mechanical alloying 63
 formation of the intermetallic compound VSi_2 and a $\text{VSi}_2\text{-SiC}$ composite by mechanical alloying 76
 an NMR study on the mechanochemical interaction between Al and Ti in metals and hydrogels 97
- Mechanochemical interaction
 an NMR study on the mechanochemical interaction between Al and Ti in metals and hydrogels 97
- Melt-spinning
 magnetic hardening of $\text{Sm}_2\text{Fe}_{17-x}\text{Ga}_xC_{2.5}$ compounds 82
- Metal hydrides
 stability and tolerance to impurities of the fluorinated surface of hydrogen-absorbing alloys 58
 hydrogenation of multicomponent Zr-base C15 type alloys 180
- Milling media
 influence of the nature of milling media on phase transformations induced by grinding in some oxides 157

- Neutron powder diffraction
 $\text{Ca}_4\text{Mg}_4\text{Co}_3\text{H}_{19}$ and $\text{Yb}_4\text{Mg}_4\text{Co}_3\text{H}_{19}$, containing orientationally disordered square-pyramidal $[\text{CoH}_5]^{4-}$ anions 116
 structure determination of γ' - Fe_4N and ϵ - Fe_3N 10
 new iron(II) complex metal hydrides with $\text{SrMg}_2\text{FeH}_8$ type structure 121
 synthesis and structure of $\text{Yb}_{19}\text{Mg}_8\text{H}_{54}$, a new salt-like ternary metal hydride 131
- Nickel
 enhanced oxidation of nickel in atomic oxygen 5
- Nuclear magnetic resonance
 nuclear magnetic resonance study of deuterium diffusion in ZrCr_2D_x 28
 on the nature of boron-carbon-nitrogen compounds synthesised from organic precursors 102
- Optical transitions
 optical transition probabilities and compositional dependence of Judd-Ofelt parameters of Er^{3+} ions in fluorindate glass 135
- Oxidation
 enhanced oxidation of nickel in atomic oxygen 5
- Oxides
 influence of the nature of milling media on phase transformations induced by grinding in some oxides 157
- Perovskite
 flux growth of perovskite-type RAIO_3 single crystals 175
- Phase diagrams
 a contribution to the ternary copper-magnesium-nickel phase diagram 186
- Polymorphic transformations
 influence of the nature of milling media on phase transformations induced by grinding in some oxides 157
- Powder diffraction
 cubic $\text{Mg}_{29}\text{Ir}_4$ crystallizing with an ordered variant of the Mg_6Pd -type structure L1
- Pseudopotential radius
 correlation between pseudopotential radii and interatomic distance and evaluation of bond characters for transition and lanthanide elements 18
- Quaternary metal hydrides
 $\text{Ca}_4\text{Mg}_4\text{Co}_3\text{H}_{19}$ and $\text{Yb}_4\text{Mg}_4\text{Co}_3\text{H}_{19}$, containing orientationally disordered square-pyramidal $[\text{CoH}_5]^{4-}$ anions 116
 new iron(II) complex metal hydrides with $\text{SrMg}_2\text{FeH}_8$ type structure 121
- RAIO_3 (R = La-Lu)
 flux growth of perovskite-type RAIO_3 single crystals 175
- Raman spectra
 structure and site-symmetry investigation on the hexagonal $\text{KCaY}(\text{PO}_4)_2$ 1
- Rare earths
 magnetic behaviour of the rare earth molybdenum silicides $\text{RE}_2\text{Mo}_3\text{Si}_4$ with the $\text{U}_2\text{Mo}_3\text{Si}_4$ structure type 154
- Relaxation effects
 effects of relaxation on hydrogen absorption in Fe-Ti produced by ball-milling 53
- Re-entrant ferromagnetism
 effect of Cr substitution on the magnetic properties of SmMn_2Ge_2 49
- Rubidium
 hexaamidostannates(IV) of the alkali metals potassium, rubidium and caesium, $\text{M}_2[\text{Sn}(\text{NH}_2)_6]$ (M = K, Rb, Cs), synthesis and crystal structures 109
- Saline hydrides
 synthesis and structure of $\text{Yb}_{19}\text{Mg}_8\text{H}_{54}$, a new salt-like ternary metal hydride 131
- Silicides
 structure of " TaCo_4Si_3 ", a new silicide closely related to the $\text{Y}_{13}\text{Pd}_{40}\text{an}_{31}$ stannide 32
- Silicon
 formation of the intermetallic compound VSi_2 and a VSi_2 -SiC composite by mechanical alloying 76
- Single crystals
 flux growth of perovskite-type RAIO_3 single crystals 175
- Site symmetry
 structure and site-symmetry investigation on the hexagonal $\text{KCaY}(\text{PO}_4)_2$ 1
- Solid solutions
 a contribution to the ternary copper-magnesium-nickel phase diagram 186
- Structure determination
 structure determination of γ' - Fe_4N and ϵ - Fe_3N 10
- Surface treatment
 stability and tolerance to impurities of the fluorinated surface of hydrogen-absorbing alloys 58
- Synthesis
 on the synthesis of the Mg_2Ni alloy by mechanical alloying 63
 hexaamidostannates(IV) of the alkali metals potassium, rubidium and caesium, $\text{M}_2[\text{Sn}(\text{NH}_2)_6]$ (M = K, Rb, Cs), synthesis and crystal structures 109
- Ternary compounds
 formation, crystal chemistry and magnetism of compounds RE_2TGe_6 , RE \equiv rare earth, T \equiv Pd, Pt, Cu, Ag and Au 37
- Ternary metal hydrides
 synthesis and structure of $\text{Yb}_{19}\text{Mg}_8\text{H}_{54}$, a new salt-like ternary metal hydride 131
- Ternary silicides
 magnetic behaviour of the rare earth molybdenum silicides $\text{RE}_2\text{Mo}_3\text{Si}_4$ with the $\text{U}_2\text{Mo}_3\text{Si}_4$ structure type 154
- Ternary uranium germanides
 characterization of novel ternary uranium silicides and germanides with the $\text{U}_2\text{Mo}_3\text{Si}_4$ structure type in the U-(Mo, W, V)-(Si, Ge) systems 44
- Ternary uranium silicides
 characterization of novel ternary uranium silicides and germanides with the $\text{U}_2\text{Mo}_3\text{Si}_4$ structure type in the U-(Mo, W, V)-(Si, Ge) systems 44
- Thermal analysis
 preparation of fine Nb_3Al powder by hydriding and dehydriding of bulk material 141
- Thermal decomposition
 on the necessary experimental conditions to grow titanium films on hot tungsten filaments using titanium tetraiodide 167
- Thermal expansion
 effect of Cr substitution on the magnetic properties of SmMn_2Ge_2 49

- Titanium
on the necessary experimental conditions to grow titanium films on hot tungsten filaments using titanium tetraiodide 167
- Titanium tetraiodide
on the necessary experimental conditions to grow titanium films on hot tungsten filaments using titanium tetraiodide 167
- Transition metal hydride complexes
new iron(II) complex metal hydrides with $\text{SrMg}_2\text{FeH}_8$ type structure 121
- Uranium
magnetic behaviour of the rare earth molybdenum silicides $\text{RE}_2\text{Mo}_3\text{Si}_4$ with the $\text{U}_2\text{Mo}_3\text{Si}_4$ structure type 154
- Valence
atomic spectra and instabilities of valence 145
- Vanadium
formation of the intermetallic compound VSi_2 and a $\text{VSi}_2\text{-SiC}$ composite by mechanical alloying 76
- Vapour deposition
on the necessary experimental conditions to grow titanium films on hot tungsten filaments using titanium tetraiodide 167
- X-ray diffraction
on the nature of boron-carbon-nitrogen compounds synthesised from organic precursors 102
preparation of fine Nb_3Al powder by hydriding and dehydriding of bulk material 141
- X-ray powder diffraction
formation, crystal chemistry and magnetism of compounds RE_2TGe_6 , RE = rare earth, T = Pd, Pt, Cu, Ag and Au 37
ternary compounds REMSb_2 , RE = La, Ce, Pr, Nd, Sm, Gd; M = Mn, Zn, Cd; compound formation, crystal structure and magnetism 40
- Ytterbium magnesium hydrides
synthesis and structure of $\text{Yb}_{19}\text{Mg}_8\text{H}_{54}$, a new salt-like ternary metal hydride 131
- Zr-base alloy
hydrogenation of multicomponent Zr-base C15 type alloys 180