

Subject Index of Volume 228

- Actinides
contribution to the knowledge of the electrochemical properties of actinides in non-aqueous media. III. The reduction of tetravalent thorium and tetravalent neptunium in various organic solvents 6
- Anisotropic powders
anisotropic Nd–Fe–Co–Zr–B powders prepared by the HDDR process 172
- Antiferromagnetism
the magnetic properties of HoNiBC: absence of superconductivity and helical ground-state 49
- Be–Cu alloys
origins of paramagnetism in beryllium–copper alloys 195
- Bismuth
mechanism of indium electrodeposition on bismuth cathodes and time evolution of the deposits 23
- Bonding
ceramic to metal sealings: interfacial reactions mechanism in a porcelain–kovar junction 86
- Brittle intermetallics
a possible route to improving the ductility of brittle intermetallic compounds 105
- Caesium
on the caesium-rich part of the Cs–Te phase diagram 75
- Ceramics
ceramic to metal sealings: interfacial reactions mechanism in a porcelain–kovar junction 86
- Cermets
the Ti–Mo–C–N system: stability of the (Ti, Mo)(C, N)_{1-x} phase 96
- CeSb_{1-x}Te_x
X-ray absorption and Mössbauer study of the CeSb–CeTe system 148
- Chalcogenide compounds
electronic structure of chalcogenide compounds from the system Ti₂S–Sb₂S₃ studied by XPS and XES 143
- Charge density topology
a possible route to improving the ductility of brittle intermetallic compounds 105
- Crystal field splitting
the crystal field strength parameter and the maximum splitting of the ⁷F₁ manifold of the Eu³⁺ ion in oxides 41
- Crystal structure
crystal structure and physical properties of Ce₃Pd₆Sb₅ 16
high pressure synthesis and structure of Na₂PdH₄ 119
synthesis and structure investigation of the new ternary boride (Cr_{0.80}W_{0.20})₃B₄ and its analogues (Cr_{1-x}TM_x)₃B₄ with TM = Mo or Ta 122
crystal structure and phase composition of alloys Zr_{1-x}Ti_x(Mn_{1-y}V_y)₂ 181
- Crystal synthesis
synthesis and structure investigation of the new ternary boride (Cr_{0.80}W_{0.20})₃B₄ and its analogues (Cr_{1-x}TM_x)₃B₄ with TM = Mo or Ta 122
- Crystallographic properties
crystallographic and magnetic properties of ternary nitrides of the type RCo₁₀Mo₂N_x 132
- Diffusion coefficients
mechanism of indium electrodeposition on bismuth cathodes and time evolution of the deposits 23
- DSC
on the caesium-rich part of the Cs–Te phase diagram 75
- Electrical conduction
synthesis, structure and electrical conduction behaviour of the Ca_{1-x}La_xSn_{1-x}Co_{1-x}O₃ system 177
- Electrochemical properties
contribution to the knowledge of the electrochemical properties of actinides in non-aqueous media. III. The reduction of tetravalent thorium and tetravalent neptunium in various organic solvents 6
- Electrodeposition
mechanism of indium electrodeposition on bismuth cathodes and time evolution of the deposits 23
- Electronic structure
a possible route to improving the ductility of brittle intermetallic compounds 105
electronic structure of chalcogenide compounds from the system Ti₂S–Sb₂S₃ studied by XPS and XES 143
- Electroplastic effects
a possible route to improving the ductility of brittle intermetallic compounds 105
- EXAFS
short-range order of yttria doped zirconia powders study by X-ray absorption (I) 188
- F.c.c. alloys
solubility and thermodynamics of hydrogen in homogeneous f.c.c. Pd–Pt alloys 164
- Field-induced magnetic phase transitions
magnetic phase transitions and magnetoresistance in easy-plane antiferromagnets HoGa₂ and DyGa₂ 54
- First order phase transition
martensite-like phase transformation and shape memory effect in orthomanganites 83
- Formation enthalpy
an electrochemical investigation of the thermodynamic properties of cerium stannide (CeSn₃) and liquid tin–cerium alloys 1
- Galvanic cell technique
an electrochemical investigation of the thermodynamic properties of cerium stannide (CeSn₃) and liquid tin–cerium alloys 1

- Gas dissolution
thermodynamics of gas dissolution in liquid metals with extensive solubility; the U(L)-N, Zr(L)-O, and Th(L)-O systems 31
- Glasses
ceramic to metal sealings: interfacial reactions mechanism in a porcelain-kovar junction 86
- Hard metals
the Ti-Mo-C-N system: stability of the (Ti, Mo)(C, N)_{1-x} phase 96
- HDDR process
anisotropic Nd-Fe-Co-Zr-B powders prepared by the HDDR process 172
- High field magnetization
high field magnetization of YBa₂(Cu,Zn)₃O_{7-δ} superconductors 79
- High pressure synthesis
high pressure synthesis and structure of Na₂PdH₄ 119
- High T_c superconductors
high field magnetization of YBa₂(Cu,Zn)₃O_{7-δ} superconductors 79
- HoNiBC
the magnetic properties of HoNiBC: absence of superconductivity and helical ground-state 49
- HT superconductors
formation of the (Pb, Cd)-1212 phase in the (Pb_{0.5}Cd_{0.5})Sr₂RCu₂O₇ system 45
- Hydride formation enthalpy
solubility and thermodynamics of hydrogen in homogeneous f.c.c. Pd-Pt alloys 164
- Hydrogen absorption
crystal structure and phase composition of alloys Zr_{1-x}Ti_x(Mn_{1-y}V_y)₂ 181
- Hydrogen sorption
solubility and thermodynamics of hydrogen in homogeneous f.c.c. Pd-Pt alloys 164
- Indium
mechanism of indium electrodeposition on bismuth cathodes and time evolution of the deposits 23
- Intermetallic boro-carbide
the magnetic properties of HoNiBC: absence of superconductivity and helical ground-state 49
- Intermetallic compounds
mechanism of indium electrodeposition on bismuth cathodes and time evolution of the deposits 23
crystallographic and magnetic properties of ternary nitrides of the type RCo₁₀Mo₂N_x 132
- Isomer shifts
interpretation of ¹²⁵Te Mössbauer isomer shift data 137
- Liquid Cu-Gd alloy
thermodynamic activity measurements of the liquid Cu-Gd alloy by high temperature mass spectrometry 112
- Liquid metals
thermodynamics of gas dissolution in liquid metals with extensive solubility; the U(L)-N, Zr(L)-O, and Th(L)-O systems 31
- Low wheel velocity
a study of melt-spun SmCo₅ ribbons 102
- Magnetic properties
magnetic and magnetostrictive properties of Sm_{1-x}Ho_xFe₂ 37
crystallographic data and magnetic properties of new CeFeSi-type RMnGe compounds (R = La-Sm) studied by magnetization and neutron diffraction measurements 59
crystallographic and magnetic properties of ternary nitrides of the type RCo₁₀Mo₂N_x 132
phase transformations, magnetic and magnetoresistive properties of FeCoNi-N thin films 155
anisotropic Nd-Fe-Co-Zr-B powders prepared by the HDDR process 172
origins of paramagnetism in beryllium-copper alloys 195
- Magnetic susceptibility
crystal structure and physical properties of Ce₃Pd₆Sb₅ 16
- Magnetoresistance
magnetic phase transitions and magnetoresistance in easy-plane antiferromagnets HoGa₂ and DyGa₂ 54
- Magnetostriction
magnetic and magnetostrictive properties of Sm_{1-x}Ho_xFe₂ 37
- Melt spinning
a study of melt-spun SmCo₅ ribbons 102
- Metal hydride
high pressure synthesis and structure of Na₂PdH₄ 119
- Metals
ceramic to metal sealings: interfacial reactions mechanism in a porcelain-kovar junction 86
- Multiple effusive cell-mass spectrometry
thermodynamic activity measurements of the liquid Cu-Gd alloy by high temperature mass spectrometry 112
- Neutron diffraction
high pressure synthesis and structure of Na₂PdH₄ 119
interpretation of ¹²⁵Te Mössbauer isomer shift data 137
- Neutron diffraction measurements
crystallographic data and magnetic properties of new CeFeSi-type RMnGe compounds (R = La-Sm) studied by magnetization and neutron diffraction measurements 59
- Organic solvents
contribution to the knowledge of the electrochemical properties of actinides in non-aqueous media. III. The reduction of tetravalent thorium and tetravalent neptunium in various organic solvents 6
- Oxides
the crystal field strength parameter and the maximum splitting of the ⁷F₁ manifold of the Eu³⁺ ion in oxides 41
- Palladium
high pressure synthesis and structure of Na₂PdH₄ 119
- Paramagnetism
synthesis and properties of a new complex oxide Dy₂MnTa_{1-x}O_{7-δ} with a pyrochlore-related structure 127
- (Pb,Cd)-1212 phase
formation of the (Pb, Cd)-1212 phase in the (Pb_{0.5}Cd_{0.5})Sr₂RCu₂O₇ system 45
- Pd-Pt alloys
solubility and thermodynamics of hydrogen in homogeneous f.c.c. Pd-Pt alloys 164
- Phase composition
crystal structure and phase composition of alloys Zr_{1-x}Ti_x(Mn_{1-y}V_y)₂ 181

- Phase diagrams
on the caesium-rich part of the Cs–Te phase diagram 75
- Phase equilibria
the Ti–Mo–C–N system: stability of the (Ti, Mo)(C, N)_{1-x} phase 96
- Phase stability
synthesis and properties of a new complex oxide Dy₂MnTa_{1+x}O_{7+δ} with a pyrochlore-related structure 127
- Physical properties
crystal structure and physical properties of Ce₃Pd₆Sb₅ 16
- Pyrochlore
synthesis and properties of a new complex oxide Dy₂MnTa_{1+x}O_{7+δ} with a pyrochlore-related structure 127
- Rare-earth compounds
magnetic phase transitions and magnetoresistance in easy-plane antiferromagnets HoGa₂ and DyGa₂ 54
- Rare earth orthomanganites
martensite-like phase transformation and shape memory effect in orthomanganites 83
- Ribbons
a study of melt-spun SmCo₅ ribbons 102
- Sb and Te Mössbauer spectroscopy
X-ray absorption and Mössbauer study of the CeSb–CeTe system 148
- Scandium carbides
thermodynamic properties of scandium carbides 159
- Sealings
ceramic to metal sealings: interfacial reactions mechanism in a porcelain–kovar junction 86
- Semiconductor
synthesis and properties of a new complex oxide Dy₂MnTa_{1+x}O_{7+δ} with a pyrochlore-related structure 127
- Shape memory effect
martensite-like phase transformation and shape memory effect in orthomanganites 83
- Site occupancies
interpretation of ¹²⁵Te Mössbauer isomer shift data 137
- Solid solutions
thermodynamic properties of the solid solutions ZnTe–CdTe, ZnTe–HgTe and CdTe–HgTe 13
- Solubility
thermodynamics of gas dissolution in liquid metals with extensive solubility; the U(L)–N, Zr(L)–O, and Th(L)–O systems 31
- Structure
synthesis, structure and electrical conduction behaviour of the Ca_{1-x}La_xSn_{1-x}Co_{1-x}O₃ system 177
- Synthesis
synthesis, structure and electrical conduction behaviour of the Ca_{1-x}La_xSn_{1-x}Co_{1-x}O₃ system 177
synthesis and properties of a new complex oxide Dy₂MnTa_{1+x}O_{7+δ} with a pyrochlore-related structure 127
- Tellurium
on the caesium-rich part of the Cs–Te phase diagram 75
- Ternary nitrides
crystallographic and magnetic properties of ternary nitrides of the type RCo₁₀Mo₂N_x 132
- Thallium
thermodynamics of gas dissolution in liquid metals with extensive solubility; the U(L)–N, Zr(L)–O, and Th(L)–O systems 31
- Thermodynamic properties
thermodynamic properties of scandium carbides 159
- Thermodynamic stability
thermodynamic properties of the solid solutions ZnTe–CdTe, ZnTe–HgTe and CdTe–HgTe 13
- Thermodynamics
thermodynamics of gas dissolution in liquid metals with extensive solubility; the U(L)–N, Zr(L)–O, and Th(L)–O systems 31
thermodynamic activity measurements of the liquid Cu–Gd alloy by high temperature mass spectrometry 112
- Thin films
phase transformations, magnetic and magnetoresistive properties of FeCoNi–N thin films 155
- Titanium molybdenum carbonitride
the Ti–Mo–C–N system: stability of the (Ti, Mo)(C, N)_{1-x} phase 96
- Uranium
thermodynamics of gas dissolution in liquid metals with extensive solubility; the U(L)–N, Zr(L)–O, and Th(L)–O systems 31
- XANES
short-range order of yttria doped zirconia powders study by X-ray absorption (I) 188
- XES
electronic structure of chalcogenide compounds from the system Tl₂S–Sb₂S₃ studied by XPS and XES 143
- XPS
electronic structure of chalcogenide compounds from the system Tl₂S–Sb₂S₃ studied by XPS and XES 143
- X-ray absorption
X-ray absorption and Mössbauer study of the CeSb–CeTe system 148
short-range order of yttria doped zirconia powders study by X-ray absorption (I) 188
- X-ray diffraction
on the caesium-rich part of the Cs–Te phase diagram 75
- Zirconia
short-range order of yttria doped zirconia powders study by X-ray absorption (I) 188
- Zirconium
thermodynamics of gas dissolution in liquid metals with extensive solubility; the U(L)–N, Zr(L)–O, and Th(L)–O systems 31