



ELSEVIER

Journal of Alloys and Compounds 230 (1995) 123–125

Journal of  
ALLOYS  
AND COMPOUNDS

## Subject Index of Volume 230

- Age-hardening  
phase transformation in a dental Pd–Cu–Ga alloy 94
- Binder phase  
reaction of compact carbonitrides with liquid binder metals 53
- Calciothermic reduction  
formation of RE<sub>x</sub>Ni<sub>y</sub> (RE = La, Ce, Pr or Nd) compounds by calciothermic reduction of La<sub>2</sub>O<sub>3</sub>, CeO<sub>2</sub>, Pr<sub>6</sub>O<sub>11</sub> and Nd<sub>2</sub>O<sub>3</sub> 46
- Carbon  
precipitation phenomenon in stoichiometric Nd<sub>2</sub>Fe<sub>14</sub>B alloys modified with titanium and titanium with carbon 67
- Carbon addition  
influence of carbon introduced by arc melting on the structural and magnetic properties of RFe<sub>12-x</sub>V<sub>x</sub> (R = Y and Dy) 76
- CeAg<sub>2</sub>Ge<sub>2</sub>  
magnetic properties of CeAg<sub>2</sub>Ge<sub>2</sub> L8
- Cermet  
reaction of compact carbonitrides with liquid binder metals 53
- Co substitution  
the effect of cobalt and nickel on transformation in TiRh 115
- Crystal structure  
magnetic properties of UFe<sub>10</sub>Si<sub>2</sub> single crystal 35  
the multiphase effect on crystal structure, hydrogen absorbing properties and electrode performance of Sc–Zr based Laves phase alloys 100
- Cycling behavior  
surface treatment effect on the low temperature hydriding behavior of Mg<sub>2</sub>Ni 58
- Diamond anvil cell  
high pressure behaviour of TmTe and EuO 89
- Discharge capacity  
the multiphase effect on crystal structure, hydrogen absorbing properties and electrode performance of Sc–Zr based Laves phase alloys 100
- Drop calorimetry  
enthalpy increment measurements of PbI<sub>2</sub>: evidence for a reversible polytypic transition 85
- Durability  
the multiphase effect on crystal structure, hydrogen absorbing properties and electrode performance of Sc–Zr based Laves phase alloys 100
- Enthalpy increment  
enthalpy increment measurements of PbI<sub>2</sub>: evidence for a reversible polytypic transition 85
- Enthalpy of formation  
the standard molar enthalpy of formation of HfMo<sub>2</sub>O<sub>8</sub> 13
- EuO  
high pressure behaviour of TmTe and EuO 89
- F-treatment  
surface treatment effect on the low temperature hydriding behavior of Mg<sub>2</sub>Ni 58
- Free energy of formation  
the standard molar enthalpy of formation of HfMo<sub>2</sub>O<sub>8</sub> 13
- Full density nanocomposite magnets  
magnets produced by hot pressing Nd<sub>2</sub>(Fe,Co,Zr)<sub>14</sub>B–α-Fe and Nd(Fe,Mo)<sub>12</sub>N<sub>x</sub>–α-Fe powders L1
- Hf<sub>5</sub>Pb<sub>2</sub>Al  
new ternary aluminides T<sub>5</sub>M<sub>2</sub>Al having W<sub>5</sub>Si<sub>3</sub>-type structure L10
- Hf<sub>5</sub>Sn<sub>2</sub>Al  
new ternary aluminides T<sub>5</sub>M<sub>2</sub>Al having W<sub>5</sub>Si<sub>3</sub>-type structure L10
- High pressure  
high pressure behaviour of TmTe and EuO 89
- Hot deformed magnets  
upset forged Nd–Fe–B–Cu magnets 42
- Hot pressing  
magnets produced by hot pressing Nd<sub>2</sub>(Fe,Co,Zr)<sub>14</sub>B–α-Fe and Nd(Fe,Mo)<sub>12</sub>N<sub>x</sub>–α-Fe powders L1
- Hydrogen absorbing properties  
the multiphase effect on crystal structure, hydrogen absorbing properties and electrode performance of Sc–Zr based Laves phase alloys 100
- Initial activation  
surface treatment effect on the low temperature hydriding behavior of Mg<sub>2</sub>Ni 58
- Interaction  
reaction of compact carbonitrides with liquid binder metals 53
- Interstitials  
synthesis, structures and properties of cubic R<sub>3</sub>In and R<sub>3</sub>InZ phases (R = Y, La; Z = B, C, N, O). The effect of interstitial Z on the superconductivity of La<sub>3</sub>In 1
- Laves phase alloy  
the multiphase effect on crystal structure, hydrogen absorbing properties and electrode performance of Sc–Zr based Laves phase alloys 100
- Magnetic phase diagram  
magnetic phase diagrams of the TbRh<sub>2-x</sub>Pd<sub>x</sub>Si<sub>2</sub> and TbRu<sub>2-x</sub>Pd<sub>x</sub>Si<sub>2</sub> systems L5
- Magnetic properties  
magnetic phase diagrams of the TbRh<sub>2-x</sub>Pd<sub>x</sub>Si<sub>2</sub> and TbRu<sub>2-x</sub>Pd<sub>x</sub>Si<sub>2</sub> systems L5  
magnetic properties of CeAg<sub>2</sub>Ge<sub>2</sub> L8  
magnetic anisotropy of UCo<sub>10</sub>Si<sub>2</sub> 30  
magnetic properties of UFe<sub>10</sub>Si<sub>2</sub> single crystal 35  
influence of carbon introduced by arc melting on the structural and magnetic properties of RFe<sub>12-x</sub>V<sub>x</sub> (R = Y and Dy) 76

- Magnetocrystalline anisotropy  
magnetic anisotropy of  $\text{UCo}_{10}\text{Si}_2$  30
- Manganese  
structure refinement and magnetic behaviour of the only selenide in the olivine group family:  $\text{Mn}_2\text{SiSe}_4$  16
- Mg-fluorinated surface  
surface treatment effect on the low temperature hydriding behavior of  $\text{Mg}_2\text{Ni}$  58
- Mg–Zn–Zr–RE alloys  
strengthening effects of rare earths on wrought Mg–Zn–Zr–RE alloys 109
- Microstructure  
surface treatment effect on the low temperature hydriding behavior of  $\text{Mg}_2\text{Ni}$  58
- Molybdate  
the standard molar enthalpy of formation of  $\text{HfMo}_2\text{O}_8$  13
- Multiphase  
the multiphase effect on crystal structure, hydrogen absorbing properties and electrode performance of Sc–Zr based Laves phase alloys 100
- $\text{Nb}_5\text{Sn}_2\text{Al}$   
new ternary aluminides  $\text{T}_3\text{M}_2\text{Al}$  having  $\text{W}_5\text{Si}_3$ -type structure L10
- $\text{Nd}(\text{Fe},\text{Mo})_{12}\text{N}_x\text{-}\alpha\text{-Fe}$   
magnets produced by hot pressing  $\text{Nd}_2(\text{Fe},\text{Co},\text{Zr})_{14}\text{B-}\alpha\text{-Fe}$  and  $\text{Nd}(\text{Fe},\text{Mo})_{12}\text{N}_x\text{-}\alpha\text{-Fe}$  powders L1
- $\text{Nd}_2(\text{Fe},\text{Co},\text{Zr})_{14}\text{B-}\alpha\text{-Fe}$   
magnets produced by hot pressing  $\text{Nd}_2(\text{Fe},\text{Co},\text{Zr})_{14}\text{B-}\alpha\text{-Fe}$  and  $\text{Nd}(\text{Fe},\text{Mo})_{12}\text{N}_x\text{-}\alpha\text{-Fe}$  powders L1
- $\text{Nd}_2\text{Fe}_{14}\text{B}$  alloys  
precipitation phenomenon in stoichiometric  $\text{Nd}_2\text{Fe}_{14}\text{B}$  alloys modified with titanium and titanium with carbon 67
- Olivine  
structure refinement and magnetic behaviour of the only selenide in the olivine group family:  $\text{Mn}_2\text{SiSe}_4$  16
- $\text{PbI}_2$   
enthalpy increment measurements of  $\text{PbI}_2$ : evidence for a reversible polytypic transition 85
- Pd–Cu–Ga alloy  
phase transformation in a dental Pd–Cu–Ga alloy 94
- Phase transformation  
phase transformation in a dental Pd–Cu–Ga alloy 94
- Phase transition  
enthalpy increment measurements of  $\text{PbI}_2$ : evidence for a reversible polytypic transition 85
- Precipitation phenomena  
precipitation phenomenon in stoichiometric  $\text{Nd}_2\text{Fe}_{14}\text{B}$  alloys modified with titanium and titanium with carbon 67
- Rare earth compounds  
magnetic phase diagrams of the  $\text{TbRh}_{2-x}\text{Pd}_x\text{Si}_2$  and  $\text{TbRu}_{2-x}\text{Pd}_x\text{Si}_2$  systems L5
- Rare earth magnets  
upset forged Nd–Fe–B–Cu magnets 42
- Rare earth–Fe–V compounds  
influence of carbon introduced by arc melting on the structural and magnetic properties of  $\text{RFe}_{12-x}\text{V}_x$  ( $\text{R} = \text{Y}$  and  $\text{Dy}$ ) 76
- Rare earth–nickel compounds  
formation of  $\text{RE}_x\text{Ni}_y$  ( $\text{RE} = \text{La}, \text{Ce}, \text{Pr}$  or  $\text{Nd}$ ) compounds by calciothermic reduction of  $\text{La}_2\text{O}_3$ ,  $\text{CeO}_2$ ,  $\text{Pr}_6\text{O}_{11}$  and  $\text{Nd}_2\text{O}_3$  46
- Reaction mechanism  
formation of  $\text{RE}_x\text{Ni}_y$  ( $\text{RE} = \text{La}, \text{Ce}, \text{Pr}$  or  $\text{Nd}$ ) compounds by calciothermic reduction of  $\text{La}_2\text{O}_3$ ,  $\text{CeO}_2$ ,  $\text{Pr}_6\text{O}_{11}$  and  $\text{Nd}_2\text{O}_3$  46
- Reduction–diffusion method  
formation of  $\text{RE}_x\text{Ni}_y$  ( $\text{RE} = \text{La}, \text{Ce}, \text{Pr}$  or  $\text{Nd}$ ) compounds by calciothermic reduction of  $\text{La}_2\text{O}_3$ ,  $\text{CeO}_2$ ,  $\text{Pr}_6\text{O}_{11}$  and  $\text{Nd}_2\text{O}_3$  46
- $\text{R}_3\text{InZ}$  compounds  
synthesis, structures and properties of cubic  $\text{R}_3\text{In}$  and  $\text{R}_3\text{InZ}$  phases ( $\text{R} = \text{Y}, \text{La}$ ;  $\text{Z} = \text{B}, \text{C}, \text{N}, \text{O}$ ). The effect of interstitial Z on the superconductivity of  $\text{La}_3\text{In}$  1
- Selenide  
structure refinement and magnetic behaviour of the only selenide in the olivine group family:  $\text{Mn}_2\text{SiSe}_4$  16
- Semi-solid deformation  
upset forged Nd–Fe–B–Cu magnets 42
- Single crystal  
magnetic properties of  $\text{UF}_{10}\text{Si}_2$  single crystal 35
- Storability in air  
surface treatment effect on the low temperature hydriding behavior of  $\text{Mg}_2\text{Ni}$  58
- Strengthening effect of rare earths  
strengthening effects of rare earths on wrought Mg–Zn–Zr–RE alloys 109
- Structure  
synthesis, structures and properties of cubic  $\text{R}_3\text{In}$  and  $\text{R}_3\text{InZ}$  phases ( $\text{R} = \text{Y}, \text{La}$ ;  $\text{Z} = \text{B}, \text{C}, \text{N}, \text{O}$ ). The effect of interstitial Z on the superconductivity of  $\text{La}_3\text{In}$  1
- Structure transformation  
high pressure behaviour of  $\text{TmTe}$  and  $\text{EuO}$  89
- Sublimation enthalpy  
sublimation enthalpy of tellurium tetrabromide by the torsion effusion method 63
- Superconductivity  
synthesis, structures and properties of cubic  $\text{R}_3\text{In}$  and  $\text{R}_3\text{InZ}$  phases ( $\text{R} = \text{Y}, \text{La}$ ;  $\text{Z} = \text{B}, \text{C}, \text{N}, \text{O}$ ). The effect of interstitial Z on the superconductivity of  $\text{La}_3\text{In}$  1
- Synthesis  
synthesis, structures and properties of cubic  $\text{R}_3\text{In}$  and  $\text{R}_3\text{InZ}$  phases ( $\text{R} = \text{Y}, \text{La}$ ;  $\text{Z} = \text{B}, \text{C}, \text{N}, \text{O}$ ). The effect of interstitial Z on the superconductivity of  $\text{La}_3\text{In}$  1
- $\text{TbRh}_{2-x}\text{Pd}_x\text{Si}_2$  and  $\text{TbRu}_{2-x}\text{Pd}_x\text{Si}_2$  systems  
magnetic phase diagrams of the  $\text{TbRh}_{2-x}\text{Pd}_x\text{Si}_2$  and  $\text{TbRu}_{2-x}\text{Pd}_x\text{Si}_2$  systems L5
- Tellurate  
the standard molar enthalpy of formation of  $\text{HfMo}_2\text{O}_8$  13
- Tellurium tetrabromide  
sublimation enthalpy of tellurium tetrabromide by the torsion effusion method 63
- Ternary alloys  
the effect of cobalt and nickel on transformation in  $\text{TiRh}$  115
- Ternary aluminides  
new ternary aluminides  $\text{T}_3\text{M}_2\text{Al}$  having  $\text{W}_5\text{Si}_3$ -type structure L10

- Ternary hydrides  
 surface treatment effect on the low temperature hydriding  
 behavior of  $Mg_2Ni$  58
- Titanium  
 precipitation phenomenon in stoichiometric  $Nd_2Fe_{14}B$  alloys  
 modified with titanium and titanium with carbon 67
- Titanium carbonitride  
 reaction of compact carbonitrides with liquid binder metals  
 53
- $Ti_5Pb_2Al$   
 new ternary aluminides  $T_3M_2Al$  having  $W_5Si_3$ -type structure  
 L10
- $Ti_5Sn_2Al$   
 new ternary aluminides  $T_3M_2Al$  having  $W_5Si_3$ -type structure  
 L10
- TmTe  
 high pressure behaviour of TmTe and EuO 89
- Torsion effusion method  
 sublimation enthalpy of tellurium tetrabromide by the torsion  
 effusion method 63
- Transformations  
 the effect of cobalt and nickel on transformation in TiRh 115
- Transmission electron microscopy  
 phase transformation in a dental Pd-Cu-Ga alloy 94
- $UFe_{10}Si_2$   
 magnetic properties of  $UFe_{10}Si_2$  single crystal 35
- Ultrasonic velocity  
 elastic behaviour of some Y-Ba-Cu-O high  $T_c$   
 superconducting materials with various oxygen  
 concentrations 23
- Upset forging  
 upset forged Nd-Fe-B-Cu magnets 42
- Uranium intermetallics  
 magnetic anisotropy of  $UCo_{10}Si_2$  30
- $W_5Si_3$ -type related crystal structure  
 new ternary aluminides  $T_3M_2Al$  having  $W_5Si_3$ -type structure  
 L10
- X-ray diffraction  
 phase transformation in a dental Pd-Cu-Ga alloy 94
- Y-Ba-Cu-O, High- $T_c$  superconductors  
 elastic behaviour of some Y-Ba-Cu-O high  $T_c$   
 superconducting materials with various oxygen  
 concentrations 23
- $Zr_5Pb_2Al$   
 new ternary aluminides  $T_3M_2Al$  having  $W_5Si_3$ -type structure  
 L10
- $Zr_5Sn_2Al$   
 new ternary aluminides  $T_3M_2Al$  having  $W_5Si_3$ -type structure  
 L10