

## Subject Index of Volume 235

- Ab initio calculations  
studies on AB<sub>2</sub>-type intermetallic compounds, I. Mg<sub>2</sub>Ge and Mg<sub>2</sub>Sn: single-crystal structure refinement and ab initio calculations 250
- A.c. impedance  
determination of energy distribution of donor levels in anodically passivating TiO<sub>2</sub> film 182
- Activation energy  
kinetic study of the growth of the (Bi,Pb)<sub>2</sub>Ca<sub>2</sub>Sr<sub>2</sub>Cu<sub>3</sub>O<sub>10</sub> phase from calcined precursor powders 53
- [As<sub>2</sub>]<sup>4-</sup> dumbbell anion  
synthesis and structure of the Zintl compound Na<sub>2</sub>Sr<sub>3</sub>As<sub>4</sub> 37
- Auger electron spectroscopy  
the segregation kinetics of carbon to a Mo(100) surface: deviations from a parabolic time law due to subsurface enrichment 104
- Bi–Pb–Sr–Ca–Cu–O system  
kinetic study of the growth of the (Bi,Pb)<sub>2</sub>Ca<sub>2</sub>Sr<sub>2</sub>Cu<sub>3</sub>O<sub>10</sub> phase from calcined precursor powders 53
- Bismuth  
X-ray study of the structure of liquid Bi–Ti 120
- Calcination temperature  
plutonium dioxide particle properties as a function of calcination temperature 216
- Calcium diarside  
synthesis and structure of CaAu<sub>2</sub> and SrAu<sub>2</sub> 12
- Calorimetric investigations  
calorimetric investigations of liquid Ge–Te and Si–Te alloys 237
- Calorimetry  
experimental determination of the partial enthalpies of mixing of tin and tellurium in Sn–Te melts 124
- Cathodic charging  
a dilatometric study of nickel wire electrode electrochemically charged by hydrogen 30
- CeAuGe  
crystal and electronic structures of ScAuGe, CeAuGe, and LuAuGe: a transition from two- to three-dimensional [AuGe] polyanions 170
- Ce<sub>2</sub>Ni<sub>17</sub>Si<sub>9</sub> and Ce<sub>2</sub>Co<sub>17</sub>Si<sub>9</sub>  
note on the crystal structure and magnetic properties of the compounds Ce<sub>2</sub>Ni<sub>17</sub>Si<sub>9</sub> and Ce<sub>2</sub>Co<sub>17</sub>Si<sub>9</sub> 62
- Chemical bonding  
X-ray single crystal refinements on some RT<sub>2</sub>Ge<sub>2</sub> compounds (R = Ca, Y, La, Nd, U; T = Mn–Cu, Ru–Pd): evolution of the chemical bonds 201
- Crystal structure  
studies on the interaction between lanthanide ions and ligands in solid complexes of lanthanide hexacyanometalates. Part I. The thermal dehydration of lanthanide hexacyanocobaltate(III) hydrates, Ln[Co(CN)<sub>6</sub>]·nH<sub>2</sub>O (Ln = La to Lu; n = 4,5), and yttrium hexacyanocobaltate(III) tetrahydrate 23
- synthesis and structure of the Zintl compound Na<sub>2</sub>Sr<sub>3</sub>As<sub>4</sub> 37  
note on the crystal structure and magnetic properties of the compounds Ce<sub>2</sub>Ni<sub>17</sub>Si<sub>9</sub> and Ce<sub>2</sub>Co<sub>17</sub>Si<sub>9</sub> 62  
crystal and electronic structures of ScAuGe, CeAuGe, and LuAuGe: a transition from two- to three-dimensional [AuGe] polyanions 170  
very weak itinerant ferromagnetism in the new Lu<sub>3</sub>Co<sub>8-x</sub>Sn<sub>4</sub> compound (x = 0.23) 210
- Cu–Cr  
enthalpies of solution of vanadium and chromium in liquid copper by high temperature calorimetry 128
- Cu–V  
enthalpies of solution of vanadium and chromium in liquid copper by high temperature calorimetry 128
- Differential scanning calorimetry  
heat capacity of LaCl<sub>3</sub>, CeCl<sub>3</sub>, PrCl<sub>3</sub>, NdCl<sub>3</sub>, GdCl<sub>3</sub>, DyCl<sub>3</sub> 176
- Diffusion couple  
phase equilibria in the Mn-rich portion of the binary system Mn–Al 256
- Diffusion of C in Mo  
the segregation kinetics of carbon to a Mo(100) surface: deviations from a parabolic time law due to subsurface enrichment 104
- Disodium tristrontium tetraarsenide  
synthesis and structure of the Zintl compound Na<sub>2</sub>Sr<sub>3</sub>As<sub>4</sub> 37
- Dynamic P–C–T  
dynamic reaction characteristics of the tubular hydride bed with large mass 84
- Electrical conductivity  
electrical conductivity of molten LnCl<sub>3</sub> and M<sub>3</sub>LnCl<sub>6</sub> compounds (Ln = La, Ce, Pr, Nd; M = K, Rb, Cs) 143
- Electrocatalytic activity  
electrochemical properties of the Zr(V<sub>0.4</sub>Ni<sub>0.6</sub>)<sub>2.4</sub> hydrogen storage alloy electrode 225
- Electronic structure calculations  
crystal and electronic structures of ScAuGe, CeAuGe, and LuAuGe: a transition from two- to three-dimensional [AuGe] polyanions 170
- Enclathration compounds  
synthesis and crystal structure of nitrate enclathrated sodalite Na<sub>8</sub>[AlSiO<sub>4</sub>]<sub>6</sub>(NO<sub>3</sub>)<sub>2</sub> 41
- Energy distribution of donor levels  
determination of energy distribution of donor levels in anodically passivating TiO<sub>2</sub> film 182
- Enthalpies of solution  
enthalpies of solution of vanadium and chromium in liquid copper by high temperature calorimetry 128
- EPR  
synthesis and characterization of fine particle ZnFe<sub>2</sub>O<sub>4</sub> powders by a low temperature method 150
- Europium  
luminescent europium–dibenzoylmethane complexes and their Langmuir–Blodgett films 156

- FeI<sub>2</sub>**  
 total vapour pressure of FeI<sub>2</sub> from torsion measurements 48
- Fine particle**  
 synthesis and characterization of fine particle ZnFe<sub>2</sub>O<sub>4</sub> powders by a low temperature method 150
- First-order transition**  
 magnetic properties and specific heat of GdBe<sub>13</sub> 59
- Free energy of formation**  
 molar Gibbs' free energy of formation of Rb<sub>2</sub>U<sub>4</sub>O<sub>11</sub>(s) by solid oxide electrolyte galvanic cell 1
- Frequency dependence of donor concentration**  
 determination of energy distribution of donor levels in anodically passivating TiO<sub>2</sub> film 182
- FT-IR**  
 synthesis and characterization of fine particle ZnFe<sub>2</sub>O<sub>4</sub> powders by a low temperature method 150
- Gadolinium compound**  
 magnetic properties and specific heat of GdBe<sub>13</sub> 59
- Galvanic cell**  
 molar Gibbs' free energy of formation of Rb<sub>2</sub>U<sub>4</sub>O<sub>11</sub>(s) by solid oxide electrolyte galvanic cell 1
- Germanides**  
 the crystal structure and magnetic behaviour of the ternary rare earth compounds RE<sub>2</sub>Nb<sub>3</sub>X<sub>4</sub> with RE ≡ rare earth and X ≡ Si, Ge 80
- Ge-Te alloys**  
 calorimetric investigations of liquid Ge-Te and Si-Te alloys 237
- Gold**  
 Na<sub>2</sub>Au<sub>6</sub>In<sub>5</sub>, the first compound in the system sodium-gold-indium 7
- Gold compounds**  
 synthesis and structure of CaAu<sub>2</sub> and SrAu<sub>2</sub> 12
- Gold substitution**  
 substitution experiments in U<sub>3</sub>Cu<sub>3</sub>Sn<sub>4</sub> and U<sub>3</sub>Au<sub>3</sub>Sn<sub>4</sub> 192
- Grain boundary**  
 effect of grain size on grain boundary segregation 244
- Grain size**  
 effect of grain size on grain boundary segregation 244
- Halide ion incorporation**  
 determination of energy distribution of donor levels in anodically passivating TiO<sub>2</sub> film 182
- Heat capacity**  
 heat capacity of LaCl<sub>3</sub>, CeCl<sub>3</sub>, PrCl<sub>3</sub>, NdCl<sub>3</sub>, GdCl<sub>3</sub>, DyCl<sub>3</sub> 176
- Honeycomb network**  
 structural and electronic properties of K<sub>2</sub>Ni<sub>3</sub>S<sub>4</sub>, a pseudo-two dimensional compound with a honeycomb-like arrangement 135
- Hydride bed**  
 dynamic reaction characteristics of the tubular hydride bed with large mass 84
- Hydride electrode**  
 electrochemical properties of the Zr(V<sub>0.4</sub>Ni<sub>0.6</sub>)<sub>2.4</sub> hydrogen storage alloy electrode 225
- Hydrogen adsorption**  
 electrochemical properties of the Zr(V<sub>0.4</sub>Ni<sub>0.6</sub>)<sub>2.4</sub> hydrogen storage alloy electrode 225
- Hydrogen storage**  
 study of the system Zr(Cr<sub>0.8-x</sub>Co<sub>x</sub>V<sub>0.2</sub>)<sub>2</sub>-H<sub>2</sub> 93
- Hydrothermal synthesis**  
 synthesis and crystal structure of nitrate enclathrated sodalite Na<sub>8</sub>[AlSiO<sub>4</sub>]<sub>6</sub>(NO<sub>3</sub>)<sub>2</sub> 41
- Indium**  
 Na<sub>2</sub>Au<sub>6</sub>In<sub>5</sub>, the first compound in the system sodium-gold-indium 7
- Interaction with sodium sulphate**  
 studies on the interactions of transition metal oxides and sodium sulfate in the temperature range 900-1200 K in oxygen 97
- Interface**  
 effect of grain size on grain boundary segregation 244
- Intermetallic compounds**  
 note on the crystal structure and magnetic properties of the compounds Ce<sub>2</sub>Ni<sub>17</sub>Si<sub>9</sub> and Ce<sub>2</sub>Co<sub>17</sub>Si<sub>9</sub> 62
- Itinerant ferromagnetism**  
 very weak itinerant ferromagnetism in the new Lu<sub>3</sub>Co<sub>8-x</sub>Sn<sub>4</sub> compound (x = 0.23) 210
- K<sub>2</sub>Ni<sub>3</sub>S<sub>4</sub>**  
 structural and electronic properties of K<sub>2</sub>Ni<sub>3</sub>S<sub>4</sub>, a pseudo-two dimensional compound with a honeycomb-like arrangement 135
- Langmuir-Blodgett films**  
 luminescent europium-dibenzoylmethane complexes and their Langmuir-Blodgett films 156
- Lanthanide chlorides**  
 heat capacity of LaCl<sub>3</sub>, CeCl<sub>3</sub>, PrCl<sub>3</sub>, NdCl<sub>3</sub>, GdCl<sub>3</sub>, DyCl<sub>3</sub> 176
- Lanthanide hexacyanocobaltate(III) hydrates**  
 studies on the interaction between lanthanide ions and ligands in solid complexes of lanthanide hexacyanometalates. Part I. The thermal dehydration of lanthanide hexacyanocobaltate(III) hydrates, Ln[Co(CN)<sub>6</sub>] · nH<sub>2</sub>O (Ln = La to Lu; n = 4,5), and yttrium hexacyanocobaltate(III) tetrahydrate 23
- Laves phase alloy**  
 electrochemical properties of the Zr(V<sub>0.4</sub>Ni<sub>0.6</sub>)<sub>2.4</sub> hydrogen storage alloy electrode 225
- LiMn<sub>2</sub>O<sub>4</sub>**  
 oxygen nonstoichiometry of spinel LiMn<sub>2</sub>O<sub>4-δ</sub> 163
- Liquid alloys**  
 experimental determination of the partial enthalpies of mixing of tin and tellurium in Sn-Te melts 124  
 enthalpies of solution of vanadium and chromium in liquid copper by high temperature calorimetry 128
- LnCl<sub>3</sub>**  
 electrical conductivity of molten LnCl<sub>3</sub> and M<sub>3</sub>LnCl<sub>6</sub> compounds (Ln = La, Ce, Pr, Nd; M = K, Rb, Cs) 143
- Low temperature method**  
 synthesis and characterization of fine particle ZnFe<sub>2</sub>O<sub>4</sub> powders by a low temperature method 150
- LuAuGe**  
 crystal and electronic structures of ScAuGe, CeAuGe, and LuAuGe: a transition from two- to three-dimensional [AuGe] polyanions 170
- Lu<sub>3</sub>Co<sub>8-x</sub>Sn<sub>4</sub>**  
 very weak itinerant ferromagnetism in the new Lu<sub>3</sub>Co<sub>8-x</sub>Sn<sub>4</sub> compound (x = 0.23) 210
- Magnesium-germanium alloys**  
 studies on AB<sub>2</sub>-type intermetallic compounds, I. Mg<sub>2</sub>Ge and Mg<sub>2</sub>Sn: single-crystal structure refinement and ab initio calculations 250
- Magnesium-tin alloys**  
 studies on AB<sub>2</sub>-type intermetallic compounds, I. Mg<sub>2</sub>Ge and Mg<sub>2</sub>Sn: single-crystal structure refinement and ab initio calculations 250

- Magnetic alloy**  
 phase equilibria in the Mn-rich portion of the binary system  
 Mn–Al 256
- Magnetic anisotropy**  
 magnetic properties of  $Tb_{1-x}U_xCo_5$  single crystals 77
- Magnetic behaviour**  
 X-ray single crystal refinements on some  $RT_2Ge_2$  compounds  
 (R = Ca, Y, La, Nd, U; T = Mn–Cu, Ru–Pd): evolution of  
 the chemical bonds 201
- Magnetic measurements**  
 substitution experiments in  $U_3Cu_3Sn_4$  and  $U_3Au_3Sn_4$  192
- Magnetic properties**  
 note on the crystal structure and magnetic properties of the  
 compounds  $Ce_2Ni_{17}Si_9$  and  $Ce_2Co_{17}Si_9$  62  
 magnetic properties of  $URuAl_{1-x}Sn_x$  72  
 magnetic properties of the equiatomic ternary rare earth  
 platinum gallides 188  
 very weak itinerant ferromagnetism in the new  $Lu_3Co_{8-x}Sn_4$   
 compound ( $x = 0.23$ ) 210
- Magnetism**  
 the crystal structure and magnetic behaviour of the ternary  
 rare earth compounds  $RE_2Nb_3X_4$  with RE = rare earth and  
 X = Si, Ge 80
- Magnetization processes**  
 magnetic properties and specific heat of  $GdBe_{13}$  59
- Magnetocrystalline anisotropy**  
 magnetic properties of  $Y(Co_{1-x}Fe_x)_{10}Si_2$  compounds 197
- MAS NMR**  
 synthesis and crystal structure of nitrate enclathrated sodalite  
 $Na_8[AlSiO_4]_6(NO_3)_2$  41
- Molten complex chlorides of rare earth and alkali metals**  
 electrical conductivity of molten  $LnCl_3$  and  $M_3LnCl_6$   
 compounds ( $Ln = La, Ce, Pr, Nd$ ;  $M = K, Rb, Cs$ ) 143
- Mn–Al phase diagram**  
 phase equilibria in the Mn-rich portion of the binary system  
 Mn–Al 256
- Neutron diffraction**  
 structure determination of  $\zeta$ - $Fe_2N$  by neutron and synchrotron  
 powder diffraction 15  
 note on the crystal structure and magnetic properties of the  
 compounds  $Ce_2Ni_{17}Si_9$  and  $Ce_2Co_{17}Si_9$  62
- Nickel–hydrogen system**  
 a dilatometric study of nickel wire electrode electrochemically  
 charged by hydrogen 30
- (NiS<sub>4</sub>) square plane**  
 structural and electronic properties of  $K_2Ni_3S_4$ , a pseudo-two  
 dimensional compound with a honeycomb-like arrangement  
 135
- Nitrate sodalite**  
 synthesis and crystal structure of nitrate enclathrated sodalite  
 $Na_8[AlSiO_4]_6(NO_3)_2$  41
- Ni<sup>II</sup>**  
 structural and electronic properties of  $K_2Ni_3S_4$ , a pseudo-two  
 dimensional compound with a honeycomb-like arrangement  
 135
- Nd<sub>2</sub>(Fe, Co, Zr)<sub>14</sub>B/ $\alpha$ -Fe**  
 remanence enhanced  $Nd_2Fe_{14}B/\alpha$ -Fe and  $Nd(Fe, Mo)_{12}N_x/\alpha$ -  
 Fe type magnetic powders produced by high-energy ball-  
 milling 232
- Nd(Fe, Mo)<sub>12</sub>N<sub>x</sub>/ $\alpha$ -Fe**  
 remanence enhanced  $Nd_2Fe_{14}B/\alpha$ -Fe and  $Nd(Fe, Mo)_{12}N_x/\alpha$ -  
 Fe type magnetic powders produced by high-energy ball-  
 milling 232
- NMR spectra**  
 nuclear magnetic resonance study of the  $Sm_2Fe_{17}$  carbides 66
- Oxygen nonstoichiometry**  
 oxygen nonstoichiometry of spinel  $LiMn_2O_{4-8}$  163
- Partial enthalpy of mixing**  
 experimental determination of the partial enthalpies of mixing  
 of tin and tellurium in Sn–Te melts 124
- Passivation**  
 determination of energy distribution of donor levels in  
 anodically passivating  $TiO_2$  film 182
- P–c–T diagrams**  
 study of the system  $Zr(Cr_{0.8-x}Co_xV_{0.2})_2-H_2$  93
- 1:7 phase**  
 co corner of the system Sm–Co–Zr: decomposition of the  
 phase 1:7 and equilibria at 850°C 112
- Phase equilibria**  
 co corner of the system Sm–Co–Zr: decomposition of the  
 phase 1:7 and equilibria at 850°C 112  
 phase equilibria in the Mn-rich portion of the binary system  
 Mn–Al 256
- Phase formation kinetics**  
 kinetic study of the growth of the  $(Bi,Pb)_2Ca_2Sr_2Cu_3O_{10}$   
 phase from calcined precursor powders 53
- Phase transformation**  
 phase equilibria in the Mn-rich portion of the binary system  
 Mn–Al 256
- Plutonium dioxide**  
 plutonium dioxide particle properties as a function of  
 calcination temperature 216
- Plutonium oxalate**  
 plutonium dioxide particle properties as a function of  
 calcination temperature 216
- Pnictide**  
 synthesis and structure of the Zintl compound  $Na_2Sr_3As_4$  37
- Powder sample characterization**  
 plutonium dioxide particle properties as a function of  
 calcination temperature 216
- Rare earth fluorescence complexes**  
 luminescent europium–dibenzoylmethane complexes and their  
 Langmuir–Blodgett films 156
- Rare earth intermetallics**  
 magnetic properties and specific heat of  $GdBe_{13}$  59  
 magnetic properties of  $Tb_{1-x}U_xCo_5$  single crystals 77
- Rare earths**  
 the crystal structure and magnetic behaviour of the ternary  
 rare earth compounds  $RE_2Nb_3X_4$  with RE = rare earth and  
 X = Si, Ge 80
- Rb–U–O compounds**  
 molar Gibbs' free energy of formation of  $Rb_2U_4O_{11}(s)$  by  
 solid oxide electrolyte galvanic cell 1
- Relative dimensional variations**  
 a dilatometric study of nickel wire electrode electrochemically  
 charged by hydrogen 30
- Remanence enhanced materials**  
 remanence enhanced  $Nd_2Fe_{14}B/\alpha$ -Fe and  $Nd(Fe, Mo)_{12}N_x/\alpha$ -  
 Fe type magnetic powders produced by high-energy ball-  
 milling 232
- RPtGa compounds**  
 magnetic properties of the equiatomic ternary rare earth  
 platinum gallides 188
- ScAuGe**  
 crystal and electronic structures of ScAuGe, CeAuGe, and  
 LuAuGe: a transition from two- to three-dimensional  
 [AuGe] polyanions 170
- Segregation**  
 effect of grain size on grain boundary segregation 244

- Segregation kinetics  
 the segregation kinetics of carbon to a Mo(100) surface:  
 deviations from a parabolic time law due to subsurface  
 enrichment 104
- Short S···S contacts  
 structural and electronic properties of  $K_2Ni_3S_4$ , a pseudo-two  
 dimensional compound with a honeycomb-like arrangement  
 135
- Si-Te alloys  
 calorimetric investigations of liquid Ge-Te and Si-Te alloys  
 237
- Silicides  
 the crystal structure and magnetic behaviour of the ternary  
 rare earth compounds  $RE_2Nb_3X_4$  with RE = rare earth and  
 X = Si, Ge 80
- Singular point detection  
 magnetic properties of  $Y(Co_{1-x}Fe_x)_{10}Si_2$  compounds 197
- Sm-Co-Zr  
 co corner of the system Sm-Co-Zr: decomposition of the  
 phase 1:7 and equilibria at 850°C 112
- $Sm_2Fe_{17}$  carbides  
 nuclear magnetic resonance study of the  $Sm_2Fe_{17}$  carbides 66
- Sn-Te  
 experimental determination of the partial enthalpies of mixing  
 of tin and tellurium in Sn-Te melts 124
- Sodium auride indide  
 $Na_2Au_6In_5$ , the first compound in the system sodium-gold-  
 indium 7
- Specific heat  
 magnetic properties and specific heat of  $GdBe_{13}$  59  
 substitution experiments in  $U_3Cu_3Sn_4$  and  $U_3Au_3Sn_4$  192
- Specific surface area  
 plutonium dioxide particle properties as a function of  
 calcination temperature 216
- Spinel  
 oxygen nonstoichiometry of spinel  $LiMn_2O_{4-\delta}$  163
- Spin reorientation  
 magnetic properties of  $Tb_{1-x}U_xCo_5$  single crystals 77
- Strontium diauride  
 synthesis and structure of  $CaAu_2$  and  $SrAu_2$  12
- Structure determination  
 structure determination of  $\zeta$ - $Fe_2N$  by neutron and synchrotron  
 powder diffraction 15
- Structure factor  
 X-ray study of the structure of liquid Bi-Tl 120
- Structure refinement  
 synthesis and crystal structure of nitrate enclathrated sodalite  
 $Na_8[AlSiO_4]_6(NO_3)_2$  41
- Temperature profile  
 dynamic reaction characteristics of the tubular hydride bed  
 with large mass 84
- Ternary germanides  
 X-ray single crystal refinements on some  $RT_2Ge_2$  compounds  
 (R = Ca, Y, La, Nd, U; T = Mn-Cu, Ru-Pd): evolution of  
 the chemical bonds 201
- Ternary hydrides  
 study of the system  $Zr(Cr_{0.8-x}Co_xV_{0.2})_2-H_2$  93
- Ternary rare earth platinum gallides  
 magnetic properties of the equiatomic ternary rare earth  
 platinum gallides 188
- Thallium  
 X-ray study of the structure of liquid Bi-Tl 120
- $ThCr_2Si_2$ -type structure  
 X-ray single crystal refinements on some  $RT_2Ge_2$  compounds  
 (R = Ca, Y, La, Nd, U; T = Mn-Cu, Ru-Pd): evolution of  
 the chemical bonds 201
- Thermal analysis  
 studies on the interaction between lanthanide ions and ligands  
 in solid complexes of lanthanide hexacyanometalates. Part  
 I. The thermal dehydration of lanthanide  
 hexacyanocobaltate(III) hydrates,  $Ln[Co(CN)_6] \cdot nH_2O$   
 (Ln = La to Lu;  $n = 4,5$ ), and yttrium  
 hexacyanocobaltate(III) tetrahydrate 23
- Thermal dehydration  
 studies on the interaction between lanthanide ions and ligands  
 in solid complexes of lanthanide hexacyanometalates. Part  
 I. The thermal dehydration of lanthanide  
 hexacyanocobaltate(III) hydrates,  $Ln[Co(CN)_6] \cdot nH_2O$   
 (Ln = La to Lu;  $n = 4,5$ ), and yttrium  
 hexacyanocobaltate(III) tetrahydrate 23
- Thermochemistry  
 enthalpies of solution of vanadium and chromium in liquid  
 copper by high temperature calorimetry 128
- Thermodynamics  
 calorimetric investigations of liquid Ge-Te and Si-Te alloys  
 237  
 effect of grain size on grain boundary segregation 244
- Thermogravimetric analysis  
 oxygen nonstoichiometry of spinel  $LiMn_2O_{4-\delta}$  163
- Torsion measurements  
 total vapour pressure of  $FeI_2$  from torsion measurements 48
- Transformation mechanisms  
 co corner of the system Sm-Co-Zr: decomposition of the  
 phase 1:7 and equilibria at 850°C 112
- Transition metal oxides  
 studies on the interactions of transition metal oxides and  
 sodium sulfate in the temperature range 900-1200 K in  
 oxygen 97
- Tubular reactor  
 dynamic reaction characteristics of the tubular hydride bed  
 with large mass 84
- $U_3(Cu, Au_{1-x})_3Sn_4$   
 substitution experiments in  $U_3Cu_3Sn_4$  and  $U_3Au_3Sn_4$  192
- Uniaxial anisotropy  
 magnetic properties of  $Y(Co_{1-x}Fe_x)_{10}Si_2$  compounds 197
- Uranium intermetallics  
 magnetic properties of  $URuAl_{1-x}Sn_x$  72  
 magnetic properties of  $Tb_{1-x}U_xCo_5$  single crystals 77
- Valence charge transfer  
 studies on  $AB_2$ -type intermetallic compounds, I.  $Mg_2Ge$  and  
 $Mg_2Sn$ : single-crystal structure refinement and ab initio  
 calculations 250
- Van't Hoff plot  
 dynamic reaction characteristics of the tubular hydride bed  
 with large mass 84
- Vapour pressure  
 total vapour pressure of  $FeI_2$  from torsion measurements 48
- Viscosity  
 X-ray study of the structure of liquid Bi-Tl 120
- X-ray structure  
 X-ray single crystal refinements on some  $RT_2Ge_2$  compounds  
 (R = Ca, Y, La, Nd, U; T = Mn-Cu, Ru-Pd): evolution of  
 the chemical bonds 201
- Zero-flux surfaces  
 studies on  $AB_2$ -type intermetallic compounds, I.  $Mg_2Ge$  and  
 $Mg_2Sn$ : single-crystal structure refinement and ab initio  
 calculations 250
- Zinc ferrite  
 synthesis and characterization of fine particle  $ZnFe_2O_4$   
 powders by a low temperature method 150

- Zintl compound  
  synthesis and structure of the Zintl compound  $\text{Na}_2\text{Sr}_3\text{As}_4$  37
- Zintl phases  
  studies on  $\text{AB}_2$ -type intermetallic compounds, I.  $\text{Mg}_2\text{Ge}$  and  $\text{Mg}_2\text{Sn}$ : single-crystal structure refinement and ab initio calculations 250
- $\text{Zr}(\text{Cr}_{0.8-x}\text{Co}_x\text{V}_{0.2})_2$   
  study of the system  $\text{Zr}(\text{Cr}_{0.8-x}\text{Co}_x\text{V}_{0.2})_2\text{-H}_2$  93
- $\zeta\text{-Fe}_2\text{N}$   
  structure determination of  $\zeta\text{-Fe}_2\text{N}$  by neutron and synchrotron powder diffraction 15