



Journal of Alloys and Compounds 239 (1996) 233-237

# Subject Index of Volume 239

# AB<sub>2</sub>-alloys

properties of  $Zr(V_{0,25}Ni_{0.75})_2$  metal hydride as active electrode material 175

### Activation behaviour

metallurgical state of lanthanum and its effects on the activation behaviour of  $Zr(Cr_{0.4}Ni_{0.6})_2$  hydride formation 193

#### Additives

effect of MgO additive on coercivity, thermal stability and microstructure of Nd-Fe-B magnets 172

#### Ag-Pt phase diagram

a revision of the binary system Ag-Pt 226

#### Amorphous alloys

far infrared transmission study of the ternary system  $Sb_2S_3 - As_2S_3 - Tl_2S - 8$ 

### Anisotropic

further studies of anisotropic hydrogen decrepitation in Nd<sub>10</sub>Fe<sub>76</sub>B<sub>8</sub> sintered magnets 50

#### Anisotropy

anisotropic magnetization of some ferromagnetic and canted transition metal prictides 150

### Antiferromagnetism

ternary germanides LnAgGe (Ln = Y, Sm, Gd-Lu) with ordered Fe<sub>2</sub>P-type structure 34

### As-Sb-Tl-S alloys

far infrared transmission study of the ternary system  $Sb_2S_3 - As_5S_3 - Tl_5S_- 8$ 

### Band structure

band structure and chemical bonding in the hydrogen solid solution of Ti<sub>3</sub>P 16

### **Borides**

sputtered decorative hard coatings within the system LaB<sub>6</sub>-ZrB<sub>5</sub> 183

### BSCCO system

magnetic field dependence of samples of nominal composition Bi<sub>1.6</sub>Pb<sub>0.4</sub>Sr<sub>2</sub>Ca<sub>3</sub>Cu<sub>4</sub>O<sub>y</sub> (2234) prepared by various techniques 142

# CaCu<sub>s</sub> phases

thermodynamic properties of non-stoichiometric LaNi<sub>x-1</sub>Cu-H systems 214

### Calorimetry

thermodynamic properties of non-stoichiometric LaNi $_{x-1}$ Cu-H systems 214

### Ce compounds

transition from magnetic ordering to Kondo behavior in  $Ce_{3-x}La_xAl_{11}$  46

the influence of coherence in CePtSi 124

### Characterization

synthesis of yttriumtrihydride films for ex-situ measurements 158

### Chemical bonding

band structure and chemical bonding in the hydrogen solid solution of Ti<sub>3</sub>P 16

### Chronopotentiometry

high-temperature electrochemical synthesis and properties of intermetallic compounds in the Ni-Sc system. Part 2.

Thermodynamic and mechanical properties 107

### Cobalt hydride

on the isomorphous phase transformation in the solid f.c.c. solutions Co-H at high pressures 198

#### Coercivity

effect of MgO additive on coercivity, thermal stability and microstructure of Nd-Fe-B magnets 172

#### Coherence

the influence of coherence in CePtSi 124

#### Complex

Raman spectroscopic study of molten ZnBr<sub>2</sub>-KBr mixtures 114

#### Copper

quaternary chalcogenides of the IVa metals with layered structures: 1. Preparation and structural characterization of  $Tl_2Cu_2Hf_3Se_8$ ,  $Tl_2Cu_2Zr_3S_8$  and  $Tl_2Cu_2Zr_3Se_8$  1

### Co(II)-Se(IV) compounds

crystal structures of the new pseudo-isotypic compounds NaFe(SeO<sub>3</sub>), and BaCo(SeO<sub>3</sub>), 99

### Crystallograph

properties of  $Zr(V_{0,25}Ni_{0.75})_2$  metal hydride as active electrode material 175

### Crystal structure

quaternary chalcogenides of the IVa metals with layered structures: 1. Preparation and structural characterization of  $Tl_2Cu_2Hf_3Se_8,\ Tl_2Cu_2Zr_3S_8\ and\ Tl_2Cu_2Zr_3Se_8-1$ 

crystal structure of deloryite, Cu<sub>4</sub>(UO<sub>2</sub>)[Mo<sub>2</sub>O<sub>8</sub>](OH)<sub>6</sub> 23 crystal structures of the new pseudo-isotypic compounds NaFe(SeO<sub>3</sub>)<sub>2</sub> and BaCo(SeO<sub>3</sub>)<sub>2</sub> 99

crystal structure and magnetic behaviour of ternary YbTGa<sub>2</sub> compounds (T = Ni, Pd, Pt) and quaternary solid solutions YbPd<sub>1-x</sub>Ag<sub>x</sub>Ga<sub>2</sub> 127

### Cu-Ni

determination of diffusion in electrodeposited Cu-Ni compositionally-modulated multilayers based on magnetic measurements 41

### Cu-Ti-Ni system

formation and thermal stability of nanocrystalline Cu-Ti-Ni prepared by mechanical alloying 88

### Decorative coatings

sputtered decorative hard coatings within the system LaB<sub>6</sub>-ZrB<sub>2</sub> 183

### Decrepitation

further studies of anisotropic hydrogen decrepitation in  $Nd_{16}Fe_{76}B_8$  sintered magnets  $\phantom{0}50$ 

### Deloryite

crystal structure of deloryite, Cu<sub>4</sub>(UO<sub>2</sub>)[Mo<sub>2</sub>O<sub>8</sub>](OH)<sub>6</sub> 23

the Ti-based metal hydride electrode for Ni-MH rechargeable batteries 63

### DTA

a revision of the binary system Ag-Pt 226

Elsevier Science S.A.

#### Electrochemical behaviour

high-temperature electrochemical synthesis and properties of intermetallic compounds of the Ni-Sc system. Part 1. Electrochemical behaviour of Sc(III) in chloride-fluoride melts 103

### Electrode

properties of  $Zr(V_{0.25}Ni_{0.75})_2$  metal hydride as active electrode material 175

#### Electrodeposition

determination of diffusion in electrodeposited Cu-Ni compositionally-modulated multilayers based on magnetic measurements 41

### **EPMA**

a revision of the binary system Ag-Pt 226

### Er-Si intermetallics

phase diagram of the binary erbium-silicon system and physical properties of erbium silicides up to  $1050^{\circ}\text{C}$  77

### Er-Si system

phase diagram of the binary erbium-silicon system and physical properties of erbium silicides up to 1050°C 7

#### **ESR**

approximation to the metal-insulator transition by Gd<sup>3+</sup> doping in Pauli LaNiO<sub>3</sub> perovskite 31

# <sup>57</sup>Fe Mössbauer spectroscopy

effect of substitutions on 3d magnetism in  $Gd_2Fe_{14-x}M_xC$  compounds, with M = Ni, Si, Cu or V = 135

#### Fe-rich intermetallics

structural and magnetic properties of the novel compound Dy<sub>3</sub>(Fe,Ti)<sub>29</sub> 27

### Fe(III)-Se(IV) compounds

crystal structures of the new pseudo-isotypic compounds NaFe(SeO<sub>3</sub>)<sub>2</sub> and BaCo(SeO<sub>3</sub>)<sub>2</sub> 99

### Formation; TEM

 $Ti_5C_4 \ phase \ formation \ in \ rapidly \ solidified \\ Al_{96.52}Fe_{2.03}Si_{0.64}Ti_{0.46}C_{0.35} \ alloy \quad 203$ 

### Gd doping

approximation to the metal-insulator transition by Gd<sup>3+</sup> doping in Pauli LaNiO<sub>3</sub> perovskite 31

### Hafnium

quaternary chalcogenides of the IVa metals with layered structures: 1. Preparation and structural characterization of  $Tl_2Cu_2Hf_3Se_8,\ Tl_2Cu_2Zr_3S_8\ and\ Tl_2Cu_2Zr_3Se_8-1$ 

### Halide electrolyte

high-temperature electrochemical synthesis and properties of intermetallic compounds of the Ni-Sc system. Part 1. Electrochemical behaviour of Sc(III) in chloride-fluoride melts 103

### Heavy fermion

the influence of coherence in CePtSi 124

### High-field measurements

magnetic properties of  $R_6Fe_{11}Al_3$  and  $R_6Fe_{12}Al_2$  compounds with R = Pr, Nd = 147

### High pressure

on the isomorphous phase transformation in the solid f.c.c. solutions Co-H at high pressures 198

### High- $T_c$ superconductors

YBCO thick films on alumina substrates with sprayed YSZ buffer layers 55

### Hvdride

metallurgical state of lanthanum and its effects on the activation behaviour of Zr(Cr<sub>0.4</sub>Ni<sub>0.6</sub>)<sub>2</sub> hydride formation 103

### Hydrogen

band structure and chemical bonding in the hydrogen solid solution of Ti<sub>2</sub>P 16

further studies of anisotropic hydrogen decrepitation in  $Nd_{16}Fe_{76}B_8$  sintered magnets -50

#### Hydrogen in metals

synthesis of yttriumtrihydride films for ex-situ measurements 158

### Hydrogen sorption

the Ti-based metal hydride electrode for Ni–MH rechargeable batteries 63

thermodynamic properties of non-stoichiometric LaNi<sub>x-1</sub>Cu-H systems 214

#### Hydrogen storage

the Ti-based metal hydride electrode for Ni-MH rechargeable batteries 63

### Infrared transmission spectroscopy

far infrared transmission study of the ternary system  $Sb_2S_3 - As_5S_3 - Tl_5S - 8$ 

### p-c isotherms

thermodynamic properties of non-stoichiometric LaNi<sub>x-1</sub>Cu-H systems 214

#### Interdiffusion

determination of diffusion in electrodeposited Cu-Ni compositionally-modulated multilayers based on magnetic measurements 41

#### Intermediate valence

crystal structure and magnetic behaviour of ternary YbTGa $_2$  compounds (T = Ni, Pd, Pt) and quaternary solid solutions YbPd $_{1-\kappa}$ Ag $_{\kappa}$ Ga $_{2}$  127

### Intermetallic compounds

high-temperature electrochemical synthesis and properties of intermetallic compounds in the Ni-Sc system. Part 2.

Thermodynamic and mechanical properties 107

effect of substitutions on 3d magnetism in  $Gd_2Fe_{14-x}M_xC$  compounds, with M = Ni, Si, Cu or V = 135

### Isothermal section

subsolidus phase relations of the ternary La-Co-Al system

### Isothermal sections

interaction behaviour of neodymium and silver with elements of Group IVa at 600°C 94

### KBr

Raman spectroscopic study of molten  $ZnBr_2$ -KBr mixtures 114

# Kondo alloys

transition from magnetic ordering to Kondo behavior in Ce<sub>3-x</sub>La<sub>x</sub>Al<sub>11</sub> 46

### Kondo lattice

the influence of coherence in CePtSi 124

### La-Co-Al system

subsolidus phase relations of the ternary La-Co-Al system

### La-Ni-Cu alloys

thermodynamic properties of non-stoichiometric LaNi $_{x-1}$ Cu-H systems 214

### LaNiO<sub>3</sub> perovskite

approximation to the metal-insulator transition by Gd<sup>3+</sup> doping in Pauli LaNiO<sub>3</sub> perovskite 31

### Lanthanum

metallurgical state of lanthanum and its effects on the activation behaviour of  $Zr(Cr_{0.4}Ni_{0.6})_2$  hydride formation 193

Local environment

far infrared transmission study of the ternary system  $Sb_2S_3 - As_2S_3 - T1, S = 8$ 

Magnesium alloys

solid-state phase equilibria in the Mg corner of the Mg-Gd-Sm phase diagram 209

Magnet

further studies of anisotropic hydrogen decrepitation in Nd<sub>16</sub>Fe<sub>76</sub>B<sub>8</sub> sintered magnets 50

Magnetic correlation

the influence of coherence in CePtSi 124

Magnetic field dependence

magnetic field dependence of samples of nominal composition Bi<sub>1.6</sub>Pb<sub>0.4</sub>Sr<sub>2</sub>Ca<sub>3</sub>Cu<sub>4</sub>O<sub>y</sub> (2234) prepared by various techniques 142

Magnetic interactions

effect of substitutions on 3d magnetism in  $Gd_2Fe_{14-x}M_xC$  compounds, with M=Ni, Si, Cu or V=135

Magnetic measurements

transition from magnetic ordering to Kondo behavior in  $Ce_{3-x}La_xAl_{11}$  46

Magnetic ordering temperatures

on new rare-earth compounds LnIrGa and LnRhGa 131 Magnetic properties

structural and magnetic properties of the novel compound  $\mathrm{Dy}_3(\mathrm{Fe},\mathrm{Ti})_{29} = 27$ 

determination of diffusion in electrodeposited Cu-Ni compositionally-modulated multilayers based on magnetic measurements 41

magnetic properties of  $R_6Fe_{11}Al_3$  and  $R_6Fe_{12}Al_2$  compounds with R = Pr, Nd = 147

Magnetic susceptibility

approximation to the metal-insulator transition by Gd<sup>3+</sup> doping in Pauli LaNiO<sub>3</sub> perovskite 31

Magnetism

crystal structure and magnetic behaviour of ternary YbTGa<sub>2</sub> compounds (T = Ni, Pd, Pt) and quaternary solid solutions YbPd<sub>1-x</sub>Ag<sub>x</sub>Ga<sub>2</sub> 127

Magnetization

an sotropic magnetization of some ferromagnetic and canted transition metal prictides 150

Magnetocrystalline anisotropy

effect of substitutions on 3d magnetism in  $Gd_2Fe_{14-x}M_xC$  compounds, with M = Ni, Si, Cu or V = 135

Magnetron sputtering

sputtered decorative hard coatings within the system  $LaB_6-ZrB_2-183$ 

Mechanical alloying

formation and thermal stability of nanocrystalline Cu-Ti-Ni prepared by mechanical alloying 88

Metal hydride

properties of  $Zr(V_{0.25}Ni_{0.75})_2$  metal hydride as active electrode material 175

Metal hydride electrode

the Ti-based metal hydride electrode for Ni-MH rechargeable batteries 63

Metal-insulator transitions

synthesis of yttriumtrihydride films for ex-situ measurements 158

Metallic conductivity

ternary germanides LnAgGe (Ln = Y, Sm, Gd-Lu) with ordered Fe,P-type structure 34

Metallic films

synthesis of yttriumtrihydride films for ex-situ measurements 158

Metamagnetism

magnetic properties of  $R_6Fe_{11}Al_3$  and  $R_6Fe_{12}Al_2$  compounds with R = Pr, Nd 147

Mg-Gd-Sm system

solid-state phase equilibria in the Mg corner of the Mg-Gd-Sm phase diagram 209

MgO

effect of MgO additive on coercivity, thermal stability and microstructure of Nd-Fe-B magnets 172

Microhardness

high-temperature electrochemical synthesis and properties of intermetallic compounds in the Ni-Sc system. Part 2.

Thermodynamic and mechanical properties 107

Molten mixture

Raman spectroscopic study of molten  $ZnBr_2$ -KBr mixtures 114

Molten salt

high-temperature electrochemical synthesis and properties of intermetallic compounds of the Ni-Sc system. Part 1. Electrochemical behaviour of Sc(III) in chloride-fluoride melts 103

Molten salts

high-temperature electrochemical synthesis and properties of intermetallic compounds in the Ni-Sc system. Part 2.

Thermodynamic and mechanical properties 107

Molybdate

crystal structure of deloryite,  $Cu_4(UO_2)[Mo_2O_8](OH)_6$  23 Mössbauer spectroscopy

structural and magnetic properties of the novel compound Dy<sub>3</sub>(Fe,Ti)<sub>29</sub> 27

Multilayers

determination of diffusion in electrodeposited Cu-Ni compositionally-modulated multilayers based on magnetic measurements 41

Nanocrystalline materials

formation and thermal stability of nanocrystalline Cu-Ti-Ni prepared by mechanical alloying 88

Nd-Ag-Ge system

interaction behaviour of neodymium and silver with elements of Group IVa at 600°C 94

Nd-Ag-Pb system

interaction behaviour of neodymium and silver with elements of Group IVa at  $600^{\circ}\text{C}$  94

Nd-Ag-Sn system

interaction behaviour of neodymium and silver with elements of Group IVa at 600°C 94

NdFeB

further studies of anisotropic hydrogen decrepitation in  $Nd_{16}Fe_{76}B_8$  sintered magnets -50

Nd-Fe-B

effect of MgO additive on coercivity, thermal stability and microstructure of Nd-Fe-B magnets 172

Nickel

high-temperature electrochemical synthesis and properties of intermetallic compounds in the Ni-Sc system. Part 2.

Thermodynamic and mechanical properties 107

Non-stoichiometric compounds

thermodynamic properties of non-stoichiometric LaNi $_{x-1}$ Cu-H systems 214

Ordered phases

ordering phenomena and demixing in the quasiternary system  $HgTe/CdTe/In_2Te_3-117$ 

Permanent magnets

effect of MgO additive on coercivity, thermal stability and microstructure of Nd-Fe-B magnets 172

Phase diagram

phase diagram of the binary erbium-silicon system and physical properties of erbium silicides up to 1050°C 77 subsolidus phase relations of the ternary La-Co-Al system 83

solid-state phase equilibria in the Mg corner of the Mg-Gd-Sm phase diagram 209

Phase diagrams

ordering phenomena and demixing in the quasiternary system HgTe/CdTe/In<sub>2</sub>Te<sub>3</sub> 117

Phase transitions

ordering phenomena and demixing in the quasiternary system  $HgTe/CdTe/In_{_3}Te_{_3}$  117

Pore initiator

effects of rare earth chlorides on the preparation of porous ruthenium oxide electrodes 111

Porous material

effects of rare earth chlorides on the preparation of porous ruthenium oxide electrodes 111

Powders

short-range order of yttria doped zirconia powders studied by X-ray absorption (II) 71

Precipitation

 $Ti_5C_4$  phase formation in rapidly solidified  $Al_{96,52}Fe_{2.03}Si_{0.64}Ti_{0.46}C_{0.35}$  alloy 203

Preferential substitutions

effect of substitutions on 3d magnetism in  $Gd_2Fe_{14-x}M_xC$  compounds, with M = Ni, Si, Cu or V = 135

Preparation methods

magnetic field dependence of samples of nominal composition Bi<sub>1.6</sub>Pb<sub>0.4</sub>Sr<sub>2</sub>Ca<sub>3</sub>Cu<sub>4</sub>O<sub>y</sub> (2234) prepared by various techniques 142

Pressure-composition isotherms

the Ti-based metal hydride electrode for Ni-MH rechargeable batteries 63

**PVD** 

sputtered decorative hard coatings within the system  $LaB_6$ – $ZrB_2$  183

R-Fe-Al compounds

magnetic properties of  $R_6Fe_{11}Al_3$  and  $R_6Fe_{12}Al_2$  compounds with R = Pr, Nd = 147

Raman spectroscopy

Raman spectroscopic study of molten ZnBr<sub>2</sub>-KBr mixtures 114

Rapid solidification

 $Ti_5C_4$  phase formation in rapidly solidified  $Al_{96.52}Fe_{2.03}Si_{0.64}Ti_{0.46}C_{0.35}$  alloy 203

Rare earth chloride

effects of rare earth chlorides on the preparation of porous ruthenium oxide electrodes 111

Rare earth compounds

interaction behaviour of neodymium and silver with elements of Group IVa at 600°C 94

Rare-earth iridium and rhodium gallides

on new rare-earth compounds LnIrGa and LnRhGa 131 Rare earth metal

solid-state phase equilibria in the Mg corner of the Mg-Gd-Sm phase diagram 209

Rare earth silver germanium

ternary germanides LnAgGe (Ln = Y, Sm, Gd-Lu) with ordered Fe,P-type structure 34

Remanence

effect of MgO additive on coercivity, thermal stability and microstructure of Nd-Fe-B magnets 172

Resistivity

approximation to the metal-insulator transition by Gd<sup>3+</sup> doping in Pauli LaNiO<sub>3</sub> perovskite 31

phase diagram of the binary erbium-silicon system and physical properties of erbium silicides up to 1050°C 77 Ruthenium oxide

effects of rare earth chlorides on the preparation of porous ruthenium oxide electrodes 111

Scandium

high-temperature electrochemical synthesis and properties of intermetallic compounds of the Ni-Sc system. Part 1. Electrochemical behaviour of Sc(III) in chloride-fluoride melts 103

high-temperature electrochemical synthesis and properties of intermetallic compounds in the Ni-Sc system. Part 2.

Thermodynamic and mechanical properties 107

Selenide

quaternary chalcogenides of the IVa metals with layered structures: 1. Preparation and structural characterization of  $Tl_2Cu_2Hf_3Se_8$ ,  $Tl_2Cu_2Zr_3S_8$  and  $Tl_2Cu_2Zr_3Se_8$  1

Silver-platinum compounds

a revision of the binary system Ag-Pt 226

Single crystals

crystal structures of the new pseudo-isotypic compounds NaFe(SeO<sub>3</sub>)<sub>2</sub> and BaCo(SeO<sub>3</sub>)<sub>2</sub> 99

Sintering

effect of MgO additive on coercivity, thermal stability and microstructure of Nd-Fe-B magnets 172

Sol-gel processes

short-range order of yttria doped zirconia powders studied by X-ray absorption (II) 71

Solid solutions

ordering phenomena and demixing in the quasiternary system HgTe/CdTe/In<sub>2</sub>Te<sub>3</sub> 117

Solid solution YbPd<sub>1-x</sub>Ag<sub>x</sub>Ga<sub>2</sub>

crystal structure and magnetic behaviour of ternary YbTGa<sub>2</sub> compounds (T = Ni, Pd, Pt) and quaternary solid solutions YbPd<sub>1-x</sub>Ag<sub>x</sub>Ga<sub>2</sub>, 127

Specific heat measurements

transition from magnetic ordering to Kondo behavior in  $Ce_{3-x}La_xAl_{11}$  46

Sprayed buffer layers

YBCO thick films on alumina substrates with sprayed YSZ buffer layers 55

Structural vacancies

ordering phenomena and demixing in the quasiternary system  $HgTe/CdTe/In_{_{2}}Te_{_{3}}-117 \label{eq:4}$ 

Structure

short-range order of yttria doped zirconia powders studied by X-ray absorption (II) 71

Structure determination

structural and magnetic properties of the novel compound Dy<sub>3</sub>(Fe,Ti)<sub>29</sub> 27

Sulfides

quaternary chalcogenides of the IVa metals with layered structures: 1. Preparation and structural characterization of  $Tl_2Cu_2Hf_3Se_8$ ,  $Tl_2Cu_2Zr_3S_8$  and  $Tl_2Cu_2Zr_3Se_8$  1

TEM

 $Ti_5C_4$  phase formation in rapidly solidified  $Al_{96.52}Fe_{2.03}Si_{0.64}Ti_{0.46}C_{0.35}$  alloy 203

Ternary intermetallic compounds

subsolidus phase relations of the ternary La-Co-Al system 83

interaction behaviour of neodymium and silver with elements of Group IVa at 600°C 94

Ternary rare earth compounds

structural and magnetic properties of the novel compound  $Dy_3(Fe,Ti)_{29} = 27$ 

magnetic properties of  $R_6Fe_{11}Al_3$  and  $R_6Fe_{12}Al_2$  compounds with  $R=Pr,\ Nd-147$ 

Ternary rare-earth intermetallics

on new rare-earth compounds LnIrGa and LnRhGa 131 Thallium

quaternary chalcogenides of the IVa metals with layered structures: 1. Preparation and structural characterization of Tl<sub>2</sub>Cu<sub>2</sub>Hf<sub>3</sub>Se<sub>8</sub>, Tl<sub>2</sub>Cu<sub>2</sub>Zr<sub>3</sub>S<sub>8</sub> and Tl<sub>2</sub>Cu<sub>2</sub>Zr<sub>3</sub>Se<sub>8</sub> 1

Thermal expansion

phase diagram of the binary erbium-silicon system and physical properties of erbium silicides up to 1050°C 77 Thermal stability

formation and thermal stability of nanocrystalline Cu-Ti-Ni prepared by mechanical alloying 88

Thermodynamic properties

high-temperature electrochemical synthesis and properties of intermetallic compounds in the Ni-Sc system. Part 2.

Thermodynamic and mechanical properties 107

Thermodynamics

ordering phenomena and demixing in the quasiternary system HgTe/CdTe/In<sub>3</sub>Te<sub>3</sub> 117

Thick films

YBCO thick films on alumina substrates with sprayed YSZ buffer layers 55

Ti<sub>3</sub>P

band structure and chemical bonding in the hydrogen solid solution of Ti<sub>3</sub>P 16

Titanium carbide

 $\begin{array}{c} Ti_5C_4 \text{ phase formation in rapidly solidified} \\ Al_{96,52}Fe_{2,03}Si_{0,64}Ti_{0,46}C_{0,35} \text{ alloy} \end{array} \label{eq:constraint}$ 

Transition metal pnictides

anisotropic magnetization of some ferromagnetic and canted transition metal pnictides 150

Transition temperature

magnetic field dependence of samples of nominal composition Bi<sub>1.6</sub>Pb<sub>0.4</sub>Sr<sub>2</sub>Ca<sub>3</sub>Cu<sub>4</sub>O<sub>y</sub> (2234) prepared by various techniques 142

Trihydrides

synthesis of yttriumtrihydride films for ex-situ measurements

X-ray absorption

short-range order of yttria doped zirconia powders studied by X-ray absorption (II) 71

X-ray absorption spectroscopy

crystal structure and magnetic behaviour of ternary YbTGa<sub>2</sub> compounds (T = Ni, Pd, Pt) and quaternary solid solutions YbPd<sub>1-x</sub>Ag<sub>x</sub>Ga<sub>2</sub> 127

XPS

properties of  $Zr(V_{0.25}Ni_{0.75})_2$  metal hydride as active electrode material 175

XRD

a revision of the binary system Ag-Pt 226

Y-Ba-Cu-O

YBCO thick films on alumina substrates with sprayed YSZ buffer layers 55

Yttria stabilized zirconia

short-range order of yttria doped zirconia powders studied by X-ray absorption (II) 71

Zirconium

quaternary chalcogenides of the IVa metals with layered structures: 1. Preparation and structural characterization of Tl<sub>2</sub>Cu<sub>2</sub>Hf<sub>3</sub>Se<sub>8</sub>, Tl<sub>2</sub>Cu<sub>2</sub>Zr<sub>3</sub>S<sub>8</sub> and Tl<sub>2</sub>Cu<sub>2</sub>Zr<sub>3</sub>Se<sub>8</sub> 1

ZnBr,

Raman spectroscopic study of molten ZnBr<sub>2</sub>-KBr mixtures 114

Zr-based Laves phase

metallurgical state of lanthanum and its effects on the activation behaviour of Zr(Cr<sub>0.4</sub>Ni<sub>0.6</sub>)<sub>2</sub> hydride formation 193

ZrNiAl-structure

ternary germanides LnAgGe (Ln = Y. Sm. Gd-Lu) with ordered Fe,P-type structure 34