



Subject Index of Volume 293–295

- AB₅**
crystallographic study of LaNi_{5-x}Sn_x (0.2 ≤ x ≤ 0.5) compounds and their hydrides 124
about the mechanism and the rate limiting step of the metalhydride electrode reaction 663
- AB₅ alloy**
influence of Ce and Nd contents of Ml(NiCoMnAl)₅ alloy on the performances of Ni–MH batteries 821
- AB₂ alloys**
performance of an AB₂ alloy in sealed Ni–MH batteries for electric vehicles: quantification of corrosion rate and consequences on the battery performance 770
- AB₂ Laves phase**
properties of Zr_{0.5}Ti_{0.5}V_{0.75}Ni_{1.25} alloy ball-milled with nanocrystalline LaNi₅ powder 712
- Absorption**
evaluation of kinetics by utilizing the normalized pressure dependence method for the alloy
Ti_{0.95}Zr_{0.05}Mn_{1.48}V_{0.43}Fe_{0.08}Al_{0.01} 385
absorption of hydrogen isotopes by Pd–Pt alloys 900
- AB₂ type alloy, P–c–T curves**
dynamic P–c–T relations of the La-incorporated/fluorinated AB₂ hydriding alloys 391
- AB₅ type alloy**
studies on the electrochemical properties of MlNi_{4.3-x}Co_xAl_{0.7} hydride alloy electrodes 648
- AB₅-type hydrogen storage alloy**
electrochemical properties of Ml(NiCoMnCu)₅ used as an alkaline fuel cell anode 833
- AB₅ type hydrogen storage alloys**
electrochemical performance of Sn-substituted, LaNi₅-based rapidly solidified alloys 724
- AB₂-type Zr-based hydrogen storage alloys**
influences of annealing heat treatment on phase structure and electrochemical properties of Zr(MnVNi)₂ hydrogen storage alloys 691
- Activation**
neutron diffraction study of the LaNi₅–D system during activation 118
a review on the development of AB₂-type Zr-based Laves phase hydrogen storage alloys for Ni–MH rechargeable batteries in the Korea Advanced Institute of Science and Technology 583
contribution of rare-earths to activation property of Zr-based hydride electrodes 632
improvement of the electrochemical properties of Zr-based AB₂ alloys by an advanced fluorination technique 702
effect of alkaline pretreatments (KOH, NaOH, LiOH) on electrochemical hydriding rate and work function of LaNi_{2.5}Co_{2.5} 751
- Activation process**
a study of the main factors affecting Ni–MH battery activation 799
- Aging**
tritium aging effects in palladium on kieselguhr 62
- Alkaline atom**
effect of alkaline pretreatments (KOH, NaOH, LiOH) on electrochemical hydriding rate and work function of LaNi_{2.5}Co_{2.5} 751
- Alkaline fuel cell**
electrochemical properties of Ml(NiCoMnCu)₅ used as an alkaline fuel cell anode 833
- Alkaline treatment**
effect of LiOH pretreatment on H₂ absorption kinetics of LaNi₅ 369
effect of advanced alkaline treatment on the electrochemical characteristics of hydrogen storage alloys 687
- Alloy(s)**
synthesis and properties of multicomponent hydrides with high density 421
a panoramic overview of hydrogen storage alloys from a gas reaction point of view 877
- Alternating current impedance spectroscopy**
effect of state of charge on impedance spectrum of sealed Ni–MH cells 788
- Aluminum**
calculation of the radial distribution function of bubbles in the aluminum hydrogen system 231
- Amorphous**
the intrinsic degradation behavior of (V_{0.53}Ti_{0.47})_{0.925}Fe_{0.075} alloy during temperature-induced hydrogen absorption-desorption cycling 150
hydriding properties of the MgNi-based systems 437
hydrogen absorption properties of amorphous and crystalline alloys in the pseudobinary ZrCo–TiNi system 526
Mg₂Ni hydride electrodes prepared by sintering and subsequent ball milling with Ni powders 536
synthesis and hydriding/dehydriding properties of amorphous Mg₂Ni_{1.9}M_{0.1} alloys mechanically alloyed from Mg₂Ni_{0.9}M_{0.1} (M = none, Ni, Ca, La, Y, Al, Si, Cu and Mn) and Ni powder 541
electrochemical and structural characteristics of amorphous MgNi_x (x ≥ 1) alloys prepared by mechanical alloying 552
- Amorphous alloys**
absorption of hydrogen in Zr based amorphous alloys under high pressures of gaseous hydrogen 7
- Anelasticity**
dynamics of hydrogen in scandium and yttrium by acoustic spectroscopy 334
H and D tunnelling systems in diluted Nb_{1-x}Zr_x alloys 338
local dynamics of H and D trapped by substitutional dopants in semiconductors 396
- Anisotropy**
effect of the disproportionation and recombination stages of the HDDR process on the inducement of anisotropy in Nd–Fe–B magnets 862
- Annealing treatment**
influences of annealing heat treatment on phase structure and electrochemical properties of Zr(MnVNi)₂ hydrogen storage alloys 691

- Applications
 a panoramic overview of hydrogen storage alloys from a gas reaction point of view 877
- Ball mill
 hydrogen-absorbing magnesium composites prepared by mechanical grinding with graphite: effects of additives on composite structures and hydriding properties 564
- Ball milling
 catalysed reactive milling 400
 structural study and hydrogen sorption kinetics of ball-milled magnesium hydride 495
 Mg₂Ni hydride electrodes prepared by sintering and subsequent ball milling with Ni powders 536
 Mg₂Ni-based hydrogen storage alloys for metal hydride electrodes 675
 improvement of the electrochemical properties of Zr-based AB₂ alloys by an advanced fluorination technique 702
- Ball-milling treatment
 modification of a rapidly solidified hydrogen storage electrode alloy by ball-milling with Co₃Mo 670
- BaReH₉
 electronic structure of BaReH₉ 217
- Battery
 charge and discharge characteristics of sintered Mg₂Ni 626
- Bonding characteristics
 chemical structure and bonding characteristics of metal hydrogen systems studied by the surface analytical techniques SIMS and XPS 202
- Born-Mayer interatomic potential
 a Born-Mayer approach to the hydrogen potential in C-15 Laves phase compounds 300
- Boron oxide
 hydrogenation behaviour, neutron diffraction studies and microstructural characterisation of boron oxide-doped Zr–V alloys 93
- Brite Euram project
 development of fast kinetics metal hydride alloys and battery electrodes for high power applications 734
- Calorimetry
 calorimetric investigation of the hydrogen interaction with ZrCrFe_{1.2} 34
- CANDU
 influence of neutron irradiation on H diffusion in Zr–2.5Nb alloy 324
 solubility and partitioning of hydrogen in metastable Zr-based alloys used in the nuclear industry 893
- CaNi₅
 systematic B-metal substitution in CaNi₅ 185
 transfer hydrogenation of olefin from alcohol using a hydrogen-absorbing alloy (CaNi₅) catalyst 919
- Carbonyl
 the structural peculiarities of the transition metals carbonyls produced by combustion synthesis 452
- Carbon
 influence of carbon on electrode properties of V–Ti–Ni type hydrogen storage alloy 716
 a panoramic overview of hydrogen storage alloys from a gas reaction point of view 877
- Cast
 comparison of the electrochemical properties of cast and melt-spun MLNi_{4.3–x}Co_xMn_{0.4}Al_{0.3} (ML: La-rich Mischmetal) hydrogen-storage alloys 742
- Catalysis
 catalysed reactive milling 400
- Catalyst
 transfer hydrogenation of olefin from alcohol using a hydrogen-absorbing alloy (CaNi₅) catalyst 919
- Catalytic transfer hydrogenation
 transfer hydrogenation of olefin from alcohol using a hydrogen-absorbing alloy (CaNi₅) catalyst 919
- Ce and Nd contents
 influence of Ce and Nd contents of Ml(NiCoMnAl)₅ alloy on the performances of Ni–MH batteries 821
- Cerium
 the effect of O₂ preadsorption on the rate of H₂ absorption on the surface of rare earths (La, Ce, Tb, Dy) at 298 K 403
- Cerium–nickel–silicon compounds
 hydride formation in Ce(La)–Ni–Si ternary compounds 429
- Charge–discharge characteristics
 characteristics of Ni/MH power batteries and its application to electric vehicles 804
- Chemical structure
 chemical structure and bonding characteristics of metal hydrogen systems studied by the surface analytical techniques SIMS and XPS 202
- Cluster
 hydrogen sorption in elastically soft stabilized Pd-clusters 480
- Cluster size
 pd-cluster size effects of the hydrogen sorption properties 472
- Co additive
 effect of Co additives on the cycle life of Ni–MH batteries 829
- Cobalt powder
 effect of cobalt powder on the inner pressure of Ni/MH batteries 825
- Combustion synthesis
 the structural peculiarities of the transition metals carbonyls produced by combustion synthesis 452
- Complete crystallization method from amorphous solids
 advanced nanocrystalline Zr-based AB₂ hydrogen storage electrode materials for NiMH EV batteries 508
- Complex hydride
 a panoramic overview of hydrogen storage alloys from a gas reaction point of view 877
- Concentration of alkaline
 influence of concentration of KOH solution containing 0.02 M borohydride on the kinetic properties of hydrogen storage alloys 680
- Co/Pt
 hydrogen ion implantation effect on the magnetic properties of metallic multilayered films 463
- Corrosion
 performance of an AB₂ alloy in sealed Ni–MH batteries for electric vehicles: quantification of corrosion rate and consequences on the battery performance 770
- Crystal and magnetic structure
 crystal and magnetic structure of TbNiAl-based deuterides, TbNiAlD_{0.30} and TbNiAlD_{1.04}, studied by neutron diffraction and synchrotron radiation 178
- Crystallinity
 in situ study of hydriding–dehydriding properties in some Pd/Mg thin films with different degree of Mg crystallization 484
- Crystal structure
 hydrogen ordering and H-induced phase transformations in Zr-based intermetallic hydrides 74
 hydride formation in Ce(La)–Ni–Si ternary compounds 429
- CsCl-type crystal structure
 electronic structure and hydriding property of titanium compounds with CsCl-type structure 213
- Cycle life
 charge and discharge characteristics of sintered Mg₂Ni 626

- effects of pretreatments on the electrochemical properties of
 MINi_{4.0}Co_{0.6}Al_{0.4} alloy electrode and the performance of a Ni/
 Metal hydride battery 728
- performance of an AB₂ alloy in sealed Ni–MH batteries for electric
 vehicles: quantification of corrosion rate and consequences on
 the battery performance 770
- influence of Ce and Nd contents of Ml(NiCoMnAl)₅ alloy on the
 performances of Ni–MH batteries 821
- effect of Co additives on the cycle life of Ni–MH batteries 829
- Debye temperature
 thermal and mechanical properties of zirconium hydride 23
- isotope effects on the physicochemical properties of zirconium
 hydride 908
- Decomposition
 stability of the hydrogen absorption and desorption plateaux in
 LaNi₅–H. Part 5: H capacity 57
- Degradation
 the intrinsic degradation behavior of (V_{0.53}Ti_{0.47})_{0.925}Fe_{0.075} alloy
 during temperature-induced hydrogen absorption–desorption
 cycling 150
- Degradation behavior
 degradation behavior of foamed nickel positive electrodes of Ni–
 MH batteries 795
- Degradation mechanism
 degradation mechanism of the misch metal alloy hydride electrodes
 737
- Dehydrogenation
 transfer hydrogenation of olefin from alcohol using a hydrogen-
 absorbing alloy (CaNi₅) catalyst 919
- Desorption
 protium diffusion in La–Ni alloys 270
- evaluation of kinetics by utilizing the normalized pressure
 dependence method for the alloy
 Ti_{0.95}Zr_{0.05}Mn_{1.48}V_{0.43}Fe_{0.08}Al_{0.01} 385
- Desorption kinetics of H₂
 hydrogen desorption kinetics of hydrides of LaNi_{4.5}Al_{0.5},
 LaNi_{4.5}Mn_{0.5} and LaNi_{2.5}Co_{2.5} 407
- Deuteride(s)
 crystal and magnetic structure of TbNiAl-based deuterides,
 TbNiAlD_{0.30} and TbNiAlD_{1.04}, studied by neutron diffraction
 and synchrotron radiation 178
- magnetic properties of intermetallic compound hydrides and
 deuterides 243
- Deuterium
 influence of neutron irradiation on H diffusion in Zr–2.5Nb alloy
 324
- the use of small angle neutron scattering in the study of hydrogen
 trapping at defects in metals 346
- Deuterium positions
 neutron diffraction study of the new hexagonal laves phase
 (Hf,Ti)(Ni,V)₂ and its deuteride 169
- Diffusion
 muon–proton correlated diffusion in TiH_x 266
- protium diffusion in La–Ni alloys 270
- local and long-range hydrogen diffusion in Nb(OH)_{0.011} 275
- coherency stresses and deuterium diffusion in NbD_{0.33} 289
- muon diffusion in metallic hydride systems 292
- Monte Carlo simulation of hydrogen diffusion in C15 Laves phase
 intermetallic compounds 296
- influence of neutron irradiation on H diffusion in Zr–2.5Nb alloy
 324
- hydrogen permeation through magnesium 329
- quasi-elastic neutron scattering study of the hydrogen diffusion in
 the C15 Laves structure, TiCr_{1.85} 351
- in situ monitoring of hydrogen absorption–desorption in Pd and
 Pd₇₇Ag₂₃ films by an electrochemical quartz crystal
 microbalance 468
- Diffusion of H
 hydrogen desorption kinetics of hydrides of LaNi_{4.5}Al_{0.5},
 LaNi_{4.5}Mn_{0.5} and LaNi_{2.5}Co_{2.5} 407
- Discharge capacity
 electrochemical properties and characteristics of a fluorinated AB₂-
 alloy 593
- influence of Ce and Nd contents of Ml(NiCoMnAl)₅ alloy on the
 performances of Ni–MH batteries 821
- Discrete volume expansion
 effect of substitution on hysteresis in some high-pressure AB₂ and
 AB₅ metal hydrides 67
- Dislocation(s)
 neutron diffraction study of the LaNi₅–D system during activation
 118
- the use of small angle neutron scattering in the study of hydrogen
 trapping at defects in metals 346
- Disordered
 a BPP model for nuclear spin relaxation in disordered metal–
 hydrogen systems 260
- Disordered Mg₂NiH₄
 structural studies of disordered Mg₂NiH₄ formed by mechanical
 grinding 146
- Disproportionation
 effect of the disproportionation and recombination stages of the
 HDDR process on the inducement of anisotropy in Nd–Fe–B
 magnets 862
- Duplicated fluorination
 a duplicated fluorination technique for hydrogen storage alloys
 364
- Dynamics, Fluorination treatment
 dynamic P-c-T relations of the La-incorporated/fluorinated AB₂
 hydriding alloys 391
- Dysprosium
 the effect of O₂ preadsorption on the rate of H₂ absorption on the
 surface of rare earths (La, Ce, Tb, Dy) at 298 K 403
- EIS
 contribution of rare-earths to activation property of Zr-based
 hydride electrodes 632
- Elastic modulus
 thermal and mechanical properties of zirconium hydride 23
- isotope effects on the physicochemical properties of zirconium
 hydride 908
- Electrical resistivity
 migration of hydrogen in yttrium at low temperatures 341
- Electric vehicle
 characteristics of Ni/MH power batteries and its application to
 electric vehicles 804
- Electrocatalytic activity
 the effect of annealing on the discharge characteristics of
 ZrV_{0.7}Mn_{0.5}Ni_{1.2} alloy 601
- Electrochemical cell
 hydrogen transport between proton conducting oxide and hydrogen
 storage metal 838
- Electrochemical impedance spectroscopy
 electrochemical impedance spectroscopy study of Ni/MH batteries
 814
- Electrochemical PCT
 influence of carbon on electrode properties of V–Ti–Ni type
 hydrogen storage alloy 716
- Electrochemical performance
 improvement of the electrochemical properties of Zr-based AB₂
 alloys by an advanced fluorination technique 702
- Electrochemical properties
 advanced nanocrystalline Zr-based AB₂ hydrogen storage electrode
 materials for NiMH EV batteries 508
- studies on the electrochemical properties of MINi_{4.3–x}Co_xAl_{0.7}
 hydride alloy electrodes 648

- Mg₂Ni-based hydrogen storage alloys for metal hydride electrodes 675
- influence of concentration of KOH solution containing 0.02 M borohydride on the kinetic properties of hydrogen storage alloys 680
- effects of the amount of Mg impurity on the electrochemical properties of MI(NiCoMnTi)₅ hydrogen storage alloy 684
- influences of annealing heat treatment on phase structure and electrochemical properties of Zr(MnVNi)₂ hydrogen storage alloys 691
- hydrogen extraction by Laves phase alloys in an alkaline solution containing hydrazine 698
- a study of the main factors affecting Ni–MH battery activation 799
- electrochemical properties of MI(NiCoMnCu)₅ used as an alkaline fuel cell anode 833
- Electrochemical property
- properties of Zr_{0.5}Ti_{0.5}V_{0.75}Ni_{1.25} alloy ball-milled with nanocrystalline LaNi₅ powder 712
- comparison of the electrochemical properties of cast and melt-spun MLNi_{4.3–x}Co_xMn_{0.4}Al_{0.3} (ML: La-rich Mischmetal) hydrogen-storage alloys 742
- Electrochemistry
- about the mechanism and the rate limiting step of the metalhydride electrode reaction 663
- Electrode composition
- study of preparation technology for high performance AA size Ni–MH batteries 784
- Electrode material
- influence of cobalt content in MmNi_{4.3–x}Mn_{0.3}Al_{0.4}Co_x alloy (x = 0.36 and 0.69) on its electrochemical behaviour studied by in situ neutron diffraction 637
- Electrode(s)
- systematic B-metal substitution in CaNi₅ 185
- the improvement of the hydrogenation properties of nickel-metal hydride battery alloy by surface modification with platinum group metals (PGMs) 613
- degradation mechanism of the misch metal alloy hydride electrodes 737
- Electron-density distribution
- the synthesis and magnetic properties of LaCo₁₃ hydrides and nitrides 247
- Electronegative element
- electrochemical properties of mechanically ground Mg₂Ni alloy 643
- Electronic structure
- electronic structure and stability of hydrides of intermetallic compounds 190
- electronic structure and hydriding property of titanium compounds with CsCl-type structure 213
- electronic structure of BaReH₉ 217
- roles of the hydride forming and non-forming elements in hydrogen storage alloys 222
- chemical bond state and hydride stability of hydrogen storage alloys 227
- the influence of hydrogen on the magnetic properties and electronic structures of intermetallic compounds: YFe₂–D₂ system as an example 237
- Electron-stimulated desorption
- a new method for two-dimensional hydrogen analysis and its application to metal surfaces 361
- Energy supply
- recent developments in hydrogen storage applications based on metal hydrides 889
- EQCM
- in situ monitoring of hydrogen absorption–desorption in Pd and Pd₇₇Ag₂₃ films by an electrochemical quartz crystal microbalance 468
- Equivalent circuit parameters
- effect of state of charge on impedance spectrum of sealed Ni–MH cells 788
- Eutectoid steel
- nature of hydrogen trapping sites in steels induced by plastic deformation 310
- Ferritic stainless steels
- hydrogen surface effects in ferritic stainless steels 356
- Ferritic steel
- nature of hydrogen trapping sites in steels induced by plastic deformation 310
- Ferromagnetism
- magnetic properties of intermetallic compound hydrides and deuterides 243
- Fluorination
- improvement of activation stage of MmNi_{4.7}Al_{0.3} hydride-forming alloys by surface fluorination 374
- electrochemical Properties and Characteristics of the Fluorinated Zr_{0.9}Ti_{0.1}V_{0.2}Mn_{0.6}Ni_{1.3}La_{0.05} electrode 707
- Fluorination technique
- electrochemical properties and characteristics of a fluorinated AB₂-alloy 593
- Foamed nickel electrode
- degradation behavior of foamed nickel positive electrodes of Ni–MH batteries 795
- Fuel cell
- recent developments in hydrogen storage applications based on metal hydrides 889
- Ga-additive
- Ga site occupancy in HDDR-treated Nd₂Fe₁₄B-based alloy by XAFS 872
- Gradient magnetic fields
- electromotive force of metal hydride electrodes in gradient magnetic fields 251
- Grain boundary
- a visible technology for display of hydrogen distribution in metals 317
- Graphite carbon
- hydrogen-absorbing magnesium composites prepared by mechanical grinding with graphite: effects of additives on composite structures and hydriding properties 564
- H in metals
- local and long-range hydrogen diffusion in Nb(OH)_{0.011} 275
- Hafnium
- influence of interstitial oxygen on hydrogen solubility in metals 42
- Hardness
- thermal and mechanical properties of zirconium hydride 23
- isotope effects on the physicochemical properties of zirconium hydride 908
- HDDR
- effect of the disproportionation and recombination stages of the HDDR process on the inducement of anisotropy in Nd–Fe–B magnets 862
- phase transformation and magnetic properties of Nd₈Fe₈₄Ti₈ alloy during HDDR process 868
- Ga site occupancy in HDDR-treated Nd₂Fe₁₄B-based alloy by XAFS 872
- Heat capacity
- thermal and mechanical properties of zirconium hydride 23
- isotope effects on the physicochemical properties of zirconium hydride 908
- Heat pump
- a multi-hydride thermal wave device for simultaneous heating and cooling 915

- Heat treatment
 new V-based alloys with high protium absorption and desorption capacity 433
 hydriding properties of the heat-treated MgNi alloys with nanostructural designed multiphase 546
 electrochemical characteristics of nanocrystalline ZrCr₂ and Mg₂Ni type metal hydrides prepared by mechanical alloying 556
- Hf based intermetallics
 hydrogen absorption and desorption properties of Hf-based intermetallic compounds 417
- High cooling rate
 effect of rapid solidification process on the alloy structure and electrode performance of Zr(Ni_{0.55}V_{0.1}Mn_{0.3}Cr_{0.55})_{2.1} 756
- High hydrogen pressure
 absorption of hydrogen in Zr based amorphous alloys under high pressures of gaseous hydrogen 7
- High magnetic field
 magnetic properties of intermetallic compound hydrides and deuterides 243
- High pressure
 high-pressure studies of Laves phase intermetallic hydrides– Adaptation of statistical thermodynamic models 14
 pseudobinary intermetallic compounds in Hf₂M'–Hf₂M'' (M', M''= Mn, Fe, Ni, Cu) systems and their interaction with hydrogen at high pressures 426
- High-pressure hydrides
 effect of substitution on hysteresis in some high-pressure AB₂ and AB₅ metal hydrides 67
- High rate
 preparation and properties of no-binder electrode Ni/MH battery 780
- Hot alkaline treatment
 hot alkaline treatment on hydrogen storage alloys in sealed Ni/MH batteries 809
- Hot-charging
 a review on the development of AB₂-type Zr-based Laves phase hydrogen storage alloys for Ni–MH rechargeable batteries in the Korea Advanced Institute of Science and Technology 583
- H tunnelling
 dynamics of hydrogen in scandium and yttrium by acoustic spectroscopy 334
 H and D tunnelling systems in diluted Nb_{1-x}Zr_x alloys 338
 local dynamics of H and D trapped by substitutional dopants in semiconductors 396
- Hydride(s)
 high-pressure studies of Laves phase intermetallic hydrides– Adaptation of statistical thermodynamic models 14
 calorimetric investigation of the hydrogen interaction with ZrCrFe_{1.2} 34
 tritium aging effects in palladium on kieselguhr 62
 hydrogen ordering and H-induced phase transformations in Zr-based intermetallic hydrides 74
 structural studies of Laves phases ZrCo(V_{1-x}Cr_x) with 0 ≤ x ≤ 1 and their hydrides 88
 crystallographic study of LaNi_{5-x}Sn_x (0.2 ≤ x ≤ 0.5) compounds and their hydrides 124
 systematic B-metal substitution in CaNi₅ 185
 roles of the hydride forming and non-forming elements in hydrogen storage alloys 222
 chemical bond state and hydride stability of hydrogen storage alloys 227
 the influence of hydrogen on the magnetic properties and electronic structures of intermetallic compounds: YFe₂–D₂ system as an example 237
 the synthesis and magnetic properties of LaCo₁₃ hydrides and nitrides 247
 synthesis and properties of multicomponent hydrides with high density 421
 hydride formation in Ce(La)–Ni–Si ternary compounds 429
 charge and discharge characteristics of sintered Mg₂Ni 626
 influence of cobalt content in MnNi_{4.3-x}Mn_{0.3}Al_{0.4}Co_x alloy (x= 0.36 and 0.69) on its electrochemical behaviour studied by in situ neutron diffraction 637
 tensile and impact properties of mesoscopic-grained α+β-type titanium alloys obtained through hydrogen treatments 858
 a panoramic overview of hydrogen storage alloys from a gas reaction point of view 877
- Hydride electrode
 effect of rapid solidification process on the alloy structure and electrode performance of Zr(Ni_{0.55}V_{0.1}Mn_{0.3}Cr_{0.55})_{2.1} 756
- Hydriding and dehydriding rate
 some microstructural aspects of hydriding internally oxidized Pd–Al alloys 306
- Hydriding rate
 effect of alkaline pretreatments (KOH, NaOH, LiOH) on electrochemical hydriding rate and work function of LaNi_{2.5}Co_{2.5} 751
- Hydrogen
 hydrogen dissolution into zirconium oxide 38
 a BPP model for nuclear spin relaxation in disordered metal–hydrogen systems 260
 muon diffusion in metallic hydride systems 292
 hydrogen permeation through magnesium 329
 the use of small angle neutron scattering in the study of hydrogen trapping at defects in metals 346
 quasi-elastic neutron scattering study of the hydrogen diffusion in the C15 Laves structure, TiCr_{1.85} 351
 hydrogen surface effects in ferritic stainless steels 356
 a new method for two-dimensional hydrogen analysis and its application to metal surfaces 361
 kinetics and morphology of the reverse β→α hydride transformation in thermodynamically open Pd–H system 379
 catalysed reactive milling 400
 hydriding properties of the MgNi-based systems 437
 hydrogen-induced stress in Nb single layers 490
 synthesis and hydriding/dehydriding properties of amorphous Mg₂Ni_{1.9}M_{0.1} alloys mechanically alloyed from Mg₂Ni_{0.9}M_{0.1} (M=none, Ni, Ca, La, Y, Al, Si, Cu and Mn) and Ni powder 541
 tensile and impact properties of mesoscopic-grained α+β-type titanium alloys obtained through hydrogen treatments 858
 solubility and partitioning of hydrogen in metastable Zr-based alloys used in the nuclear industry 893
 absorption of hydrogen isotopes by Pd–Pt alloys 900
- Hydrogen-absorbing alloy
 transfer hydrogenation of olefin from alcohol using a hydrogen-absorbing alloy (CaNi₅) catalyst 919
- Hydrogen absorption
 absorption of hydrogen in Zr based amorphous alloys under high pressures of gaseous hydrogen 7
 hydrogen absorption and desorption properties of Hf-based intermetallic compounds 417
 hydrogen absorption properties of amorphous and crystalline alloys in the pseudobinary ZrCo–TiNi system 526
 hydrogen-absorbing magnesium composites prepared by mechanical grinding with graphite: effects of additives on composite structures and hydriding properties 564
- Hydrogen absorption and desorption
 hydrogen absorption and desorption by Ti, Ti-5Cr and Ti-5Ni alloys 412
- Hydrogen absorption/desorption
 hydrogen in thin epitaxial Nb films 476
- Hydrogen absorption–desorption properties
 structural investigation and solid-H₂ reaction of Mg₂Ni rich nanocomposite materials elaborated by mechanical alloying 501

- Hydrogen absorption kinetic
 effect of LiOH pretreatment on H₂ absorption kinetics of LaNi₅ 369
- Hydrogen absorption rate
 improvement of hydrogen storage properties of melt-spun Mg–Ni–RE alloys by nanocrystallization 521
- Hydrogenation
 electrochemical characteristics of nanocrystalline ZrCr₂ and Mg₂Ni type metal hydrides prepared by mechanical alloying 556
 tensile and impact properties of mesoscopic-grained $\alpha+\beta$ -type titanium alloys obtained through hydrogen treatments 858
- Hydrogenation–Disproportionation–Desorption–Recombination
 hydrogen ordering and H-induced phase transformations in Zr-based intermetallic hydrides 74
- Hydrogen capacity
 stability of the hydrogen absorption and desorption plateaux in LaNi₅–H. Part 5: H capacity 57
- Hydrogen charging
 in situ measurement of lattice parameter change on Pd and Ni during cathodic hydrogen charging 174
- Hydrogen diffusion
 multi-layer problems in time-lag measurements applied on metal–hydrogen systems 282
- Hydrogen diffusivity
 determination of hydrogen diffusivity by subscale microhardness profiling 279
- Hydrogen dissolution
 hydrogen dissolution into zirconium oxide 38
- Hydrogen distribution
 a visible technology for display of hydrogen distribution in metals 317
- Hydrogen-induced
 hydrogen-induced rearrangements in Pd-rich alloys 161
- Hydrogen-induced phase transformations
 hydrogen treatment (processing) of materials: current status and prospects 844
- Hydrogen in metals
 coherency stresses and deuterium diffusion in NbD_{0.33} 289
- Hydrogen ion-implantation
 hydrogen ion implantation effect on the magnetic properties of metallic multilayered films 463
- Hydrogen loading
 hydrogen sorption in elastically soft stabilized Pd-clusters 480
- Hydrogen migration
 migration of hydrogen in yttrium at low temperatures 341
- Hydrogen motions
 structural ordering and dynamics of LaH_{3-x} 113
- Hydrogen potential well
 a Born-Mayer approach to the hydrogen potential in C-15 Laves phase compounds 300
- Hydrogen pressure
 effect of the disproportionation and recombination stages of the HDDR process on the inducement of anisotropy in Nd–Fe–B magnets 862
- Hydrogen solubility
 hydrogen solution in homogeneous Pd–Fe alloys 1
 thermodynamic properties of hydrogen in fine Pd powders 19
 influence of interstitial oxygen on hydrogen solubility in metals 42
 study on the hydrogen solubility in UNiAl 52
 enhancement of hydrogen solubility in α -iron by coherent precipitates 443
- Hydrogen sorption
 pd-cluster size effects of the hydrogen sorption properties 472
- Hydrogen storage
 systematic B-metal substitution in CaNi₅ 185
 the effect of novel processing on hydrogen uptake in FeTi- and magnesium-based alloys 458
 in situ study of hydriding–dehydriding properties in some Pd/Mg thin films with different degree of Mg crystallization 484
 structural study and hydrogen sorption kinetics of ball-milled magnesium hydride 495
 hydriding properties of the heat-treated MgNi alloys with nanostructural designed multiphase 546
 recent developments in hydrogen storage applications based on metal hydrides 889
- Hydrogen storage alloy(s)
 two mathematical models for the hydrogen storage properties of AB₂ type alloys 10
 TEM investigation of ZrO₂ in Zr(Ni_{0.55}V_xMn_{0.45-x})₂ hydrogen storage alloys 101
 roles of the hydride forming and non-forming elements in hydrogen storage alloys 222
 new V-based alloys with high protium absorption and desorption capacity 433
 microstructure and hydrogen absorption properties of nano-phase composite prepared by mechanical alloying of MmNi_{5-x}(CoAlMn)_x and Mg 531
 effects of cooling rate during casting on performance of metal hydride electrodes and nickel–metal hydride batteries 608
 electrochemical characteristics of AB₅-type hydrogen storage alloys solidified at different cooling rates 621
 electrochemical properties of mechanically ground Mg₂Ni alloy 643
 effects of the amount of Mg impurity on the electrochemical properties of Ml(NiCoMnTi)₅ hydrogen storage alloy 684
 effect of advanced alkaline treatment on the electrochemical characteristics of hydrogen storage alloys 687
 influence of carbon on electrode properties of V–Ti–Ni type hydrogen storage alloy 716
 effects of pretreatments on the electrochemical properties of MINi_{4.0}Co_{0.5}Al_{0.4} alloy electrode and the performance of a Ni/Metal hydride battery 728
 comparison of the electrochemical properties of cast and melt-spun MLNi_{4.3-x}Co_xMn_{0.4}Al_{0.3} (ML: La-rich Mischmetal) hydrogen-storage alloys 742
- Hydrogen storage alloy electrode(s)
 studies on the electrochemical properties of MINi_{4.3-x}Co_xAl_{0.7} hydride alloy electrodes 648
 influence of concentration of KOH solution containing 0.02 M borohydride on the kinetic properties of hydrogen storage alloys 680
 hydrogen extraction by Laves phase alloys in an alkaline solution containing hydrazine 698
- Hydrogen storage electrodes
 magnetic properties of commercial metal hydride battery materials 255
- Hydrogen storage intermetallics
 chemical structure and bonding characteristics of metal hydrogen systems studied by the surface analytical techniques SIMS and XPS 202
- Hydrogen storage metal
 hydrogen transport between proton conducting oxide and hydrogen storage metal 838
- Hydrogen thermal desorption
 nature of hydrogen trapping sites in steels induced by plastic deformation 310
- Hydrogen trap
 nature of hydrogen trapping sites in steels induced by plastic deformation 310
- Hydrogen treatment of materials
 hydrogen treatment (processing) of materials: current status and prospects 844
- Hydrogen-vacancy complex
 calculation of the radial distribution function of bubbles in the aluminum hydrogen system 231

- Hysteresis
effect of substitution on hysteresis in some high-pressure AB_2 and AB_5 metal hydrides 67
- Impedance
electrochemical properties and characteristics of a fluorinated AB_2 -alloy 593
electrochemical Properties and Characteristics of the Fluorinated $Zr_{0.9}Ti_{0.1}V_{0.2}Mn_{0.6}Ni_{1.3}La_{0.05}$ electrode 707
- μ^+ in metal hydrides
muon-proton correlated diffusion in TiH_x 266
- Inner pressure
effect of cobalt powder on the inner pressure of Ni/MH batteries 825
- In situ measurement
in situ measurement of lattice parameter change on Pd and Ni during cathodic hydrogen charging 174
- In-situ spectroscopic characterization
in-situ and ex-situ characterization of surface oxide films on AB_5 -type metal hydride electrodes 747
- Interaction of hydrogen with Li
effect of the penetration of Li atoms into the Pd surface on thermodynamic properties of the Pd-H system 30
- Interface structure
electrochemical impedance spectroscopy study of Ni/MH batteries 814
- Intermediate hydride phase
effect of substitution on hysteresis in some high-pressure AB_2 and AB_5 metal hydrides 67
- Intermetallic alloys
influence of cobalt content in $MmNi_{4.3-x}Mn_{0.3}Al_{0.4}Co_x$ alloy ($x=0.36$ and 0.69) on its electrochemical behaviour studied by in situ neutron diffraction 637
- Intermetallic Compound(s)
calorimetric investigation of the hydrogen interaction with $ZrCrFe_{1.2}$ 34
study on the hydrogen solubility in UNiAl 52
a panoramic overview of hydrogen storage alloys from a gas reaction point of view 877
- Intermetallic hydrides
pseudobinary intermetallic compounds in $Hf_2M'-Hf_2M''$ ($M', M''=Mn, Fe, Ni, Cu$) systems and their interaction with hydrogen at high pressures 426
- Intermetallics
hydrogen absorption properties of amorphous and crystalline alloys in the pseudobinary ZrCo-TiNi system 526
- Internal oxidation
some microstructural aspects of hydriding internally oxidized Pd-Al alloys 306
- Internal pressure
hot alkaline treatment on hydrogen storage alloys in sealed Ni/MH batteries 809
- IQENS
Monte Carlo simulation of hydrogen diffusion in C15 Laves phase intermetallic compounds 296
- Iron
hydrogen ordering and H-induced phase transformations in Zr-based intermetallic hydrides 74
- Iron aluminide
determination of hydrogen diffusivity by subscale microhardness profiling 279
- Irradiation
influence of neutron irradiation on H diffusion in Zr-2.5Nb alloy 324
- Isotherm
stability of the hydrogen absorption and desorption plateaux in $LaNi_5$ -H. Part 5: H capacity 57
- Isothermal kinetic diagram
kinetics and morphology of the reverse $\beta \rightarrow \alpha$ hydride transformation in thermodynamically open Pd-H system 379
- Isotope
absorption of hydrogen isotopes by Pd-Pt alloys 900
- Isotope effect
isotope effects on the physicochemical properties of zirconium hydride 908
- Kieselguhr
tritium aging effects in palladium on kieselguhr 62
- Kinetics
improvement of activation stage of $MmNi_{4.7}Al_{0.3}$ hydride-forming alloys by surface fluorination 374
evaluation of kinetics by utilizing the normalized pressure dependence method for the alloy $Ti_{0.95}Zr_{0.05}Mn_{1.48}V_{0.43}Fe_{0.08}Al_{0.01}$ 385
hydrogen absorption and desorption by Ti, Ti-5Cr and Ti-5Ni alloys 412
structural study and hydrogen sorption kinetics of ball-milled magnesium hydride 495
the improvement of the hydrogenation properties of nickel-metal hydride battery alloy by surface modification with platinum group metals (PGMs) 613
about the mechanism and the rate limiting step of the metalhydride electrode reaction 663
development of fast kinetics metal hydride alloys and battery electrodes for high power applications 734
- $LaCo_5H_x$
magnetic properties of intermetallic compound hydrides and deuterides 243
- $LaCo_5H_x$
electromotive force of metal hydride electrodes in gradient magnetic fields 251
- $LaNi_5$
microstructures and defect structures in intermetallic compounds in the La-Ni alloy system 140
chemical bond state and hydride stability of hydrogen storage alloys 227
magnetic properties of commercial metal hydride battery materials 255
effect of LiOH pretreatment on H_2 absorption kinetics of $LaNi_5$ 369
improvement of activation stage of $MmNi_{4.7}Al_{0.3}$ hydride-forming alloys by surface fluorination 374
properties of $Zr_{0.5}Ti_{0.5}V_{0.75}Ni_{1.25}$ alloy ball-milled with nanocrystalline $LaNi_5$ powder 712
- $LaNi_{4.5}Al_{0.5}$
hydrogen desorption kinetics of hydrides of $LaNi_{4.5}Al_{0.5}$, $LaNi_{4.5}Mn_{0.5}$ and $LaNi_{2.5}Co_{2.5}$ 407
- La-Ni alloy
protium diffusion in La-Ni alloys 270
- $LaNi_{2.5}Co_{2.5}$
hydrogen desorption kinetics of hydrides of $LaNi_{4.5}Al_{0.5}$, $LaNi_{4.5}Mn_{0.5}$ and $LaNi_{2.5}Co_{2.5}$ 407
effect of alkaline pretreatments (KOH, NaOH, LiOH) on electrochemical hydriding rate and work function of $LaNi_{2.5}Co_{2.5}$ 751
- $La(NiM)_5$ hydrides
electronic structure and stability of hydrides of intermetallic compounds 190
- $LaNi_5$ melt-spun ribbons
crystal structure and protium absorption properties of La-rich $La(Ni, M)_x$ ($x=3-4.7$) ($M=Al, Co, Mn, Si$) melt-spun ribbons 130

- LaNi_{4.5}Mn_{0.5}
hydrogen desorption kinetics of hydrides of LaNi_{4.5}Al_{0.5},
LaNi_{4.5}Mn_{0.5} and LaNi_{2.5}Co_{2.5} 407
- Lanthanum
the effect of O₂ preadsorption on the rate of H₂ absorption on the
surface of rare earths (La, Ce, Tb, Dy) at 298 K 403
- Lanthanum hydride
structural ordering and dynamics of LaH_{3-x} 113
- La-rich CaCu₅-type phase
crystal structure and protium absorption properties of La-rich
La(Ni, M)_x (x=3–4.7) (M=Al, Co, Mn, Si) melt-spun ribbons
130
- Lattice constant
thermal and mechanical properties of zirconium hydride 23
isotope effects on the physicochemical properties of zirconium
hydride 908
- Lattice distortion
enhancement of hydrogen solubility in α -iron by coherent
precipitates 443
- Laves phase(s)
structural studies of Laves phases ZrCo(V_{1-x}Cr_x) with 0≤x≤1 and
their hydrides 88
structure study on rapidly solidified hydrogen storage alloy
Zr(NiM)_{2.1} 107
Monte Carlo simulation of hydrogen diffusion in C15 Laves phase
intermetallic compounds 296
quasi-elastic neutron scattering study of the hydrogen diffusion in
the C15 Laves structure, TiCr_{1.85} 351
hydrogen extraction by Laves phase alloys in an alkaline solution
containing hydrazine 698
performance of an AB₂ alloy in sealed Ni–MH batteries for electric
vehicles: quantification of corrosion rate and consequences on
the battery performance 770
- C14 Laves phase
new V-based alloys with high protium absorption and desorption
capacity 433
- C-15 Laves phase compounds
a Born-Mayer approach to the hydrogen potential in C-15 Laves
phase compounds 300
- Laves phase alloy
electrochemical properties and characteristics of the fluorinated
Zr_{0.9}Ti_{0.1}V_{0.2}Mn_{0.6}Ni_{1.3}La_{0.05} electrode 707
- Laves phase (Hf,Ti)(Ni,V)₂
neutron diffraction study of the new hexagonal laves phase
(Hf,Ti)(Ni,V)₂ and its deuteride 169
- Limitation of solid solution of CaCu₅
crystal structure and protium absorption properties of La-rich
La(Ni, M)_x (x=3–4.7) (M=Al, Co, Mn, Si) melt-spun ribbons
130
- LiOH
effect of LiOH pretreatment on H₂ absorption kinetics of LaNi₅
369
- Li–Pd alloys
effect of the penetration of Li atoms into the Pd surface on
thermodynamic properties of the Pd–H system 30
- Low temperature
migration of hydrogen in yttrium at low temperatures 341
- Magnesium
hydrogen permeation through magnesium 329
catalysed reactive milling 400
in situ study of hydriding–dehydriding properties in some Pd/Mg
thin films with different degree of Mg crystallization 484
- Magnesium composites
hydrogen-absorbing magnesium composites prepared by mechanical
grinding with graphite: effects of additives on composite
structures and hydriding properties 564
- Magnesium hydride
structural study and hydrogen sorption kinetics of ball-milled
magnesium hydride 495
- Magnesium impurity
effects of the amount of Mg impurity on the electrochemical
properties of Ml(NiCoMnTi)₅ hydrogen storage alloy 684
- Magnesium–nickel
hydriding properties of the MgNi-based systems 437
- Magnetic anisotropy
hydrogen ion implantation effect on the magnetic properties of
metallic multilayered films 463
- Magnetic field effects
electromotive force of metal hydride electrodes in gradient
magnetic fields 251
- Magnetism
the influence of hydrogen on the magnetic properties and electronic
structures of intermetallic compounds: YFe₂–D₂ system as an
example 237
magnetic properties of commercial metal hydride battery materials
255
- Mathematical model
two mathematical models for the hydrogen storage properties of
AB₂ type alloys 10
- Mechanical alloying
the effect of novel processing on hydrogen uptake in FeTi- and
magnesium-based alloys 458
structural investigation and solid-H₂ reaction of Mg₂Ni rich
nanocomposite materials elaborated by mechanical alloying
501
microstructure and hydrogen absorption properties of nano-phase
composite prepared by mechanical alloying of
MmNi_{5-x}(CoAlMn)_x and Mg 531
synthesis and hydriding/dehydriding properties of amorphous
Mg₂Ni_{1.9}M_{0.1} alloys mechanically alloyed from Mg₂Ni_{0.9}M_{0.1}
(M=none, Ni, Ca, La, Y, Al, Si, Cu and Mn) and Ni powder
541
hydriding properties of the heat-treated MgNi alloys with
nanostructural designed multiphase 546
electrochemical characteristics of nanocrystalline ZrCr₂ and Mg₂Ni
type metal hydrides prepared by mechanical alloying 556
- Mechanical grinding
structural studies of disordered Mg₂NiH₄ formed by mechanical
grinding 146
hydrogen-absorbing magnesium composites prepared by mechanical
grinding with graphite: effects of additives on composite
structures and hydriding properties 564
electrochemical properties of mechanically ground Mg₂Ni alloy
643
- Melt-quenching effects
crystal structure and protium absorption properties of La-rich
La(Ni, M)_x (x=3–4.7) (M=Al, Co, Mn, Si) melt-spun ribbons
130
- Melt spinning
improvement of hydrogen storage properties of melt-spun Mg–Ni–
RE alloys by nanocrystallization 521
electrochemical performance of Sn-substituted, LaNi₅-based rapidly
solidified alloys 724
- Melt spinning method
effect of rapid solidification process on the alloy structure and
electrode performance of Zr(Ni_{0.55}V_{0.1}Mn_{0.3}Cr_{0.55})_{2.1} 756
- Melt-spun
comparison of the electrochemical properties of cast and melt-spun
MLNi_{4.3-x}Co_xMn_{0.4}Al_{0.3} (ML: La-rich Mischmetal) hydrogen-
storage alloys 742
- Membrane
hydrogen permeation through magnesium 329

- Mesoscopic grains
tensile and impact properties of mesoscopic-grained $\alpha+\beta$ -type titanium alloys obtained through hydrogen treatments 858
- Metal
a BPP model for nuclear spin relaxation in disordered metal–hydrogen systems 260
- Metal hydride(s)
electromotive force of metal hydride electrodes in gradient magnetic fields 251
magnetic properties of commercial metal hydride battery materials 255
coherency stresses and deuterium diffusion in $\text{NbD}_{0.33}$ 289
evaluation of kinetics by utilizing the normalized pressure dependence method for the alloy
 $\text{Ti}_{0.95}\text{Zr}_{0.05}\text{Mn}_{1.48}\text{V}_{0.43}\text{Fe}_{0.08}\text{Al}_{0.01}$ 385
silica embedded metal hydrides 446
the effect of annealing on the discharge characteristics of $\text{ZrV}_{0.7}\text{Mn}_{0.5}\text{Ni}_{1.2}$ alloy 601
about the mechanism and the rate limiting step of the metalhydride electrode reaction 663
recent developments in hydrogen storage applications based on metal hydrides 889
a multi-hydride thermal wave device for simultaneous heating and cooling 915
- Metal hydride battery
development of fast kinetics metal hydride alloys and battery electrodes for high power applications 734
- Metal hydride electrode(s)
the correlation between composition and electrochemical properties of metal hydride electrodes 569
modification of a rapidly solidified hydrogen storage electrode alloy by ball-milling with Co_3Mo 670
electrochemical performance of Sn-substituted, LaNi_5 -based rapidly solidified alloys 724
effects of pretreatments on the electrochemical properties of $\text{MnNi}_{4.0}\text{Co}_{0.6}\text{Al}_{0.4}$ alloy electrode and the performance of a Ni/Metal hydride battery 728
in-situ and ex-situ characterization of surface oxide films on AB_5 -type metal hydride electrodes 747
- Metal hydride materials
R&D on metal hydride materials and Ni–MH batteries in Japan 762
- Metal hydrogen
stability of the hydrogen absorption and desorption plateaux in LaNi_5 –H. Part 5: H capacity 57
neutron diffraction study of the LaNi_5 –D system during activation 118
observation of a continuous phase transformation in LaNi_5 –D 135
- Metal hydrogen systems
structural studies of Laves phases $\text{ZrCo}(\text{V}_{1-x}\text{Cr}_x)$ with $0 \leq x \leq 1$ and their hydrides 88
- Metallic multilayer
hydrogen ion implantation effect on the magnetic properties of metallic multilayered films 463
- Metallurgical microstructure and crystal-structure
advanced nanocrystalline Zr-based AB_2 hydrogen storage electrode materials for NiMH EV batteries 508
- Metamagnetic transition
magnetic properties of intermetallic compound hydrides and deuterides 243
- Mg_2Ni
chemical bond state and hydride stability of hydrogen storage alloys 227
charge and discharge characteristics of sintered Mg_2Ni 626
electrochemical properties of mechanically ground Mg_2Ni alloy 643
- MgNi alloy
 Mg_2Ni hydride electrodes prepared by sintering and subsequent ball milling with Ni powders 536
synthesis and hydriding/dehydriding properties of amorphous $\text{Mg}_2\text{Ni}_{1.9}\text{M}_{0.1}$ alloys mechanically alloyed from $\text{Mg}_2\text{Ni}_{0.9}\text{M}_{0.1}$ (M=none, Ni, Ca, La, Y, Al, Si, Cu and Mn) and Ni powder 541
- MgNi_x alloy
electrochemical and structural characteristics of amorphous MgNi_x ($x \geq 1$) alloys prepared by mechanical alloying 552
a new electrode material for nickel–metal hydride batteries: MgNi –graphite composites prepared by ball-milling 653
- Mg_2Ni -based hydrogen storage alloys
 Mg_2Ni -based hydrogen storage alloys for metal hydride electrodes 675
- MgNi –graphite composite
a new electrode material for nickel–metal hydride batteries: MgNi –graphite composites prepared by ball-milling 653
- Mg –Ni nanocomposite materials
structural investigation and solid- H_2 reaction of Mg_2Ni rich nanocomposite materials elaborated by mechanical alloying 501
- Mg –Ni–RE alloys
improvement of hydrogen storage properties of melt-spun Mg –Ni–RE alloys by nanocrystallization 521
- MH Electrode
effects of cooling rate during casting on performance of metal hydride electrodes and nickel–metal hydride batteries 608
electrochemical characteristics of AB_5 -type hydrogen storage alloys solidified at different cooling rates 621
- MH/Ni batteries
the correlation between composition and electrochemical properties of metal hydride electrodes 569
degradation mechanism of the misch metal alloy hydride electrodes 737
- Microcrystalline C14 Laves phase
effect of rapid solidification process on the alloy structure and electrode performance of $\text{Zr}(\text{Ni}_{0.55}\text{V}_{0.1}\text{Mn}_{0.3}\text{Cr}_{0.55})_{2.1}$ 756
- Microhardness profiling
determination of hydrogen diffusivity by subscale microhardness profiling 279
- Microstructure
protium diffusion in La–Ni alloys 270
some microstructural aspects of hydriding internally oxidized Pd–Al alloys 306
hydrogen surface effects in ferritic stainless steels 356
influence of carbon on electrode properties of V–Ti–Ni type hydrogen storage alloy 716
- Misch metal alloy
degradation mechanism of the misch metal alloy hydride electrodes 737
- Miscibility-gap
hydriding properties of the MgNi -based systems 437
- MmNi_5 –Mg composite
microstructure and hydrogen absorption properties of nano-phase composite prepared by mechanical alloying of $\text{MmNi}_{5-x}(\text{CoAlMn})_x$ and Mg 531
- Modeling
calculation of the radial distribution function of bubbles in the aluminum hydrogen system 231
- Molecular orbital method
roles of the hydride forming and non-forming elements in hydrogen storage alloys 222
- Monte-Carlo
Monte Carlo simulation of hydrogen diffusion in C15 Laves phase intermetallic compounds 296

- Multi-layer problems
 multi-layer problems in time-lag measurements applied on metal–hydrogen systems 282
- Multi-phase alloy
 new V-based alloys with high protium absorption and desorption capacity 433
- Muon
 muon diffusion in metallic hydride systems 292
- Nanocrystalline
 electrochemical characteristics of nanocrystalline $ZrCr_2$ and Mg_2Ni type metal hydrides prepared by mechanical alloying 556
 properties of $Zr_{0.5}Ti_{0.5}V_{0.75}Ni_{1.25}$ alloy ball-milled with nanocrystalline $LaNi_5$ powder 712
- Nanocrystalline alloys
 microstructure and hydrogen absorption properties of nano-phase composite prepared by mechanical alloying of $MmNi_{5-x}(CoAlMn)_x$ and Mg 531
- Nanocrystalline electrode materials
 advanced nanocrystalline Zr-based AB_2 hydrogen storage electrode materials for NiMH EV batteries 508
- Nanocrystalline materials
 structural study and hydrogen sorption kinetics of ball-milled magnesium hydride 495
- Nanocrystallization
 improvement of hydrogen storage properties of melt-spun Mg–Ni–RE alloys by nanocrystallization 521
- Nanoscaled multiphase
 hydriding properties of the heat-treated MgNi alloys with nanostructural designed multiphase 546
- Nb
 hydrogen in thin epitaxial Nb films 476
- Nb-film
 hydrogen in thin epitaxial Nb films 476
- Nd–Fe–B
 effect of the disproportionation and recombination stages of the HDDR process on the inducement of anisotropy in Nd–Fe–B magnets 862
 Ga site occupancy in HDDR-treated $Nd_2Fe_{14}B$ -based alloy by XAFS 872
- Neutron diffraction
 structural studies of Laves phases $ZrCo(V_{1-x}Cr_x)$ with $0 \leq x \leq 1$ and their hydrides 88
 structural ordering and dynamics of LaH_{3-x} 113
 neutron diffraction study of the $LaNi_5$ –D system during activation 118
 crystallographic study of $LaNi_{5-x}Sn_x$ ($0.2 \leq x \leq 0.5$) compounds and their hydrides 124
 observation of a continuous phase transformation in $LaNi_5$ –D 135
 neutron diffraction study of the new hexagonal laves phase $(Hf,Ti)(Ni,V)_2$ and its deuteride 169
 crystal and magnetic structure of TbNiAl-based deuterides, $TbNiAlD_{0.30}$ and $TbNiAlD_{1.04}$, studied by neutron diffraction and synchrotron radiation 178
 influence of cobalt content in $MmNi_{4.3-x}Mn_{0.3}Al_{0.4}Co_x$ alloy ($x=0.36$ and 0.69) on its electrochemical behaviour studied by in situ neutron diffraction 637
- Neutron spectroscopy
 coherency stresses and deuterium diffusion in $NbD_{0.33}$ 289
- Nickel
 in situ measurement of lattice parameter change on Pd and Ni during cathodic hydrogen charging 174
 catalysed reactive milling 400
- Nickel–metal hydride batteries
 effects of cooling rate during casting on performance of metal hydride electrodes and nickel–metal hydride batteries 608
 electrochemical characteristics of AB_2 -type hydrogen storage alloys solidified at different cooling rates 621
- Nickel/metal hydride battery
 a new electrode material for nickel–metal hydride batteries: MgNi–graphite composites prepared by ball-milling 653
 electrochemical impedance spectroscopy study of Ni/MH batteries 814
- Ni–MH batteries
 modification of a rapidly solidified hydrogen storage electrode alloy by ball-milling with Co_3Mo 670
 a study of the main factors affecting Ni–MH battery activation 799
- Ni/MH battery
 electrochemical and structural characteristics of amorphous $MgNi_x$ ($x \geq 1$) alloys prepared by mechanical alloying 552
 effect of advanced alkaline treatment on the electrochemical characteristics of hydrogen storage alloys 687
 effects of pretreatments on the electrochemical properties of $MINi_{4.0}Co_{0.6}Al_{0.4}$ alloy electrode and the performance of a Ni/Metal hydride battery 728
 R&D on metal hydride materials and Ni–MH batteries in Japan 762
 performance of an AB_2 alloy in sealed Ni–MH batteries for electric vehicles: quantification of corrosion rate and consequences on the battery performance 770
 preparation and properties of no-binder electrode Ni/MH battery 780
 study of preparation technology for high performance AA size Ni–MH batteries 784
 effect of state of charge on impedance spectrum of sealed Ni–MH cells 788
 characteristics of Ni/MH power batteries and its application to electric vehicles 804
 hot alkaline treatment on hydrogen storage alloys in sealed Ni/MH batteries 809
 influence of Ce and Nd contents of $Ml(NiCoMnAl)_5$ alloy on the performances of Ni–MH batteries 821
 effect of cobalt powder on the inner pressure of Ni/MH batteries 825
 effect of Co additives on the cycle life of Ni–MH batteries 829
- Ni–MH Electrode
 Mg_2Ni hydride electrodes prepared by sintering and subsequent ball milling with Ni powders 536
- Niobium
 influence of interstitial oxygen on hydrogen solubility in metals 42
- Nitride
 the synthesis and magnetic properties of $LaCo_{13}$ hydrides and nitrides 247
- Nitrided alloys
 enhancement of hydrogen solubility in α -iron by coherent precipitates 443
- No-binder electrode
 preparation and properties of no-binder electrode Ni/MH battery 780
- Nuclear spin relaxation
 a BPP model for nuclear spin relaxation in disordered metal–hydrogen systems 260
- Numerical simulations
 multi-layer problems in time-lag measurements applied on metal–hydrogen systems 282
- Optical microscopy in situ
 kinetics and morphology of the reverse $\beta \rightarrow \alpha$ hydride transformation in thermodynamically open Pd–H system 379

- Order–disorder
 migration of hydrogen in yttrium at low temperatures 341
- Over-stoichiometry
 a review on the development of AB₂-type Zr-based Laves phase hydrogen storage alloys for Ni–MH rechargeable batteries in the Korea Advanced Institute of Science and Technology 583
- Oxidation
 effect of LiOH pretreatment on H₂ absorption kinetics of LaNi₅ 369
- Oxide
 hydrogen dissolution into zirconium oxide 38
- Oxygen
 influence of interstitial oxygen on hydrogen solubility in metals 42
- P–C* isotherms
 effect of Mo additive on hydrogen absorption of rare-earth based hydrogen storage alloy 721
- p–C–T* relationship
 hydrogen absorption and desorption by Ti, Ti-5Cr and Ti-5Ni alloys 412
- Palladium
 thermodynamic properties of hydrogen in fine Pd powders 19
 tritium aging effects in palladium on kieselguhr 62
 in situ measurement of lattice parameter change on Pd and Ni during cathodic hydrogen charging 174
 kinetics and morphology of the reverse β→α hydride transformation in thermodynamically open Pd–H system 379
 pd-cluster size effects of the hydrogen sorption properties 472
 hydrogen sorption in elastically soft stabilized Pd-clusters 480
 in situ study of hydriding–dehydriding properties in some Pd/Mg thin films with different degree of Mg crystallization 484
- PCT* curve(s)
 two mathematical models for the hydrogen storage properties of AB₂ type alloys 10
 hydrogen absorption properties of amorphous and crystalline alloys in the pseudobinary ZrCo–TiNi system 526
 hydrogen absorption and desorption properties of Hf-based intermetallic compounds 417
- Pd
 in situ monitoring of hydrogen absorption–desorption in Pd and Pd₇₇Ag₂₃ films by an electrochemical quartz crystal microbalance 468
 electrochemical properties of mechanically ground Mg₂Ni alloy 643
- Pd₇₇Ag₂₃
 in situ monitoring of hydrogen absorption–desorption in Pd and Pd₇₇Ag₂₃ films by an electrochemical quartz crystal microbalance 468
- Pd/Fe alloys
 hydrogen solution in homogeneous Pd–Fe alloys 1
- Pd hydride
 effect of the penetration of Li atoms into the Pd surface on thermodynamic properties of the Pd–H system 30
- Pd–Pt alloy
 absorption of hydrogen isotopes by Pd–Pt alloys 900
- Pd-rich alloys
 hydrogen-induced rearrangements in Pd-rich alloys 161
- Penetration of Li into Pd
 effect of the penetration of Li atoms into the Pd surface on thermodynamic properties of the Pd–H system 30
- Permeation
 hydrogen permeation through magnesium 329
- Permanent magnetic properties
 phase transformation and magnetic properties of Nd₈Fe₈₄Ti₈ alloy during HDDR process 868
- Perpendicular magnetization
 hydrogen ion implantation effect on the magnetic properties of metallic multilayered films 463
- Phase stability
 chemical bond state and hydride stability of hydrogen storage alloys 227
- Phase structure
 influences of annealing heat treatment on phase structure and electrochemical properties of Zr(MnVNi)₂ hydrogen storage alloys 691
- Phase transformation
 TEM investigation of ZrO₂ in Zr(Ni_{0.55}V_xMn_{0.45–x})₂ hydrogen storage alloys 101
 observation of a continuous phase transformation in LaNi₅–D 135
 the intrinsic degradation behavior of (V_{0.53}Ti_{0.47})_{0.925}Fe_{0.075} alloy during temperature-induced hydrogen absorption-desorption cycling 150
 phase transformation and magnetic properties of Nd₈Fe₈₄Ti₈ alloy during HDDR process 868
- Phase transformation stress
 degradation behavior of foamed nickel positive electrodes of Ni–MH batteries 795
- Physical vapour deposition
 the effect of novel processing on hydrogen uptake in FeTi- and magnesium-based alloys 458
- Plateau region
 the intrinsic degradation behavior of (V_{0.53}Ti_{0.47})_{0.925}Fe_{0.075} alloy during temperature-induced hydrogen absorption-desorption cycling 150
- Platinum group metals
 the improvement of the hydrogenation properties of nickel-metal hydride battery alloy by surface modification with platinum group metals (PGMs) 613
- Point defects
 dynamics of hydrogen in scandium and yttrium by acoustic spectroscopy 334
- Polytype
 microstructures and defect structures in intermetallic compounds in the La–Ni alloy system 140
- Porous
 silica embedded metal hydrides 446
- Positive electrode
 preparation of an improved positive electrode and its application in Ni/MH batteries 775
- Positive electrode improvement
 preparation of an improved positive electrode and its application in Ni/MH batteries 775
- Powder
 thermodynamic properties of hydrogen in fine Pd powders 19
- Powder neutron diffraction
 hydrogen ordering and H-induced phase transformations in Zr-based intermetallic hydrides 74
 hydrogenation behaviour, neutron diffraction studies and microstructural characterisation of boron oxide-doped Zr–V alloys 93
- Power battery
 characteristics of Ni/MH power batteries and its application to electric vehicles 804
- Preparation technology
 study of preparation technology for high performance AA size Ni–MH batteries 784
- Pressure–composition isotherm
 improvement of hydrogen storage properties of melt-spun Mg–Ni–RE alloys by nanocrystallization 521
- Pressure-composition-temperature isotherms
 phase composition and the effect of thermal cycling for V_{H_x}, V_{0.995}C_{0.005}H_x, and V_{0.975}Zr_{0.026}C_{0.005}H_x 156

- Pressure dependence
 evaluation of kinetics by utilizing the normalized pressure dependence method for the alloy
 $\text{Ti}_{0.95}\text{Zr}_{0.05}\text{Mn}_{1.48}\text{V}_{0.43}\text{Fe}_{0.08}\text{Al}_{0.01}$ 385
- Pretreatment
 charge and discharge characteristics of sintered Mg_2Ni 626
 influence of concentration of KOH solution containing 0.02 M borohydride on the kinetic properties of hydrogen storage alloys 680
- Protium
 protium diffusion in La–Ni alloys 270
 tensile and impact properties of mesoscopic-grained $\alpha+\beta$ -type titanium alloys obtained through hydrogen treatments 858
- Proton conducting oxide electrolyte
 hydrogen transport between proton conducting oxide and hydrogen storage metal 838
- Quasielastic neutron scattering
 structural ordering and dynamics of LaH_{3-x} 113
 local and long-range hydrogen diffusion in $\text{Nb}(\text{OH})_{0.011}$ 275
 quasi-elastic neutron scattering study of the hydrogen diffusion in the C15 Laves structure, $\text{TiCr}_{1.85}$ 351
- Radiation-like damage
 hydrogen surface effects in ferritic stainless steels 356
- Raman
 a new electrode material for nickel–metal hydride batteries: MgNi–graphite composites prepared by ball-milling 653
- Rapidly solidified hydrogen storage alloys
 structure study on rapidly solidified hydrogen storage alloy $\text{Zr}(\text{NiM})_{2.1}$ 107
- Rare earth based hydrogen storage alloys
 segregation control for the preparation of rare earth based hydrogen storage alloys 658
- Rare earth hydrides
 the effect of O_2 preadsorption on the rate of H_2 absorption on the surface of rare earths (La, Ce, Tb, Dy) at 298 K 403
- Rare-earth intermetallic compound
 crystal and magnetic structure of TbNiAl-based deuterides, $\text{TbNiAlD}_{0.30}$ and $\text{TbNiAlD}_{1.04}$, studied by neutron diffraction and synchrotron radiation 178
- Rare earth intermetallic compounds
 electrochemical performance of Sn-substituted, LaNi_5 -based rapidly solidified alloys 724
- Rare earth metal alloying
 contribution of rare-earths to activation property of Zr-based hydride electrodes 632
- Rate capability
 a review on the development of AB_2 -type Zr-based Laves phase hydrogen storage alloys for Ni–MH rechargeable batteries in the Korea Advanced Institute of Science and Technology 583
 the effect of annealing on the discharge characteristics of $\text{ZrV}_{0.7}\text{Mn}_{0.5}\text{Ni}_{1.2}$ alloy 601
 improvement of the electrochemical properties of Zr-based AB_2 alloys by an advanced fluorination technique 702
- Rate capacity
 electrochemical properties and characteristics of a fluorinated AB_2 -alloy 593
- Reaction resistance
 about the mechanism and the rate limiting step of the metalhydride electrode reaction 663
- Reaction surface area
 a review on the development of AB_2 -type Zr-based Laves phase hydrogen storage alloys for Ni–MH rechargeable batteries in the Korea Advanced Institute of Science and Technology 583
- Rearrangements
 hydrogen-induced rearrangements in Pd-rich alloys 161
- RE-based hydrogen storage alloy
 effect of Mo additive on hydrogen absorption of rare-earth based hydrogen storage alloy 721
- Recombination
 effect of the disproportionation and recombination stages of the HDDR process on the inducement of anisotropy in Nd–Fe–B magnets 862
- Refrigeration
 a multi-hydride thermal wave device for simultaneous heating and cooling 915
- Reverse hydride transformation
 kinetics and morphology of the reverse $\beta\rightarrow\alpha$ hydride transformation in thermodynamically open Pd–H system 379
- Reversible hydrogen storage capacity
 the effect of annealing on the discharge characteristics of $\text{ZrV}_{0.7}\text{Mn}_{0.5}\text{Ni}_{1.2}$ alloy 601
- Review
 R&D on metal hydride materials and Ni–MH batteries in Japan 762
 a panoramic overview of hydrogen storage alloys from a gas reaction point of view 877
- Rietveld analysis
 structure study on rapidly solidified hydrogen storage alloy $\text{Zr}(\text{NiM})_{2.1}$ 107
- SANS
 calculation of the radial distribution function of bubbles in the aluminum hydrogen system 231
- Saturation magnetization
 the synthesis and magnetic properties of LaCo_{13} hydrides and nitrides 247
- Scanning electron microscopy
 phase composition and the effect of thermal cycling for VH_x , $\text{V}_{0.995}\text{C}_{0.005}\text{H}_x$, and $\text{V}_{0.975}\text{Zr}_{0.020}\text{C}_{0.005}\text{H}_x$ 156
 some microstructural aspects of hydriding internally oxidized Pd–Al alloys 306
- Scanning probe microscopy
 a new method for two-dimensional hydrogen analysis and its application to metal surfaces 361
- Segregation control
 segregation control for the preparation of rare earth based hydrogen storage alloys 658
- Semiconductors
 local dynamics of H and D trapped by substitutional dopants in semiconductors 396
- Separation
 absorption of hydrogen isotopes by Pd–Pt alloys 900
- SHS
 the structural peculiarities of the transition metals carbonylhydrides produced by combustion synthesis 452
- Silica
 tritium aging effects in palladium on kieselguhr 62
- Silica composite
 silica embedded metal hydrides 446
- SIMS
 chemical structure and bonding characteristics of metal hydrogen systems studied by the surface analytical techniques SIMS and XPS 202
- Single crystal diffraction
 crystallographic study of $\text{LaNi}_{5-x}\text{Sn}_x$ ($0.2\leq x\leq 0.5$) compounds and their hydrides 124
- Site occupancy
 Ga site occupancy in HDDR-treated $\text{Nd}_2\text{Fe}_{14}\text{B}$ -based alloy by XAFS 872

- Small angle neutron scattering
the use of small angle neutron scattering in the study of hydrogen trapping at defects in metals 346
- Sn
crystallographic study of $\text{LaNi}_{5-x}\text{Sn}_x$ ($0.2 \leq x \leq 0.5$) compounds and their hydrides 124
- Solid solution
the structural peculiarities of the transition metals carbonylhydrides produced by combustion synthesis 452
- Solid sorption
a multi-hydride thermal wave device for simultaneous heating and cooling 915
- Solubility
solubility and partitioning of hydrogen in metastable Zr-based alloys used in the nuclear industry 893
- Specific surface area
a duplicated fluorination technique for hydrogen storage alloys 364
electrochemical properties and characteristics of a fluorinated AB_2 -alloy 593
- Spherical metallic Ni
a duplicated fluorination technique for hydrogen storage alloys 364
- Spin-off quenching
segregation control for the preparation of rare earth based hydrogen storage alloys 658
- Spontaneous reaction synthesis
segregation control for the preparation of rare earth based hydrogen storage alloys 658
- Sputtering
in situ study of hydriding–dehydriding properties in some Pd/Mg thin films with different degree of Mg crystallization 484
- Stability of hydrides
electronic structure and stability of hydrides of intermetallic compounds 190
- Stacking fault
microstructures and defect structures in intermetallic compounds in the La–Ni alloy system 140
- Statistical-thermodynamics
high-pressure studies of Laves phase intermetallic hydrides–Adaptation of statistical thermodynamic models 14
- Strain
neutron diffraction study of the LaNi_5 –D system during activation 118
hydrogen-induced stress in Nb single layers 490
- Stress
in situ monitoring of hydrogen absorption–desorption in Pd and $\text{Pd}_{77}\text{Ag}_{23}$ films by an electrochemical quartz crystal microbalance 468
hydrogen-induced stress in Nb single layers 490
- Structural study
structural studies of disordered Mg_2NiH_4 formed by mechanical grinding 146
- Substitution
systematic B-metal substitution in CaNi_5 185
hydriding properties of the MgNi-based systems 437
synthesis and hydriding/dehydriding properties of amorphous $\text{Mg}_2\text{Ni}_{1.9}\text{M}_{0.1}$ alloys mechanically alloyed from $\text{Mg}_2\text{Ni}_{0.9}\text{M}_{0.1}$ (M=none, Ni, Ca, La, Y, Al, Si, Cu and Mn) and Ni powder 541
- Substitutional elements effects
crystal structure and protium absorption properties of La-rich $\text{La}(\text{Ni}, \text{M})_x$ ($x=3\text{--}4.7$) (M=Al, Co, Mn, Si) melt-spun ribbons 130
- Substitution by Mo
effect of Mo additive on hydrogen absorption of rare-earth based hydrogen storage alloy 721
- Superalloy
a visible technology for display of hydrogen distribution in metals 317
- Surface
characteristics of hydrogen storage alloys 687
Surface effects
hydrogen surface effects in ferritic stainless steels 356
Surface oxide film
in-situ and ex-situ characterization of surface oxide films on AB_5 -type metal hydride electrodes 747
Surface properties
in-situ and ex-situ characterization of surface oxide films on AB_5 -type metal hydride electrodes 747
Surface structure
electrochemical Properties and Characteristics of the Fluorinated $\text{Zr}_{0.9}\text{Ti}_{0.1}\text{V}_{0.2}\text{Mn}_{0.6}\text{Ni}_{1.3}\text{La}_{0.05}$ electrode 707
Surface treatment
improvement of the electrochemical properties of Zr-based AB_2 alloys by an advanced fluorination technique 702
electrochemical impedance spectroscopy study of Ni/MH batteries 814
- Synchrotron radiation
crystal and magnetic structure of TbNiAl-based deuterides, $\text{TbNiAlD}_{0.30}$ and $\text{TbNiAlD}_{1.04}$, studied by neutron diffraction and synchrotron radiation 178
- Tantalum
influence of interstitial oxygen on hydrogen solubility in metals 42
- Tensile properties
tensile and impact properties of mesoscopic-grained $\alpha+\beta$ -type titanium alloys obtained through hydrogen treatments 858
- Terbium
the effect of O_2 preadsorption on the rate of H_2 absorption on the surface of rare earths (La, Ce, Tb, Dy) at 298 K 403
- Thermal analysis
the effect of novel processing on hydrogen uptake in FeTi- and magnesium-based alloys 458
- Thermal cycling
the intrinsic degradation behavior of $(\text{V}_{0.53}\text{Ti}_{0.47})_{0.925}\text{Fe}_{0.075}$ alloy during temperature-induced hydrogen absorption-desorption cycling 150
- Thermal desorption
hydrogen dissolution into zirconium oxide 38
- Thermal expansion coefficient
thermal and mechanical properties of zirconium hydride 23
isotope effects on the physicochemical properties of zirconium hydride 908
- Thermodynamic properties
thermodynamic properties of hydrogen in fine Pd powders 19
study on the hydrogen solubility in UNiAl 52
- Thermodynamics
hydrogen solution in homogeneous Pd–Fe alloys 1
high-pressure studies of Laves phase intermetallic hydrides–Adaptation of statistical thermodynamic models 14
- Thin epitaxial film
hydrogen in thin epitaxial Nb films 476
- Thin film
in situ monitoring of hydrogen absorption–desorption in Pd and $\text{Pd}_{77}\text{Ag}_{23}$ films by an electrochemical quartz crystal microbalance 468
in situ study of hydriding–dehydriding properties in some Pd/Mg thin films with different degree of Mg crystallization 484
hydrogen-induced stress in Nb single layers 490
- TiCo
electronic structure and hydriding property of titanium compounds with CsCl-type structure 213

- TiCr_{1.8}
high-pressure studies of Laves phase intermetallic hydrides–
Adaptation of statistical thermodynamic models 14
- TiFe
electronic structure and hydriding property of titanium compounds
with CsCl-type structure 213
chemical bond state and hydride stability of hydrogen storage
alloys 227
- Time-lag techniques
multi-layer problems in time-lag measurements applied on metal–
hydrogen systems 282
- Time-of-flight mass spectroscopy
a new method for two-dimensional hydrogen analysis and its
application to metal surfaces 361
- TiNi
electronic structure and hydriding property of titanium compounds
with CsCl-type structure 213
- Titanium
influence of interstitial oxygen on hydrogen solubility in metals
42
- Titanium alloy
hydrogen absorption and desorption by Ti, Ti-5Cr and Ti-5Ni
alloys 412
- Transmission electron microscopy
microstructures and defect structures in intermetallic compounds in
the La–Ni alloy system 140
hydriding properties of the heat-treated MgNi alloys with
nanostructural designed multiphase 546
- Trapping
stability of the hydrogen absorption and desorption plateaux in
LaNi₅–H. Part 5: H capacity 57
H and D tunnelling systems in diluted Nb_{1-x}Zr_x alloys 338
the use of small angle neutron scattering in the study of hydrogen
trapping at defects in metals 346
- Treatment
hydrogen extraction by Laves phase alloys in an alkaline solution
containing hydrazine 698
- Tritium
tritium aging effects in palladium on kieselguhr 62
- Tritium autoradiography
a visible technology for display of hydrogen distribution in metals
317
- TSS
solubility and partitioning of hydrogen in metastable Zr-based
alloys used in the nuclear industry 893
- Uranium
study on the hydrogen solubility in UNiAl 52
- USANS
calculation of the radial distribution function of bubbles in the
aluminum hydrogen system 231
- Vacancy
nature of hydrogen trapping sites in steels induced by plastic
deformation 310
- Vanadium
influence of interstitial oxygen on hydrogen solubility in metals
42
hydrogenation behaviour, neutron diffraction studies and
microstructural characterisation of boron oxide-doped Zr–V
alloys 93
- Vanadium alloys
phase composition and the effect of thermal cycling for VH_x,
V_{0.995}C_{0.005}H_x, and V_{0.975}Zr_{0.020}C_{0.005}H_x 156
- Vanadium-based solid solution alloy
influence of carbon on electrode properties of V–Ti–Ni type
hydrogen storage alloy 716
- Vanadium hydride
phase composition and the effect of thermal cycling for VH_x,
V_{0.995}C_{0.005}H_x, and V_{0.975}Zr_{0.020}C_{0.005}H_x 156
- V-based alloy
new V-based alloys with high protium absorption and desorption
capacity 433
- VH₂
chemical bond state and hydride stability of hydrogen storage
alloys 227
- Vibrational spectroscopy
structural ordering and dynamics of LaH_{3-x} 113
- Volume density
synthesis and properties of multicomponent hydrides with high
density 421
- Volume specific capacity
study of preparation technology for high performance AA size Ni–
MH batteries 784
- Work function
effect of alkaline pretreatments (KOH, NaOH, LiOH) on
electrochemical hydriding rate and work function of
LaNi_{2.5}Co_{2.5} 751
- XAFS
Ga site occupancy in HDDR-treated Nd₂Fe₁₄B-based alloy by
XAFS 872
- XPS
chemical structure and bonding characteristics of metal hydrogen
systems studied by the surface analytical techniques SIMS and
XPS 202
electrochemical and structural characteristics of amorphous MgNi_x
(x≥1) alloys prepared by mechanical alloying 552
a new electrode material for nickel–metal hydride batteries: MgNi–
graphite composites prepared by ball-milling 653
- X-ray absorption
the influence of hydrogen on the magnetic properties and electronic
structures of intermetallic compounds: YFe₂–D₂ system as an
example 237
- X-ray Auger
electrochemical and structural characteristics of amorphous MgNi_x
(x≥1) alloys prepared by mechanical alloying 552
- X-ray diffraction
phase composition and the effect of thermal cycling for VH_x,
V_{0.995}C_{0.005}H_x, and V_{0.975}Zr_{0.020}C_{0.005}H_x 156
in situ measurement of lattice parameter change on Pd and Ni
during cathodic hydrogen charging 174
- X-ray scattering isotherms
hydrogen in thin epitaxial Nb films 476
- Yttrium–H alloy
migration of hydrogen in yttrium at low temperatures 341
- Zirconia
TEM investigation of ZrO₂ in Zr(Ni_{0.55}V_xMn_{0.45-x})₂ hydrogen storage
alloys 101
- Zirconium
influence of interstitial oxygen on hydrogen solubility in metals
42
hydrogen ordering and H-induced phase transformations in Zr-based
intermetallic hydrides 74
hydrogenation behaviour, neutron diffraction studies and
microstructural characterisation of boron oxide-doped Zr–V
alloys 93
influence of neutron irradiation on H diffusion in Zr–2.5Nb alloy
324
- Zirconium deuteride
isotope effects on the physicochemical properties of zirconium
hydride 908

- Zirconium hydride
thermal and mechanical properties of zirconium hydride 23
- Zirconium oxide
hydrogen dissolution into zirconium oxide 38
- Zr-based AB₂ hydrogen storage alloys
advanced nanocrystalline Zr-based AB₂ hydrogen storage electrode materials for NiMH EV batteries 508
- Zr-based electrode
contribution of rare-earths to activation property of Zr-based hydride electrodes 632
properties of Zr_{0.5}Ti_{0.5}V_{0.75}Ni_{1.25} alloy ball-milled with nanocrystalline LaNi₅ powder 712
- ZrCo-hydrides
electronic structure and stability of hydrides of intermetallic compounds 190
- ZrCo(V_{1-x}Cr_x)
structural studies of Laves phases ZrCo(V_{1-x}Cr_x) with 0 ≤ x ≤ 1 and their hydrides 88
- ZrCr₂ and Mg₂Ni type alloy
electrochemical characteristics of nanocrystalline ZrCr₂ and Mg₂Ni type metal hydrides prepared by mechanical alloying 556
- ZrCrFe_{1/2} intermetallic compound
calorimetric investigation of the hydrogen interaction with ZrCrFe_{1.2} 34
- ZrMn₂
chemical bond state and hydride stability of hydrogen storage alloys 227
- Zr–Nb alloys
solubility and partitioning of hydrogen in metastable Zr-based alloys used in the nuclear industry 893
- ZrNi-hydride
electronic structure and stability of hydrides of intermetallic compounds 190