



ELSEVIER

Journal of Alloys and Compounds 330–332 (2002) 921–936

Journal of  
ALLOYS  
AND COMPOUNDS

www.elsevier.com/locate/jallcom

## Subject Index of Volumes 330–332

- AB<sub>5</sub>**  
kinetics of metal hydride electrodes when increasing the internal cell pressure 502  
the electrochemical impedance of metal hydride electrodes 810  
effect of the cooling rate of superstoichiometric AB<sub>5</sub> alloys with low Co content on their electrochemical performances 871
- AB<sub>2</sub> alloy**  
effects of surface structure of fluorinated AB<sub>2</sub> alloys on their electrodes and battery performances 776
- AB<sub>5</sub> hydrogen storage alloy**  
properties of pellet- and paste-type electrodes of AB<sub>5</sub> hydrogen storage alloy 821
- Ab initio interatomic potential calculations**  
interatomic potentials and atomistic calculations of some metal hydride systems 64
- Absorbed hydrogen contents**  
synthesis and hydrogenation behavior of Mg–Ti–Ni–H systems by hydrogen-induced mechanical alloying 584
- Absorption**  
the synthesis of hydrides of intermetallic Ti<sub>2</sub>Co under an accelerated electron beam 564
- AB<sub>5</sub> type alloys**  
study of the corrosion resistance of Cr, Zr, Y doped AB<sub>5</sub> type alloys in KOH 262
- AB<sub>5</sub>-type hydrides**  
studies on the fluorination method for improving surface properties and characteristics of AB<sub>5</sub>-types of hydrides 627
- Activation**  
evolution of microstructure in the LaNi<sub>5</sub>–D system during the early absorption–desorption cycles 241
- Activation characteristics**  
a study on the electrode characteristics of Zr-based alloy surface-modified with Ti-based alloy by ball-milling process as an anode material for Ni–MH rechargeable batteries 796
- Activation energy**  
thermal relaxation of hydrogen disordering in Pd–H system irradiated with high-energy particles 187  
thermal analysis of hydrogen-induced amorphization in C15 Laves RFe<sub>2</sub> compounds 743
- Adsorption**  
hydrogen in carbon nanostructures 670
- AES depth profiling**  
effects of hydrogenation on interlayer reactions in metallic multilayers 256
- Air–metal hydride system**  
air–metal hydride secondary battery with long cycle life 766
- Alkaline pretreatment**  
pulverization behavior of LaNi<sub>5</sub> with alkaline pretreatment 632
- Alkaline treatment**  
comparison of pretreatments by alkaline (Li, Na, K) hydroxides with NH<sub>3</sub>–H<sub>2</sub>O in the work function and hydriding kinetics of LaNi<sub>2.5</sub>Co<sub>2.5</sub> 622
- Allotropic transformation**  
hydrogen absorption and electrochemical properties of Mg<sub>2–x</sub>Ni (x=0–0.5) alloys prepared by bulk mechanical alloying 590
- Alloy mesh**  
a new process for fabrication of metal-hydride electrodes for nickel–metal hydride batteries 760
- Alloys**  
structure and hydrogen sorption properties of (Ti,Zr)–Mn–V alloys 146  
competing stabilisation mechanisms in Mg<sub>2</sub>NiH<sub>4</sub> 268  
dihydride transmission quenching in switchable La<sub>1–z</sub>Y<sub>z</sub>H<sub>x</sub> mirrors 338  
hydrogen isotherms for LaNi<sub>4.6</sub>M<sub>0.4</sub> alloys where M=group 4A elements 531
- Aluminium**  
characterization of the charging techniques used to introduce hydrogen in aluminium 649
- Aluminium nitride**  
modification of electrical and optical properties of metal nitride thin films by hydrogen inclusion 348
- Amorphous**  
hydrogen absorption properties of Ti<sub>3</sub>Al-based ternary alloys 543  
hydrogen absorption and desorption in the binary Ti–Al system 547  
effects of surface and bulk modifications on electrochemical and physicochemical characteristics of MgNi alloys 636  
thermal analysis of hydrogen-induced amorphization in C15 Laves RFe<sub>2</sub> compounds 743  
degradation of amorphous MgNi electrode and effect of heat treatment in Ar 816
- Amorphous alloy**  
feasibility study of high-strength and high-damping materials by means of hydrogen internal friction in amorphous alloys 389  
hydrogen storage properties of amorphous and nanocrystalline Zr–Ni–V alloys 732
- Amorphous MgNi**  
electrochemical behavior of amorphous MgNi as negative electrodes in rechargeable Ni–MH batteries 792
- Anelastic spectroscopy**  
dynamics of H trapped by defects in type IV and III–V semiconductors 420  
anelastic spectroscopy study of very diluted Zr–D tunnel systems in Nb single crystals 467
- Anisotropic line broadening**  
synchrotron powder diffraction line broadening analysis of dislocations in LaNi<sub>5</sub>–H 229
- Anisotropy**  
an improved HDDR treatment for the production of anisotropic Nd–Fe–B ternary powders 892
- Annealing**  
in-situ neutron powder diffraction study of annealing activated LaNi<sub>5</sub> 202

- Anode  
degradation of amorphous MgNi electrode and effect of heat treatment in Ar 816
- Arc-melting  
the influence of microstructure on hydrogen absorption properties of Ti–Cr–V alloys 287
- Atomic force microscopy  
in situ monitoring of optical and structural switching in epitaxial  $\text{YH}_x$  switchable mirrors 342
- Atomization  
effects of particle size and heat treatment on the electrode performance of a low-cobalt atomized  $\text{AB}_5$ -type hydrogen storage alloy 831
- Ball-milling  
composites for hydrogen storage by mechanical grinding of graphite carbon and magnesium 579  
charge–discharge characteristics of  $\text{TiV}_{2.1}\text{Ni}_{0.3}$  alloy surface-modified by ball-milling with Ni or Raney Ni 597
- Ball milling diffusion method  
characteristics of  $\text{Mg}_2\text{Ni}_{0.75}\text{M}_{0.25}$  ( $\text{M}=\text{Ti, Cr, Mn, Fe, Co, Ni, Cu}$  and Zn) alloys after surface treatment 640
- Ball-milling process  
a study on the electrode characteristics of Zr-based alloy surface-modified with Ti-based alloy by ball-milling process as an anode material for Ni–MH rechargeable batteries 796  
characteristics of surface-modified metal hydride electrode with flake Ni by the ball-milling process 835
- Bcc  
charge–discharge characteristics of  $\text{TiV}_{2.1}\text{Ni}_{0.3}$  alloy surface-modified by ball-milling with Ni or Raney Ni 597
- b.c.c. phase  
protium absorption properties of Ti–V–Cr–Mn alloys with a b.c.c. structure 522  
hydrogen absorption properties of  $\text{Ti}_3\text{Al}$ -based ternary alloys 543
- Bond order  
analysis of the electronic structure of zirconium hydride 313
- Bulk mechanical alloying  
hydrogen absorption and electrochemical properties of  $\text{Mg}_{2-x}\text{Ni}$  ( $x=0-0.5$ ) alloys prepared by bulk mechanical alloying 590
- $\text{CaCu}_5$  phases  
degradation behavior of  $\text{LaNi}_{5-x}\text{Sn}_x\text{H}_2$  ( $x=0.20-0.25$ ) at elevated temperatures 271
- Caesium magnesium hydrides  
high-pressure synthesis and crystal structures of new ternary caesium magnesium hydrides,  $\text{CsMgH}_3$ ,  $\text{Cs}_4\text{Mg}_3\text{H}_{10}$  and  $\text{Cs}_2\text{MgH}_4$  152
- Calorimetry  
calorimetric investigation of hydrogen interaction with intermetallic compounds at pressure up to 2000 atm 41  
calorimetric investigation of the hydrogen interaction with  $\text{Ti}_{0.9}\text{Zr}_{0.1}\text{Mn}_{1.1}\text{V}_{0.1}$  45
- $\text{CaNi}_5$   
stability of  $\text{CaNi}_5\text{H}_x$  stored at temperatures between 20 and 150°C 215
- Carbohydride  
thermal-radiation synthesis of zirconium hydridonitrides and carbohydrides 559
- Carbon  
hydrogen in carbon nanostructures 670
- Carbonaceous materials  
hydrogen adsorption in carbonaceous materials– 666
- Carbon nanotubes  
hydrogen plasma treatment on catalytic layer and effect of oxygen additions on plasma enhanced chemical vapor deposition of carbon nanotube 569  
hydrogen storage in carbon nanostructures 654  
hydrogen sorption by carbon nanotubes and other carbon nanostructures 676
- Catalysis  
catalyzed alanates for hydrogen storage 683
- Cerium  
short hydrogen–hydrogen separations in novel intermetallic hydrides,  $\text{RE}_3\text{Ni}_3\text{In}_3\text{D}_4$  ( $\text{RE}=\text{La, Ce}$  and Nd) 132  
in situ XAS study of the hydrogenation of  $\text{AB}_5$  compounds ( $\text{A}=\text{La, Ce}$  and  $\text{B}=\text{Ni}_{3.55}\text{Mn}_{0.4}\text{Al}_{0.3}\text{Co}_{0.75}$ ) 246  
magnetic behaviour of the new hydride  $\text{CePtAlH}_x$  373  
reaction kinetics of cerium thin films with  $\text{H}_2$ ,  $\text{O}_2$  and  $\text{H}_2\text{O}$  systems at 298 K 498
- Cerium hydride  
reaction kinetics of cerium thin films with  $\text{H}_2$ ,  $\text{O}_2$  and  $\text{H}_2\text{O}$  systems at 298 K 498
- Cerium hydroxide  
reaction kinetics of cerium thin films with  $\text{H}_2$ ,  $\text{O}_2$  and  $\text{H}_2\text{O}$  systems at 298 K 498
- Cerium oxide  
reaction kinetics of cerium thin films with  $\text{H}_2$ ,  $\text{O}_2$  and  $\text{H}_2\text{O}$  systems at 298 K 498
- Charge–discharge capability  
Ni/Al/Co-substituted  $\alpha\text{-Ni}(\text{OH})_2$  as electrode materials in the nickel metal hydride cell 802
- Charge transfer  
correlation between electronic structure and phase stability of metal hydrides 318
- Chemical vapor deposition  
hydrogen plasma treatment on catalytic layer and effect of oxygen additions on plasma enhanced chemical vapor deposition of carbon nanotube 569
- C15 Laves phase  
thermal analysis of hydrogen-induced amorphization in C15 Laves  $\text{RFe}_2$  compounds 743
- Cluster Expansion Method  
theoretical investigation of Pd–H phase equilibria by the cluster variation method 14
- Cluster Variation Method  
theoretical investigation of Pd–H phase equilibria by the cluster variation method 14
- Cobalt-free alloy  
influence of the material processing on the electrochemical properties of cobalt-free  $\text{Ml}(\text{NiMnAlFe})_5$  alloy 861
- Combustion synthesis  
thermal-radiation processes in the  $\text{MeIV-H}$  system. Synthesis of hydrides of metals 551
- Complex hydride  
catalyzed alanates for hydrogen storage 683  
dynamic in situ X-ray diffraction of catalyzed alanates 691  
microstructural characterization of catalyzed  $\text{NaAlH}_4$  702
- Complex relative permeability  
GHz microwave absorption of a fine  $\alpha\text{-Fe}$  structure produced by the disproportionation of  $\text{Sm}_2\text{Fe}_{17}$  in hydrogen 301
- Composites  
composites for hydrogen storage by mechanical grinding of graphite carbon and magnesium 579  
hydrogen absorption and desorption in mechanically alloyed titanium–chromium composites 601
- Composition  
theoretical investigation of isopleths of hydrogen solubility in transition metals 85
- Copper coating  
properties of pellet- and paste-type electrodes of  $\text{AB}_5$  hydrogen storage alloy 821
- Copper nitride  
modification of electrical and optical properties of metal nitride thin films by hydrogen inclusion 348

- Corrosion  
effect of the cooling rate of superstoichiometric AB<sub>5</sub> alloys with low Co content on their electrochemical performances 871
- Corrosion resistance  
study of the corrosion resistance of Cr, Zr, Y doped AB<sub>5</sub> type alloys in KOH 262
- Cr  
study of the corrosion resistance of Cr, Zr, Y doped AB<sub>5</sub> type alloys in KOH 262  
hydrogen absorption and desorption in mechanically alloyed titanium–chromium composites 601
- Crack  
lattice defects introduced during hydrogen absorption–desorption cycles and their effects on *P*–*C* characteristics in some intermetallic compounds 117
- Crystalline films  
theoretical study of interstitial atoms distribution in the bulk and at the surface of crystal. Surface segregation 81
- Crystal structure  
phase transformations, crystal and magnetic structures of high-pressure hydrides of *d*-metals 110  
high-pressure synthesis and crystal structures of new ternary caesium magnesium hydrides, CsMgH<sub>3</sub>, Cs<sub>4</sub>Mg<sub>3</sub>H<sub>10</sub> and Cs<sub>2</sub>MgH<sub>4</sub> 152  
crystal structure of novel hydrides in a Mg–Ni–H system prepared under an ultra high pressure 157  
crystal structural properties of Ti<sub>3</sub>SnD 166  
structure and magnetic properties of TbNiAl-based deuterides 169  
structural study of metal–hydrogen interactions in cubic PrH<sub>2+x</sub> and rare-earth analogues 175  
X-ray diffraction, neutron scattering and NMR studies of hydrides formed by Ti<sub>4</sub>Pd<sub>2</sub>O and Zr<sub>4</sub>Pd<sub>2</sub>O 191  
an interrelation of RH<sub>x</sub> coordination and H ordering in the structures of intermetallic hydrides 234  
electron microscopy and hydriding properties of MgYNi<sub>4</sub> synthesized by mechanical alloying 292  
new alkali metal osmium- and ruthenium hydrides 536  
characteristics of Mg<sub>2</sub>Ni<sub>0.75</sub>M<sub>0.25</sub> (M=Ti, Cr, Mn, Fe, Co, Ni, Cu and Zn) alloys after surface treatment 640
- CsMgH<sub>3</sub>  
high-pressure synthesis and crystal structures of new ternary caesium magnesium hydrides, CsMgH<sub>3</sub>, Cs<sub>4</sub>Mg<sub>3</sub>H<sub>10</sub> and Cs<sub>2</sub>MgH<sub>4</sub> 152
- Cs<sub>2</sub>MgH<sub>4</sub>  
high-pressure synthesis and crystal structures of new ternary caesium magnesium hydrides, CsMgH<sub>3</sub>, Cs<sub>4</sub>Mg<sub>3</sub>H<sub>10</sub> and Cs<sub>2</sub>MgH<sub>4</sub> 152
- Cs<sub>4</sub>Mg<sub>3</sub>H<sub>10</sub>  
high-pressure synthesis and crystal structures of new ternary caesium magnesium hydrides, CsMgH<sub>3</sub>, Cs<sub>4</sub>Mg<sub>3</sub>H<sub>10</sub> and Cs<sub>2</sub>MgH<sub>4</sub> 152
- Cycle life  
evaluation of methods to improve reproducibility in charge/discharge measurements of metal hydride battery electrodes 771  
effects of surface structure of fluorinated AB<sub>2</sub> alloys on their electrodes and battery performances 776  
characteristics of surface-modified metal hydride electrode with flake Ni by the ball-milling process 835
- Cycle stability  
effect of the cooling rate of superstoichiometric AB<sub>5</sub> alloys with low Co content on their electrochemical performances 871
- Cyclic hydriding  
effect of LaNi<sub>5</sub>H<sub>6</sub> hydride particles size on desorption kinetics 488
- Decohesion  
hydrogen in iron aluminides 506
- Decomposition  
H-induced phase separation in Pd–Pt alloys as studied by high resolution electron microscopy 219
- Defects  
in-situ neutron powder diffraction study of annealing activated LaNi<sub>5</sub> 202
- Dehydriding properties  
characteristics of Mg<sub>2</sub>Ni<sub>0.75</sub>M<sub>0.25</sub> (M=Ti, Cr, Mn, Fe, Co, Ni, Cu and Zn) alloys after surface treatment 640
- Dehydrogenation mechanism  
structure of nanocomposite metal hydrides 727
- $\Delta H_{D,plateau}$   
synthesis and hydrogenation behavior of Mg–Ti–Ni–H systems by hydrogen-induced mechanical alloying 584
- Dense oxide film  
a study on the electrode characteristics of Zr-based alloy surface-modified with Ti-based alloy by ball-milling process as an anode material for Ni–MH rechargeable batteries 796
- Density functional theory  
density functional calculations on hydrogen in palladium–silver alloys 332
- Desorption kinetics  
engineering considerations in the use of catalyzed sodium alanates for hydrogen storage 696
- Desorption kinetics of H<sub>2</sub>  
thermal desorption spectroscopy (TDS) method for hydrogen desorption characterization (I): theoretical aspects 59  
effects of sulfur poisoning on hydrogen desorption from palladium 612
- Deuterium  
useful equations of state of hydrogen and deuterium 89  
NMR study of a temperature-induced structural transition in ZrBe<sub>2</sub>D<sub>x</sub> 179
- Diagrams  
theoretical investigation of isopleths of hydrogen solubility in transition metals 85
- Diamond anvil cell  
thermodynamic properties of iron hydride 25
- Diffusion  
NMR study of a temperature-induced structural transition in ZrBe<sub>2</sub>D<sub>x</sub> 179  
hydrogen diffusion in palladium based f.c.c. alloys 434
- Diffusion and nucleation process  
effect of reactive mechanical grinding on chemical and hydrogen sorption properties of the Mg+10 wt.% Co mixture 738
- Diffusion of H<sub>2</sub>  
thermal desorption spectroscopy (TDS) method for hydrogen desorption characterization (I): theoretical aspects 59
- Diffusion of hydrogen  
effect of LaNi<sub>5</sub>H<sub>6</sub> hydride particles size on desorption kinetics 488
- Dihydrides  
the initial stage of the hydriding of gadolinium metal at 100°C and sub-ambient pressure 93  
dihydride transmission quenching in switchable La<sub>1-z</sub>Y<sub>z</sub>H<sub>x</sub> mirrors 338
- Discharge capacity  
evaluation of methods to improve reproducibility in charge/discharge measurements of metal hydride battery electrodes 771  
properties of pellet- and paste-type electrodes of AB<sub>5</sub> hydrogen storage alloy 821
- Dislocations  
lattice defects introduced during hydrogen absorption–desorption cycles and their effects on *P*–*C* characteristics in some intermetallic compounds 117  
evolution of microstructure in the LaNi<sub>5</sub>–D system during the early absorption–desorption cycles 241

- in-situ neutron powder diffraction study of annealing activated  
LaNi<sub>5</sub> 202
- synchrotron powder diffraction line broadening analysis of  
dislocations in LaNi<sub>5</sub>-H 229
- Dislocations and disclinations  
hydrogen cycling induced degradation in LaNi<sub>5</sub>-type materials 208
- Disorder  
high catalytic activity disordered VTiZrNiCrCoMnAlSn hydrogen  
storage alloys for nickel–metal hydride batteries 752
- Disproportionation  
stability of CaNi<sub>5</sub>H<sub>x</sub> stored at temperatures between 20 and 150°C  
215  
an improved HDDR treatment for the production of anisotropic  
Nd–Fe–B ternary powders 892
- Disproportionation reaction  
GHz microwave absorption of a fine  $\alpha$ -Fe structure produced by  
the disproportionation of Sm<sub>2</sub>Fe<sub>17</sub> in hydrogen 301
- Dopant-H complexes  
dynamics of H trapped by defects in type IV and III–V  
semiconductors 420
- DV-X $\alpha$  method  
electronic states of hydrogen in zirconium oxide 307  
analysis of the electronic structure of zirconium hydride 313
- Elastic constants  
temperature dependence of the elastic shear modulus of the Laves-  
phase materials TaV<sub>2</sub> and TaV<sub>2</sub>H<sub>x</sub> 396
- Elastic moduli  
temperature dependence of the elastic shear modulus of the Laves-  
phase materials TaV<sub>2</sub> and TaV<sub>2</sub>H<sub>x</sub> 396
- Elastic modulus  
characteristics of zirconium hydride and deuteride 99  
analysis of the electronic structure of zirconium hydride 313
- Electrical conductivity  
modification of electrical and optical properties of metal nitride thin  
films by hydrogen inclusion 348  
thermal diffusivity and electrical resistivity of zirconium hydride  
357
- Electrical resistivity  
characteristics of zirconium hydride and deuteride 99  
thermal diffusivity and electrical resistivity of zirconium hydride  
357
- Electrocatalytic activity  
a study on the electrode characteristics of Zr-based alloy surface-  
modified with Ti-based alloy by ball-milling process as an  
anode material for Ni–MH rechargeable batteries 796
- Electrochemical cyclic durability  
improvement of electrochemical cyclic durability of Zr-based AB<sub>2</sub>  
alloy electrodes 825
- Electrochemical hydriding  
comparison of pretreatments by alkaline (Li, Na, K) hydroxides  
with NH<sub>3</sub>–H<sub>2</sub>O in the work function and hydriding kinetics of  
LaNi<sub>2.5</sub>Co<sub>2.5</sub> 622
- Electrochemical impedance spectroscopy  
influence of the boron additive on the electrochemical properties of  
the MmNi<sub>3.55</sub>Co<sub>0.75</sub>Mn<sub>0.4</sub>Al<sub>0.3</sub> hydrogen storage alloy 866
- Electrochemical performance  
influence of the boron additive on the electrochemical properties of  
the MmNi<sub>3.55</sub>Co<sub>0.75</sub>Mn<sub>0.4</sub>Al<sub>0.3</sub> hydrogen storage alloy 866
- Electrochemical properties  
effects of fluorination on the hydriding and electrochemical  
properties of a gas-atomized Zr-based hydrogen storage alloy  
617  
the phase structure and electrochemical properties of the melt-spun  
alloy Zr<sub>0.7</sub>Ti<sub>0.3</sub>Mn<sub>0.4</sub>V<sub>0.4</sub>Ni<sub>1.2</sub> 855
- Electrochemical property  
influence of the material processing on the electrochemical  
properties of cobalt-free MI(NiMnAlFe)<sub>5</sub> alloy 861
- Electrochemical reactions  
hydrogenation characteristics of Ti<sub>2</sub>Ni and Ti<sub>4</sub>Ni<sub>2</sub>X (X=O, N, C)  
517
- Electrode  
effect of the cooling rate of superstoichiometric AB<sub>5</sub> alloys with  
low Co content on their electrochemical performances 871
- Electrode material  
influence of stoichiometry and composition on the structural and  
electrochemical properties of AB<sub>5+y</sub>-based alloys used as  
negative electrode materials in Ni–MH batteries 787
- Electrode materials  
Ni/Al/Co-substituted  $\alpha$ -Ni(OH)<sub>2</sub> as electrode materials in the  
nickel metal hydride cell 802
- Electrodes  
low temperature hydrogenation properties of platinum group metal  
treated, nickel metal hydride electrode alloy 806  
properties of pellet- and paste-type electrodes of AB<sub>5</sub> hydrogen  
storage alloy 821
- Electrode substrate  
a new process for fabrication of metal-hydride electrodes for  
nickel–metal hydride batteries 760
- Electromagnetic wave absorber  
GHz microwave absorption of a fine  $\alpha$ -Fe structure produced by  
the disproportionation of Sm<sub>2</sub>Fe<sub>17</sub> in hydrogen 301
- Electromigration  
electromigration of H vacancies in YH<sub>3–6</sub> 426  
a hydrogen traffic jam in YH<sub>x</sub> 430
- Electron beam  
thermal-radiation processes in the MeIV–H system. Synthesis of  
hydrides of metals 551  
the synthesis of hydrides of intermetallic Ti<sub>2</sub>Co under an  
accelerated electron beam 564
- Electronic properties  
ZrNi–H<sub>2</sub>: microstructural analysis of the thermodynamically  
controlled hydride phase growth, and electronic properties 280
- Electronic state  
electronic states of hydrogen in zirconium oxide 307
- Electronic structure  
analysis of the electronic structure of zirconium hydride 313  
correlation between electronic structure and phase stability of metal  
hydrides 318  
electronic structure of the new manganese ternary hydride  
Mg<sub>3</sub>MnH<sub>7</sub> 323  
hydrogen-induced modifications to the electronic structure of  
intermetallic compounds 328  
temperature dependence of the elastic shear modulus of the Laves-  
phase materials TaV<sub>2</sub> and TaV<sub>2</sub>H<sub>x</sub> 396
- Electronic structures  
roles of constituent elements and design of hydrogen storage alloys  
20
- Electron microscopy  
H-induced phase separation in Pd–Pt alloys as studied by high  
resolution electron microscopy 219  
microstructural characterization of catalyzed NaAlH<sub>4</sub> 702
- Elevated temperature  
analysis of the fracture behavior of a hydrided cladding tube at  
elevated temperatures by fracture mechanics 400
- Ellipsometry  
dihydride transmission quenching in switchable La<sub>1–z</sub>Y<sub>z</sub>H<sub>x</sub> mirrors  
338
- Engineering properties  
engineering considerations in the use of catalyzed sodium alanates  
for hydrogen storage 696
- Enthalpy  
on the accuracy of heat flux calorimetry in stable intermetallic–  
H<sub>2</sub>(g) systems 34  
hydrogen segregation to internal interfaces of Pd–yttria composite  
prepared by internal oxidation of Pd–Y alloys 607

- Epoxy resin composite  
 GHz microwave absorption of a fine  $\alpha$ -Fe structure produced by the disproportionation of  $\text{Sm}_2\text{Fe}_{17}$  in hydrogen 301
- Equation of state  
 useful equations of state of hydrogen and deuterium 89
- Equilibrium concentration  
 hydrogen in lanthan–nickel storage alloys 70
- $\alpha$ -Fe fine structure  
 GHz microwave absorption of a fine  $\alpha$ -Fe structure produced by the disproportionation of  $\text{Sm}_2\text{Fe}_{17}$  in hydrogen 301
- Fe–H  
 precepts and prospects for phase diagrams of M–H systems 8
- Ferrimagnets  
 a nuclear magnetic resonance study of  $\text{SmMn}_2\text{H}_2$  361
- Ferromagnetism  
 magnetic behaviour of the new hydride  $\text{CePtAlH}_x$  373
- FeTi  
 lattice defects introduced during hydrogen absorption–desorption cycles and their effects on  $P$ – $C$  characteristics in some intermetallic compounds 117
- Finite element method  
 analysis of the fracture behavior of a hydrided cladding tube at elevated temperatures by fracture mechanics 400
- First order transition  
 on the accuracy of heat flux calorimetry in stable intermetallic– $\text{H}_2(\text{g})$  systems 34
- Flake copper powder  
 highly densified-MH electrode using flaky nickel powder and gas-atomized hydrogen storage alloy powder 846
- Flake Ni  
 characteristics of surface-modified metal hydride electrode with flake Ni by the ball-milling process 835
- Flake nickel powder  
 highly densified-MH electrode using flaky nickel powder and gas-atomized hydrogen storage alloy powder 846
- Fluorination  
 studies on the fluorination method for improving surface properties and characteristics of  $\text{AB}_5$ -types of hydrides 627
- Fluorination treatment  
 effects of fluorination on the hydriding and electrochemical properties of a gas-atomized Zr-based hydrogen storage alloy 617  
 effects of surface structure of fluorinated  $\text{AB}_2$  alloys on their electrodes and battery performances 776
- Fracture mechanics  
 analysis of the fracture behavior of a hydrided cladding tube at elevated temperatures by fracture mechanics 400
- Fracture strength  
 tensile test of hydrided Zircaloy 404
- Fracture testing  
 degradation of the mechanical properties of Zircaloy-4 due to hydrogen embrittlement 408
- Frequency response method  
 hydriding kinetics analysis by the frequency response method 476
- Fuel cell  
 catalyzed alanates for hydrogen storage 683  
 dynamic in situ X-ray diffraction of catalyzed alanates 691  
 operation of hydrogen–air fuel cells based on proton conducting oxides and hydrogen storage metals 911
- Fullerenes  
 hydrogen storage in carbon nanotubes and graphitic nanofibers 659
- Gadolinium  
 the initial stage of the hydriding of gadolinium metal at 100°C and sub-ambient pressure 93
- Gadolinium films  
 magnetic properties of epitaxial gadolinium hydride films 369
- Gadolinium hydride  
 effects of pre-dissolved hydrogen on the precipitation and growth kinetics of gadolinium hydride on polycrystalline gadolinium surfaces 492
- Gas-atomized hydrogen storage alloy  
 effects of fluorination on the hydriding and electrochemical properties of a gas-atomized Zr-based hydrogen storage alloy 617
- Gas-atomized powder  
 highly densified-MH electrode using flaky nickel powder and gas-atomized hydrogen storage alloy powder 846
- Gas–solid reactions  
 hydrogen cycling induced degradation in  $\text{LaNi}_5$ -type materials 208  
 $^2\text{H}$  NMR study of sites and dynamics of deuterium and their isotope effects in  $\text{Ti}_{0.1}\text{V}_{0.9}\text{H}_x\text{D}_y$  ( $x+y\approx 0.7$ ) 443  
 nitriding reactions with a Zr–Mn–Fe metal getter 897
- Grain boundaries  
 NMR study of the nanocrystalline palladium–hydrogen system 714
- Graphite  
 effects of surface and bulk modifications on electrochemical and physicochemical characteristics of MgNi alloys 636  
 hydrogen sorption by carbon nanotubes and other carbon nanostructures 676
- Graphite carbon  
 composites for hydrogen storage by mechanical grinding of graphite carbon and magnesium 579
- Graphite nanofibers  
 hydrogen storage in carbon nanostructures 654
- Growth kinetics  
 the effect of  $\text{N}_2^+$  and  $\text{C}^+$  implantation on uranium hydride nucleation and growth kinetics 472
- Hardness  
 characteristics of zirconium hydride and deuteride 99
- HDDR  
 an improved HDDR treatment for the production of anisotropic Nd–Fe–B ternary powders 892
- Heat capacity  
 characteristics of zirconium hydride and deuteride 99
- Heat flux calorimetry  
 on the accuracy of heat flux calorimetry in stable intermetallic– $\text{H}_2(\text{g})$  systems 34
- Heat of reaction  
 magnetic field effect on the heat of reaction in metal–hydrogen systems 48  
 change in the heat of reaction by magnetic fields in  $\text{LaCo}_5$ – $\text{H}_2$  52
- Heat pump  
 an installation for water cooling based on a metal hydride heat pump 907
- Heat transfer  
 on the accuracy of heat flux calorimetry in stable intermetallic– $\text{H}_2(\text{g})$  systems 34
- Heat treatment  
 protium absorption properties of Ti–V–Cr–Mn alloys with a b.c.c. structure 522  
 effects of particle size and heat treatment on the electrode performance of a low-cobalt atomized  $\text{AB}_5$ -type hydrogen storage alloy 831
- High-damping material  
 feasibility study of high-strength and high-damping materials by means of hydrogen internal friction in amorphous alloys 389
- High pressure  
 thermodynamic properties of iron hydride 25  
 useful equations of state of hydrogen and deuterium 89

- high pressure experiments on the  $\text{Mg}_2\text{Ni}$  and  $\text{Mg}_2\text{NiH}_4\text{--H}$  systems 162
- kinetics of metal hydride electrodes when increasing the internal cell pressure 502
- High pressure of hydrogen
- interaction of  $\text{RT}_3$  ( $\text{R}=\text{Ce}$ ,  $\text{T}=\text{Co}$ ,  $\text{Ni}$ ,  $\text{Fe}$ ) intermetallic compounds with hydrogen under high pressure 574
- High-pressure phase
- high-pressure synthesis and crystal structures of new ternary caesium magnesium hydrides,  $\text{CsMgH}_3$ ,  $\text{Cs}_4\text{Mg}_3\text{H}_{10}$  and  $\text{Cs}_2\text{MgH}_4$  152
- High pressure synthesis
- new alkali metal osmium- and ruthenium hydrides 536
- High rate capability
- influence of the boron additive on the electrochemical properties of the  $\text{MmNi}_{3.55}\text{Co}_{0.75}\text{Mn}_{0.4}\text{Al}_{0.3}$  hydrogen storage alloy 866
- H in semiconductors
- dynamics of H trapped by defects in type IV and III–V semiconductors 420
- H tunneling
- dynamics of H trapped by defects in type IV and III–V semiconductors 420
- Hydride
- crystal structure of novel hydrides in a Mg–Ni–H system prepared under an ultra high pressure 157
- kinetics of metal hydride electrodes when increasing the internal cell pressure 502
- the electrochemical impedance of metal hydride electrodes 810
- Hydride degradation behavior
- degradation behavior of  $\text{LaNi}_{5-x}\text{Sn}_x\text{H}_2$  ( $x=0.20\text{--}0.25$ ) at elevated temperatures 271
- Hydride formation
- thermodynamics of hydrogen solution and hydride formation for different microstructures of Pd 29
- Hydride-forming metals
- the initial stage of the hydriding of gadolinium metal at  $100^\circ\text{C}$  and sub-ambient pressure 93
- Hydride phase growth
- $\text{ZrNi--H}_2$ : microstructural analysis of the thermodynamically controlled hydride phase growth, and electronic properties 280
- Hydrides
- roles of constituent elements and design of hydrogen storage alloys 20
- short hydrogen–hydrogen separations in novel intermetallic hydrides,  $\text{RE}_3\text{Ni}_3\text{In}_3\text{D}_4$  ( $\text{RE}=\text{La}$ ,  $\text{Ce}$  and  $\text{Nd}$ ) 132
- structure and hydrogen sorption properties of (Ti,Zr)–Mn–V alloys 146
- influence of the martensitic transformation on the hydrogenation properties of  $\text{Ti}_{50-x}\text{Zr}_x\text{Ni}_{50}$  alloys 250
- hydrogen-induced modifications to the electronic structure of intermetallic compounds 328
- a nuclear magnetic resonance study of  $\text{SmMn}_2\text{H}_2$  361
- the synthesis of hydrides of intermetallic  $\text{Ti}_2\text{Co}$  under an accelerated electron beam 564
- interaction of  $\text{RT}_3$  ( $\text{R}=\text{Ce}$ ,  $\text{T}=\text{Co}$ ,  $\text{Ni}$ ,  $\text{Fe}$ ) intermetallic compounds with hydrogen under high pressure 574
- influence of stoichiometry and composition on the structural and electrochemical properties of  $\text{AB}_{5+y}$ -based alloys used as negative electrode materials in Ni–MH batteries 787
- Hydriding–dehydriding properties
- magnetic behaviour of the new hydride  $\text{CePtAlH}_x$  373
- Hydriding kinetics
- analysis of the hydride formation kinetics of Zry-4 483
- Hydriding kinetics analysis
- hydriding kinetics analysis by the frequency response method 476
- Hydridonitride
- thermal-radiation synthesis of zirconium hydridonitrides and carbonylhydrides 559
- Hydrofullerites
- magnetic ordering in hydrofullerite  $\text{C}_{60}\text{H}_{24}$  365
- Hydrogen
- useful equations of state of hydrogen and deuterium 89
- crystal structural properties of  $\text{Ti}_3\text{SnD}$  166
- electronic states of hydrogen in zirconium oxide 307
- modification of electrical and optical properties of metal nitride thin films by hydrogen inclusion 348
- comparison of the dynamics of hydrogen and deuterium dissolved in crystalline  $\text{Pd}_9\text{Si}_2$  and  $\text{Pd}_3\text{P}_{0.8}$  458
- photoelectrochemical study of hydrogen in zirconium oxide 645
- hydrogen in carbon nanostructures 670
- thermal analysis of hydrogen-induced amorphization in C15 Laves  $\text{RFe}_2$  compounds 743
- V–Ni alloy membranes for hydrogen purification 902
- an installation for water cooling based on a metal hydride heat pump 907
- Hydrogen absorbing materials
- structural study of metal–hydrogen interactions in cubic  $\text{PrH}_{2+x}$  and rare-earth analogues 175
- engineering considerations in the use of catalyzed sodium alanates for hydrogen storage 696
- Hydrogen absorption
- H- and D distribution in metallic multilayers studied by 3-dimensional atom probe analysis and secondary ion mass spectrometry 225
- in situ XAS study of the hydrogenation of  $\text{AB}_5$  compounds ( $\text{A}=\text{La}$ ,  $\text{Ce}$  and  $\text{B}=\text{Ni}_{3.55}\text{Mn}_{0.4}\text{Al}_{0.3}\text{Co}_{0.75}$ ) 246
- density functional calculations on hydrogen in palladium–silver alloys 332
- hydrogen absorption properties of  $\text{Ti}_3\text{Al}$ -based ternary alloys 543
- hydrogen absorption and desorption in the binary Ti–Al system 547
- Hydrogen absorption/desorption
- hydrogen absorption and desorption in mechanically alloyed titanium–chromium composites 601
- Hydrogen absorption kinetics
- hydriding kinetics of nano-phase composite hydrogen storage alloys prepared by mechanical alloying of Mg and  $\text{MmNi}_{5-x}(\text{CoAlMn})_x$  708
- Hydrogen activated  $\text{LaNi}_5$  alloy
- in-situ neutron powder diffraction study of annealing activated  $\text{LaNi}_5$  202
- Hydrogen adsorption
- hydrogen adsorption in carbonaceous materials– 666
- Hydrogenation
- effects of hydrogenation on interlayer reactions in metallic multilayers 256
- effects of fluorination on the hydriding and electrochemical properties of a gas-atomized Zr-based hydrogen storage alloy 617
- Hydrogen capacity
- synthesis and hydrogenation behavior of Mg–Ti–Ni–H systems by hydrogen-induced mechanical alloying 584
- Hydrogen charging
- characterization of the charging techniques used to introduce hydrogen in aluminum 649
- Hydrogen desorption
- effect of  $\text{LaNi}_5\text{H}_6$  hydride particles size on desorption kinetics 488
- Hydrogen/deuterium tunnelling
- giant tunnelling effect of hydrogen and deuterium in  $\alpha$  manganese 462
- Hydrogen diffusion
- X-ray diffraction, neutron scattering and NMR studies of hydrides formed by  $\text{Ti}_4\text{Pd}_2\text{O}$  and  $\text{Zr}_4\text{Pd}_2\text{O}$  191
- H-induced phase separation in Pd–Pt alloys as studied by high resolution electron microscopy 219

- the existence of more than one jump process of hydrogen in palladium–silver alloys — an NMR study 448
- Hydrogen diffusivity  
model-independent measurements of hydrogen diffusivity in the yttrium dihydrides 438  
hydrogen in iron aluminides 506
- Hydrogen disordering  
thermal relaxation of hydrogen disordering in Pd–H system irradiated with high-energy particles 187
- Hydrogen embrittlement  
tensile test of hydrided Zircaloy 404  
degradation of the mechanical properties of Zircaloy-4 due to hydrogen embrittlement 408  
analysis of the hydride formation kinetics of Zry-4 483  
hydrogen in iron aluminides 506
- Hydrogen equilibrium pressure  
on the dependence of true hydrogen equilibrium pressure on the granular size distribution of the  $Zr(Fe_{0.5}Mn_{0.5})_2$  getter alloy 76
- Hydrogen getters  
assessment of Zr–V–Fe getter alloy for gas-gap heat switches 886
- Hydrogen in alloys  
hydrogen diffusion in palladium based f.c.c. alloys 434
- Hydrogen in metals  
H-induced phase separation in Pd–Pt alloys as studied by high resolution electron microscopy 219  
in situ monitoring of optical and structural switching in epitaxial  $YH_x$  switchable mirrors 342  
electromigration of H vacancies in  $YH_{3-\delta}$  426  
a hydrogen traffic jam in  $YH_x$  430  
highly reflecting Y/Mg– $H_x$  multilayered switchable mirrors 875
- Hydrogen interaction  
interaction of hydrogen with magnetism in Y–Gd alloys 381
- Hydrogen interactions  
calorimetric investigation of hydrogen interaction with intermetallic compounds at pressure up to 2000 atm 41
- Hydrogen internal friction peak  
feasibility study of high-strength and high-damping materials by means of hydrogen internal friction in amorphous alloys 389
- Hydrogen isotherms  
hydrogen isotherms for  $LaNi_{4.6}M_{0.4}$  alloys where M=group 4A elements 531
- Hydrogen-metal  
temperature dependence of the elastic shear modulus of the Laves-phase materials  $TaV_2$  and  $TaV_2H_x$  396
- Hydrogen ordering  
an interrelation of  $RH_x$  coordination and H ordering in the structures of intermetallic hydrides 234
- Hydrogen plasma treatment  
hydrogen plasma treatment on catalytic layer and effect of oxygen additions on plasma enhanced chemical vapor deposition of carbon nanotube 569
- Hydrogen pressure  
magnetic field effect on the equilibrium hydrogen pressure for the  $PrCo_5$ –H system 56  
an improved HDDR treatment for the production of anisotropic Nd–Fe–B ternary powders 892
- Hydrogen solubility  
hydrogen in lanthan–nickel storage alloys 70  
theoretical investigation of isopleths of hydrogen solubility in transition metals 85  
hydrogen absorption and electrochemical properties of  $Mg_{2-x}Ni$  ( $x=0-0.5$ ) alloys prepared by bulk mechanical alloying 590  
hydrogen segregation to internal interfaces of Pd–yttria composite prepared by internal oxidation of Pd–Y alloys 607  
hydrogen absorption of nanocrystalline palladium 718
- Hydrogen sorption  
hydrogen sorption by carbon nanotubes and other carbon nanostructures 676
- Hydrogen sorption properties  
effect of reactive mechanical grinding on chemical and hydrogen sorption properties of the Mg+10 wt.% Co mixture 738
- Hydrogen storage  
electron microscopy and hydriding properties of  $MgYNi_4$  synthesized by mechanical alloying 292  
optical transmission of magnesium hydride thin film with characteristic nanostructure 352  
remarkable hydrogen storage properties in three-layered Pd/Mg/Pd thin films 526  
composites for hydrogen storage by mechanical grinding of graphite carbon and magnesium 579  
hydrogen storage in carbon nanostructures 654  
catalyzed alanates for hydrogen storage 683  
dynamic in situ X-ray diffraction of catalyzed alanates 691  
microstructural characterization of catalyzed  $NaAlH_4$  702  
effect of mechanical grinding under Ar and  $H_2$  atmospheres on structural and hydriding properties in  $LaNi_5$  747  
assessment of Zr–V–Fe getter alloy for gas-gap heat switches 886
- Hydrogen-storage alloy  
lattice defects introduced during hydrogen absorption–desorption cycles and their effects on  $P$ – $C$  characteristics in some intermetallic compounds 117  
protium absorption properties of Ti–V–Cr–Mn alloys with a b.c.c. structure 522  
influence of the material processing on the electrochemical properties of cobalt-free  $Ml(NiMnAlFe)_5$  alloy 861
- Hydrogen storage alloy (HSA)  
preparation of hydrogen storage alloys for applications of hydrogen storage and transportation 882
- Hydrogen storage alloy powder  
highly densified-MH electrode using flaky nickel powder and gas-atomized hydrogen storage alloy powder 846
- Hydrogen storage alloys  
roles of constituent elements and design of hydrogen storage alloys 20  
hydriding kinetics of nano-phase composite hydrogen storage alloys prepared by mechanical alloying of Mg and  $MmNi_{5-x}(CoAlMn)_x$  708
- Hydrogen storage applications  
new ternary intermetallic compounds belonging to the R–Y–Ni (R=La, Ce) system as negative electrodes for Ni–MH batteries 782
- Hydrogen storage material  
hydrogen storage in carbon nanotubes and graphitic nanofibers 659
- Hydrogen storage materials  
positron annihilation study of lattice defects induced by hydrogen absorption in some hydrogen storage materials 125  
hydrogen cycling induced degradation in  $LaNi_5$ -type materials 208  
 $^2H$  NMR study of sites and dynamics of deuterium and their isotope effects in  $Ti_{0.1}V_{0.9}H_xD_y$  ( $x+y\approx 0.7$ ) 443  
hydrogenation characteristics of  $Ti_2Ni$  and  $Ti_4Ni_2X$  (X=O, N, C) 517  
hydrogen desorption kinetics of nanostructured  $MgH_2$  composite materials 723  
effects of particle size and heat treatment on the electrode performance of a low-cobalt atomized  $AB_5$ -type hydrogen storage alloy 831  
characteristics of a cobalt-free  $ML(NiCuAl)_{5.2}$  alloy obtained by different casting processing methods 851  
influence of the boron additive on the electrochemical properties of the  $MmNi_{3.55}Co_{0.75}Mn_{0.4}Al_{0.3}$  hydrogen storage alloy 866
- Hydrogen storage metal  
operation of hydrogen–air fuel cells based on proton conducting oxides and hydrogen storage metals 911

- Hydrogen trapping  
hydrogen segregation to internal interfaces of Pd–yttria composite prepared by internal oxidation of Pd–Y alloys 607
- Hydrogen–vacancy complex, Hydrogen bubbles  
characterization of the charging techniques used to introduce hydrogen in aluminum 649
- Hyper-stoichiometry  
improvement of electrochemical cyclic durability of Zr-based AB<sub>2</sub> alloy electrodes 825
- Impedance  
effects of surface structure of fluorinated AB<sub>2</sub> alloys on their electrodes and battery performances 776  
the electrochemical impedance of metal hydride electrodes 810
- Impurity distribution and redistribution  
theoretical study of interstitial atoms distribution in the bulk and at the surface of crystal. Surface segregation 81
- Impurity level  
photoelectrochemical study of hydrogen in zirconium oxide 645
- Indium  
short hydrogen–hydrogen separations in novel intermetallic hydrides, RE<sub>3</sub>Ni<sub>3</sub>In<sub>3</sub>D<sub>4</sub> (RE=La, Ce and Nd) 132
- Interdiffusion  
effects of hydrogenation on interlayer reactions in metallic multilayers 256
- Interlayer reaction  
effects of hydrogenation on interlayer reactions in metallic multilayers 256
- Intermetallic alloys  
influence of stoichiometry and composition on the structural and electrochemical properties of AB<sub>5+y</sub>-based alloys used as negative electrode materials in Ni–MH batteries 787
- Intermetallic compound  
NMR study of a temperature-induced structural transition in ZrBe<sub>2</sub>D<sub>x</sub> 179  
hydrogen absorption and desorption in mechanically alloyed titanium–chromium composites 601
- Intermetallic compound–hydrogen systems  
the synthesis of hydrides of intermetallic Ti<sub>2</sub>Co under an accelerated electron beam 564
- Intermetallic compounds  
calorimetric investigation of hydrogen interaction with intermetallic compounds at pressure up to 2000 atm 41  
calorimetric investigation of the hydrogen interaction with Ti<sub>0.9</sub>Zr<sub>0.1</sub>Mn<sub>1.1</sub>V<sub>0.1</sub> 45  
hydrogen-induced modifications to the electronic structure of intermetallic compounds 328  
a nuclear magnetic resonance study of SmMn<sub>2</sub>H<sub>2</sub> 361  
hydrogen absorption and desorption in the binary Ti–Al system 547
- Intermetallic hydrides  
on the accuracy of heat flux calorimetry in stable intermetallic–H<sub>2</sub>(g) systems 34  
an interrelation of RH<sub>x</sub> coordination and H ordering in the structures of intermetallic hydrides 234
- Intermetallics  
hydrogen cycling induced degradation in LaNi<sub>5</sub>-type materials 208  
hydrogenation characteristics of Ti<sub>2</sub>Ni and Ti<sub>4</sub>Ni<sub>2</sub>X (X=O, N, C) 517  
characteristics of a cobalt-free ML(NiCuAl)<sub>5.2</sub> alloy obtained by different casting processing methods 851  
nitriding reactions with a Zr–Mn–Fe metal getter 897
- Internal oxidation  
hydrogen segregation to internal interfaces of Pd–yttria composite prepared by internal oxidation of Pd–Y alloys 607
- Interstitial atoms concentration  
theoretical study of interstitial atoms distribution in the bulk and at the surface of crystal. Surface segregation 81
- Inverted pair potentials  
interatomic potentials and atomistic calculations of some metal hydride systems 64
- Ionicity of hydrogen  
correlation between electronic structure and phase stability of metal hydrides 318
- Ion implantation  
the effect of N<sub>2</sub><sup>+</sup> and C<sup>+</sup> implantation on uranium hydride nucleation and growth kinetics 472
- Ion sputtering  
H- and D distribution in metallic multilayers studied by 3-dimensional atom probe analysis and secondary ion mass spectrometry 225
- Iron aluminides  
hydrogen in iron aluminides 506
- Iron hydride  
thermodynamic properties of iron hydride 25
- Irradiation  
thermal-radiation processes in the MeIV–H system. Synthesis of hydrides of metals 551  
the synthesis of hydrides of intermetallic Ti<sub>2</sub>Co under an accelerated electron beam 564
- Isopleths  
theoretical investigation of isopleths of hydrogen solubility in transition metals 85
- Isotherm  
hydrogen in lanthan–nickel storage alloys 70
- Isotope effect  
characteristics of zirconium hydride and deuteride 99  
NMR study of a temperature-induced structural transition in ZrBe<sub>2</sub>D<sub>x</sub> 179
- Kinetics  
kinetics of metal hydride electrodes when increasing the internal cell pressure 502  
low temperature hydrogenation properties of platinum group metal treated, nickel metal hydride electrode alloy 806  
the electrochemical impedance of metal hydride electrodes 810
- La  
dihydride transmission quenching in switchable La<sub>1–z</sub>Y<sub>z</sub>H<sub>x</sub> mirrors 338
- LaCo<sub>5</sub>–H<sub>2</sub>  
magnetic field effect on the heat of reaction in metal–hydrogen systems 48  
change in the heat of reaction by magnetic fields in LaCo<sub>5</sub>–H<sub>2</sub> 52
- LaNi<sub>5</sub>  
lattice defects introduced during hydrogen absorption–desorption cycles and their effects on P–C characteristics in some intermetallic compounds 117  
positron annihilation study of lattice defects induced by hydrogen absorption in some hydrogen storage materials 125  
synchrotron powder diffraction line broadening analysis of dislocations in LaNi<sub>5</sub>–H 229  
hydrogen isotherms for LaNi<sub>4.6</sub>M<sub>0.4</sub> alloys where M=group 4A elements 531  
pulverization behavior of LaNi<sub>5</sub> with alkaline pretreatment 632
- LaNi<sub>2.5</sub>Co<sub>2.5</sub>  
comparison of pretreatments by alkaline (Li, Na, K) hydroxides with NH<sub>3</sub>–H<sub>2</sub>O in the work function and hydriding kinetics of LaNi<sub>2.5</sub>Co<sub>2.5</sub> 622
- LaNi<sub>5</sub>H<sub>6</sub> hydride  
effect of LaNi<sub>5</sub>H<sub>6</sub> hydride particles size on desorption kinetics 488
- La–Ni–Sn alloys  
degradation behavior of LaNi<sub>5–x</sub>Sn<sub>x</sub>H<sub>2</sub> (x=0.20–0.25) at elevated temperatures 271



- Lanthan–nickel alloy  
hydrogen in lanthan–nickel storage alloys 70
- Lanthanum  
short hydrogen–hydrogen separations in novel intermetallic hydrides,  $\text{RE}_3\text{Ni}_3\text{In}_3\text{D}_4$  (RE=La, Ce and Nd) 132
- Lanthanum nickel tin deuteride  
hexagonal  $\text{LaNiSnD}_2$  with a filled ZrBeSi-type structure 141
- Laser deposition  
H- and D distribution in metallic multilayers studied by 3-dimensional atom probe analysis and secondary ion mass spectrometry 225
- Lattice constant  
characteristics of zirconium hydride and deuteride 99
- Laves phase  
evaluation of methods to improve reproducibility in charge/discharge measurements of metal hydride battery electrodes 771
- Laves phases  
temperature dependence of the elastic shear modulus of the Laves-phase materials  $\text{TaV}_2$  and  $\text{TaV}_2\text{H}_x$  396
- $\text{Lm}(\text{Ni}_{1-x}\text{Mo}_x)_5$  intermetallic alloy  
preparation of hydrogen storage alloys for applications of hydrogen storage and transportation 882
- Lorenz number  
thermal diffusivity and electrical resistivity of zirconium hydride 357
- Low temperature  
low temperature hydrogenation properties of platinum group metal treated, nickel metal hydride electrode alloy 806
- Magnesium  
remarkable hydrogen storage properties in three-layered Pd/Mg/Pd thin films 526  
composites for hydrogen storage by mechanical grinding of graphite carbon and magnesium 579  
degradation of amorphous MgNi electrode and effect of heat treatment in Ar 816
- Magnesium hydride  
optical transmission of magnesium hydride thin film with characteristic nanostructure 352  
hydrogen desorption kinetics of nanostructured  $\text{MgH}_2$  composite materials 723  
structure of nanocomposite metal hydrides 727
- Magnesium–nickel–hydrogen system  
crystal structure of novel hydrides in a Mg–Ni–H system prepared under an ultra high pressure 157
- Magnetic field effect  
magnetic field effect on the heat of reaction in metal–hydrogen systems 48  
change in the heat of reaction by magnetic fields in  $\text{LaCo}_5\text{–H}_2$  52
- Magnetic field effects  
magnetic field effect on the equilibrium hydrogen pressure for the  $\text{PrCo}_5\text{–H}$  system 56
- Magnetic properties  
phase transformations, crystal and magnetic structures of high-pressure hydrides of *d*-metals 110  
magnetic properties of epitaxial gadolinium hydride films 369  
new alkali metal osmium- and ruthenium hydrides 536
- Magnetic structure  
structure and magnetic properties of TbNiAl-based deuterides 169
- Magnetism  
magnetism in  $\beta\text{-DyD}_{2+x}$  and  $\beta\text{-HoD}_{2+x}$  studied with positive muons 376  
interaction of hydrogen with magnetism in Y–Gd alloys 381
- Magnetization  
magnetic behaviour of the new hydride  $\text{CePtAlH}_x$  373
- Magnetocrystalline anisotropy  
a nuclear magnetic resonance study of  $\text{SmMn}_2\text{H}_2$  361
- Manganese ternary hydride  
electronic structure of the new manganese ternary hydride  $\text{Mg}_3\text{MnH}_7$  323
- Martensite transformation  
influence of the martensitic transformation on the hydrogenation properties of  $\text{Ti}_{50-x}\text{Zr}_x\text{Ni}_{50}$  alloys 250
- Mass interference  
short-lived ‘Schrödinger’s cat’ states of protons in metal–hydrogen systems: a new effect 414
- Material processing  
influence of the material processing on the electrochemical properties of cobalt-free  $\text{Ml}(\text{NiMnAlFe})_5$  alloy 861
- Materials design  
roles of constituent elements and design of hydrogen storage alloys 20
- Mathematical model  
thermal desorption spectroscopy (TDS) method for hydrogen desorption characterization (I): theoretical aspects 59
- Mechanical alloying  
electron microscopy and hydriding properties of  $\text{MgYNi}_4$  synthesized by mechanical alloying 292  
hydrogen absorption and desorption in mechanically alloyed titanium–chromium composites 601  
hydriding kinetics of nano-phase composite hydrogen storage alloys prepared by mechanical alloying of Mg and  $\text{MmNi}_{5-x}(\text{CoAlMn})_x$  708  
hydrogen desorption kinetics of nanostructured  $\text{MgH}_2$  composite materials 723
- Mechanical grinding  
effect of mechanical grinding under Ar and  $\text{H}_2$  atmospheres on structural and hydriding properties in  $\text{LaNi}_5$  747
- Melt spinning  
effect of the cooling rate of superstoichiometric  $\text{AB}_5$  alloys with low Co content on their electrochemical performances 871
- Melt-spun electrode alloy  
the phase structure and electrochemical properties of the melt-spun alloy  $\text{Zr}_{0.7}\text{Ti}_{0.3}\text{Mn}_{0.4}\text{V}_{0.4}\text{Ni}_{1.2}$  855
- Membrane  
V–Ni alloy membranes for hydrogen purification 902
- Metal hydride  
crystal structural properties of  $\text{Ti}_3\text{SnD}$  166  
structure and magnetic properties of TbNiAl-based deuterides 169  
stability of  $\text{CaNi}_5\text{H}_x$  stored at temperatures between 20 and 150°C 215  
competing stabilisation mechanisms in  $\text{Mg}_2\text{NiH}_4$  268  
temperature dependence of the elastic shear modulus of the Laves-phase materials  $\text{TaV}_2$  and  $\text{TaV}_2\text{H}_x$  396  
comparison of pretreatments by alkaline (Li, Na, K) hydroxides with  $\text{NH}_3\text{–H}_2\text{O}$  in the work function and hydriding kinetics of  $\text{LaNi}_{2.5}\text{Co}_{2.5}$  622  
catalyzed alanates for hydrogen storage 683  
dynamic in situ X-ray diffraction of catalyzed alanates 691  
microstructural characterization of catalyzed  $\text{NaAlH}_4$  702  
high catalytic activity disordered VTiZrNiCrCoMnAlSn hydrogen storage alloys for nickel–metal hydride batteries 752  
an installation for water cooling based on a metal hydride heat pump 907
- Metal hydride electrode  
evaluation of methods to improve reproducibility in charge/discharge measurements of metal hydride battery electrodes 771
- Metal hydrides  
interatomic potentials and atomistic calculations of some metal hydride systems 64  
phase transformations, crystal and magnetic structures of high-pressure hydrides of *d*-metals 110

- X-ray diffraction, neutron scattering and NMR studies of hydrides formed by  $\text{Ti}_4\text{Pd}_2\text{O}$  and  $\text{Zr}_4\text{Pd}_2\text{O}$  191
- new alkali metal osmium- and ruthenium hydrides 536
- thermal-radiation processes in the  $\text{MeIV-H}$  system. Synthesis of hydrides of metals 551
- Metal hydrogen**
- evolution of microstructure in the  $\text{LaNi}_5\text{-D}$  system during the early absorption-desorption cycles 241
- characterization of the charging techniques used to introduce hydrogen in aluminum 649
- Metal hydrogen systems**
- thermodynamic properties of iron hydride 25
- magnetic field effect on the equilibrium hydrogen pressure for the  $\text{PrCo}_5\text{-H}$  system 56
- thermal desorption spectroscopy (TDS) method for hydrogen desorption characterization (I): theoretical aspects 59
- on the structure of epitaxial  $\text{YH}_x$  films 276
- effects of sulfur poisoning on hydrogen desorption from palladium 612
- Metal-insulator transitions**
- in situ monitoring of optical and structural switching in epitaxial  $\text{YH}_x$  switchable mirrors 342
- Metallic hydrides**
- short-lived 'Schrödinger's cat' states of protons in metal-hydrogen systems: a new effect 414
- Metallic multilayers**
- H- and D distribution in metallic multilayers studied by 3-dimensional atom probe analysis and secondary ion mass spectrometry 225
- Metal-oxide interface**
- hydrogen segregation to internal interfaces of Pd-yttria composite prepared by internal oxidation of Pd-Y alloys 607
- Metals**
- H- and D distribution in metallic multilayers studied by 3-dimensional atom probe analysis and secondary ion mass spectrometry 225
- NMR study of the nanocrystalline palladium-hydrogen system 714
- Metastability**
- stability of  $\text{CaNi}_5\text{H}_x$  stored at temperatures between 20 and 150°C 215
- $\text{MgCu}_2$  structure type**
- an interrelation of  $\text{RH}_x$  coordination and H ordering in the structures of intermetallic hydrides 234
- MgNi**
- degradation of amorphous MgNi electrode and effect of heat treatment in Ar 816
- MgNi alloy**
- hydrogen absorption and electrochemical properties of  $\text{Mg}_{2-x}\text{Ni}$  ( $x=0-0.5$ ) alloys prepared by bulk mechanical alloying 590
- effects of surface and bulk modifications on electrochemical and physicochemical characteristics of MgNi alloys 636
- $\text{Mg}_2\text{Ni}$  and  $\text{Mg}_2\text{NiH}_4\text{-H}$  system**
- high pressure experiments on the  $\text{Mg}_2\text{Ni}$  and  $\text{Mg}_2\text{NiH}_4\text{-H}$  systems 162
- $\text{Mg}_2\text{NiH}_4$**
- competing stabilisation mechanisms in  $\text{Mg}_2\text{NiH}_4$  268
- $\text{Mg}(\text{OH})_2$**
- electrochemical behavior of amorphous MgNi as negative electrodes in rechargeable Ni-MH batteries 792
- degradation of amorphous MgNi electrode and effect of heat treatment in Ar 816
- Mg-Ti-Ni-H system**
- synthesis and hydrogenation behavior of Mg-Ti-Ni-H systems by hydrogen-induced mechanical alloying 584
- Micro-cracks**
- influence of hydrogen content on the strength and the presence of defects in  $\epsilon$ -zirconium hydride 393
- Micropaste electrode technique**
- electrochemical behavior of amorphous MgNi as negative electrodes in rechargeable Ni-MH batteries 792
- Microscopic jump process**
- hydrogen diffusion in palladium based f.c.c. alloys 434
- Microstructure**
- $\text{ZrNi-H}_2$ : microstructural analysis of the thermodynamically controlled hydride phase growth, and electronic properties 280
- the influence of microstructure on hydrogen absorption properties of Ti-Cr-V alloys 287
- the phase structure and electrochemical properties of the melt-spun alloy  $\text{Zr}_{0.7}\text{Ti}_{0.3}\text{Mn}_{0.4}\text{V}_{0.4}\text{Ni}_{1.2}$  855
- influence of the material processing on the electrochemical properties of cobalt-free  $\text{M}(\text{NiMnAlFe})_5$  alloy 861
- Milling under hydrogen**
- effect of reactive mechanical grinding on chemical and hydrogen sorption properties of the Mg+10 wt.% Co mixture 738
- Modeling**
- on the accuracy of heat flux calorimetry in stable intermetallic- $\text{H}_2(\text{g})$  systems 34
- Molecular orbital method**
- characteristics of zirconium hydride and deuteride 99
- correlation between electronic structure and phase stability of metal hydrides 318
- Multi-layer**
- remarkable hydrogen storage properties in three-layered Pd/Mg/Pd thin films 526
- Muon diffusion**
- muon localization along a six-fold ring-shaped site and muon quantum hopping in  $\text{GdNi}_5$  454
- Muon Knight shift**
- site determination of positive muons in Pr single crystal 183
- Muon site**
- site determination of positive muons in Pr single crystal 183
- Muon spin relaxation**
- magnetism in  $\beta\text{-DyD}_{2+x}$  and  $\beta\text{-HoD}_{2+x}$  studied with positive muons 376
- Muon spin rotation and relaxation**
- muon localization along a six-fold ring-shaped site and muon quantum hopping in  $\text{GdNi}_5$  454
- Mutual diffusion layer**
- charge-discharge characteristics of  $\text{TiV}_{2.1}\text{Ni}_{0.3}$  alloy surface-modified by ball-milling with Ni or Raney Ni 597
- $\text{NaAlH}_4$**
- catalyzed alanates for hydrogen storage 683
- dynamic in situ X-ray diffraction of catalyzed alanates 691
- engineering considerations in the use of catalyzed sodium alanates for hydrogen storage 696
- microstructural characterization of catalyzed  $\text{NaAlH}_4$  702
- $\text{Na}_3\text{AlH}_6$**
- catalyzed alanates for hydrogen storage 683
- dynamic in situ X-ray diffraction of catalyzed alanates 691
- engineering considerations in the use of catalyzed sodium alanates for hydrogen storage 696
- microstructural characterization of catalyzed  $\text{NaAlH}_4$  702
- Nanocomposite**
- structure of nanocomposite metal hydrides 727
- Nanocrystalline alloy**
- hydrogen storage properties of amorphous and nanocrystalline Zr-Ni-V alloys 732
- Nanocrystalline alloys**
- hydrogenating kinetics of nano-phase composite hydrogen storage alloys prepared by mechanical alloying of Mg and  $\text{MmNi}_{5-x}(\text{CoAlMn})_x$  708
- Nanocrystalline/amorphous**
- improvement of electrode performances of  $\text{Mg}_2\text{Ni}$  by mechanical alloying 841

- Nanocrystalline Pd  
hydrogen absorption of nanocrystalline palladium 718
- Nanoporous  
hydrogen in carbon nanostructures 670
- Nanostructure  
optical transmission of magnesium hydride thin film with characteristic nanostructure 352
- Nano-structured  $\text{LaNi}_5$   
effect of mechanical grinding under Ar and  $\text{H}_2$  atmospheres on structural and hydriding properties in  $\text{LaNi}_5$  747
- Nanostructures  
electron microscopy and hydriding properties of  $\text{MgYNi}_4$  synthesized by mechanical alloying 292  
NMR study of the nanocrystalline palladium–hydrogen system 714
- Nb–H  
precepts and prospects for phase diagrams of M–H systems 8
- Nd–Fe–B  
an improved HDDR treatment for the production of anisotropic Nd–Fe–B ternary powders 892
- Neodymium  
short hydrogen–hydrogen separations in novel intermetallic hydrides,  $\text{RE}_3\text{Ni}_3\text{In}_3\text{D}_4$  (RE=La, Ce and Nd) 132
- Neutron Compton scattering  
short-lived ‘Schrödinger’s cat’ states of protons in metal–hydrogen systems: a new effect 414
- Neutron diffraction  
crystal structural properties of  $\text{Ti}_3\text{SnD}$  166  
structure and magnetic properties of TbNiAl-based deuterides 169  
structural study of metal–hydrogen interactions in cubic  $\text{PrH}_{2+x}$  and rare-earth analogues 175  
in-situ neutron powder diffraction study of annealing activated  $\text{LaNi}_5$  202  
evolution of microstructure in the  $\text{LaNi}_5$ –D system during the early absorption–desorption cycles 241  
on the structure of epitaxial  $\text{YH}_x$  films 276  
giant tunnelling effect of hydrogen and deuterium in  $\alpha$  manganese 462  
new alkali metal osmium- and ruthenium hydrides 536  
influence of stoichiometry and composition on the structural and electrochemical properties of  $\text{AB}_{5+y}$ -based alloys used as negative electrode materials in Ni–MH batteries 787
- Neutron powder diffraction  
high-pressure synthesis and crystal structures of new ternary caesium magnesium hydrides,  $\text{CsMgH}_3$ ,  $\text{Cs}_4\text{Mg}_3\text{H}_{10}$  and  $\text{Cs}_2\text{MgH}_4$  152  
X-ray diffraction, neutron scattering and NMR studies of hydrides formed by  $\text{Ti}_4\text{Pd}_2\text{O}$  and  $\text{Zr}_4\text{Pd}_2\text{O}$  191
- Neutron scattering  
comparison of the dynamics of hydrogen and deuterium dissolved in crystalline  $\text{Pd}_9\text{Si}_2$  and  $\text{Pd}_3\text{P}_{0.8}$  458
- Neutron spectroscopy  
giant tunnelling effect of hydrogen and deuterium in  $\alpha$  manganese 462
- Nickel  
short hydrogen–hydrogen separations in novel intermetallic hydrides,  $\text{RE}_3\text{Ni}_3\text{In}_3\text{D}_4$  (RE=La, Ce and Nd) 132
- Nickel–metal hydride battery  
charge–discharge characteristics of  $\text{TiV}_{2.1}\text{Ni}_{0.3}$  alloy surface-modified by ball-milling with Ni or Raney Ni 597  
effects of surface and bulk modifications on electrochemical and physicochemical characteristics of MgNi alloys 636  
degradation of amorphous MgNi electrode and effect of heat treatment in Ar 816
- Nickel metal hydride cell  
Ni/Al/Co-substituted  $\alpha$ -Ni(OH) $_2$  as electrode materials in the nickel metal hydride cell 802
- Nickel–metal hydride electrode  
highly densed-MH electrode using flaky nickel powder and gas-atomized hydrogen storage alloy powder 846
- Ni/Mg multilayer  
effects of hydrogenation on interlayer reactions in metallic multilayers 256
- Ni–MH batteries  
influence of the martensitic transformation on the hydrogenation properties of  $\text{Ti}_{50-x}\text{Zr}_x\text{Ni}_{50}$  alloys 250  
new ternary intermetallic compounds belonging to the R–Y–Ni (R=La, Ce) system as negative electrodes for Ni–MH batteries 782
- Ni–MH electrode  
a new process for fabrication of metal-hydride electrodes for nickel–metal hydride batteries 760
- Ni/Nb bilayer  
effects of hydrogenation on interlayer reactions in metallic multilayers 256
- Nitride  
modification of electrical and optical properties of metal nitride thin films by hydrogen inclusion 348
- NMR  
NMR study of a temperature-induced structural transition in  $\text{ZrBe}_2\text{D}_x$  179
- Non-stoichiometric alloys  
degradation behavior of  $\text{LaNi}_{5-x}\text{Sn}_x\text{H}_z$  ( $x=0.20$ – $0.25$ ) at elevated temperatures 271
- Nuclear magnetic resonance  
X-ray diffraction, neutron scattering and NMR studies of hydrides formed by  $\text{Ti}_4\text{Pd}_2\text{O}$  and  $\text{Zr}_4\text{Pd}_2\text{O}$  191  
a nuclear magnetic resonance study of  $\text{SmMn}_2\text{H}_2$  361
- Nuclear resonances  
 $^2\text{H}$  NMR study of sites and dynamics of deuterium and their isotope effects in  $\text{Ti}_{0.1}\text{V}_{0.9}\text{H}_x\text{D}_y$  ( $x+y\approx 0.7$ ) 443  
NMR study of the nanocrystalline palladium–hydrogen system 714
- Nucleation  
the effect of  $\text{N}_2^+$  and  $\text{C}^+$  implantation on uranium hydride nucleation and growth kinetics 472
- Optical absorption  
modification of electrical and optical properties of metal nitride thin films by hydrogen inclusion 348
- Optical emission spectroscopy  
hydrogen plasma treatment on catalytic layer and effect of oxygen additions on plasma enhanced chemical vapor deposition of carbon nanotube 569
- Optical properties  
dihydride transmission quenching in switchable  $\text{La}_{1-z}\text{Y}_z\text{H}_x$  mirrors 338  
highly reflecting Y/Mg– $\text{H}_x$  multilayered switchable mirrors 875
- Optical transmission  
optical transmission of magnesium hydride thin film with characteristic nanostructure 352
- Order–disorder effects  
 $^2\text{H}$  NMR study of sites and dynamics of deuterium and their isotope effects in  $\text{Ti}_{0.1}\text{V}_{0.9}\text{H}_x\text{D}_y$  ( $x+y\approx 0.7$ ) 443
- Organic ferromagnets  
magnetic ordering in hydrofullerite  $\text{C}_{60}\text{H}_{24}$  365
- Oxygen additions  
hydrogen plasma treatment on catalytic layer and effect of oxygen additions on plasma enhanced chemical vapor deposition of carbon nanotube 569
- Palladium  
comparison of the dynamics of hydrogen and deuterium dissolved in crystalline  $\text{Pd}_9\text{Si}_2$  and  $\text{Pd}_3\text{P}_{0.8}$  458

- remarkable hydrogen storage properties in three-layered Pd/Mg/Pd thin films 526
- Palladium microstructures  
thermodynamics of hydrogen solution and hydride formation for different microstructures of Pd 29
- Palladium–silver alloys  
density functional calculations on hydrogen in palladium–silver alloys 332  
the existence of more than one jump process of hydrogen in palladium–silver alloys — an NMR study 448
- Partial enthalpies  
thermodynamics of hydrogen solution and hydride formation for different microstructures of Pd 29
- Particle irradiation  
thermal relaxation of hydrogen disordering in Pd–H system irradiated with high-energy particles 187
- Particle size  
effects of particle size and heat treatment on the electrode performance of a low-cobalt atomized AB<sub>5</sub>-type hydrogen storage alloy 831
- Passivation  
the effect of N<sub>2</sub><sup>+</sup> and C<sup>+</sup> implantation on uranium hydride nucleation and growth kinetics 472
- PCI  
synthesis and hydrogenation behavior of Mg–Ti–Ni–H systems by hydrogen-induced mechanical alloying 584
- P–C–T* isotherms  
assessment of Zr–V–Fe getter alloy for gas-gap heat switches 886
- P–C* isotherm  
effect of mechanical grinding under Ar and H<sub>2</sub> atmospheres on structural and hydriding properties in LaNi<sub>5</sub> 747
- P–C* isotherms  
degradation behavior of LaNi<sub>5-x</sub>Sn<sub>x</sub>H<sub>2</sub> ( $x=0.20–0.25$ ) at elevated temperatures 271
- P–C–T* characteristics  
hydrogen storage properties of amorphous and nanocrystalline Zr–Ni–V alloys 732
- Pd–H  
thermal relaxation of hydrogen disordering in Pd–H system irradiated with high-energy particles 187
- Pd–H phase equilibria  
theoretical investigation of Pd–H phase equilibria by the cluster variation method 14
- Pd hydride  
effects of sulfur poisoning on hydrogen desorption from palladium 612
- Pd–yttria composites  
hydrogen segregation to internal interfaces of Pd–yttria composite prepared by internal oxidation of Pd–Y alloys 607
- Performance standardization  
evaluation of methods to improve reproducibility in charge/discharge measurements of metal hydride battery electrodes 771
- Permeation  
V–Ni alloy membranes for hydrogen purification 902
- Phase diagrams  
precepts and prospects for phase diagrams of M–H systems 8
- Phase structure  
the phase structure and electrochemical properties of the melt-spun alloy Zr<sub>0.7</sub>Ti<sub>0.3</sub>Mn<sub>0.4</sub>V<sub>0.4</sub>Ni<sub>1.2</sub> 855
- Phase transitions  
on the structure of epitaxial YH<sub>x</sub> films 276
- $\epsilon$ -phase zirconium hydride  
thermal diffusivity and electrical resistivity of zirconium hydride 357
- Phosphorus  
comparison of the dynamics of hydrogen and deuterium dissolved in crystalline Pd<sub>9</sub>Si<sub>2</sub> and Pd<sub>3</sub>P<sub>0.8</sub> 458
- Photocurrent  
photoelectrochemical study of hydrogen in zirconium oxide 645
- Photoelectrochemistry  
photoelectrochemical study of hydrogen in zirconium oxide 645
- Platinum group metal  
low temperature hydrogenation properties of platinum group metal treated, nickel metal hydride electrode alloy 806
- Polycrystalline gadolinium surfaces  
effects of pre-dissolved hydrogen on the precipitation and growth kinetics of gadolinium hydride on polycrystalline gadolinium surfaces 492
- Positron annihilation  
positron annihilation study of lattice defects induced by hydrogen absorption in some hydrogen storage materials 125
- Powder  
a new process for fabrication of metal-hydride electrodes for nickel–metal hydride batteries 760
- Powder metallurgy  
characteristics of a cobalt-free ML(NiCuAl)<sub>5.2</sub> alloy obtained by different casting processing methods 851
- Powder neutron diffraction  
short hydrogen–hydrogen separations in novel intermetallic hydrides, RE<sub>3</sub>Ni<sub>3</sub>In<sub>3</sub>D<sub>4</sub> (RE=La, Ce and Nd) 132  
hexagonal LaNiSnD<sub>2</sub> with a filled ZrBeSi-type structure 141
- Pr  
site determination of positive muons in Pr single crystal 183
- Pre-dissolved hydrogen  
effects of pre-dissolved hydrogen on the precipitation and growth kinetics of gadolinium hydride on polycrystalline gadolinium surfaces 492
- Pressure-composition  
interaction of RT<sub>3</sub> (R=Ce, T=Co, Ni, Fe) intermetallic compounds with hydrogen under high pressure 574
- Pressure-composition isotherms  
highly reflecting Y/Mg–H<sub>x</sub> multilayered switchable mirrors 875
- Properties  
structure and hydrogen sorption properties of (Ti,Zr)–Mn–V alloys 146
- Protium absorption–desorption properties  
Ti–V–Cr b.c.c. alloys with high protium content 511
- Protium treatment  
ultra-fine grain refinement and tensile properties of titanium alloys obtained through protium treatment 384
- Proton conducting oxide electrolyte  
operation of hydrogen–air fuel cells based on proton conducting oxides and hydrogen storage metals 911
- Proton exchange membrane fuel cell (PEMFC)  
preparation of hydrogen storage alloys for applications of hydrogen storage and transportation 882
- Protons  
short-lived ‘Schrödinger’s cat’ states of protons in metal–hydrogen systems: a new effect 414
- Pulsed field gradient nuclear magnetic resonance  
model-independent measurements of hydrogen diffusivity in the yttrium dihydrides 438  
the existence of more than one jump process of hydrogen in palladium–silver alloys — an NMR study 448
- Pulverization  
effect of LaNi<sub>5</sub>H<sub>6</sub> hydride particles size on desorption kinetics 488
- Pulverization behavior  
pulverization behavior of LaNi<sub>5</sub> with alkaline pretreatment 632
- Purification  
V–Ni alloy membranes for hydrogen purification 902
- Quantum entanglement  
short-lived ‘Schrödinger’s cat’ states of protons in metal–hydrogen systems: a new effect 414

- Raman spectroscopy  
 raman spectroscopy studies on  $M_2RuH_6$  where  $M=Ca, Sr$  and  $Eu$  296
- Rapid quenching  
 characteristics of a cobalt-free  $ML(NiCuAl)_{5.2}$  alloy obtained by different casting processing methods 851
- Rare earth alloys and compounds  
 structural study of metal–hydrogen interactions in cubic  $PrH_{2+x}$  and rare-earth analogues 175
- Rare-earth deuterides  
 magnetism in  $\beta-DyD_{2+x}$  and  $\beta-HoD_{2+x}$  studied with positive muons 376
- Rare earth metal  
 thermal analysis of hydrogen-induced amorphization in C15 Laves  $RFe_2$  compounds 743
- Rare-earth metals  
 the initial stage of the hydriding of gadolinium metal at 100°C and sub-ambient pressure 93
- Rate-capability  
 a study on the electrode characteristics of Zr-based alloy surface-modified with Ti-based alloy by ball-milling process as an anode material for Ni–MH rechargeable batteries 796
- Rate capacity  
 effects of surface structure of fluorinated  $AB_2$  alloys on their electrodes and battery performances 776
- Rate controlling step  
 comparison of pretreatments by alkaline (Li, Na, K) hydroxides with  $NH_3-H_2O$  in the work function and hydriding kinetics of  $LaNi_{2.5}Co_{2.5}$  622
- Rechargeable battery  
 air–metal hydride secondary battery with long cycle life 766
- Rechargeable hydrogen batteries  
 electrochemical behavior of amorphous MgNi as negative electrodes in rechargeable Ni–MH batteries 792
- Recombination  
 an improved HDDR treatment for the production of anisotropic Nd–Fe–B ternary powders 892
- Reflection loss  
 GHz microwave absorption of a fine  $\alpha-Fe$  structure produced by the disproportionation of  $Sm_2Fe_{17}$  in hydrogen 301
- Refrigeration  
 an installation for water cooling based on a metal hydride heat pump 907
- Reversible thermal switch  
 assessment of Zr–V–Fe getter alloy for gas-gap heat switches 886
- RHEED  
 magnetic properties of epitaxial gadolinium hydride films 369
- Rietveld refinement  
 synchrotron powder diffraction line broadening analysis of dislocations in  $LaNi_5-H$  229
- Samarium–iron compound  
 GHz microwave absorption of a fine  $\alpha-Fe$  structure produced by the disproportionation of  $Sm_2Fe_{17}$  in hydrogen 301
- Segregation  
 theoretical study of interstitial atoms distribution in the bulk and at the surface of crystal. Surface segregation 81
- Silicon  
 comparison of the dynamics of hydrogen and deuterium dissolved in crystalline  $Pd_3Si_2$  and  $Pd_3P_{0.8}$  458
- Site correlation  
 theoretical investigation of Pd–H phase equilibria by the cluster variation method 14
- Site occupancy  
 theoretical investigation of Pd–H phase equilibria by the cluster variation method 14
- Sodium alanates  
 engineering considerations in the use of catalyzed sodium alanates for hydrogen storage 696
- Spectrometry  
 dihydride transmission quenching in switchable  $La_{1-z}Y_zH_x$  mirrors 338
- Spin lattice relaxation  
 the existence of more than one jump process of hydrogen in palladium–silver alloys — an NMR study 448
- St909 alloy  
 on the dependence of true hydrogen equilibrium pressure on the granular size distribution of the  $Zr(Fe_{0.5}Mn_{0.5})_2$  getter alloy 76
- Stabilisation mechanisms  
 competing stabilisation mechanisms in  $Mg_2NiH_4$  268
- Stability  
 stability of  $CaNi_5H_x$  stored at temperatures between 20 and 150°C 215
- Stability of hydrides  
 correlation between electronic structure and phase stability of metal hydrides 318
- Storage and transportation (S&T)  
 preparation of hydrogen storage alloys for applications of hydrogen storage and transportation 882
- Storage capacity  
 hydrogen adsorption in carbonaceous materials– 666
- Strain  
 evolution of microstructure in the  $LaNi_5-D$  system during the early absorption–desorption cycles 241  
 hydrogen absorption of nanocrystalline palladium 718
- Strength  
 influence of hydrogen content on the strength and the presence of defects in  $\epsilon$ -zirconium hydride 393
- Structural transition  
 NMR study of a temperature-induced structural transition in  $ZrBe_2D_x$  179
- Structure  
 structure and hydrogen sorption properties of (Ti,Zr)–Mn–V alloys 146  
 influence of hydrogen content on the strength and the presence of defects in  $\epsilon$ -zirconium hydride 393
- Sub-femtosecond dynamics  
 short-lived ‘Schrodinger’s cat’ states of protons in metal–hydrogen systems: a new effect 414
- Sulfur  
 effects of sulfur poisoning on hydrogen desorption from palladium 612
- Superconductivity  
 hydrogen-induced modifications to the electronic structure of intermetallic compounds 328
- Superplasticity  
 ultra-fine grain refinement and tensile properties of titanium alloys obtained through protium treatment 384
- Surface analysis  
 in situ monitoring of optical and structural switching in epitaxial  $YH_x$  switchable mirrors 342
- Surface catalysis  
 high catalytic activity disordered VTiZrNiCrCoMnAlSn hydrogen storage alloys for nickel–metal hydride batteries 752
- Surface contamination  
 effects of sulfur poisoning on hydrogen desorption from palladium 612
- Surface effects  
 thermal desorption spectroscopy (TDS) method for hydrogen desorption characterization (I): theoretical aspects 59
- Surface modification  
 effects of surface and bulk modifications on electrochemical and physicochemical characteristics of MgNi alloys 636

- improvement of electrode performances of  $Mg_2Ni$  by mechanical alloying 841
- Surface process of hydrogen
  - reaction kinetics of cerium thin films with  $H_2$ ,  $O_2$  and  $H_2O$  systems at 298 K 498
- Surface properties
  - studies on the fluorination method for improving surface properties and characteristics of  $AB_5$ -types of hydrides 627
- Surface treatment
  - characteristics of  $Mg_2Ni_{0.75}M_{0.25}$  ( $M=Ti, Cr, Mn, Fe, Co, Ni, Cu$  and  $Zn$ ) alloys after surface treatment 640
- Switchable metal-hydride mirrors
  - dihydride transmission quenching in switchable  $La_{1-z}Y_zH_x$  mirrors 338
- Switchable mirrors
  - electromigration of H vacancies in  $YH_{3-\delta}$  426
  - a hydrogen traffic jam in  $YH_x$  430
  - highly reflecting  $Y/Mg-H_x$  multilayered switchable mirrors 875
- Symmetric four-level systems
  - anelastic spectroscopy study of very diluted Zr–D tunnel systems in Nb single crystals 467
- Synchrotron
  - structure of nanocomposite metal hydrides 727
- Synchrotron powder diffraction
  - synchrotron powder diffraction line broadening analysis of dislocations in  $LaNi_5-H$  229
- Synchrotron X-ray diffraction
  - hexagonal  $LaNiSnD_2$  with a filled ZrBeSi-type structure 141
- TDS (thermal desorption spectrum)
  - hydrogen absorption properties of  $Ti_3Al$ -based ternary alloys 543
  - hydrogen absorption and desorption in the binary Ti–Al system 547
- TEM
  - crystal structure of novel hydrides in a Mg–Ni–H system prepared under an ultra high pressure 157
  - effect of the cooling rate of superstoichiometric  $AB_5$  alloys with low Co content on their electrochemical performances 871
- TEM observation
  - hydrogen storage properties of amorphous and nanocrystalline Zr–Ni–V alloys 732
- Temperature
  - theoretical study of interstitial atoms distribution in the bulk and at the surface of crystal. Surface segregation 81
  - theoretical investigation of isopleths of hydrogen solubility in transition metals 85
- Tensile test
  - tensile test of hydrided Zircaloy 404
- Terbium nickel aluminium deuteride
  - structure and magnetic properties of TbNiAl-based deuterides 169
- Ternary metal hydrides
  - raman spectroscopy studies on  $M_2RuH_6$  where  $M=Ca, Sr$  and  $Eu$  296
- Ternary Mg–Ni–M alloys
  - characteristics of  $Mg_2Ni_{0.75}M_{0.25}$  ( $M=Ti, Cr, Mn, Fe, Co, Ni, Cu$  and  $Zn$ ) alloys after surface treatment 640
- Thermal analysis
  - high pressure experiments on the  $Mg_2Ni$  and  $Mg_2NiH_4-H$  systems 162
- Thermal conductivity
  - characteristics of zirconium hydride and deuteride 99
  - thermal diffusivity and electrical resistivity of zirconium hydride 357
- Thermal desorption spectra
  - hydrogen storage properties of amorphous and nanocrystalline Zr–Ni–V alloys 732
- Thermal desorption spectroscopy
  - thermal desorption spectroscopy (TDS) method for hydrogen desorption characterization (I): theoretical aspects 59
  - hexagonal  $LaNiSnD_2$  with a filled ZrBeSi-type structure 141
  - effects of sulfur poisoning on hydrogen desorption from palladium 612
  - hydrogen desorption kinetics of nanostructured  $MgH_2$  composite materials 723
- Thermal diffusivity
  - thermal diffusivity and electrical resistivity of zirconium hydride 357
- Thermal-radiation synthesis
  - thermal-radiation synthesis of zirconium hydridonitrides and carbohydrides 559
- Thermal relaxation
  - thermal relaxation of hydrogen disordering in Pd–H system irradiated with high-energy particles 187
- Thermodynamic constraints
  - precepts and prospects for phase diagrams of M–H systems 8
- Thermodynamic properties
  - hydrogenation characteristics of  $Ti_2Ni$  and  $Ti_4Ni_2X$  ( $X=O, N, C$ ) 517
  - hydrogen absorption of nanocrystalline palladium 718
- Thermodynamic property
  - magnetic field effect on the heat of reaction in metal-hydrogen systems 48
  - change in the heat of reaction by magnetic fields in  $LaCo_5-H_2$  52
- Thin film
  - remarkable hydrogen storage properties in three-layered Pd/Mg/Pd thin films 526
- Thin films
  - H- and D distribution in metallic multilayers studied by 3-dimensional atom probe analysis and secondary ion mass spectrometry 225
  - on the structure of epitaxial  $YH_x$  films 276
- Ti
  - hydrogen absorption and desorption in mechanically alloyed titanium–chromium composites 601
- $Ti_3Al$ 
  - hydrogen absorption properties of  $Ti_3Al$ -based ternary alloys 543
  - hydrogen absorption and desorption in the binary Ti–Al system 547
- Ti-based alloy
  - characteristics of surface-modified metal hydride electrode with flake Ni by the ball-milling process 835
- Ti-based hydrogen storage alloy
  - a study on the electrode characteristics of Zr-based alloy surface-modified with Ti-based alloy by ball-milling process as an anode material for Ni–MH rechargeable batteries 796
- Ti–Cr–V alloy
  - the influence of microstructure on hydrogen absorption properties of Ti–Cr–V alloys 287
- Ti–Cr–V–Fe alloy
  - the influence of microstructure on hydrogen absorption properties of Ti–Cr–V alloys 287
- Time-lag measurements
  - hydrogen diffusion in palladium based f.c.c. alloys 434
- TiNi
  - influence of the martensitic transformation on the hydrogenation properties of  $Ti_{50-x}Zr_xNi_{50}$  alloys 250
- $Ti_3Sn$ 
  - crystal structural properties of  $Ti_3SnD$  166
- Titanium alloy
  - ultra-fine grain refinement and tensile properties of titanium alloys obtained through protium treatment 384

- Titanium–vanadium–chromium–manganese alloys  
protium absorption properties of Ti–V–Cr–Mn alloys with a b.c.c. structure 522
- Ti–V–Cr alloys  
Ti–V–Cr b.c.c. alloys with high protium content 511
- Ti<sub>0.9</sub>Zr<sub>0.1</sub>Mn<sub>1.1</sub>V<sub>0.1</sub>–H<sub>2</sub> systems  
calorimetric investigation of the hydrogen interaction with Ti<sub>0.9</sub>Zr<sub>0.1</sub>Mn<sub>1.1</sub>V<sub>0.1</sub> 45
- Tomographical atom probe  
H- and D distribution in metallic multilayers studied by 3-dimensional atom probe analysis and secondary ion mass spectrometry 225
- Transition metal  
in situ XAS study of the hydrogenation of AB<sub>5</sub> compounds (A=La, Ce and B=Ni<sub>3.55</sub>Mn<sub>0.4</sub>Al<sub>0.3</sub>Co<sub>0.75</sub>) 246
- Transition metal compounds  
raman spectroscopy studies on M<sub>2</sub>RuH<sub>6</sub> where M=Ca, Sr and Eu 296
- Transmission electron microscopy  
electron microscopy and hydriding properties of MgYNi<sub>4</sub> synthesized by mechanical alloying 292  
optical transmission of magnesium hydride thin film with characteristic nanostructure 352
- Trihydrides  
the initial stage of the hydriding of gadolinium metal at 100°C and sub-ambient pressure 93
- Two-dimensional diffusion  
NMR study of a temperature-induced structural transition in ZrBe<sub>2</sub>D<sub>x</sub> 179
- Ultra-fine grain  
ultra-fine grain refinement and tensile properties of titanium alloys obtained through protium treatment 384
- Ultrasound  
temperature dependence of the elastic shear modulus of the Laves-phase materials TaV<sub>2</sub> and TaV<sub>2</sub>H<sub>x</sub> 396
- Uptake  
hydrogen in carbon nanostructures 670
- Uranium hydride  
the effect of N<sub>2</sub><sup>+</sup> and C<sup>+</sup> implantation on uranium hydride nucleation and growth kinetics 472
- Vacancy formation  
positron annihilation study of lattice defects induced by hydrogen absorption in some hydrogen storage materials 125
- Vacancy-H complexes  
dynamics of H trapped by defects in type IV and III–V semiconductors 420
- Vacuum induction melting  
the influence of microstructure on hydrogen absorption properties of Ti–Cr–V alloys 287
- Vanadium  
V–Ni alloy membranes for hydrogen purification 902
- Vapour deposition  
in situ monitoring of optical and structural switching in epitaxial YH<sub>x</sub> switchable mirrors 342
- V-based hydrogen storage alloy  
charge–discharge characteristics of TiV<sub>2.1</sub>Ni<sub>0.3</sub> alloy surface-modified by ball-milling with Ni or Raney Ni 597
- V–H  
precepts and prospects for phase diagrams of M–H systems 8
- Vibrations  
comparison of the dynamics of hydrogen and deuterium dissolved in crystalline Pd<sub>9</sub>Si<sub>2</sub> and Pd<sub>3</sub>P<sub>0.8</sub> 458
- Work function  
comparison of pretreatments by alkaline (Li, Na, K) hydroxides with NH<sub>3</sub>–H<sub>2</sub>O in the work function and hydriding kinetics of LaNi<sub>2.5</sub>Co<sub>2.5</sub> 622
- XAS spectra  
in situ XAS study of the hydrogenation of AB<sub>5</sub> compounds (A=La, Ce and B=Ni<sub>3.55</sub>Mn<sub>0.4</sub>Al<sub>0.3</sub>Co<sub>0.75</sub>) 246
- XPS  
characteristics of zirconium hydride and deuteride 99  
electronic states of hydrogen in zirconium oxide 307
- X-Ray diffraction  
the initial stage of the hydriding of gadolinium metal at 100°C and sub-ambient pressure 93  
high pressure experiments on the Mg<sub>2</sub>Ni and Mg<sub>2</sub>NiH<sub>4</sub>–H systems 162  
hydrogen cycling induced degradation in LaNi<sub>5</sub>-type materials 208  
effects of hydrogenation on interlayer reactions in metallic multilayers 256  
degradation behavior of LaNi<sub>5-x</sub>Sn<sub>x</sub>H<sub>z</sub> (x=0.20–0.25) at elevated temperatures 271  
on the structure of epitaxial YH<sub>x</sub> films 276  
magnetic properties of epitaxial gadolinium hydride films 369  
hydrogen storage properties of amorphous and nanocrystalline Zr–Ni–V alloys 732  
assessment of Zr–V–Fe getter alloy for gas-gap heat switches 886  
nitriding reactions with a Zr–Mn–Fe metal getter 897
- X-ray diffraction topography  
on the structure of epitaxial YH<sub>x</sub> films 276
- X-ray powder diffraction  
X-ray diffraction, neutron scattering and NMR studies of hydrides formed by Ti<sub>4</sub>Pd<sub>2</sub>O and Zr<sub>4</sub>Pd<sub>2</sub>O 191
- XRD  
crystal structure of novel hydrides in a Mg–Ni–H system prepared under an ultra high pressure 157
- Y  
study of the corrosion resistance of Cr, Zr, Y doped AB<sub>5</sub> type alloys in KOH 262  
dihydride transmission quenching in switchable La<sub>1-z</sub>Y<sub>z</sub>H<sub>x</sub> mirrors 338
- Y–Gd alloys  
interaction of hydrogen with magnetism in Y–Gd alloys 381
- YMg hydride  
highly reflecting Y/Mg–H<sub>x</sub> multilayered switchable mirrors 875
- Yttrium dihydrides  
model-independent measurements of hydrogen diffusivity in the yttrium dihydrides 438
- Yttrium-based alloys  
new ternary intermetallic compounds belonging to the R–Y–Ni (R=La, Ce) system as negative electrodes for Ni–MH batteries 782
- Zircaloy  
analysis of the fracture behavior of a hydrided cladding tube at elevated temperatures by fracture mechanics 400  
tensile test of hydrided Zircaloy 404
- Zircaloy-4  
degradation of the mechanical properties of Zircaloy-4 due to hydrogen embrittlement 408
- Zirconium deuteride  
characteristics of zirconium hydride and deuteride 99
- Zirconium hydride  
characteristics of zirconium hydride and deuteride 99  
analysis of the electronic structure of zirconium hydride 313

- influence of hydrogen content on the strength and the presence of defects in  $\epsilon$ -zirconium hydride 393
- analysis of the fracture behavior of a hydrided cladding tube at elevated temperatures by fracture mechanics 400
- tensile test of hydrided Zircaloy 404
- Zirconium oxide
  - electronic states of hydrogen in zirconium oxide 307
- Zirconium oxide film
  - photoelectrochemical study of hydrogen in zirconium oxide 645
- Zr
  - study of the corrosion resistance of Cr, Zr, Y doped AB<sub>5</sub> type alloys in KOH 262
- (Zr,Ti)-based Laves phase alloy
  - the phase structure and electrochemical properties of the melt-spun alloy Zr<sub>0.7</sub>Ti<sub>0.3</sub>Mn<sub>0.4</sub>V<sub>0.4</sub>Ni<sub>1.2</sub> 855
- Zr addition
  - improvement of electrode performances of Mg<sub>2</sub>Ni by mechanical alloying 841
- Zr-based Laves phase alloy
  - improvement of electrochemical cyclic durability of Zr-based AB<sub>2</sub> alloy electrodes 825
- ZrMn<sub>2</sub>
  - positron annihilation study of lattice defects induced by hydrogen absorption in some hydrogen storage materials 125
- ZrNiH<sub>3</sub>
  - ZrNi–H<sub>2</sub>: microstructural analysis of the thermodynamically controlled hydride phase growth, and electronic properties 280
- Zr–Ni–V system
  - hydrogen storage properties of amorphous and nanocrystalline Zr–Ni–V alloys 732
- Zr–V–Fe hydrides
  - assessment of Zr–V–Fe getter alloy for gas-gap heat switches 886
- Zry-4
  - analysis of the hydride formation kinetics of Zry-4 483