



ELSEVIER

Journal of Alloys and Compounds 356–357 (2003) 817–830

Journal of
ALLOYS
AND COMPOUNDS

www.elsevier.com/locate/jallcom

Subject Index of Volumes 356–357

- AB₃ hydrogen storage alloys
 an electrochemical study of mono-substituted intermetallic hydrides 750
- AB₃-type hydrogen storage alloy
 rare-earth-based AB₃-type hydrogen storage alloys as hydrogen electrode catalysts in alkaline fuel cells 734
- Acoustic properties
 anomalies of elastic properties within the ordered β-NbH_x phase 100
 new aspects of mechanical relaxation by hydrogen in metals: a combined study of long- and short-range mechanisms 305
- Activation
 synthesis of nanocrystalline hydrogen storage materials 603
- Activation procedure
 catalytic effect of additives on the hydrogen absorption properties of nano-crystalline MgH₂(X) composites 622
- Aging
 aging effects on palladium pressure–composition isotherms during tritium storage 36
- Alanates
 periodic band calculation on low index surfaces of crystalline LiAlH₄ 178
 hydrogen reactivity of Li-containing hydrogen storage materials 358
 the effects of titanium precursors on hydriding properties of alanates 423
- Alkaline fuel cell
 rare-earth-based AB₃-type hydrogen storage alloys as hydrogen electrode catalysts in alkaline fuel cells 734
- Alloying effects
 compositional dependence of hydriding properties of vanadium alloys at low hydrogen pressures 45
- Aluminium
 hydrogen permeation and transmission electron microscope observations of V–Al alloys 295
- Amorphisation
 structural and electrochemical properties of amorphous rich Mg_xNi_{100-x} nanomaterial obtained by mechanical alloying 557
- Amorphous
 hydrogen loading behaviour of multi-component amorphous alloys: model and experiment 566
 hydrogen-induced transformations in C15 Laves phases CeFe₂ and TbFe₂ studied by pressure calorimetry up to 5 MPa 664
- Amorphous materials
 enhancement of hydrogen storage in MgNi by Pd-coating 438
 characterization of hydrogen in metallic glasses by the use of Hall effect measurements 575
 mechanical instability in amorphous metal alloys–hydrogen systems 630
 crystallization and hydrogenation of a bulk metallic glass, Zr₅₀Ti₅Al₁₀Cu₂₂Ni₁₃ 635
- Anelastic spectroscopy
 tunneling of H within nearly undistorted substitutional-H pairs in Nb: a centrosymmetric four-level system 252
- Anisotropy
 new aspects of mechanical relaxation by hydrogen in metals: a combined study of long- and short-range mechanisms 305
- Atom, molecular, and ion impact
 hydrogen absorption and transport in graphite materials 705
- Atom size
 structure stability maps for intermetallic AB₃ compounds 114
- Attosecond dynamics
 attosecond protonic ‘Schrödinger’s cat’ states and anomalous neutron scattering 244
- Ball milling
 catalytic effect of additives on the hydrogen absorption properties of nano-crystalline MgH₂(X) composites 622
- Band gap
 energetics, electric-field gradients and optical properties of YH₃ (YD₃) by first-principles calculations 73
- b.c.c
 synthesis of nano-structured b.c.c. Mg–Tm–V (Tm=Ni, Co, Cu) alloys and their hydrogen solubility 456
- BCC hydrogen absorbing alloys
 Ti–Cr–X protium absorbing alloys with high protium content for fuel-cell 480
- Benzene cyclohexane conversion
 hydrogen absorption properties of a slurry system composed of a magnesium alloy powder and C₆H₆ 409
- Body centered cubic
 protium absorption–desorption properties of Ti–Cr–Mo bcc solid solution alloys 447
- C15 Laves phase
 hydrogen-induced transformations in C15 Laves phases CeFe₂ and TbFe₂ studied by pressure calorimetry up to 5 MPa 664
- Calorimetry
 attempts to improve Mg₂Ni hydrogen storage by aluminium addition 494
 synthesis of hydrides by mechanical alloying in the Mg–Ni–Ge system 588
- CANDU®
 effect of β-Zr decomposition on the solubility limits for H in Zr–2.5Nb 22
- Ca–Ni alloy
 phase structures and hydrogen storage properties of Ca–Mg–Ni alloys prepared by mechanical alloying 612
- Carbide
 microstructural modifications induced by hydrogen in a heat resistant steel type HP-45 with Nb and Ti additions 693
- Carbon
 hydrogen interaction with carbon nanostructures: current situation and future prospects 716

- Carbon nanotubes
 are carbon nanostructures an efficient hydrogen storage medium? 433
 hydrogen sorption properties of arc generated single-wall carbon nanotubes 510
- Catalysis
 improvement of initial activation of a Ti–Cr alloy by surface modification with potassium (K) 336
 reaction kinetics of H₂O adsorption on Ce surface 368
- Catalyst
 hydrogenation properties of nanocrystalline Mg- and Mg₂Ni-based compounds modified with platinum group metals (PGMs) 598
- Catalyst for hydrogen oxidation
 rare-earth-based AB₅-type hydrogen storage alloys as hydrogen electrode catalysts in alkaline fuel cells 734
- Cerium
 reaction kinetics of H₂O adsorption on Ce surface 368
- Cerium compounds
 structure and magnetic properties of the ternary gallides CeMgA (M=Mn, Co and Cu) and their hydrides 147
- Cerium hydride
 reaction kinetics of H₂O adsorption on Ce surface 368
- Characterization
 the interaction of hydrogen with internally oxidized Pd alloys as illustrated by Pd–Fe alloys 3
 novel hydrogen storage properties of MoS₂ nanotubes 413
- Charge density
 charge density measurement in MgH₂ by synchrotron X-ray diffraction 84
 electronic structure of Ni–H from normal to superabundant vacancies 169
- Charge density distributions
 first principles study of sodium–aluminum–hydrogen phases 486
- Chemical synthesis
 hydriding combustion synthesis of Mg₂NiH₄ 490
- Chemisorption
 hydrogen interaction with carbon nanostructures: current situation and future prospects 716
- Chromium substitution
 the electrochemical properties of the mechanically alloyed Mg₃₅Ti_{10–x}Cr_xNi₅₅ (x=5, 7, 9) electrode alloys 784
- Clusters
 phase transition and lattice expansion during hydrogen loading of nanometer sized palladium clusters 644
- Coating
 various ways including substitution and protection used to improve the cyclability of ‘MgNi’ electrodes 764
- Composite membrane
 hydrogen permeation characteristics of V-15Ni membrane with Pd/Ag overlayer by sputtering 553
- Compression test
 positive effects of hydrogen on the plasticity of 2 1/4 Cr–1Mo steel 809
- Crystallization
 hydrogen-induced transformations in C15 Laves phases CeFe₂ and TbFe₂ studied by pressure calorimetry up to 5 MPa 664
- Crystal structure
 the ZrV₂D₆ crystal structure 50
 in situ powder neutron diffraction study of LaNiInD_{1.63} with short D...D distances 65
 energetics, electric-field gradients and optical properties of YH₃ (YD₃) by first-principles calculations 73
 structure stability maps for intermetallic AB₅ compounds 114
 Sr₆Mg₇H₂₆, a new saline high-pressure hydride with Ba₆Zn₇F₂₆-type structure 128
 high pressure synchrotron XRD study of the pressure induced structural changes in LaNiInD_{1.63–x} 395
 hydrogenation induced valence change and metal atom site exchange at room temperature in the C14-type sub-structure of CeMn_{1.8}Al_{0.2}H_{4.4} 673
 influence of polymorphism on the electrochemical properties of (Ti_{0.64}Zr_{0.36})Ni alloys 730
 the electrochemical properties of La_xMg_{3–x}Ni₉ (x=1.0–2.0) hydrogen storage alloys 746
- Crystal structure and symmetry
 influence of hydrogen insertion on the magnetic properties of the RFe₁₁Ti phases 17
 pressure induced phase transitions and EOS of several Laves phase hydrides 32
 a neutron-powder-diffraction study of the rare-earth deuteride two-phase region 41
 structure of (Ti,Zr)–Mn–V nonstoichiometric Laves phases and (Ti_{0.9}Zr_{0.1})(Mn_{0.75}V_{0.15}Ti_{0.1})₂D_{2.8} deuteride 80
 H–H interactions in the superstoichiometric rare-earth dihydrides RH_{2+c} 87
 Zr₄Al₃D_{2.68} and Zr₃Al₂D_{2.26}: new Zr-containing intermetallic hydrides with ordered hydrogen sublattice 91
 anomalies of elastic properties within the ordered β-NbH_x phase 100
 unusual effects on hydrogenation: anomalous expansion and volume contraction 109
 crystallographic and magnetic structure of Pr₆Fe₁₃AuD₁₃ 142
 structure and bonding in YH_x as derived from elastic and inelastic light scattering 211
 hydrogen absorption properties of topologically close-packed phases of the Nb–Ni–Al system 442
 structural and thermodynamic studies of some hydride forming RM₃-type compounds (R=lanthanide, M=transition metal) 461
 structural studies of the deuterides of carbon containing yttrium alloys 475
 phase transition and lattice expansion during hydrogen loading of nanometer sized palladium clusters 644
- Cyclic hydrogenation
 cyclic hydrogenation of an LmNi₅-based alloy with different hydrogen loadings 800
- Decoherence
 attosecond protonic ‘Schrödinger’s cat’ states and anomalous neutron scattering 244
- Defect
 hydrogen interaction with carbon nanostructures: current situation and future prospects 716
- Density functional theory
 periodic band calculation on low index surfaces of crystalline LiAlH₄ 178
- Density of sites
 hydrogen loading behaviour of multi-component amorphous alloys: model and experiment 566
- Desorption
 hydrogenation of Pd-coated Zr–Cu–Ni–Al metallic glasses and quasicrystals 654
- Deterioration
 deterioration behavior of a multi-phase vanadium-based solid solution alloy electrode 738
- Dielectric response
 electrochemical study of hydrogen diffusion in yttrium hydride switchable mirrors 156
- Diffraction
 high pressure synchrotron XRD study of the pressure induced structural changes in LaNiInD_{1.63–x} 395
 the local structure of hydrogen storage nanocrystalline graphite by neutron scattering 608

- Diffusion
improvements of hydrogen storage properties of Mg-based mixtures elaborated by reactive mechanical milling 570
- Dislocations
helium damage in long-aged metal–tritium systems 683
positive effects of hydrogen on the plasticity of 2 1/4 Cr–1Mo steel 809
- Disproportionation reaction enthalpies
first principles study of sodium–aluminum–hydrogen phases 486
- Dissolution
XPS study of hydrogen and oxygen interactions on the surface of zirconium 330
- DOS
electronic structure of Ni–H from normal to superabundant vacancies 169
- Earth alkali aluminium hydrides
magnesium alanate—a material for reversible hydrogen storage? 418
- Edge dislocation
hydrogen interaction with carbon nanostructures: current situation and future prospects 716
- Elasticity
elastic properties of intermetallic AB₂ and AB₅ hydrogen-absorbing compounds 283
effects of electrochemical reaction and self-stress on hydrogen diffusion in tubular membranes during galvanostatic charging 314
in situ measurement of elastic properties of PdH_x, PdD_x, and PdT_x 372
mechanical instability in amorphous metal alloys–hydrogen systems 630
- Electrical conductivity
heat conductions due to electrons and phonons for titanium hydride and deuteride 223
- Electrical resistivity
heat conductions due to electrons and phonons for titanium hydride and deuteride 223
- Electric field gradient
energetics, electric-field gradients and optical properties of YH₃ (YD₃) by first-principles calculations 73
- Electrochemical properties
the electrochemical properties of La_xMg_{3-x}Ni₉ (x=1.0–2.0) hydrogen storage alloys 746
the electrochemical properties of the mechanically alloyed Mg₃₅Ti_{10-x}Cr_xNi₅₅ (x=5, 7, 9) electrode alloys 784
- Electrochemical reactions
electrochemical study of hydrogen diffusion in yttrium hydride switchable mirrors 156
peculiarity of hydrogen distribution in steel by cathodic charging 240
detection of hydrogen trap distribution in steel using a microprint technique 290
structural and electrochemical properties of amorphous rich Mg_xNi_{100-x} nanomaterial obtained by mechanical alloying 557
effects of electrochemical reaction and self-stress on hydrogen diffusion in tubular membranes during galvanostatic charging 314
the optimal condition of acidic electroless copper plating method for Ti, Zr-based hydrogen storage alloys for electrode use 720
an electroless copper plating method for Ti, Zr-based hydrogen storage alloys 725
modelling of rechargeable NiMH batteries 742
hydride-forming electrode materials seen from a kinetic perspective 759
- effects of cobalt replacement by nickel, manganese, aluminium and iron on the crystallographic and electrochemical properties of AB₅-type alloys 779
- Electrochemistry
various ways including substitution and protection used to improve the cyclability of ‘MgNi’ electrodes 764
- Electrode materials
decomposition of the LaNi_{3.55}Mn_{0.4}Al_{0.3}Fe_{0.75} compound upon electrochemical cycling studied by magnetic properties 133
peculiarity of hydrogen distribution in steel by cathodic charging 240
influence of polymorphism on the electrochemical properties of (Ti_{0.64}Zr_{0.36})Ni alloys 730
modelling of rechargeable NiMH batteries 742
hydride-forming electrode materials seen from a kinetic perspective 759
- Electrodeposition
formation of superabundant vacancies in M–H alloys and some of its consequences: a review 263
superabundant vacancy–hydrogen clusters in electrodeposited Ni and Cu 270
- Electron beam
the thermal radiation processes in the Sc–H system 562
- Electronegativity
structure stability maps for intermetallic AB₅ compounds 114
- Electronic band structure
energetics, electric-field gradients and optical properties of YH₃ (YD₃) by first-principles calculations 73
electronic properties of LaNi_{4.75}Sn_{0.25}, LaNi_{4.5}M_{0.5} (M=Si, Ge, Sn), LaNi_{4.5}Sn_{0.5}H₅ 151
the electronic structure of the europium–palladium hydrides 191
- Electronic states (localized)
theoretical calculation of positron lifetimes for LaNi₅–H system 186
- Electronic structure
electronic state calculation of hydrogen in metal clusters based on Gaussian–FEM mixed basis function 231
- Electronic structure calculations
KKR-CPA study of the electronic and magnetic structures of disordered Pd_{1-y}Ni_y alloys and their hydrides 218
- Electron microscopy
hydrogen sorption properties of arc generated single-wall carbon nanotubes 510
electron microscopy studies of a TbNiAl compound processed by the HDDR route 658
- E-muons spectroscopy
μSR experiment on YMn₂D_{0.5} and YMn₂D₃ deuterides 377
- Enhancement of creep
formation of superabundant vacancies in M–H alloys and some of its consequences: a review 263
- Enhancement of diffusion
formation of superabundant vacancies in M–H alloys and some of its consequences: a review 263
- Europium–Palladium hydrides
the electronic structure of the europium–palladium hydrides 191
- EXAFS
local structure in hydrogenated Ti–Zr–Ni quasicrystals and approximants 96
X-Ray absorption spectroscopy of transition metal–magnesium hydride thin films 204
role of Zr and Ga additions on the hydrogen process of Nd–Fe–B magnets 579
- Exchange coupling
adjustable magnetic interactions: the use of hydrogen as a tuning agent 160

- Fermi level
 electronic structure of Ni–H from normal to superabundant vacancies 169
- FeTi
 deuterium thermal desorption from FeTi thin films 521
- Finite element method
 finite element evaluation of hydrogen solubility enhancements due to thermal residual stresses in palladium–alumina composites 9
- Floating zone melt
 correlation between hydrogen absorption properties and homogeneity of Ti–Cr–V alloys 405
- Fluoride vs. hydride
 role of hydrogen in stabilizing new hydride phases or altering old ones 59
- Fuel cell
 protide compounds in hydrogen storage systems 469
- Fuel recovery
 protide compounds in hydrogen storage systems 469
- Full potential linear augmented plane waves (FLAPW)
 electronic structure of Ni–H from normal to superabundant vacancies 169
- Gas atomization
 electrochemical performance of gas-atomized MmNi₅-based alloy powders 768
- Gas–solid calorimetry
 calorimetric enthalpies for the reaction of H₂ with Pd–Cu alloys at 303 K 13
- Gas solid reaction
 crystal structures and thermal properties of titanium carbide–deuterides as prepared by combustion synthesis 120
 magnetic relaxation phenomena in R₂Fe₁₇ (R=Y, Dy, Er, Ho) and C and H derivatives 208
 hydrogen sorption properties of the nanocomposite 90 wt% Mg₂Ni+10 wt% V 593
- Gas–solid reactions
 a neutron-powder-diffraction study of the rare-earth deuteride two-phase region 41
 in situ powder neutron diffraction study of LaNiInD_{1.63} with short D . . . D distances 65
 neutron diffraction study of ZrM₂D_x deuterides (M=Fe, Co) 69
 Zr₄Al₃D_{2.68} and Zr₃Al₂D_{2.26}: new Zr-containing intermetallic hydrides with ordered hydrogen sublattice 91
 unusual effects on hydrogenation: anomalous expansion and volume contraction 109
 crystallographic and magnetic structure of Pr₆Fe₁₃AuD₁₃ 142
 hydriding/dehydriding properties of magnesium–ZrCr₂ composites 343
 kinetics of decomposition of erbium hydride 353
 hydrogen desorption kinetics in transition metal modified NaAlH₄ 400
 hydrogen absorption properties of topologically close-packed phases of the Nb–Ni–Al system 442
 structural and thermodynamic studies of some hydride forming RM₃-type compounds (R=lanthanide, M=transition metal) 461
 structural studies of the deuterides of carbon containing yttrium alloys 475
 protium absorption properties and protide formations of Ti–Cr–V alloys 505
 hydrogen storage properties of LiBH₄ 515
 Sn-containing (La,Mm)Ni_{5-x}Sn_xH₅₋₆ intermetallic hydrides: thermodynamic, structural and kinetic properties 773
 development of metal hydride beds for sorption cryocoolers in space applications 789
 gas-based hydride applications: recent progress and future needs 794
- cyclic hydrogenation of an LmNi₅-based alloy with different hydrogen loadings 800
 grain size refinement in Mg–Al-based alloy by hydrogen treatment 804
- Gorsky effect
 Gorsky effect study of H and D diffusion in V and Ti at high H(D) concentrations 318
- Grain boundaries
 detection of hydrogen trap distribution in steel using a microprint technique 290
 enhancement of hydrogen storage in MgNi by Pd-coating 438
 effect of hydrogen charging on the microstructure of duplex stainless steel 701
- Grain-size refinement
 grain size refinement in Mg–Al-based alloy by hydrogen treatment 804
- Graphite
 hydrogen interaction with carbon nanostructures: current situation and future prospects 716
- Hafnium dihydrides
 NMR studies of hydrogen diffusion in the dihydrides of hafnium 274
- Hall effect
 characterization of hydrogen in metallic glasses by the use of Hall effect measurements 575
- HDDR
 electron microscopy studies of a TbNiAl compound processed by the HDDR route 658
- HDDR phenomena
 grain size refinement in Mg–Al-based alloy by hydrogen treatment 804
- HDDR-process
 a secondary ion mass spectrometry study of hydrogen interaction with Nd₂(Fe/Co)₁₄B 679
- H delocalization
 tunneling of H within nearly undistorted substitutional-H pairs in Nb: a centrosymmetric four-level system 252
- ³He
 aging effects on palladium pressure–composition isotherms during tritium storage 36
- Heat conduction
 development of metal hydride beds for sorption cryocoolers in space applications 789
- Heat resistant steel
 microstructural modifications induced by hydrogen in a heat resistant steel type HP-45 with Nb and Ti additions 693
- Heats of formation
 first principles study of sodium–aluminum–hydrogen phases 486
- High energy ball milling
 hydrogenation properties of nanocrystalline Mg- and Mg₂Ni-based compounds modified with platinum group metals (PGMs) 598
- High hydrogen content
 Ti–Cr–X protium absorbing alloys with high protium content for fuel-cell 480
- High hydrogen pressure
 analysis of the nanopores produced in nickel and palladium by high hydrogen pressure 258
 microstructural modifications induced by hydrogen in a heat resistant steel type HP-45 with Nb and Ti additions 693
- High magnetic field
 magnetic properties of YCo₂ hydrides 227
- High pressure
 Sr₆Mg₇H₂₆, a new saline high-pressure hydride with Ba₆Zn₇F₂₆-type structure 128
 high pressure synchrotron XRD study of the pressure induced structural changes in LaNiInD_{1.63-x} 395

- structural changes of Mg_2NiH_4 under high hydrogen pressures 697
- H motion
NMR studies of hydrogen motion in nanostructured hydrogen–graphite systems 617
- HRTEM
electron microscopy studies of a TbNiAl compound processed by the HDDR route 658
- Hydride
magnetic properties of the $\text{YCo}_3\text{–H}$ system 174
hydrogen diffusivity and solubility in palladium alloys 236
protium absorption properties and protide formations of Ti–Cr–V alloys 505
hydrogen-induced phase transformation in internally oxidized $(\text{Pd}_{0.8}\text{Rh}_{0.2})_{0.97}\text{Ce}_{0.03}$ 688
- Hydride stability
compositional dependence of hydriding properties of vanadium alloys at low hydrogen pressures 45
- Hydriding
the interaction of hydrogen with internally oxidized Pd alloys as illustrated by Pd–Fe alloys 3
electrochemical performance of gas-atomized MmNi_5 -based alloy powders 768
- Hydrogen
the interaction of hydrogen with internally oxidized Pd alloys as illustrated by Pd–Fe alloys 3
effect of $\beta\text{-Zr}$ decomposition on the solubility limits for H in Zr–2.5Nb 22
adjustable magnetic interactions: the use of hydrogen as a tuning agent 160
periodic band calculation on low index surfaces of crystalline LiAlH_4 178
electronic state calculation of hydrogen in metal clusters based on Gaussian–FEM mixed basis function 231
low-temperature Snoek-type relaxation of hydrogen interstitial atoms in $\text{Nb}_{0.8}\text{Mo}_{0.2}$ 322
XPS study of hydrogen and oxygen interactions on the surface of zirconium 330
synthesis of nano-structured b.c.c. Mg–Tm–V ($\text{Tm}=\text{Ni, Co, Cu}$) alloys and their hydrogen solubility 456
hydrogen loading behaviour of multi-component amorphous alloys: model and experiment 566
hydrogen-induced transformations in C15 Laves phases CeFe_2 and TbFe_2 studied by pressure calorimetry up to 5 MPa 664
hydrogen interaction with carbon nanostructures: current situation and future prospects 716
- Hydrogen absorbing alloys
correlation between hydrogen absorption properties and homogeneity of Ti–Cr–V alloys 405
 Ti–Cr–X protium absorbing alloys with high protium content for fuel-cell 480
phase structures and hydrogen storage properties of Ca–Mg–Ni alloys prepared by mechanical alloying 612
- Hydrogen absorbing materials
calorimetric enthalpies for the reaction of H_2 with Pd–Cu alloys at 303 K 13
magnesium alanate—a material for reversible hydrogen storage? 418
cyclic hydrogenation of an LmNi_5 -based alloy with different hydrogen loadings 800
- Hydrogen absorption
the effects of titanium precursors on hydriding properties of alanates 423
- Hydrogen absorption by cerium
reaction kinetics of H_2O adsorption on Ce surface 368
- Hydrogen absorption properties
hydrogen absorption properties of a slurry system composed of a magnesium alloy powder and C_6H_6 409
- Hydrogen adsorption
hydrogen adsorption in zeolites A, X, Y and RHO 710
- Hydrogen alloys tanks for fuel cell
 Ti–Cr–X protium absorbing alloys with high protium content for fuel-cell 480
- Hydrogenation
structure and magnetic properties of the ternary gallides CeMgGa ($\text{M}=\text{Mn, Co and Cu}$) and their hydrides 147
hydrogenation of Pd-coated Zr–Cu–Ni–Al metallic glasses and quasicrystals 654
positive effects of hydrogen on the plasticity of 2 1/4 Cr–1Mo steel 809
- Hydrogen desorption
hydrogen storage properties of LiBH_4 515
- Hydrogen desorption kinetics
simultaneous TDS–DSC measurements in magnesium hydride 348
deuterium thermal desorption from FeTi thin films 521
- Hydrogen diffusion
structural, magnetic and hyperfine properties of $\text{Zr}(\text{Cr}_{1-x}\text{Fe}_x)_2$ hydrides 200
hydrogen diffusivity and solubility in palladium alloys 236
NMR studies of hydrogen diffusion in the dihydrides of hafnium 274
refraction-like behaviour of hydrogen diffusion fronts 300
Gorsky effect study of H and D diffusion in V and Ti at high H(D) concentrations 318
- Hydrogen energy system
protide compounds in hydrogen storage systems 469
- Hydrogen impurities
role of hydrogen in stabilizing new hydride phases or altering old ones 59
- Hydrogen in intermetallics
a secondary ion mass spectrometry study of hydrogen interaction with $\text{Nd}_2(\text{Fe/Co})_{14}\text{B}$ 679
- Hydrogen in metals
mechanical spectroscopy of the H-free and H-doped $\text{Ni}_{30}\text{Ti}_{50}\text{Cu}_{20}$ shape memory alloy 669
- Hydrogen–metal reactions
analysis of the nanopores produced in nickel and palladium by high hydrogen pressure 258
- Hydrogen ordering
the ZrV_2D_6 crystal structure 50
- Hydrogen permeation
hydrogen permeation and transmission electron microscope observations of V–Al alloys 295
hydrogen permeation characteristics of V-15Ni membrane with Pd/Ag overlayer by sputtering 553
- Hydrogen site
hydrogen absorbing properties and structures of Ti–Cr–Mo alloys 452
- Hydrogen solid solution region
hydrogen absorbing properties and structures of Ti–Cr–Mo alloys 452
- Hydrogen solubility
finite element evaluation of hydrogen solubility enhancements due to thermal residual stresses in palladium–alumina composites 9
structural investigation of hydrogen solubility in Y_yR_{1-y} alloys ($\text{R}=\text{Tb and Gd}$) 105
- Hydrogen sorption properties
improvements of hydrogen storage properties of Mg-based mixtures elaborated by reactive mechanical milling 570
- Hydrogen storage
hydrogen reactivity of Li-containing hydrogen storage materials 358

- novel hydrogen storage properties of MoS₂ nanotubes 413
 are carbon nanostructures an efficient hydrogen storage medium? 433
 hydriding combustion synthesis of Mg₂NiH₄ 490
 characterization of Ti–Zr–Mn–V-based Laves phase alloys for MH refrigeration system 497
 hydrogen sorption properties of vanadium- and palladium-implanted magnesium films 530
 hydrogenation properties of nanocrystalline Mg- and Mg₂Ni-based compounds modified with platinum group metals (PGMs) 598
- Hydrogen storage alloy
 protium absorption–desorption properties of Ti–Cr–Mo bcc solid solution alloys 447
 the electrochemical properties of La_xMg_{3–x}Ni₉ (x=1.0–2.0) hydrogen storage alloys 746
- Hydrogen storage materials
 influence of hydrogen insertion on the magnetic properties of the RFe₁₁Ti phases 17
 modelling of phase equilibria in metal–hydrogen systems 27
 pressure induced phase transitions and EOS of several Laves phase hydrides 32
 a neutron-powder-diffraction study of the rare-earth deuteride two-phase region 41
 compositional dependence of hydriding properties of vanadium alloys at low hydrogen pressures 45
 neutron diffraction study of ZrM₂D_x deuterides (M=Fe, Co) 69
 structure of (Ti,Zr)–Mn–V nonstoichiometric Laves phases and (Ti_{0.9}Zr_{0.1})(Mn_{0.75}V_{0.15}Ti_{0.1})₂D_{2.8} deuteride 80
 charge density measurement in MgH₂ by synchrotron X-ray diffraction 84
 H–H interactions in the superstoichiometric rare-earth dihydrides RH_{2+c} 87
 Zr₄Al₃D_{2.68} and Zr₃Al₂D_{2.26}: new Zr-containing intermetallic hydrides with ordered hydrogen sublattice 91
 local structure in hydrogenated Ti–Zr–Ni quasicrystals and approximants 96
 anomalies of elastic properties within the ordered β-NbH_x phase 100
 unusual effects on hydrogenation: anomalous expansion and volume contraction 109
 crystal structures and thermal properties of titanium carbide–deuterides as prepared by combustion synthesis 120
 Sr₆Mg₇H₂₆, a new saline high-pressure hydride with Ba₆Zn₇F₂₆-type structure 128
 decomposition of the LaNi_{3.55}Mn_{0.4}Al_{0.3}Fe_{0.75} compound upon electrochemical cycling studied by magnetic properties 133
 crystallographic and magnetic structure of Pr₆Fe₁₃AuD₁₃ 142
 theoretical calculation of positron lifetimes for LaNi₅–H system 186
 the electronic structure of the europium–palladium hydrides 191
 influence of deuterium absorption on structural and magnetic properties of ErFe₂ 195
 X-Ray absorption spectroscopy of transition metal–magnesium hydride thin films 204
 anomalous neutron scattering in metallic hydrides and the validity of the convolution formalism 249
 elastic properties of intermetallic AB₂ and AB₅ hydrogen-absorbing compounds 283
 effects of electrochemical reaction and self-stress on hydrogen diffusion in tubular membranes during galvanostatic charging 314
 improvement of initial activation of a Ti–Cr alloy by surface modification with potassium (K) 336
 hydriding/dehydriding properties of magnesium–ZrCr₂ composites 343
 simultaneous TDS–DSC measurements in magnesium hydride 348
 kinetics of decomposition of erbium hydride 353
- titanium–halide catalyst-precursors in sodium aluminum hydrides 363
 high pressure synchrotron XRD study of the pressure induced structural changes in LaNiInD_{1.63–x} 395
 hydrogen desorption kinetics in transition metal modified NaAlH₄ 400
 hydriding properties of ordered-/disordered-Mg-based ternary Laves phase structures 429
 enhancement of hydrogen storage in MgNi by Pd-coating 438
 hydrogen absorption properties of topologically close-packed phases of the Nb–Ni–Al system 442
 structural and thermodynamic studies of some hydride forming RM₃-type compounds (R=lanthanide, M=transition metal) 461
 structural studies of the deuterides of carbon containing yttrium alloys 475
 attempts to improve Mg₂Ni hydrogen storage by aluminium addition 494
 structural and hydrogen sorption properties of RENi_{5–x}Al_x (RE=Gd, Tb, Dy, Ho, Er and Y) alloys 501
 protium absorption properties and protide formations of Ti–Cr–V alloys 505
 hydrogen sorption properties of arc generated single-wall carbon nanotubes 510
 hydrogen storage properties of LiBH₄ 515
 structural and electrochemical properties of amorphous rich Mg_xNi_{100–x} nanomaterial obtained by mechanical alloying 557
 characterization of hydrogen in metallic glasses by the use of Hall effect measurements 575
 synthesis of hydrides by mechanical alloying in the Mg–Ni–Ge system 588
 hydrogen sorption properties of the nanocomposite 90 wt% Mg₂Ni+10 wt% V 593
 the local structure of hydrogen storage nanocrystalline graphite by neutron scattering 608
 direct mechanical synthesis and characterisation of Mg₂Fe(Cu)H₆ 626
 mechanical instability in amorphous metal alloys–hydrogen systems 630
 crystallization and hydrogenation of a bulk metallic glass, Zr₅₀Ti₅Al₁₀Cu₂₂Ni₁₃ 635
 synthesis and hydrogen sorption properties of nanocrystalline Mg_{1.9}M_{0.1}Ni (M=Ti, Zr, V) obtained by mechanical alloying 639
 phase transition and lattice expansion during hydrogen loading of nanometer sized palladium clusters 644
 the absorption and desorption properties of nanocrystalline Mg₂Ni_{0.75}Cr_{0.25} alloy containing TiO₂ nanoparticles 649
 hydrogenation induced valence change and metal atom site exchange at room temperature in the C14-type sub-structure of CeMn_{1.8}Al_{0.2}H_{4.4} 673
 structural changes of Mg₂NiH₄ under high hydrogen pressures 697
 hydrogen absorption and transport in graphite materials 705
 modelling of rechargeable NiMH batteries 742
 hydride-forming electrode materials seen from a kinetic perspective 759
 effects of cobalt replacement by nickel, manganese, aluminium and iron on the crystallographic and electrochemical properties of AB₅-type alloys 779
 development of metal hydride beds for sorption cryocoolers in space applications 789
 gas-based hydride applications: recent progress and future needs 794
- Hydrogen storage materials, AB₅, Sn, intermetallic
 electronic properties of LaNi_{4.75}Sn_{0.25}, LaNi_{4.5}M_{0.5} (M=Si, Ge, Sn), LaNi_{4.5}Sn_{0.5}H₅ 151

- Hydrogen transport
 an electrochemical study of mono-substituted intermetallic hydrides 750
- Impedance spectroscopy
 deterioration behavior of a multi-phase vanadium-based solid solution alloy electrode 738
 an electrochemical study of mono-substituted intermetallic hydrides 750
- Inelastic light scattering
 structure and bonding in YH_x as derived from elastic and inelastic light scattering 211
- Interatomic orbital hybridizations
 first principles study of sodium–aluminum–hydrogen phases 486
- Intermediate valence
 structure and magnetic properties of the ternary gallides CeMg_x ($M=\text{Mn, Co and Cu}$) and their hydrides 147
- Intermetallic compounds
 structure stability maps for intermetallic AB_5 compounds 114
- Intermetallic hydrides
 the ZrV_2D_6 crystal structure 50
- Intermetallics
 pressure induced phase transitions and EOS of several Laves phase hydrides 32
 decomposition of the $\text{LaNi}_{3.55}\text{Mn}_{0.4}\text{Al}_{0.3}\text{Fe}_{0.75}$ compound upon electrochemical cycling studied by magnetic properties 133
 the electronic structure of the europium–palladium hydrides 191
 elastic properties of intermetallic AB_2 and AB_5 hydrogen-absorbing compounds 283
 new aspects of mechanical relaxation by hydrogen in metals: a combined study of long- and short-range mechanisms 305
 μSR experiment on $\text{YMn}_2\text{D}_{0.5}$ and YMn_2D_3 deuterides 377
 hydrogen absorption properties of topologically close-packed phases of the Nb–Ni–Al system 442
 structural and thermodynamic studies of some hydride forming RM_3 -type compounds ($R=\text{lanthanide, M}=\text{transition metal}$) 461
 hydriding combustion synthesis of Mg_2NiH_4 490
 structural and hydrogen sorption properties of $\text{RENi}_{5-x}\text{Al}_x$ ($\text{RE}=\text{Gd, Tb, Dy, Ho, Er and Y}$) alloys 501
 hydrogen sorption properties of the nanocomposite 90 wt% $\text{Mg}_2\text{Ni}+10$ wt% V 593
 influence of polymorphism on the electrochemical properties of $(\text{Ti}_{0.64}\text{Zr}_{0.36})\text{Ni}$ alloys 730
 an electrochemical study of mono-substituted intermetallic hydrides 750
 Sn-containing $(\text{La, Mm})\text{Ni}_{5-x}\text{Sn}_x\text{H}_{5-6}$ intermetallic hydrides: thermodynamic, structural and kinetic properties 773
 effects of cobalt replacement by nickel, manganese, aluminium and iron on the crystallographic and electrochemical properties of AB_5 -type alloys 779
- Intermetallic material
 tritium aging effects in $\text{LaNi}_{4.25}\text{Al}_{0.75}$ 382
- Internal friction
 mechanical spectroscopy of the H-free and H-doped $\text{Ni}_{30}\text{Ti}_{50}\text{Cu}_{20}$ shape memory alloy 669
- Internal oxidation
 the interaction of hydrogen with internally oxidized Pd alloys as illustrated by Pd–Fe alloys 3
 hydrogen diffusivity and solubility in palladium alloys 236
 hydrogen-induced phase transformation in internally oxidized $(\text{Pd}_{0.8}\text{Rh}_{0.2})_{0.97}\text{Ce}_{0.03}$ 688
- Interstitial alloys
 a neutron-powder-diffraction study of the rare-earth deuteride two-phase region 41
 H–H interactions in the superstoichiometric rare-earth dihydrides RH_{2+c} 87
 anomalies of elastic properties within the ordered $\beta\text{-NbH}_x$ phase 100
 crystal structures and thermal properties of titanium carbide-deuterides as prepared by combustion synthesis 120
- Interstitial atoms
 role of hydrogen in stabilizing new hydride phases or altering old ones 59
 low-temperature Snoek-type relaxation of hydrogen interstitial atoms in $\text{Nb}_{0.8}\text{Mo}_{0.2}$ 322
- Interstitial hydrogen
 structural investigations by neutron diffraction of equi-atomic Zr–Ti(V)–Ni(Co) compounds and their related hydrides 54
- Ion impact
 hydrogen accumulation in the helium implanted surface of Mo single crystals 326
- Ion implantation
 hydrogen sorption properties of vanadium- and palladium-implanted magnesium films 530
- Irradiation
 the thermal radiation processes in the Sc–H system 562
- Isotherm
 hydrogen loading behaviour of multi-component amorphous alloys: model and experiment 566
- Isotope effect
 heat conduction due to electrons and phonons for titanium hydride and deuteride 223
- Itinerant electron metamagnetism
 magnetic properties of YCo_2 hydrides 227
- Kinetics
 improvement of initial activation of a Ti–Cr alloy by surface modification with potassium (K) 336
 fundamentals of the HDDR treatment of $\text{Nd}_2\text{Fe}_{14}\text{B}$ type alloys 390
 dehydriding kinetics of a Mg–9.5 wt% V sample studied by high pressure differential scanning calorimetry 584
 hydrogenation properties of nanocrystalline Mg- and Mg_2Ni -based compounds modified with platinum group metals (PGMs) 598
- Kinetics of transformation
 influence of hydrogen pressure on the kinetics of hydrogen-induced diffusive phase transformations in the $\text{Nd}_2\text{Fe}_{14}\text{B}$ alloy 386
- KKR-coherent potential approximation (CPA)
 electronic structure of Ni–H from normal to superabundant vacancies 169
- Lanthanum hydrides: electronic structure
 electron density-of-states and the metal–insulator transition in LaH_x 137
- Lanthanum oxide
 hydrogen reactivity of Li-containing hydrogen storage materials 358
- Lattice expansion
 hydrogen induced lattice expansion in 8/4 u.c. Mo/V superlattice 549
- Laves phase alloy
 characterization of Ti–Zr–Mn–V-based Laves phase alloys for MH refrigeration system 497
- Laves phases
 structural investigations by neutron diffraction of equi-atomic Zr–Ti(V)–Ni(Co) compounds and their related hydrides 54
- Light absorption and reflection
 structure and bonding in YH_x as derived from elastic and inelastic light scattering 211
 the properties of pulsed laser deposited YH_2 films for switchable devices 536

- Liquid quenching
 local structure in hydrogenated Ti–Zr–Ni quasicrystals and approximants 96
- LmNi₅
 cyclic hydrogenation of an LmNi₅-based alloy with different hydrogen loadings 800
- Magnesium alloys
 hydrogen absorption properties of a slurry system composed of a magnesium alloy powder and C₆H₆ 409
 synthesis and hydrogen sorption properties of nanocrystalline Mg_{1.9}M_{0.1}Ni (M=Ti, Zr, V) obtained by mechanical alloying 639
- Magnesium film
 hydrogen sorption properties of vanadium- and palladium-implanted magnesium films 530
- Magnesium hydride
 charge density measurement in MgH₂ by synchrotron X-ray diffraction 84
 hydrogenation properties of nanocrystalline Mg- and Mg₂Ni-based compounds modified with platinum group metals (PGMs) 598
 catalytic effect of additives on the hydrogen absorption properties of nano-crystalline MgH₂(X) composites 622
- Magnetically ordered materials
 μSR experiment on YMn₂D_{0.5} and YMn₂D₃ deuterides 377
- Magnetic measurements
 influence of hydrogen insertion on the magnetic properties of the RFe₁₁Ti phases 17
 neutron diffraction study of ZrM₂D_x deuterides (M=Fe, Co) 69
 decomposition of the LaNi_{3.55}Mn_{0.4}Al_{0.3}Fe_{0.75} compound upon electrochemical cycling studied by magnetic properties 133
 influence of deuterium absorption on structural and magnetic properties of ErFe₂ 195
 magnetic relaxation phenomena in R₂Fe₁₇ (R=Y, Dy, Er, Ho) and C and H derivatives 208
 characterization of hydrogen in metallic glasses by the use of Hall effect measurements 575
 mechanical instability in amorphous metal alloys–hydrogen systems 630
 hydrogenation induced valence change and metal atom site exchange at room temperature in the C14-type sub-structure of CeMn_{1.8}Al_{0.2}H_{4.4} 673
- Magnetic properties
 structural, magnetic and hyperfine properties of Zr(Cr_{1-x}Fe_x)₂ hydrides 200
 magnetic properties of YCo₂ hydrides 227
 a secondary ion mass spectrometry study of hydrogen interaction with Nd₂(Fe/Co)₁₄B 679
- Magnetisation
 magnetic properties of the YCo₃–H system 174
- Magnetisation measurement
 fundamentals of the HDDR treatment of Nd₂Fe₁₄B type alloys 390
- Magnetism
 structure and magnetic properties of the ternary gallides CeMGA (M=Mn, Co and Cu) and their hydrides 147
 electronic structure of Ni–H from normal to superabundant vacancies 169
- Martensitic transition
 mechanical spectroscopy of the H-free and H-doped Ni₃₀Ti₅₀Cu₂₀ shape memory alloy 669
- Mechanical alloying
 hydriding/dehydriding properties of magnesium–ZrCr₂ composites 343
 hydrogen reactivity of Li-containing hydrogen storage materials 358
- titanium–halide catalyst-precursors in sodium aluminum hydrides 363
 hydrogen desorption kinetics in transition metal modified NaAlH₄ 400
 hydriding properties of ordered-/disordered-Mg-based ternary Laves phase structures 429
 enhancement of hydrogen storage in MgNi by Pd-coating 438
 synthesis of nano-structured b.c.c. Mg–Tm–V (Tm=Ni, Co, Cu) alloys and their hydrogen solubility 456
 attempts to improve Mg₂Ni hydrogen storage by aluminium addition 494
 structural and electrochemical properties of amorphous rich Mg_{1.9}Ni_{100-x} nanomaterial obtained by mechanical alloying 557
 synthesis of hydrides by mechanical alloying in the Mg–Ni–Ge system 588
 hydrogen sorption properties of the nanocomposite 90 wt% Mg₂Ni+10 wt% V 593
 the local structure of hydrogen storage nanocrystalline graphite by neutron scattering 608
 phase structures and hydrogen storage properties of Ca–Mg–Ni alloys prepared by mechanical alloying 612
 direct mechanical synthesis and characterisation of Mg₂Fe(Cu)H₆ 626
 synthesis and hydrogen sorption properties of nanocrystalline Mg_{1.9}M_{0.1}Ni (M=Ti, Zr, V) obtained by mechanical alloying 639
 the electrochemical properties of the mechanically alloyed Mg₃₅Ti_{10-x}Cr_xNi₅₅ (x=5, 7, 9) electrode alloys 784
- Mechanical grinding
 various ways including substitution and protection used to improve the cyclability of ‘MgNi’ electrodes 764
- Mechanical milling
 the absorption and desorption properties of nanocrystalline Mg₂Ni_{0.75}Cr_{0.25} alloy containing TiO₂ nanoparticles 649
 hydrogen interaction with carbon nanostructures: current situation and future prospects 716
- Mechanical spectroscopy
 new aspects of mechanical relaxation by hydrogen in metals: a combined study of long- and short-range mechanisms 305
- Membrane
 hydrogen permeation and transmission electron microscope observations of V–Al alloys 295
- Metal cluster
 electronic state calculation of hydrogen in metal clusters based on Gaussian–FEM mixed basis function 231
- Metal hydride
 energetics, electric-field gradients and optical properties of YH₃ (YD₃) by first-principles calculations 73
 magnetic properties of YCo₂ hydrides 227
- Metal hydride applications
 gas-based hydride applications: recent progress and future needs 794
- Metal hydride electrodes
 deterioration behavior of a multi-phase vanadium-based solid solution alloy electrode 738
 metal hydride electrodes using titanium–iron-based alloys 755
- Metal hydrides
 in situ powder neutron diffraction study of LaNiInD_{1.63} with short D...D distances 65
 structure stability maps for intermetallic AB₅ compounds 114
 steric effects on the metal–insulator (mirror–transparent) transition in YH_x 181
 KKR–CPA study of the electronic and magnetic structures of disordered Pd_{1-x}Ni_x alloys and their hydrides 218
 Gorsky effect study of H and D diffusion in V and Ti at high H(D) concentrations 318

- magnesium alanate—a material for reversible hydrogen storage? 418
- synthesis of nano-structured b.c.c. Mg–Tm–V (Tm=Ni, Co, Cu) alloys and their hydrogen solubility 456
- the thermal radiation processes in the Sc–H system 562
- synthesis of nanocrystalline hydrogen storage materials 603
- the optimal condition of acidic electroless copper plating method for Ti, Zr-based hydrogen storage alloys for electrode use 720
- an electroless copper plating method for Ti, Zr-based hydrogen storage alloys 725
- Sn-containing (La,Mm)Ni_{5-x}Sn_xH₅₋₆ intermetallic hydrides: thermodynamic, structural and kinetic properties 773
- cyclic hydrogenation of an LmNi₅-based alloy with different hydrogen loadings 800
- Metal–hydrogen systems
- Gorsky effect study of H and D diffusion in V and Ti at high H(D) concentrations 318
- Metal–insulator transition
- electron density-of-states and the metal–insulator transition in LaH_x 137
- steric effects on the metal–insulator (mirror–transparent) transition in YH_x 181
- Metallic glasses
- hydrogenation of Pd-coated Zr–Cu–Ni–Al metallic glasses and quasicrystals 654
- Metallic hydrides
- attosecond protonic ‘Schrödinger’s cat’ states and anomalous neutron scattering 244
- Metals
- detection of hydrogen trap distribution in steel using a microprint technique 290
- influence of structural changes in carbon steel surface layer while cycle deforming on hydrogen absorption 310
- hydrogen accumulation in the helium implanted surface of Mo single crystals 326
- hydrogen induced martensite in a Fe–17Mn–1.9Al–0.1C steel 340
- hydriding/dehydriding properties of magnesium–ZrCr₂ composites 343
- kinetics of decomposition of erbium hydride 353
- phase transition and lattice expansion during hydrogen loading of nanometer sized palladium clusters 644
- effect of hydrogen charging on the microstructure of duplex stainless steel 701
- Mg-based alloy
- direct mechanical synthesis and characterisation of Mg₂Fe(Cu)H₆ 626
- Mg-based alloys
- synthesis of nano-structured b.c.c. Mg–Tm–V (Tm=Ni, Co, Cu) alloys and their hydrogen solubility 456
- Mg-based electrode alloys
- the electrochemical properties of the mechanically alloyed Mg₃₅Ti_{10-x}Cr_xNi₅₅ (x=5, 7, 9) electrode alloys 784
- Mg₂FeH₆
- direct mechanical synthesis and characterisation of Mg₂Fe(Cu)H₆ 626
- MgH₂
- dehydriding kinetics of a Mg–9.5 wt% V sample studied by high pressure differential scanning calorimetry 584
- ‘MgNi’ electrodes
- various ways including substitution and protection used to improve the cyclability of ‘MgNi’ electrodes 764
- Microcantilever
- in situ measurement of elastic properties of PdH_x, PdD_x, and PdT_x 372
- Microstructure
- structural investigations by neutron diffraction of equi-atomic Zr–Ti(V)–Ni(Co) compounds and their related hydrides 54
- correlation between hydrogen absorption properties and homogeneity of Ti–Cr–V alloys 405
- characterization of Ti–Zr–Mn–V-based Laves phase alloys for MH refrigeration system 497
- Milling under hydrogen
- improvements of hydrogen storage properties of Mg-based mixtures elaborated by reactive mechanical milling 570
- MmNi₅-based alloy
- electrochemical performance of gas-atomized MmNi₅-based alloy powders 768
- 2 1/4 Cr–1Mo steel
- positive effects of hydrogen on the plasticity of 2 1/4 Cr–1Mo steel 809
- Modelling
- modelling of phase equilibria in metal–hydrogen systems 27
- periodic band calculation on low index surfaces of crystalline LiAlH₄ 178
- Molecular dynamics
- a molecular dynamics study of thermal conductivity of zirconium hydride 279
- MoS₂
- novel hydrogen storage properties of MoS₂ nanotubes 413
- Mössbauer spectroscopy
- influence of deuterium absorption on structural and magnetic properties of ErFe₂ 195
- structural, magnetic and hyperfine properties of Zr(Cr_{1-x}Fe_x)₂ hydrides 200
- Multilayers
- adjustable magnetic interactions: the use of hydrogen as a tuning agent 160
- Multi-phase
- deterioration behavior of a multi-phase vanadium-based solid solution alloy electrode 738
- NaBH₄
- protide compounds in hydrogen storage systems 469
- Nanocomposite
- synthesis of nanocrystalline hydrogen storage materials 603
- Nanocrystalline
- the absorption and desorption properties of nanocrystalline Mg₂Ni_{0.75}Cr_{0.25} alloy containing TiO₂ nanoparticles 649
- Nanostructures
- structural and electrochemical properties of amorphous rich Mg_xNi_{100-x} nanomaterial obtained by mechanical alloying 557
- the local structure of hydrogen storage nanocrystalline graphite by neutron scattering 608
- phase structures and hydrogen storage properties of Ca–Mg–Ni alloys prepared by mechanical alloying 612
- hydrogen interaction with carbon nanostructures: current situation and future prospects 716
- Nanostructured graphite
- are carbon nanostructures an efficient hydrogen storage medium? 433
- NMR studies of hydrogen motion in nanostructured hydrogen–graphite systems 617
- Nanostructured materials
- hydrogenation properties of nanocrystalline Mg- and Mg₂Ni-based compounds modified with platinum group metals (PGMs) 598
- Nanotube
- novel hydrogen storage properties of MoS₂ nanotubes 413
- Nb_{0.8}Mo_{0.2} alloys
- low-temperature Snoek-type relaxation of hydrogen interstitial atoms in Nb_{0.8}Mo_{0.2} 322
- Neutron Compton scattering
- attosecond protonic ‘Schrödinger’s cat’ states and anomalous neutron scattering 244

- anomalous neutron scattering in metallic hydrides and the validity of the convolution formalism 249
- Neutron diffraction
- a neutron-powder-diffraction study of the rare-earth deuteride two-phase region 41
 - the ZrV_2D_6 crystal structure 50
 - structural investigations by neutron diffraction of equi-atomic Zr–Ti(V)–Ni(Co) compounds and their related hydrides 54
 - in situ powder neutron diffraction study of $LaNiInD_{1.63}$ with short D...D distances 65
 - neutron diffraction study of ZrM_2D_x deuterides (M=Fe, Co) 69
 - $Zr_4Al_3D_{2.68}$ and $Zr_3Al_2D_{2.26}$: new Zr-containing intermetallic hydrides with ordered hydrogen sublattice 91
 - unusual effects on hydrogenation: anomalous expansion and volume contraction 109
 - $Sr_6Mg_7H_{26}$, a new saline high-pressure hydride with $Ba_6Zn_7F_{26}$ -type structure 128
 - crystallographic and magnetic structure of $Pr_6Fe_{13}AuD_{13}$ 142
 - structural and thermodynamic studies of some hydride forming RM_3 -type compounds (R=lanthanide, M=transition metal) 461
 - structural studies of the deuterides of carbon containing yttrium alloys 475
 - crystallization and hydrogenation of a bulk metallic glass, $Zr_{50}Ti_5Al_{10}Cu_{22}Ni_{13}$ 635
 - hydrogenation induced valence change and metal atom site exchange at room temperature in the C14-type sub-structure of $CeMn_{1.8}Al_{0.2}H_{4.4}$ 673
 - helium damage in long-aged metal–tritium systems 683
 - Sn-containing (La,Mm) $Ni_{5-x}Sn_xH_{5-6}$ intermetallic hydrides: thermodynamic, structural and kinetic properties 773
- Neutron scattering
- neutron diffraction study of ZrM_2D_x deuterides (M=Fe, Co) 69
 - the local structure of hydrogen storage nanocrystalline graphite by neutron scattering 608
- NEXAFS
- X-Ray absorption spectroscopy of transition metal–magnesium hydride thin films 204
- Ni/MH batteries
- the electrochemical properties of $La_xMg_{3-x}Ni_9$ ($x=1.0$ – 2.0) hydrogen storage alloys 746
 - an electrochemical study of mono-substituted intermetallic hydrides 750
 - electrochemical performance of gas-atomized Mm Ni_5 -based alloy powders 768
- NiTiCu alloys
- mechanical spectroscopy of the H-free and H-doped $Ni_{30}Ti_{50}Cu_{20}$ shape memory alloy 669
- NMR
- NMR studies of hydrogen motion in nanostructured hydrogen–graphite systems 617
- Nuclear magnetic resonance
- NMR studies of hydrogen diffusion in the dihydrides of hafnium 274
- Nucleation
- improvements of hydrogen storage properties of Mg-based mixtures elaborated by reactive mechanical milling 570
- Optical hydrogen indication
- refraction-like behaviour of hydrogen diffusion fronts 300
- Optical properties
- steric effects on the metal–insulator (mirror–transparent) transition in YH_x 181
- Oxygen
- XPS study of hydrogen and oxygen interactions on the surface of zirconium 330
- Palladium
- aging effects on palladium pressure–composition isotherms during tritium storage 36
 - hydrogen sorption properties of vanadium- and palladium-implanted magnesium films 530
 - hydrogen permeation characteristics of V-15Ni membrane with Pd/Ag overlayer by sputtering 553
- Palladium hydrides
- in situ measurement of elastic properties of PdH_x , PdD_x , and PdT_x 372
- Passivation layer
- the electrochemical properties of the mechanically alloyed $Mg_{35}Ti_{10-x}Cr_xNi_{55}$ ($x=5, 7, 9$) electrode alloys 784
- PCT diagram
- modelling of phase equilibria in metal–hydrogen systems 27
- PCT isotherm
- protium absorption–desorption properties of Ti–Cr–Mo bcc solid solution alloys 447
- Pd alloys
- the interaction of hydrogen with internally oxidized Pd alloys as illustrated by Pd–Fe alloys 3
 - finite element evaluation of hydrogen solubility enhancements due to thermal residual stresses in palladium–alumina composites 9
 - hydrogen-induced phase transformation in internally oxidized $(Pd_{0.8}Rh_{0.2})_{0.97}Ce_{0.03}$ 688
- Pd–Cu alloys
- calorimetric enthalpies for the reaction of H_2 with Pd–Cu alloys at 303 K 13
- PdNi alloys
- KKR-CPA study of the electronic and magnetic structures of disordered $Pd_{1-y}Ni_y$ alloys and their hydrides 218
- Permanent magnets
- influence of hydrogen insertion on the magnetic properties of the $RFe_{11}Ti$ phases 17
 - magnetic relaxation phenomena in R_2Fe_{17} (R=Y, Dy, Er, Ho) and C and H derivatives 208
 - role of Zr and Ga additions on the hydrogen process of Nd–Fe–B magnets 579
- Perturbed angular correlations
- structural, magnetic and hyperfine properties of $Zr(Cr_{1-x}Fe_x)_2$ hydrides 200
- Phase separation
- hydrogen-induced phase transformation in internally oxidized $(Pd_{0.8}Rh_{0.2})_{0.97}Ce_{0.03}$ 688
- Phase transformation
- structural changes of Mg_2NiH_4 under high hydrogen pressures 697
- Phase transition
- influence of hydrogen pressure on the kinetics of hydrogen-induced diffusive phase transformations in the $Nd_2Fe_{14}B$ alloy 386
 - fundamentals of the HDDR treatment of $Nd_2Fe_{14}B$ type alloys 390
- Photoelectron spectroscopes
- improvement of initial activation of a Ti–Cr alloy by surface modification with potassium (K) 336
- Physisorption
- hydrogen interaction with carbon nanostructures: current situation and future prospects 716
- Plateau pressure
- hydrogen absorbing properties and structures of Ti–Cr–Mo alloys 452
- Point defects
- theoretical calculation of positron lifetimes for $LaNi_5$ –H system 186
 - detection of hydrogen trap distribution in steel using a microprint technique 290

- new aspects of mechanical relaxation by hydrogen in metals: a combined study of long- and short-range mechanisms 305
- helium damage in long-aged metal–tritium systems 683
- Positron spectroscopies
theoretical calculation of positron lifetimes for $\text{LaNi}_5\text{-H}$ system 186
- Precipitation
detection of hydrogen trap distribution in steel using a microprint technique 290
- Pressure–composition isotherm
magnetic properties of the $\text{YCo}_3\text{-H}$ system 174
- Pressure–composition isotherms
aging effects on palladium pressure–composition isotherms during tritium storage 36
- Protide compound
protide compounds in hydrogen storage systems 469
- Protium
protium absorption–desorption properties of Ti–Cr–Mo bcc solid solution alloys 447
- Protons
attosecond protonic ‘Schrödinger’s cat’ states and anomalous neutron scattering 244
- Quantum effects
anomalous neutron scattering in metallic hydrides and the validity of the convolution formalism 249
- Quantum entanglement
attosecond protonic ‘Schrödinger’s cat’ states and anomalous neutron scattering 244
- Quasicrystals
hydrogenation of Pd-coated Zr–Cu–Ni–Al metallic glasses and quasicrystals 654
- Radiolytic decay
tritium aging effects in $\text{LaNi}_{4.25}\text{Al}_{0.75}$ 382
- Rare earth alloys and compounds
fundamentals of the HDDR treatment of $\text{Nd}_2\text{Fe}_{14}\text{B}$ type alloys 390
- Rare earth compounds
influence of hydrogen pressure on the kinetics of hydrogen-induced diffusive phase transformations in the $\text{Nd}_2\text{Fe}_{14}\text{B}$ alloy 386
- Rare earth metals
adjustable magnetic interactions: the use of hydrogen as a tuning agent 160
- Reactive milling
synthesis of nanocrystalline hydrogen storage materials 603
- Refraction of diffusion fronts
refraction-like behaviour of hydrogen diffusion fronts 300
- Refrigeration system
characterization of Ti–Zr–Mn–V-based Laves phase alloys for MH refrigeration system 497
- Relaxation time
low-temperature Snoek-type relaxation of hydrogen interstitial atoms in $\text{Nb}_{0.8}\text{Mo}_{0.2}$ 322
- Resistance
influence of biaxial strain on thermodynamical properties of hydrogen in (001) oriented Mo/V superlattices 545
- Saline hydride
protide compounds in hydrogen storage systems 469
- Scanning electron microscopy
hydriding combustion synthesis of Mg_2NiH_4 490
- Scanning tunneling microscopy
surface modification of Nb-films during hydrogen loading 541
- Segregation
XPS study of hydrogen and oxygen interactions on the surface of zirconium 330
- Self-propagating high temperature synthesis
the thermal radiation processes in the Sc–H system 562
- SIMS
a secondary ion mass spectrometry study of hydrogen interaction with $\text{Nd}_2(\text{Fe}/\text{Co})_{14}\text{B}$ 679
- Slurry
hydrogen absorption properties of a slurry system composed of a magnesium alloy powder and C_6H_6 409
- Snoek type relaxation
low-temperature Snoek-type relaxation of hydrogen interstitial atoms in $\text{Nb}_{0.8}\text{Mo}_{0.2}$ 322
- Softening
positive effects of hydrogen on the plasticity of 2 1/4 Cr–1Mo steel 809
- Solid–gas reaction
role of Zr and Ga additions on the hydrogen process of Nd–Fe–B magnets 579
- Solid-gas reactions
crystallization and hydrogenation of a bulk metallic glass, $\text{Zr}_{50}\text{Ti}_5\text{Al}_{10}\text{Cu}_{22}\text{Ni}_{13}$ 635
- Solid solution alloys
protium absorption–desorption properties of Ti–Cr–Mo bcc solid solution alloys 447
- Solubility
effect of $\beta\text{-Zr}$ decomposition on the solubility limits for H in Zr–2.5Nb 22
- Spin–lattice relaxation
NMR studies of hydrogen motion in nanostructured hydrogen–graphite systems 617
- Strain
influence of structural changes in carbon steel surface layer while cycle deforming on hydrogen absorption 310
- Superabundant vacancies
superabundant vacancy–hydrogen clusters in electrodeposited Ni and Cu 270
- Superabundant vacancy
formation of superabundant vacancies in M–H alloys and some of its consequences: a review 263
- Supercritical fluid
various ways including substitution and protection used to improve the cyclability of ‘MgNi’ electrodes 764
- Superlattices
adjustable magnetic interactions: the use of hydrogen as a tuning agent 160
influence of biaxial strain on thermodynamical properties of hydrogen in (001) oriented Mo/V superlattices 545
hydrogen induced lattice expansion in 8/4 u.c. Mo/V superlattice 549
- Surfaces
periodic band calculation on low index surfaces of crystalline LiAlH_4 178
hydrogen accumulation in the helium implanted surface of Mo single crystals 326
- Surfaces and interfaces
peculiarity of hydrogen distribution in steel by cathodic charging 240
kinetics of decomposition of erbium hydride 353
- Switchable mirror
steric effects on the metal–insulator (mirror–transparent) transition in YH_x 181
- Synchrotron radiation
charge density measurement in MgH_2 by synchrotron X-ray diffraction 84
local structure in hydrogenated Ti–Zr–Ni quasicrystals and approximants 96
influence of deuterium absorption on structural and magnetic properties of ErFe_2 195

- high pressure synchrotron XRD study of the pressure induced structural changes in $\text{LaNiInD}_{1.63-x}$ 395
- phase transition and lattice expansion during hydrogen loading of nanometer sized palladium clusters 644
- Synthesis and structure
- role of hydrogen in stabilizing new hydride phases or altering old ones 59
- Terbium nickel aluminium
- electron microscopy studies of a TbNiAl compound processed by the HDDR route 658
- Thermal analysis
- crystal structures and thermal properties of titanium carbide-deuterides as prepared by combustion synthesis 120
 - simultaneous TDS–DSC measurements in magnesium hydride 348
 - magnesium alanate—a material for reversible hydrogen storage? 418
 - hydriding properties of ordered-/disordered-Mg-based ternary Laves phase structures 429
 - hydrogen storage properties of LiBH_4 515
 - dehydriding kinetics of a Mg–9.5 wt% V sample studied by high pressure differential scanning calorimetry 584
 - synthesis of hydrides by mechanical alloying in the Mg–Ni–Ge system 588
 - synthesis and hydrogen sorption properties of nanocrystalline $\text{Mg}_{1.9}\text{M}_{0.1}\text{Ni}$ ($\text{M}=\text{Ti}, \text{Zr}, \text{V}$) obtained by mechanical alloying 639
 - hydrogen absorption and transport in graphite materials 705
- Thermal conductivity
- heat conductions due to electrons and phonons for titanium hydride and deuteride 223
 - a molecular dynamics study of thermal conductivity of zirconium hydride 279
- Thermal desorption
- superabundant vacancy–hydrogen clusters in electrodeposited Ni and Cu 270
- Thermal desorption spectroscopy
- simultaneous TDS–DSC measurements in magnesium hydride 348
- Thermal diffusivity
- heat conductions due to electrons and phonons for titanium hydride and deuteride 223
- Thermodynamic modelling
- Sn-containing $(\text{La}, \text{Mm})\text{Ni}_{5-x}\text{Sn}_x\text{H}_{5-6}$ intermetallic hydrides: thermodynamic, structural and kinetic properties 773
- Thermodynamics
- modelling of phase equilibria in metal–hydrogen systems 27
 - influence of biaxial strain on thermodynamical properties of hydrogen in (001) oriented Mo/V superlattices 545
 - hydrogen induced lattice expansion in 8/4 u.c. Mo/V superlattice 549
- Thin film hydrides
- refraction-like behaviour of hydrogen diffusion fronts 300
- Thin films
- electrochemical study of hydrogen diffusion in yttrium hydride switchable mirrors 156
 - adjustable magnetic interactions: the use of hydrogen as a tuning agent 160
 - X-Ray absorption spectroscopy of transition metal–magnesium hydride thin films 204
 - structure and bonding in YH_x as derived from elastic and inelastic light scattering 211
 - effects of electrochemical reaction and self-stress on hydrogen diffusion in tubular membranes during galvanostatic charging 314
 - deuterium thermal desorption from FeTi thin films 521
 - in situ preparation of YH_2 thin films by PLD for switchable devices 526
 - the properties of pulsed laser deposited YH_2 films for switchable devices 536
 - surface modification of Nb-films during hydrogen loading 541
 - hydride-forming electrode materials seen from a kinetic perspective 759
- Ti–Cr–Mo alloys
- hydrogen absorbing properties and structures of Ti–Cr–Mo alloys 452
 - Ti–Cr–X protium absorbing alloys with high protium content for fuel-cell 480
- Ti–Cr–Ru alloys
- Ti–Cr–X protium absorbing alloys with high protium content for fuel-cell 480
- Ti–Cr–V alloys
- hydrogen absorbing properties and structures of Ti–Cr–Mo alloys 452
 - protium absorption properties and protide formations of Ti–Cr–V alloys 505
- TiO_2 nanoparticles
- the absorption and desorption properties of nanocrystalline $\text{Mg}_2\text{Ni}_{0.75}\text{Cr}_{0.25}$ alloy containing TiO_2 nanoparticles 649
- Titanium hydride and deuteride
- heat conductions due to electrons and phonons for titanium hydride and deuteride 223
- Titanium–iron-based alloys
- metal hydride electrodes using titanium–iron-based alloys 755
- Titanium precursors
- the effects of titanium precursors on hydriding properties of alanates 423
- Transformation
- hydrogen-induced transformations in C15 Laves phases CeFe_2 and TbFe_2 studied by pressure calorimetry up to 5 MPa 664
- Transition metals
- adjustable magnetic interactions: the use of hydrogen as a tuning agent 160
- Transitions of multi-level systems
- tunneling of H within nearly undistorted substitutional-H pairs in Nb: a centrosymmetric four-level system 252
- Transmission electron microscopy
- synthesis and hydrogen sorption properties of nanocrystalline $\text{Mg}_{1.9}\text{M}_{0.1}\text{Ni}$ ($\text{M}=\text{Ti}, \text{Zr}, \text{V}$) obtained by mechanical alloying 639
 - effect of hydrogen charging on the microstructure of duplex stainless steel 701
 - grain size refinement in Mg–Al-based alloy by hydrogen treatment 804
- Tritium
- aging effects on palladium pressure–composition isotherms during tritium storage 36
- Tritium processing
- tritium aging effects in $\text{LaNi}_{4.25}\text{Al}_{0.75}$ 382
- TSS
- effect of β -Zr decomposition on the solubility limits for H in Zr–2.5Nb 22
- Ultrasonics
- elastic properties of intermetallic AB_2 and AB_5 hydrogen-absorbing compounds 283
- Up-hill diffusion
- effects of electrochemical reaction and self-stress on hydrogen diffusion in tubular membranes during galvanostatic charging 314
- Vacancy
- analysis of the nanopores produced in nickel and palladium by high hydrogen pressure 258

- hydrogen-induced phase transformation in internally oxidized $(\text{Pd}_{0.8}\text{Rh}_{0.2})_{0.97}\text{Ce}_{0.03}$ 688
- microstructural modifications induced by hydrogen in a heat resistant steel type HP-45 with Nb and Ti additions 693
- Vacancy-hydrogen clusters
- formation of superabundant vacancies in M–H alloys and some of its consequences: a review 263
 - superabundant vacancy–hydrogen clusters in electrodeposited Ni and Cu 270
- Valence change
- hydrogenation induced valence change and metal atom site exchange at room temperature in the C14-type sub-structure of $\text{CeMn}_{1.8}\text{Al}_{0.2}\text{H}_{4.4}$ 673
- Valence electron concentration
- structure stability maps for intermetallic AB_5 compounds 114
- Vanadium
- hydrogen permeation and transmission electron microscope observations of V–Al alloys 295
 - correlation between hydrogen absorption properties and homogeneity of Ti–Cr–V alloys 405
 - hydrogen sorption properties of vanadium- and palladium-implanted magnesium films 530
 - hydrogen permeation characteristics of V-15Ni membrane with Pd/Ag overlayer by sputtering 553
- Vanadium hydride
- compositional dependence of hydriding properties of vanadium alloys at low hydrogen pressures 45
- Vapor deposition
- structure and bonding in YH_x as derived from elastic and inelastic light scattering 211
- Vapour deposition
- in situ preparation of YH_2 thin films by PLD for switchable devices 526
 - the properties of pulsed laser deposited YH_2 films for switchable devices 536
 - dehydriding kinetics of a Mg–9.5 wt% V sample studied by high pressure differential scanning calorimetry 584
- V-based alloy
- deterioration behavior of a multi-phase vanadium-based solid solution alloy electrode 738
- V-free Ti–Cr alloys
- Ti–Cr–X protium absorbing alloys with high protium content for fuel-cell 480
- VH
- compositional dependence of hydriding properties of vanadium alloys at low hydrogen pressures 45
 - compositional dependence of hydriding properties of vanadium alloys at low hydrogen pressures 45
- X-ray and neutron diffraction
- crystal structures and thermal properties of titanium carbo-deuterides as prepared by combustion synthesis 120
- X-Ray diffraction
- pressure induced phase transitions and EOS of several Laves phase hydrides 32
 - charge density measurement in MgH_2 by synchrotron X-ray diffraction 84
 - structural investigation of hydrogen solubility in Y_yR_{1-y} alloys (R= Tb and Gd) 105
 - unusual effects on hydrogenation: anomalous expansion and volume contraction 109
 - structure and magnetic properties of the ternary gallides CeMGA (M=Mn, Co and Cu) and their hydrides 147
 - influence of deuterium absorption on structural and magnetic properties of ErFe_2 195
 - X-Ray absorption spectroscopy of transition metal–magnesium hydride thin films 204
- magnetic relaxation phenomena in R_2Fe_{17} (R=Y, Dy, Er, Ho) and C and H derivatives 208
 - hydrogen induced martensite in a Fe–17Mn–1.9Al–0.1C steel 340
 - titanium–halide catalyst-precursors in sodium aluminum hydrides 363
 - magnesium alanate—a material for reversible hydrogen storage? 418
 - hydriding properties of ordered-/disordered-Mg-based ternary Laves phase structures 429
 - hydrogen absorption properties of topologically close-packed phases of the Nb–Ni–Al system 442
 - structural and thermodynamic studies of some hydride forming RM_3 -type compounds (R=lanthanide, M=transition metal) 461
 - structural studies of the deuterides of carbon containing yttrium alloys 475
 - hydriding combustion synthesis of Mg_2NiH_4 490
 - attempts to improve Mg_2Ni hydrogen storage by aluminium addition 494
 - protium absorption properties and protide formations of Ti–Cr–V alloys 505
 - hydrogen storage properties of LiBH_4 515
 - in situ preparation of YH_2 thin films by PLD for switchable devices 526
 - synthesis of hydrides by mechanical alloying in the Mg–Ni–Ge system 588
 - synthesis and hydrogen sorption properties of nanocrystalline $\text{Mg}_{1.9}\text{M}_{0.1}\text{Ni}$ (M=Ti, Zr, V) obtained by mechanical alloying 639
 - hydrogen-induced transformations in C15 Laves phases CeFe_2 and TbFe_2 studied by pressure calorimetry up to 5 MPa 664
 - structural changes of Mg_2NiH_4 under high hydrogen pressures 697
 - the electrochemical properties of $\text{La}_x\text{Mg}_{3-x}\text{Ni}_9$ ($x=1.0$ – 2.0) hydrogen storage alloys 746
 - effects of cobalt replacement by nickel, manganese, aluminium and iron on the crystallographic and electrochemical properties of AB_5 -type alloys 779
 - grain size refinement in Mg–Al-based alloy by hydrogen treatment 804
- X-Ray photoelectron spectroscopy
- XPS study of hydrogen and oxygen interactions on the surface of zirconium 330
- X-Ray spectroscopies
- local structure in hydrogenated Ti–Zr–Ni quasicrystals and approximants 96
- X-ray synchrotron diffraction
- $\text{Zr}_4\text{Al}_3\text{D}_{2.68}$ and $\text{Zr}_3\text{Al}_2\text{D}_{2.26}$: new Zr-containing intermetallic hydrides with ordered hydrogen sublattice 91
 - crystallographic and magnetic structure of $\text{Pr}_6\text{Fe}_{13}\text{AuD}_{13}$ 142
- YCo_2
- magnetic properties of YCo_2 hydrides 227
- YCo_3
- magnetic properties of the YCo_3 –H system 174
- Young's modulus
- in situ measurement of elastic properties of PdH_x , PdD_x , and PdT_x 372
- Y–Tb, Y–Gd Alloys
- structural investigation of hydrogen solubility in Y_yR_{1-y} alloys (R= Tb and Gd) 105
- Yttrium scandium alloys
- steric effects on the metal–insulator (mirror–transparent) transition in YH_x 181

Zeolites

hydrogen adsorption in zeolites A, X, Y and RHO 710

Zintl phases

role of hydrogen in stabilizing new hydride phases or altering old ones 59

Zirconium

XPS study of hydrogen and oxygen interactions on the surface of zirconium 330

Zirconium hydride

a molecular dynamics study of thermal conductivity of zirconium hydride 279

Zr

hydrogen loading behaviour of multi-component amorphous alloys: model and experiment 566

Zr-based Laves phase

structural, magnetic and hyperfine properties of $Zr(Cr_{1-x}Fe_x)_2$ hydrides 200

Zr–Cu–Ni–Al

hydrogenation of Pd-coated Zr–Cu–Ni–Al metallic glasses and quasicrystals 654

Zr–Nb alloys

effect of β -Zr decomposition on the solubility limits for H in Zr–2.5Nb 22