

Subject Index of Volumes 404–406

- Ab initio calculations
atom relaxations around hydrogen defects in lanthanum hydride 55
- Absorption
relaxation of internal stress field and hydrogen ordering on YH_x 126
high fugacity hydrogen effects at room temperature in titanium based alloys 613
- Accelerator calibration
Miss MaRPel – a 3 MV pelletron accelerator for hydrogen depth profiling 307
- Activation
synthesis of the dihydride phase of vanadium 35
characteristics of hydride electrodes using Ti–Fe–Pd–X alloys 675
- AFM studies of palladium hydride formation
chemical and structural components of work function changes in the process of palladium hydride formation within thin Pd film 284
- Al
hydrogen-straining effects in Al 269
- Al substitution
the effect of Al substitution for Ni on the structure and electrochemical properties of AB_3 -type $\text{La}_2\text{Mg}(\text{Ni}_{1-x}\text{Al}_x)_9$ ($x=0-0.05$) alloys 665
- Alanate
100–200 °C polymer fuel cells for use with NaAlH_4 653
isothermal decomposition of LiAlD_4 with and without additives 743
catalyzed $\text{Na}_2\text{LiAlH}_6$ for hydrogen storage 771
Ti-catalyzed $\text{Mg}(\text{AlH}_4)_2$: A reversible hydrogen storage material 775
- Alanates
kinetic studies of the decomposition of NaAlH_4 doped with a Ti-based catalyst 339
thermal decomposition of $\text{Mg}(\text{AlH}_4)_2$ studied by in situ synchrotron X-ray diffraction 752
crystal structures and electronic structures of alkali aluminohexahydrides from density functional calculations 757
the use of complex metal hydrides as hydrogen storage materials: Synthesis and XRD-studies of $\text{Ca}(\text{AlH}_4)_2$ and $\text{Mg}(\text{AlH}_4)_2$ 762
- Alkaline fuel cell
electrocatalytic abilities of hydrogen storage alloy as anode electrocatalyst of alkaline fuel cell 661
- Alloy design
hydrogen permeation characteristics of (V, Ta)–Ti–Ni alloys 273
- Alloying
phase composition and electrochemical performances of the $\text{Zr}_{1-x}\text{Ti}_x\text{Cr}_{0.4}\text{Mn}_{0.2}\text{V}_{0.1}\text{Ni}_{1.3}$ alloys with $0.1 \leq x \leq 0.3$ 687
- Aluminum hydrides
nanocrystalline alanates—Phase transformations, and catalysts 732
- Amide
hydrogen storage properties of Li–Mg–N–H systems 396
- Amorphization
process and mechanism of hydrogen-induced amorphization in C15 Laves phases RFe_2 559
- Amorphous
process and mechanism of hydrogen-induced amorphization in C15 Laves phases RFe_2 559
pressure dependence of hydrogen-induced amorphization in C14 Laves phase NdMn_2 599
- Amorphous materials
microstructural effects in the hydrogenation kinetics of commercial-type LaNi_5 alloy 327
preliminary results of hydrogen adsorption and SAXS modelling of mesoporous silica: MCM-41 405
peculiarities of structural state and hydrogen storage properties of Ti–Zr–Ni based intermetallic compounds 515
the nature of deformation effects in metal–hydrogen systems 550
the use of complex metal hydrides as hydrogen storage materials: Synthesis and XRD-studies of $\text{Ca}(\text{AlH}_4)_2$ and $\text{Mg}(\text{AlH}_4)_2$ 762
- Anelasticity
H-induced anelasticity as a probe: Application to nanoscale quasicrystals 519
- Anisotropy
electronic and crystallographic properties of the system $\text{CeY}_2\text{Ni}_9\text{D}_x$ ($0 \leq x \leq 8.7$) measured by X-ray absorption spectroscopy 60
effect of hydrogen insertion on the magnetic properties of $\text{Er}(\text{Fe},\text{Co})_{11}\text{Ti}$ single crystals 181
- Anode
development of the direct borohydride fuel cell 648
electrocatalytic abilities of hydrogen storage alloy as anode electrocatalyst of alkaline fuel cell 661
- Atomic force microscope
AFM study of austeno-ferritic stainless steel microstructure after cathodic hydrogen charging 595
- Atomic force microscopy
magnetic properties of austeno-ferritic stainless steel after cathodic hydrogen charging 626
- Atomistic vibration
dehydrating and rehydrating reactions of LiBH_4 427
- Attosecond physics
possible effects of attosecond quantum entanglement involving protons on fast processes in M–H and other systems 784
short lived protonic quantum entanglement and coupling to the electronic environment in LaH_2 and LaH_3 787
- Attosecond quantum effects and decoherence
anomalous neutron Compton scattering cross section in zirconium hydride 790
- b.c.c.
mechanically driven b.c.c. TiCr alloy and its hydrogen solubility 533
- Ball milling
hydrogenation properties of $\text{Mg}/\text{Mg}_2\text{Ni}_{0.8}\text{Cr}_{0.2}$ composites containing TiO_2 nanoparticles 529
- Ball-milling
isothermal decomposition of LiAlD_4 with and without additives 743
- bcc solid solution alloy
hydrogen absorption–desorption properties and crystal structure analysis of Ti–Cr–Mo alloys 99
- BCC solid solution alloy
improvement of cyclic durability of BCC structured Ti–Cr–V alloys 417
- Beta-21S
hydrogen cracking in titanium-based alloys 621

- Borohydride
development of the direct borohydride fuel cell 648
- C14 Laves phase
pressure dependence of hydrogen-induced amorphization in C14 Laves phase NdMn_2 599
- Calcium
hydrogen absorption and desorption by $\text{Mg}_{67-x}\text{Ca}_x\text{Ni}_{33}$ powders prepared by mechanical alloying 431
- Calorimetry
some thermodynamic aspects of metal hydrogen systems 16
- Calorimetry and temperature programmed desorption
nanocrystalline and non-crystalline hydrides synthesized by controlled reactive mechanical alloying/milling of Mg and Mg–X (X=Fe, Co, Mn, B) systems 494
- CANDU®
role of hydrides on the oxidation and deuterium pickup of Zr–2.5Nb in D_2O at 573 K 297
- Carbon nanostructures
nanostructures with high surface area for hydrogen storage 399
- Casting
hydrogenation properties and structural change of $\text{Hf}_x\text{Zr}_{7-x}\text{Ni}_{10}$ ($x = 0-7$) 609
- Catalysis
new catalytic complexes for metal hydride systems 706
- Catalyst
hydrogenation properties of Mg/ $\text{Mg}_2\text{Ni}_{0.8}\text{Cr}_{0.2}$ composites containing TiO_2 nanoparticles 529
hydrogen generation from hydrolysis of sodium borohydride using Ru(0) nanoclusters as catalyst 728
catalyzed $\text{Na}_2\text{LiAlH}_6$ for hydrogen storage 771
- Cathode
development of the direct borohydride fuel cell 648
- Cathodic polarization
hydrogen-straining effects in Al 269
- Cell volume expansion on hydriding
the effect of Al substitution for Ni on the structure and electrochemical properties of AB_3 -type $\text{La}_2\text{Mg}(\text{Ni}_{1-x}\text{Al}_x)_9$ ($x=0-0.05$) alloys 665
- Ceria based materials
kinetics of hydrogen chemisorption on high surface area $\text{Pd/Ce}_{0.8}\text{Zr}_{0.2}\text{O}_2$ 317
- Chemical and structural components of work function
chemical and structural components of work function changes in the process of palladium hydride formation within thin Pd film 284
- Chemical bond
nature of the chemical bond in complex hydrides, NaAlH_4 , LiAlH_4 , LiBH_4 and LiNH_2 185
- Chemical bond character
theoretical modeling of hydrogen storage materials: Prediction of structure, chemical bond character, and high-pressure behavior 377
- Chemisorption
kinetics of hydrogen chemisorption on high surface area $\text{Pd/Ce}_{0.8}\text{Zr}_{0.2}\text{O}_2$ 317
- Clusters
first-principles study on copper-substituted lithium borohydride, $(\text{Li}_{1-x}\text{Cu}_x)\text{BH}_4$ 140
microstructural origin of the optical black state in Mg_2NiH_x thin films 481
hydrogen absorption behaviour in nanometer sized palladium samples stabilised in soft and hard matrix 523
- Codeposition
the electrolyte temperature dependence of the electrochemical hydrogen storage property of Mg–Ni alloy codeposited from aqueous solution 694
- Combinatorial research
Ti-catalyzed $\text{Mg}(\text{AlH}_4)_2$: A reversible hydrogen storage material 775
- Complex hydride
nature of the chemical bond in complex hydrides, NaAlH_4 , LiAlH_4 , LiBH_4 and LiNH_2 185
hydrogen storage properties of Li–Mg–N–H systems 396
dehydrogenating and rehydrogenating reactions of LiBH_4 427
- Complex hydrides
theoretical modeling of hydrogen storage materials: Prediction of structure, chemical bond character, and high-pressure behavior 377
effects of catalysts on the dehydrogenating of alanates monitored by proton NMR 738
- Compton scattering
experimental determination of the $\text{PdH}_{0.84}$ Fermi surface 169
- Controlled mechanical milling
processing by controlled mechanical milling of nanocomposite powders $\text{Mg} + \text{X}$ (X = Co, Cr, Mo, V, Y, Zr) and their hydrogenation properties 507
- Corrosion
hydrogen production from highly corroding Mg-based materials elaborated by ball milling 712
- Cracking
hydrogen cracking in titanium-based alloys 621
- CrB-type structure
hydriding and dehydrogenating properties of CaSi 402
- Crystal structure
atom relaxations around hydrogen defects in lanthanum hydride 55
crystallographic and thermodynamic study of $\text{La}_{0.55}\text{Y}_{0.45}\text{Ni}_5\text{H}_2$, a candidate system for hydrogen buffer tanks 85
neutron holography of metal–hydrogen systems 122
mechanically driven b.c.c. TiCr alloy and its hydrogen solubility 533
thermal decomposition of $\text{Mg}(\text{AlH}_4)_2$ studied by in situ synchrotron X-ray diffraction 752
- Crystal structure and symmetry
electronic and crystallographic properties of the system $\text{CeY}_2\text{Ni}_9\text{D}_x$ ($0 \leq x \leq 8.7$) measured by X-ray absorption spectroscopy 60
hydrogen absorption–desorption properties and crystal structure analysis of Ti–Cr–Mo alloys 99
hydrogenation and crystal structures of the $\text{Nd}(\text{Ni}_{1-x}\text{Cu}_x)(\text{In}_{1-y}\text{Al}_y)$ intermetallics and their hydrides 107
distortion of the fcc lattice in superstoichiometric $\beta\text{-YH}_{2+\delta}$ and cubic $\text{YH}_{3-\eta}$ thin films 82
synthesis and crystal structure of $\kappa\text{-Zr}_9\text{V}_4\text{SH}_{-23}$ 118
directional metal–hydrogen bonding in interstitial hydrides. I. Structural study of ErNi_3D_x ($0 \leq x \leq 3.75$) 89
optical properties of YH_x ($0 \leq x \leq 2.1$) thin films 453
peculiarities of structural state and hydrogen storage properties of Ti–Zr–Ni based intermetallic compounds 515
relationship between polymorphism and hydrogenation properties in $\text{Ti}_{0.64}\text{Zr}_{0.36}\text{Ni}$ alloy 545
- Crystallization
process and mechanism of hydrogen-induced amorphization in C15 Laves phases RFe_2 559
- Cycle life
characteristics of hydride electrodes using Ti–Fe–Pd–X alloys 675
- Cyclic durability
improvement of cyclic durability of BCC structured Ti–Cr–V alloys 417
- Decoherence
possible effects of attosecond quantum entanglement involving protons on fast processes in M–H and other systems 784
- Dendrite
phase composition and electrochemical performances of the $\text{Zr}_{1-x}\text{Ti}_x\text{Cr}_{0.4}\text{Mn}_{0.2}\text{V}_{0.1}\text{Ni}_{1.3}$ alloys with $0.1 \leq x \leq 0.3$ 687
- Density functional calculations
hydrogen diffusion in magnesium metal (α phase) studied by ab initio computer simulations 235
- Density functional theory
crystal structures and electronic structures of alkali aluminohexahydrides from density functional calculations 757
- Desorption
high fugacity hydrogen effects at room temperature in titanium based alloys 613

- Deuterides
structural properties of RT_3 deuterides synthesized under high pressure of deuterium 103
- Deuterium
the diffusion of hydrogen and deuterium through self-stressed $Pd_{77}Ag_{23}$ membrane 243
- Diffraction
neutron scattering studies of γ -CoH 73
in situ SR-XRD studies of hydrogen absorption–desorption in $LaNi_{4.7}Sn_{0.3}$ 604
- Diffusion
the diffusion of hydrogen and deuterium through self-stressed $Pd_{77}Ag_{23}$ membrane 243
- Dipolar field
NMR study of $GdFe_2H_x$ hydrides 163
- Dislocations and disclinations
TEM study of the dislocations generated by hydrogen absorption/desorption in $LaNi_5$ and derivatives 570
- Disordered systems
 1H NMR analysis of nuclear relaxation mechanisms in Pd–H and Pd–Ag–H alloys 238
- Elastic interaction
hydrogen interaction with dissolved atoms in metal solid solutions 230
- Elastic properties
relationship between compressibility and hydrogen absorption in some Haucke compounds 565
- Elasticity
the nature of deformation effects in metal–hydrogen systems 550
hydrogen elasticity phenomenon: Experimental manifestations and theory 576
motion of point defects and monitoring of chemical reactions in sodium aluminium hydride 748
- Electrocatalytic ability
electrocatalytic abilities of hydrogen storage alloy as anode electrocatalyst of alkaline fuel cell 661
- Electrochemical hydrogen storage
the electrolyte temperature dependence of the electrochemical hydrogen storage property of Mg–Ni alloy codeposited from aqueous solution 694
- Electrochemical performance
phase composition and electrochemical performances of the $Zr_{1-x}Ti_xCr_{0.4}Mn_{0.2}V_{0.1}Ni_{1.3}$ alloys with $0.1 \leq x \leq 0.3$ 687
- Electrochemical properties
phase structures and electrochemical performance of $V_{2.1}TiNi_{0.5}Hf_{0.05}Co_x$ ($x = 0–0.192$) hydrogen storage alloys 657
electrochemical properties of nanocrystalline Mg_2Ni -type alloys prepared by mechanical alloying 682
- Electrochemical property
the effect of Al substitution for Ni on the structure and electrochemical properties of AB_3 -type $La_2Mg(Ni_{1-x}Al_x)_9$ ($x = 0–0.05$) alloys 665
effects of Cr on the structural and electrochemical properties of TiV-based two-phase hydrogen storage alloys 669
- Electrochemical reactions
chemical tuning of the thermal decomposition temperature of inorganic hydrides: Computational aspects 31
- Electrode materials
hydrogen storage in thin film magnesium–scandium alloys 457
TEM study of the dislocations generated by hydrogen absorption/desorption in $LaNi_5$ and derivatives 570
applications of Zr–V hydrogen getters in vacuum-plasma devices: Phase-structural and hydrogen sorption characteristics 724
- Electrodeposition
the structure and phase diagram of M–H systems at high chemical potentials—High pressure and electrochemical synthesis 7
- Electrolytic hydrogenation
an experimental system to investigate kinetics and isotopic properties of the electrolytic metal hydride formation 720
- Electron energy loss spectroscopy
possible effects of attosecond quantum entanglement involving protons on fast processes in M–H and other systems 784
- Electron momentum distribution
experimental determination of the $PdH_{0.84}$ Fermi surface 169
- Electronic band structure
ab initio studies of structure and magnetic structure in YCo_3H_2 136
valence band and magnetic moment of Mn in $TbMn_2$ and $TbMn_2D_2$ studied by $K_{\beta 5}$ emission X-ray spectroscopy 160
electronic structure of ternary hydrides based on light elements 176
high-pressure synthesis and energetics of MgCu with a CsCl-type structure 372
- Electronic states
first-principles study on copper-substituted lithium borohydride, $(Li_{1-x}Cu_x)BH_4$ 140
- Electronic structure
magnetic properties of Cr–CrH and YFe_2 – YFe_2H_4 150
nature of the chemical bond in complex hydrides, $NaAlH_4$, $LiAlH_4$, $LiBH_4$ and $LiNH_2$ 185
electronic structures of $LaNiIn$ and $LaNiInH_x$ ($x = \frac{1}{3}, \frac{2}{3}, 1$ and $\frac{4}{3}$) 204
relationship between compressibility and hydrogen absorption in some Haucke compounds 565
- Electronic transport
transport properties of some hydrogenated nickel-based alloys 195
- Energy storage materials
hydrogen sorption properties for surface treated MgH_2 and Mg_2Ni alloys 293
- Entanglement
possible effects of attosecond quantum entanglement involving protons on fast processes in M–H and other systems 784
- Equilibrium sorption pressures
synthesis of the dihydride phase of vanadium 35
- Eutectic structure
hydrogen permeation characteristics of (V, Ta)–Ti–Ni alloys 273
- EXAFS
electronic and crystallographic properties of the system $CeY_2Ni_9D_x$ ($0 \leq x \leq 8.7$) measured by X-ray absorption spectroscopy 60
Ce-valence state and hydrogen-induced volume effects in Ce-based intermetallic compounds and their hydrides 144
- Fermi surface
experimental determination of the $PdH_{0.84}$ Fermi surface 169
- Ferromagnetism
the magnetocrystalline anisotropy in $Y(Fe,Co)_{11}TiH$ single crystals 208
effect of hydrogen on magnetic properties of $Lu_2Fe_{14}B$ single crystal 212
- Fuel cell
development of the direct borohydride fuel cell 648
- Fuel cells
100–200° C polymer fuel cells for use with $NaAlH_4$ 653
nickel–metal hydride battery using nanocrystalline TiFe-type hydrogen storage alloys 691
- Gas–solid interaction
combinatorial method for the development of a catalyst promoting hydrogen uptake 699
- Gas–solid reaction
thermodynamic characteristics of the Al- and Cu-doped NdNiIn hydrides 43
hydrogen sites analysed by X-ray synchrotron diffraction in Mg_7TiH_{13-16} made at gigapascal high-pressures 68
towards a viable hydrogen storage system for transportation application 392
hydrogen elasticity phenomenon: Experimental manifestations and theory 576
- Gas–solid reaction sep neutron diffraction
crystallographic and thermodynamic study of $La_{0.55}Y_{0.45}Ni_5$ – H_2 , a candidate system for hydrogen buffer tanks 85
- Gas–solid reactions
study of the lithium–nitrogen–hydrogen system 24

- studies of P – C isotherms in RNi_5 – H (R : La, Pr, Nd, Sm, Gd, Tb and Dy) systems 47
- atom relaxations around hydrogen defects in lanthanum hydride 55
- electronic and crystallographic properties of the system $CeY_2Ni_3D_x$ ($0 \leq x \leq 8.7$) measured by X-ray absorption spectroscopy 60
- hydrogenation and crystal structures of the $Nd(Ni_{1-x}Cu_x)(In_{1-y}Al_y)$ intermetallics and their hydrides 107
- studying hydrogen permeability by method of concentration pulses 279
- interaction of hydrogen with a nickel surface in the low-temperature field evaporation 303
- kinetics of hydrogen desorption from the powders of metal hydrides 312
- interaction of hydrogen with an Mg–Al alloy 323
- microstructural effects in the hydrogenation kinetics of commercial-type $LaNi_5$ alloy 327
- modeling high-temperature TDS-spectra peaks of metal–hydrogen systems 332
- study of the kinetics of hydrogen sorption and desorption from titanium 335
- hydriding kinetics and process parameters in reactive milling 343
- influence of the stoichiometry on the H-desorption rates measured in solid–gas phase and electrochemical cell for air-exposed $LaNi_{5+x}$ -type alloys 347
- the effect of hydrogen pressure and temperature on kinetics of hydrogen-induced direct phase transformation in hard magnetic alloy 351
- vanadium-based BCC alloys: phase-structural characteristics and hydrogen sorption properties 421
- effect of Ti catalyst with different chemical form on Li–N–H hydrogen storage properties 439
- hydrogen storage properties in Ti catalyzed Li–N–H system 435
- some kinetic and microstructural aspects during hydrogen-induced phase transformations in $Nd_2Fe_{14}B$ alloys 588
- applications of Zr–V hydrogen getters in vacuum-plasma devices: Phase-structural and hydrogen sorption characteristics 724
- Grain boundaries
- microstructural origin of the optical black state in Mg_2NiH_x thin films 481
- Grain boundaries C
- hydrogen-induced defects in niobium studied by positron annihilation spectroscopy 580
- Graphite nanofibers
- synthesis and H_2 adsorption on graphitic nanofibres 634
- H diffusion
- diffusion of hydrogen in the shape memory alloy $Ni_{47}Ti_{40}Hf_{10}Cu_3$ 261
- H_2 sorption properties
- thermal stability of nanocrystalline magnesium for hydrogen storage 499
- H_2 -uptake
- synthesis and H_2 adsorption on graphitic nanofibres 634
- Haucke compounds
- relationship between compressibility and hydrogen absorption in some Haucke compounds 565
- Helium
- helium release behavior of aged titanium tritides 365
- Hexaborides
- dynamics of positive muons in CaB_6 360
- High and low pressure of deuterium
- structural properties of RT_3 deuterides synthesized under high pressure of deuterium 103
- High chemical potential
- the structure and phase diagram of M–H systems at high chemical potentials—High pressure and electrochemical synthesis 7
- High energy ball milling
- hydrogen sorption properties for surface treated MgH_2 and Mg_2Ni alloys 293
- synthesis of the nanocrystalline MgS and its interaction with hydrogen 503
- catalytic effect of Ni nano-particle and Nb oxide on H-desorption properties in MgH_2 prepared by ball milling 716
- High hydrogen pressure
- a relation between the vacancy concentration and hydrogen concentration in the Ni–H, Co–H and Pd–H systems 247
- the phase diagram and superabundant vacancy formation in Fe–H alloys revisited 252
- High pressure
- 45 Years of nickel hydride—History and perspectives 2
- the structure and phase diagram of M–H systems at high chemical potentials—High pressure and electrochemical synthesis 7
- hydrogen sites analysed by X-ray synchrotron diffraction in Mg_7TiH_{13-16} made at gigapascal high-pressures 68
- in situ X-ray diffraction analysis of the Pd–H system at high pressure 77
- isotope effect in a Cu–H(D) system with hexagonal hydride phase 368
- high-pressure synthesis and energetics of MgCu with a CsCl-type structure 372
- high-pressure synthesis of novel hydride in Mg–M systems ($M=Li, Pd$) 448
- High temperature
- 100–200° C polymer fuel cells for use with $NaAlH_4$ 653
- High-energy ball milling
- hydriding kinetics and process parameters in reactive milling 343
- H-sorption in MgH_2 nanocomposites containing Fe or Ni with fluorine 409
- hydrogen storage properties in Ti catalyzed Li–N–H system 435
- thermal stability of nanocrystalline magnesium for hydrogen storage 499
- dependence of hydrogen storage characteristics of Mg– $TiFe_{0.92}Mn_{0.08}$ composite on amount of $TiFe_{0.92}Mn_{0.08}$ 511
- hydrogen sorption properties of Mg–1 wt.% Ni–0.2 wt.% Pd prepared by reactive milling 413
- effect of Ti catalyst with different chemical form on Li–N–H hydrogen storage properties 439
- hydrogen production from highly corroding Mg-based materials elaborated by ball milling 712
- catalyzed Na_2LiAlH_6 for hydrogen storage 771
- High-pressure behavior
- theoretical modeling of hydrogen storage materials: Prediction of structure, chemical bond character, and high-pressure behavior 377
- Hydride
- synthesis of the dihydride phase of vanadium 35
- NMR study of $GdFe_2H_x$ hydrides 163
- Hydrides
- specific heat anomalies in $RMn_2(H,D)_x$ hydrides 51
- structural properties of RT_3 deuterides synthesized under high pressure of deuterium 103
- current progress in the magnetism of rare-earth–hydrogen systems 131
- structural and magnetic properties of $Dy_2Fe_{17}H_x$ ($x = 0$ and 3) single crystals 172
- effect of hydrogen insertion on the magnetic properties of $Er(Fe,Co)_{11}Ti$ single crystals 181
- crystal and magnetic structure of $HoNiSnD_{0.67}$ 200
- electronic structures of $LaNiIn$ and $LaNiInH_x$ ($x = \frac{1}{3}, \frac{2}{3}, 1$ and $\frac{4}{3}$) 204
- the magnetocrystalline anisotropy in $Y(Fe,Co)_{11}TiH$ single crystals 208
- effect of hydrogen on magnetic properties of $Lu_2Fe_{14}B$ single crystal 212
- role of hydrides on the oxidation and deuterium pickup of Zr–2.5Nb in D_2O at 573 K 297
- relationship between compressibility and hydrogen absorption in some Haucke compounds 565
- hydrogen cracking in titanium-based alloys 621
- Hydriding/dehydriding kinetics
- hydrogenation properties of $Mg/Mg_2Ni_{0.8}Cr_{0.2}$ composites containing TiO_2 nanoparticles 529
- Hydrogen
- 45 Years of nickel hydride—History and perspectives 2
- hydrogen interaction with dissolved atoms in metal solid solutions 230
- the diffusion of hydrogen and deuterium through self-stressed $Pd_{77}Ag_{23}$ membrane 243
- a relation between the vacancy concentration and hydrogen concentration in the Ni–H, Co–H and Pd–H systems 247
- the phase diagram and superabundant vacancy formation in Fe–H alloys revisited 252

- role of hydrides on the oxidation and deuterium pickup of Zr–2.5Nb in D₂O at 573 K 297
- kinetics of hydrogen chemisorption on high surface area Pd/Ce_{0.8}Zr_{0.2}O₂ 317
- study of the kinetics of hydrogen sorption and desorption from titanium 335
- thermodynamics of hydrogen uptake in Mg films studied by resistance measurements 469
- hydrogen absorption behaviour in nanometer sized palladium samples stabilised in soft and hard matrix 523
- pressure dependence of hydrogen-induced amorphization in C14 Laves phase NdMn₂ 599
- Hydrogen absorbing alloy
- improvement of cyclic durability of BCC structured Ti–Cr–V alloys 417
- Hydrogen absorbing materials
- effects of surface modification by ion irradiation on the electrochemical hydrogen absorption rate of Pd 288
- kinetic studies of the decomposition of NaAlH₄ doped with a Ti-based catalyst 339
- nanocrystalline alanates—Phase transformations, and catalysts 732
- chemical state of Ti in sodium alanate doped with TiCl₃ using X-ray photoelectron spectroscopy 766
- Hydrogen absorption
- the near elimination of hysteresis in Pd/Cr₂O₃ composites 38
- solubility and diffusion of hydrogen in AB₂-type Laves phase alloys 265
- control of large magnetocaloric effects in metamagnetic La(Fe_xSi_{1-x})₁₃ compounds by hydrogenation 554
- process and mechanism of hydrogen-induced amorphization in C15 Laves phases RFe₂ 559
- Hydrogen adsorption
- hydrogen storage in ion-exchanged zeolites 637
- Hydrogen as a probe
- H-induced anelasticity as a probe: Application to nanoscale quasicrystals 519
- Hydrogen defects
- atom relaxations around hydrogen defects in lanthanum hydride 55
- Hydrogen depth distribution
- Miss MaRPel – a 3MV pelletron accelerator for hydrogen depth profiling 307
- Hydrogen desorption kinetics
- deuterium storage in Mg–Nb films 461
- Hydrogen detection sensitivity
- Miss MaRPel – a 3MV pelletron accelerator for hydrogen depth profiling 307
- Hydrogen diffusion
- solubility and diffusion of hydrogen in AB₂-type Laves phase alloys 265
- Hydrogen dynamics
- effects of catalysts on the dehydrogenation of alanates monitored by proton NMR 738
- Hydrogen effect
- in situ X-ray diffraction analysis of the Pd–H system at high pressure 77
- Hydrogen embrittlement
- high fugacity hydrogen effects at room temperature in titanium based alloys 613
- Hydrogen in metals
- the nature of deformation effects in metal–hydrogen systems 550
- Hydrogen in rare earths
- relaxation of internal stress field and hydrogen ordering on YH_x 126
- Hydrogen isotherms
- transmission electron microscopy of hydrogen effects in internally oxidized palladium–chromium alloys 617
- Hydrogen permeable membrane
- measurement of hydrogen permeability of pure Nb and its alloys by electrochemical method 257
- Hydrogen permeation
- hydrogen-straining effects in Al 269
- hydrogen permeation characteristics of (V, Ta)–Ti–Ni alloys 273
- Hydrogen solubility
- solubility and diffusion of hydrogen in AB₂-type Laves phase alloys 265
- mechanically driven b.c.c. TiCr alloy and its hydrogen solubility 533
- Hydrogen sorption
- processing by controlled mechanical milling of nanocomposite powders Mg + X (X = Co, Cr, Mo, V, Y, Zr) and their hydrogenation properties 507
- Hydrogen storage
- electronic and optical properties of pressure induced phases of MgH₂ 220
- hydrogen storage properties of Li–Mg–N–H systems 396
- dehydrogenation and rehydrogenation reactions of LiBH₄ 427
- hydrogen absorption and desorption by Mg_{67-x}Ca_xNi₃₃ powders prepared by mechanical alloying 431
- synthesis of the nanocrystalline MgS and its interaction with hydrogen 503
- hydrogenation properties of Mg/Mg₂Ni_{0.8}Cr_{0.2} composites containing TiO₂ nanoparticles 529
- structural analysis of activated Mg(Nb)H₂ 541
- nanostructures with high surface area for hydrogen storage 399
- hydrogen storage in ion-exchanged zeolites 637
- production of sodium borohydride by using dynamic behaviors of protide at the extreme surface of magnesium particles 643
- effects of catalysts on the dehydrogenation of alanates monitored by proton NMR 738
- isothermal decomposition of LiAlD₄ with and without additives 743
- catalyzed Na₂LiAlH₆ for hydrogen storage 771
- Hydrogen storage alloy
- electrocatalytic abilities of hydrogen storage alloy as anode electrocatalyst of alkaline fuel cell 661
- the effect of Al substitution for Ni on the structure and electrochemical properties of AB₃-type La₂Mg(Ni_{1-x}Al_x)₉ (x = 0–0.05) alloys 665
- Hydrogen storage alloys
- microstructure of MmM₅/Mg multi-layer films prepared by magnetron sputtering 485
- on the cycle life improvement of amorphous MgNi-based alloy for Ni–MH batteries 679
- Hydrogen storage material
- hydrogen sites analysed by X-ray synchrotron diffraction in Mg₇TiH₁₃₋₁₆ made at gigapascal high-pressures 68
- nature of the chemical bond in complex hydrides, NaAlH₄, LiAlH₄, LiBH₄ and LiNH₂ 185
- preliminary results of hydrogen adsorption and SAXS modelling of mesoporous silica: MCM-41 405
- hydrogen electroadsorption and structural properties of nanostructured Pd–Mg thin films elaborated by pulsed laser deposition 473
- combinatorial method for the development of a catalyst promoting hydrogen uptake 699
- catalytic effect of Ni nano-particle and Nb oxide on H-desorption properties in MgH₂ prepared by ball milling 716
- Hydrogen storage materials
- thermodynamic properties and absorption–desorption kinetics of Mg₈₇Ni₁₀Al₃ synthesised by reactive ball milling under H₂ atmosphere 27
- chemical tuning of the thermal decomposition temperature of inorganic hydrides: Computational aspects 31
- studies of P–C isotherms in RNi₅–H (R: La, Pr, Nd, Sm, Gd, Tb and Dy) systems 47
- electronic and crystallographic properties of the system CeY₂Ni₉D_x (0 ≤ x ≤ 8.7) measured by X-ray absorption spectroscopy 60
- structure of nano-crystalline FeTiD_x by neutron and X-ray diffraction 95
- hydrogen absorption–desorption properties and crystal structure analysis of Ti–Cr–Mo alloys 99
- hydrogenation and crystal structures of the Nd(Ni_{1-x}Cu_x)(In_{1-y}Al_y) intermetallics and their hydrides 107
- crystallographic and thermodynamic study of La_{0.55}Y_{0.45}Ni₅–H₂, a candidate system for hydrogen buffer tanks 85
- synthesis and crystal structure of κ-Zr₂V₄SH₋₂₃ 118
- directional metal–hydrogen bonding in interstitial hydrides. I. Structural study of ErNi₃D_x (0 ≤ x ≤ 3.75) 89

- neutron holography of metal–hydrogen systems 122
- ab initio studies of structure and magnetic structure in YCo_3H_2 136
- first-principles study on copper-substituted lithium borohydride, $(\text{Li}_{1-x}\text{Cu}_x)\text{BH}_4$ 140
- Ce-valence state and hydrogen-induced volume effects in Ce-based intermetallic compounds and their hydrides 144
- magnetic properties of Cr–CrH and $\text{YFe}_2\text{–YFe}_2\text{H}_4$ 150
- valence band and magnetic moment of Mn in TbMn_2 and TbMn_2D_2 studied by $\text{K}_{\beta 5}$ emission X-ray spectroscopy 160
- structure and magnetism of a new series of UTSn hydrides 165
- electronic structure of ternary hydrides based on light elements 176
- neutron diffraction study of $\text{Ho}_5\text{YFe}_{23}$ and $\text{Ho}_5\text{YFe}_{23}\text{D}_{16}$ deuteride 191
- structural and magnetic properties of rare earth-transition metal compounds for hydrogen storage materials 216
- hydrogen jump motion in Laves-phase hydrides: Two frequency scales 224
- hydrogen diffusion in magnesium metal (α phase) studied by ab initio computer simulations 235
- ^1H NMR analysis of nuclear relaxation mechanisms in Pd–H and Pd–Ag–H alloys 238
- interaction of hydrogen with an Mg–Al alloy 323
- microstructural effects in the hydrogenation kinetics of commercial-type LaNi_5 alloy 327
- hydriding kinetics and process parameters in reactive milling 343
- origin of the first order magnetostructural transition in $\text{YFe}_2\text{D}_{4.2}$ 355
- high-pressure synthesis and energetics of MgCu with a CsCl-type structure 372
- regularities of hydrogen interaction with multicomponent Ti(Zr)–Mn–V Laves phase alloys 384
- hydrogen absorption in Ti–Zr–Ni quasicrystals and 1/1 approximants 388
- towards a viable hydrogen storage system for transportation application 392
- hydriding and dehydriding properties of CaSi 402
- H-sorption in MgH_2 nanocomposites containing Fe or Ni with fluorine 409
- hydrogen sorption properties of Mg–1 wt.% Ni–0.2 wt.% Pd prepared by reactive milling 413
- vanadium-based BCC alloys: phase-structural characteristics and hydrogen sorption properties 421
- hydrogen storage properties in Ti catalyzed Li–N–H system 435
- desorption behaviours from metal–N–H systems synthesized by ball milling 443
- high-pressure synthesis of novel hydride in Mg–M systems (M=Li, Pd) 448
- hydrogen storage in thin film magnesium–scandium alloys 457
- thermochromic metal-hydride bilayer devices 465
- double layer formation in Mg–TM switchable mirrors (TM: Ni, Co, Fe) 490
- nanocrystalline and non-crystalline hydrides synthesized by controlled reactive mechanical alloying/milling of Mg and Mg–X (X=Fe, Co, Mn, B) systems 494
- thermal stability of nanocrystalline magnesium for hydrogen storage 499
- dependence of hydrogen storage characteristics of Mg– $\text{TiFe}_{0.92}\text{Mn}_{0.08}$ composite on amount of $\text{TiFe}_{0.92}\text{Mn}_{0.08}$ 511
- hydrogenation of nanocrystalline Zr–Fe–H powder 537
- relationship between polymorphism and hydrogenation properties in $\text{Ti}_{0.64}\text{Zr}_{0.36}\text{Ni}$ alloy 545
- relationship between compressibility and hydrogen absorption in some Hauke compounds 565
- TEM study of the dislocations generated by hydrogen absorption/desorption in LaNi_5 and derivatives 570
- in situ SR-XRD studies of hydrogen absorption–desorption in $\text{LaNi}_{4.7}\text{Sn}_{0.3}$ 604
- hydrogenation properties and structural change of $\text{Hf}_x\text{Zr}_{7-x}\text{Ni}_{10}$ ($x > 0-7$) 609
- hydrogen dynamics in HiPco carbon nanotubes 630
- phase structures and electrochemical performance of $\text{V}_{2.1}\text{TiNi}_{0.5}\text{Hf}_{0.05}\text{Co}_x$ ($x = 0-0.192$) hydrogen storage alloys 657
- effect of Ti catalyst with different chemical form on Li–N–H hydrogen storage properties 439
- effects of Cr on the structural and electrochemical properties of TiV-based two-phase hydrogen storage alloys 669
- new catalytic complexes for metal hydride systems 706
- hydrogen production from highly corroding Mg-based materials elaborated by ball milling 712
- applications of Zr–V hydrogen getters in vacuum-plasma devices: Phase-structural and hydrogen sorption characteristics 724
- motion of point defects and monitoring of chemical reactions in sodium aluminium hydride 748
- thermal decomposition of $\text{Mg}(\text{AlH}_4)_2$ studied by in situ synchrotron X-ray diffraction 752
- crystal structures and electronic structures of alkali aluminohexahydrides from density functional calculations 757
- the use of complex metal hydrides as hydrogen storage materials: Synthesis and XRD-studies of $\text{Ca}(\text{AlH}_4)_2$ and $\text{Mg}(\text{AlH}_4)_2$ 762
- Ti-catalyzed $\text{Mg}(\text{AlH}_4)_2$: A reversible hydrogen storage material 775
- short lived protonic quantum entanglement and coupling to the electronic environment in LaH_2 and LaH_3 787
- anomalous neutron Compton scattering cross section in zirconium hydride 790
- Hydrogen storage materials, LaNi_5
- influence of the stoichiometry on the H-desorption rates measured in solid–gas phase and electrochemical cell for air-exposed LaNi_{5+x} -type alloys 347
- Hydrogen trapping
- effects of surface modification by ion irradiation on the electrochemical hydrogen absorption rate of Pd 288
- Hydrogenation
- hydrogenation process of the Gd_3M (M=Ni or Co) intermetallics compound 584
- Hydrolysis
- hydrogen generation from hydrolysis of sodium borohydride using Ru(0) nanoclusters as catalyst 728
- Hydrolysis reaction
- hydrogen production from highly corroding Mg-based materials elaborated by ball milling 712
- Hyperfine field
- NMR study of GdFe_2H_x hydrides 163
- Hysteresis
- some thermodynamic aspects of metal hydrogen systems 16
- the near elimination of hysteresis in Pd/Cr₂O₃ composites 38
- Imide
- hydrogen storage properties of Li–Mg–N–H systems 396
- Inelastic light scattering
- distortion of the fcc lattice in superstoichiometric $\beta\text{-YH}_{2+\delta}$ and cubic $\text{YH}_{3-\eta}$ thin films 82
- In-situ neutron diffraction
- atom relaxations around hydrogen defects in lanthanum hydride 55
- Intermetallic compound
- thermodynamic characteristics of the Al- and Cu-doped NdNiIn hydrides 43
- Intermetallic compounds (IMC)
- structural properties of RT_3 deuterides synthesized under high pressure of deuterium 103
- Intermetallics
- studies of $P\text{–}C$ isotherms in $\text{RNi}_5\text{–H}$ (R: La, Pr, Nd, Sm, Gd, Tb and Dy) systems 47
- electronic and crystallographic properties of the system $\text{CeY}_2\text{Ni}_9\text{D}_x$ ($0 \leq x \leq 8.7$) measured by X-ray absorption spectroscopy 60
- hydrogen assisted order–disorder transformations in Cu–Sn sublattices of the (La,Ce)CuSn–D₂ systems 112
- crystallographic and thermodynamic study of $\text{La}_{0.55}\text{Y}_{0.45}\text{Ni}_5\text{–H}_2$, a candidate system for hydrogen buffer tanks 85
- synthesis and crystal structure of $\kappa\text{-Zr}_9\text{V}_6\text{SH}_{-23}$ 118
- ab initio studies of structure and magnetic structure in YCo_3H_2 136

- Ce-valence state and hydrogen-induced volume effects in Ce-based intermetallic compounds and their hydrides 144
- hydrogen jump motion in Laves-phase hydrides: Two frequency scales 224
- hydrogen sorption properties for surface treated MgH_2 and Mg_2Ni alloys 293
- interaction of hydrogen with an Mg–Al alloy 323
- microstructural effects in the hydrogenation kinetics of commercial-type LaNi_5 alloy 327
- influence of the stoichiometry on the H-desorption rates measured in solid–gas phase and electrochemical cell for air-exposed LaNi_{5+x} -type alloys 347
- the effect of hydrogen pressure and temperature on kinetics of hydrogen-induced direct phase transformation in hard magnetic alloy 351
- high-pressure synthesis and energetics of MgCu with a CsCl-type structure 372
- relationship between polymorphism and hydrogenation properties in $\text{Ti}_{0.64}\text{Zr}_{0.36}\text{Ni}$ alloy 545
- some kinetic and microstructural aspects during hydrogen-induced phase transformations in $\text{Nd}_2\text{Fe}_{14}\text{B}$ alloys 588
- Internal friction**
- diffusion of hydrogen in the shape memory alloy $\text{Ni}_{47}\text{Ti}_{40}\text{Hf}_{10}\text{Cu}_3$ 261
- Internal oxidation**
- transmission electron microscopy of hydrogen effects in internally oxidized palladium–chromium alloys 617
- Interstitial alloys**
- neutron scattering studies of $\gamma\text{-CoH}$ 73
- hydrogen assisted order–disorder transformations in Cu–Sn sublattices of the (La,Ce)CuSn– D_2 systems 112
- transport properties of some hydrogenated nickel-based alloys 195
- Ion exchange**
- hydrogen storage in ion-exchanged zeolites 637
- Ion irradiation**
- effects of surface modification by ion irradiation on the electrochemical hydrogen absorption rate of Pd 288
- Ionic diffusion**
- hydrogen diffusion in magnesium metal (α phase) studied by ab initio computer simulations 235
- Itinerant-electron metamagnetic transition**
- control of large magnetocaloric effects in metamagnetic $\text{La}(\text{Fe}_x\text{Si}_{1-x})_{13}$ compounds by hydrogenation 554
- Kinetics**
- kinetics of hydrogen desorption from the powders of metal hydrides 312
- kinetic studies of the decomposition of NaAlH_4 doped with a Ti-based catalyst 339
- influence of the stoichiometry on the H-desorption rates measured in solid–gas phase and electrochemical cell for air-exposed LaNi_{5+x} -type alloys 347
- LaNiIn**
- electronic structures of LaNiIn and LaNiInH_x ($x = \frac{1}{3}, \frac{2}{3}, 1$ and $\frac{4}{3}$) 204
- Laves phase**
- phase structures and electrochemical performance of $\text{V}_{2.1}\text{TiNi}_{0.5}\text{Hf}_{0.05}\text{Co}_x$ ($x = 0\text{--}0.192$) hydrogen storage alloys 657
- Laves phase alloys**
- solubility and diffusion of hydrogen in AB_2 -type Laves phase alloys 265
- Laves phase hydrides**
- magnetic properties of Cr–CrH and $\text{YFe}_2\text{--YFe}_2\text{H}_4$ 150
- LiBH_4**
- dehydrogenating and rehydrogenating reactions of LiBH_4 427
- Light absorption**
- combinatorial method for the development of a catalyst promoting hydrogen uptake 699
- Light absorption and reflection**
- optical properties of YH_x ($0 \leq x \leq 2.1$) thin films 453
- thermochromic metal-hydride bilayer devices 465
- double layer formation in Mg–TM switchable mirrors (TM: Ni, Co, Fe) 490
- Limiting current method**
- measurement of hydrogen permeability of pure Nb and its alloys by electrochemical method 257
- Liquid quenching**
- peculiarities of structural state and hydrogen storage properties of Ti–Zr–Ni based intermetallic compounds 515
- Lithium**
- hydrogen storage properties of Li–Mg–N–H systems 396
- dehydrogenating and rehydrogenating reactions of LiBH_4 427
- Lithium aluminium hydride**
- isothermal decomposition of LiAlD_4 with and without additives 743
- Magnesium**
- hydrogen storage properties of Li–Mg–N–H systems 396
- thermodynamics of hydrogen uptake in Mg films studied by resistance measurements 469
- hydrogen electroadsorption and structural properties of nanostructured Pd–Mg thin films elaborated by pulsed laser deposition 473
- production of sodium borohydride by using dynamic behaviors of protide at the extreme surface of magnesium particles 643
- hydrogen production from highly corroding Mg-based materials elaborated by ball milling 712
- Magnesium hydride**
- thermodynamic properties and absorption–desorption kinetics of $\text{Mg}_{87}\text{Ni}_{10}\text{Al}_3$ alloy synthesised by reactive ball milling under H_2 atmosphere 27
- electronic and optical properties of pressure induced phases of MgH_2 220
- thermal stability of nanocrystalline magnesium for hydrogen storage 499
- structural analysis of activated $\text{Mg}(\text{Nb})\text{H}_2$ 541
- Magnesium sulfide**
- synthesis of the nanocrystalline MgS and its interaction with hydrogen 503
- Magnesium-based compounds**
- on the cycle life improvement of amorphous MgNi-based alloy for Ni–MH batteries 679
- Magnesium–nickel alloy**
- hydrogen absorption and desorption by $\text{Mg}_{67-x}\text{Ca}_x\text{Ni}_{33}$ powders prepared by mechanical alloying 431
- Magnetic anisotropy**
- structural and magnetic properties of $\text{Dy}_2\text{Fe}_{17}\text{H}_x$ ($x = 0$ and 3) single crystals 172
- the magnetocrystalline anisotropy in $\text{Y}(\text{Fe},\text{Co})_{11}\text{TiH}$ single crystals 208
- effect of hydrogen on magnetic properties of $\text{Lu}_2\text{Fe}_{14}\text{B}$ single crystal 212
- Magnetic force microscopy**
- magnetic properties of austeno-ferritic stainless steel after cathodic hydrogen charging 626
- Magnetic measurements**
- structure and magnetism of a new series of UTSn hydrides 165
- effect of hydrogen insertion on the magnetic properties of $\text{Er}(\text{Fe},\text{Co})_{11}\text{Ti}$ single crystals 181
- structural and magnetic properties of rare earth-transition metal compounds for hydrogen storage materials 216
- origin of the first order magnetostructural transition in $\text{YFe}_2\text{D}_{4.2}$ 355
- AFM study of austeno-ferritic stainless steel microstructure after cathodic hydrogen charging 595
- magnetic properties of austeno-ferritic stainless steel after cathodic hydrogen charging 626
- Magnetic phase diagrams**
- magnetic phase diagrams of $\text{Ce}_2\text{Fe}_{17-x}\text{Mn}_x\text{--H}$ system: A magnetization study 155
- Magnetic properties**
- neutron diffraction investigations and magnetic properties of $\text{RNi}_{3.5}\text{Al}_{1.5}$ compounds and their hydrides (deuterides) 64
- magnetic properties of Cr–CrH and $\text{YFe}_2\text{--YFe}_2\text{H}_4$ 150

- Magnetic refrigerant
control of large magnetocaloric effects in metamagnetic $\text{La}(\text{Fe}_x\text{Si}_{1-x})_{13}$ compounds by hydrogenation 554
- Magnetic structure
crystal and magnetic structure of $\text{HoNiSnD}_{0.67}$ 200
- Magnetically ordered materials
ab initio studies of structure and magnetic structure in YCo_3H_2 136
valence band and magnetic moment of Mn in TbMn_2 and TbMn_2D_2 studied by $K_{\beta 5}$ emission X-ray spectroscopy 160
neutron diffraction study of $\text{Ho}_5\text{YFe}_{23}$ and $\text{Ho}_5\text{YFe}_{23}\text{D}_{16}$ deuteride 191
- Magnetism
current progress in the magnetism of rare-earth–hydrogen systems 131
- Magnetocaloric effects
control of large magnetocaloric effects in metamagnetic $\text{La}(\text{Fe}_x\text{Si}_{1-x})_{13}$ compounds by hydrogenation 554
- Magnetron sputtering
microstructure of MmM_5/Mg multi-layer films prepared by magnetron sputtering 485
- Martensitic transition
diffusion of hydrogen in the shape memory alloy $\text{Ni}_{47}\text{Ti}_{40}\text{Hf}_{10}\text{Cu}_3$ 261
- Mass spectrometry
an experimental system to investigate kinetics and isotopic properties of the electrolytic metal hydride formation 720
- Mechanical alloying
hydrogen absorption and desorption by $\text{Mg}_{67-x}\text{Ca}_x\text{Ni}_{33}$ powders prepared by mechanical alloying 431
mechanically driven b.c.c. TiCr alloy and its hydrogen solubility 533
on the cycle life improvement of amorphous MgNi-based alloy for Ni–MH batteries 679
electrochemical properties of nanocrystalline Mg_2Ni -type alloys prepared by mechanical alloying 682
nickel–metal hydride battery using nanocrystalline TiFe-type hydrogen storage alloys 691
- Mechanical spectroscopy
H-induced anelasticity as a probe: Application to nanoscale quasicrystals 519
- Mechanochemical synthesis
hydrogen sorption properties for surface treated MgH_2 and Mg_2Ni alloys 293
hydriding kinetics and process parameters in reactive milling 343
desorption behaviours from metal–N–H systems synthesized by ball milling 443
- Mechano-chemical synthesis
new catalytic complexes for metal hydride systems 706
- Membrane
development of the direct borohydride fuel cell 648
- Metal
hydrogen interaction with dissolved atoms in metal solid solutions 230
- Metal hydride
thermodynamic characteristics of the Al- and Cu-doped NdNiIn hydrides 43
- Metal hydrides
kinetics of hydrogen desorption from the powders of metal hydrides 312
kinetic studies of the decomposition of NaAlH_4 doped with a Ti-based catalyst 339
effects of Cr on the structural and electrochemical properties of TiV-based two-phase hydrogen storage alloys 669
nickel–metal hydride battery using nanocrystalline TiFe-type hydrogen storage alloys 691
nanocrystalline alanates—Phase transformations, and catalysts 732
crystal structures and electronic structures of alkali aluminohexahydrides from density functional calculations 757
quantum coherence of protons in metal hydrides 779
- Metal silicides
hydriding and dehydriding properties of CaSi 402
- Metal/oxide composite
the near elimination of hysteresis in $\text{Pd}/\text{Cr}_2\text{O}_3$ composites 38
- Metal–hydrogen systems
the structure and phase diagram of M–H systems at high chemical potentials—High pressure and electrochemical synthesis 7
- Metal-organic frameworks
nanostructures with high surface area for hydrogen storage 399
- Metals
neutron holography of metal–hydrogen systems 122
studying hydrogen permeability by method of concentration pulses 279
interaction of hydrogen with a nickel surface in the low-temperature field evaporation 303
kinetics of hydrogen chemisorption on high surface area $\text{Pd}/\text{Ce}_{0.8}\text{Zr}_{0.2}\text{O}_2$ 317
modeling high-temperature TDS-spectra peaks of metal–hydrogen systems 332
determination of adhesion energies by means of hydrogen loading 477
hydrogen elasticity phenomenon: Experimental manifestations and theory 576
AFM study of austeno-ferritic stainless steel microstructure after cathodic hydrogen charging 595
magnetic properties of austeno-ferritic stainless steel after cathodic hydrogen charging 626
- Metals A
hydrogen-induced defects in niobium studied by positron annihilation spectroscopy 580
- Metals and alloys
kinetics of hydrogen desorption from the powders of metal hydrides 312
- Metamagnetism
magnetic phase diagrams of $\text{Ce}_2\text{Fe}_{17-x}\text{Mn}_x$ -H system: A magnetization study 155
- Mg
deuterium storage in Mg–Nb films 461
Ti-catalyzed $\text{Mg}(\text{AlH}_4)_2$: A reversible hydrogen storage material 775
- Mg-based composite
hydrogenation properties of $\text{Mg}/\text{Mg}_2\text{Ni}_{0.8}\text{Cr}_{0.2}$ composites containing TiO_2 nanoparticles 529
- Mg–Ni alloy
the electrolyte temperature dependence of the electrochemical hydrogen storage property of Mg–Ni alloy codeposited from aqueous solution 694
- Mg–Ni alloys
electrochemical properties of nanocrystalline Mg_2Ni -type alloys prepared by mechanical alloying 682
- MH electrode
characteristics of hydride electrodes using Ti–Fe–Pd–X alloys 675
- Microstructure
hydrogen permeation characteristics of (V, Ta)–Ti–Ni alloys 273
- Mössbauer spectroscopy
origin of the first order magnetostructural transition in $\text{YFe}_2\text{D}_{4.2}$ 355
hydrogenation of nanocrystalline Zr–Fe–H powder 537
- Multi-layer films
microstructure of MmM_5/Mg multi-layer films prepared by magnetron sputtering 485
- Muon diffusion
dynamics of positive muons in CaB_6 360
- Muon site
dynamics of positive muons in CaB_6 360
- Nanocomposite materials
processing by controlled mechanical milling of nanocomposite powders $\text{Mg} + \text{X}$ ($\text{X} = \text{Co}, \text{Cr}, \text{Mo}, \text{V}, \text{Y}, \text{Zr}$) and their hydrogenation properties 507
- Nanocrystalline
electrochemical properties of nanocrystalline Mg_2Ni -type alloys prepared by mechanical alloying 682
- Nanocrystalline materials
hydrogen sorption properties of Mg–1 wt.% Ni–0.2 wt.% Pd prepared by reactive milling 413

- Nanostructured materials
 thermal stability of nanocrystalline magnesium for hydrogen storage 499
 nickel–metal hydride battery using nanocrystalline TiFe-type hydrogen storage alloys 691
- Nanostructures
 structure of nano-crystalline FeTiD_x by neutron and X-ray diffraction 95
 microstructural effects in the hydrogenation kinetics of commercial-type LaNi₅ alloy 327
 hydriding kinetics and process parameters in reactive milling 343
 hydrogen storage properties in Ti catalyzed Li–N–H system 435
 H-induced anelasticity as a probe: Application to nanoscale quasicrystals 519
 the nature of deformation effects in metal–hydrogen systems 550
 hydrogen dynamics in HiPco carbon nanotubes 630
 effect of Ti catalyst with different chemical form on Li–N–H hydrogen storage properties 439
- Nb catalyst
 deuterium storage in Mg–Nb films 461
- Neutron Compton scattering
 short lived protonic quantum entanglement and coupling to the electronic environment in LaH₂ and LaH₃ 787
 anomalous neutron Compton scattering cross section in zirconium hydride 790
- Neutron diffraction
 neutron diffraction investigations and magnetic properties of RNi_{3.5}Al_{1.5} compounds and their hydrides (deuterides) 64
 structure of nano-crystalline FeTiD_x by neutron and X-ray diffraction 95
 hydrogenation and crystal structures of the Nd(Ni_{1-x}Cu_x)(In_{1-y}Al_y) intermetallics and their hydrides 107
 hydrogen assisted order–disorder transformations in Cu–Sn sublattices of the (La,Ce)CuSn–D₂ systems 112
 synthesis and crystal structure of κ-Zr₉V₄SH₋₂₃ 118
 directional metal–hydrogen bonding in interstitial hydrides. I. Structural study of ErNi₃D_x (0 ≤ x ≤ 3.75) 89
 neutron diffraction study of Ho₅YFe₂₃ and Ho₅YFe₂₃D₁₆ deuteride 191
 origin of the first order magnetostructural transition in YFe₂D_{4.2} 355
 thermal decomposition of Mg(AlH₄)₂ studied by in situ synchrotron X-ray diffraction 752
- Neutron scattering
 neutron scattering studies of γ-CoH 73
 neutron holography of metal–hydrogen systems 122
 hydrogen jump motion in Laves-phase hydrides: Two frequency scales 224
 possible effects of attosecond quantum entanglement involving protons on fast processes in M–H and other systems 784
- Nickel hydride
 45 Years of nickel hydride—History and perspectives 2
- Nickel–metal hydride batteries
 on the cycle life improvement of amorphous MgNi-based alloy for Ni–MH batteries 679
- Niobium
 measurement of hydrogen permeability of pure Nb and its alloys by electrochemical method 257
- NiTiHfCu shape memory alloys
 diffusion of hydrogen in the shape memory alloy Ni₄₇Ti₄₀Hf₁₀Cu₃ 261
- NMR
 NMR study of GdFe₂H_x hydrides 163
- Non-crystalline hydrides
 nanocrystalline and non-crystalline hydrides synthesized by controlled reactive mechanical alloying/milling of Mg and Mg–X (X = Fe, Co, Mn, B) systems 494
- Nuclear magnetic resonance (NMR)
 effects of catalysts on the dehydrogenating of alanates monitored by proton NMR 738
- Nuclear reaction analysis
 Miss MaRPel – a 3 MV pelletron accelerator for hydrogen depth profiling 307
- Nuclear resonances
 hydrogen jump motion in Laves-phase hydrides: Two frequency scales 224
¹H NMR analysis of nuclear relaxation mechanisms in Pd–H and Pd–Ag–H alloys 238
- Optical transmission
 electronic and optical properties of pressure induced phases of MgH₂ 220
- Order–disorder
 current progress in the magnetism of rare-earth–hydrogen systems 131
- Ordering
 relaxation of internal stress field and hydrogen ordering on YH_x 126
- Oxidation
 role of hydrides on the oxidation and deuterium pickup of Zr–2.5Nb in D₂O at 573 K 297
- Palladium
 effects of surface modification by ion irradiation on the electrochemical hydrogen absorption rate of Pd 288
 hydrogen electrosorption and structural properties of nanostructured Pd–Mg thin films elaborated by pulsed laser deposition 473
 characteristics of hydride electrodes using Ti–Fe–Pd–X alloys 675
- Palladium hydride
 experimental determination of the PdH_{0.84} Fermi surface 169
- Pd
 in situ X-ray diffraction analysis of the Pd–H system at high pressure 77
- Pd–Cr alloys
 transmission electron microscopy of hydrogen effects in internally oxidized palladium–chromium alloys 617
- PEMFC
 100–200° C polymer fuel cells for use with NaAlH₄ 653
- Permanent magnets
 some kinetic and microstructural aspects during hydrogen-induced phase transformations in Nd₂Fe₁₄B alloys 588
- Permeability
 measurement of hydrogen permeability of pure Nb and its alloys by electrochemical method 257
- Phase diagram
 the structure and phase diagram of M–H systems at high chemical potentials—High pressure and electrochemical synthesis 7
 the phase diagram and superabundant vacancy formation in Fe–H alloys revisited 252
- Phase structure
 effects of Cr on the structural and electrochemical properties of TiV-based two-phase hydrogen storage alloys 669
 phase composition and electrochemical performances of the Zr_{1-x}Ti_xCr_{0.4}Mn_{0.2}V_{0.1}Ni_{1.3} alloys with 0.1 ≤ x ≤ 0.3 687
- Phase structures
 phase structures and electrochemical performance of V_{2.1}TiNi_{0.5}Hf_{0.05}Co_x (x = 0–0.192) hydrogen storage alloys 657
- Phase transformations
 kinetic studies of the decomposition of NaAlH₄ doped with a Ti-based catalyst 339
- Phase transition
 specific heat anomalies in RMn₂(H,D)_x hydrides 51
 effect of hydrogen insertion on the magnetic properties of Er(Fe,Co)₁₁Ti single crystals 181
- Photoemission spectroscopy
 electronic structures of LaNiIn and LaNiInH_x (x = $\frac{1}{3}$, $\frac{2}{3}$, 1 and $\frac{4}{3}$) 204
- Physisorption
 nanostructures with high surface area for hydrogen storage 399
- Plateau sloping
 some thermodynamic aspects of metal hydrogen systems 16
- Point defects
 hydrogen dynamics in HiPco carbon nanotubes 630
 motion of point defects and monitoring of chemical reactions in sodium aluminium hydride 748

- Point defects C
hydrogen-induced defects in niobium studied by positron annihilation spectroscopy 580
- Polymers
hydrogen absorption behaviour in nanometer sized palladium samples stabilised in soft and hard matrix 523
- Population analysis
chemical tuning of the thermal decomposition temperature of inorganic hydrides: Computational aspects 31
- Positron spectroscopies D
hydrogen-induced defects in niobium studied by positron annihilation spectroscopy 580
- Powder neutron diffraction
crystal and magnetic structure of $\text{HoNiSnD}_{0.67}$ 200
- Protide
production of sodium borohydride by using dynamic behaviors of protide at the extreme surface of magnesium particles 643
- Protons
quantum coherence of protons in metal hydrides 779
- Pulsed laser deposition
hydrogen electrosorption and structural properties of nanostructured Pd–Mg thin films elaborated by pulsed laser deposition 473
- PuNi_3 -type structure
the effect of Al substitution for Ni on the structure and electrochemical properties of AB_3 -type $\text{La}_2\text{Mg}(\text{Ni}_{1-x}\text{Al}_x)_9$ ($x=0-0.05$) alloys 665
- Quantum coherence
quantum coherence of protons in metal hydrides 779
- Quantum effects
short lived protonic quantum entanglement and coupling to the electronic environment in LaH_2 and LaH_3 787
- Quantum mechanical computations
chemical tuning of the thermal decomposition temperature of inorganic hydrides: Computational aspects 31
- Quasicrystals
H-induced anelasticity as a probe: Application to nanoscale quasicrystals 519
- $\text{R}_2\text{Fe}_{14}\text{B}$
effect of hydrogen on magnetic properties of $\text{Lu}_2\text{Fe}_{14}\text{B}$ single crystal 212
- R_2Fe_{17}
structural and magnetic properties of $\text{Dy}_2\text{Fe}_{17}\text{H}_x$ ($x=0$ and 3) single crystals 172
- Rare earth-iron hydrides
magnetic phase diagrams of $\text{Ce}_2\text{Fe}_{17-x}\text{Mn}_x$ -H system: A magnetization study 155
- Rare earths
current progress in the magnetism of rare-earth–hydrogen systems 131
- Rare earth-transition metals
structural and magnetic properties of rare earth-transition metal compounds for hydrogen storage materials 216
- Rare-earth compounds
effect of hydrogen insertion on the magnetic properties of $\text{Er}(\text{Fe},\text{Co})_{11}\text{Ti}$ single crystals 181
- Rare-earth hydrides
atom relaxations around hydrogen defects in lanthanum hydride 55
- γ -Ray spectroscopy
Miss MaRPel – a 3MV pelletron accelerator for hydrogen depth profiling 307
- Reactive mechanical alloying/milling
nanocrystalline and non-crystalline hydrides synthesized by controlled reactive mechanical alloying/milling of Mg and Mg–X (X=Fe, Co, Mn, B) systems 494
- Reactive milling
thermodynamic properties and absorption–desorption kinetics of $\text{Mg}_{87}\text{Ni}_{10}\text{Al}_3$ alloy synthesised by reactive ball milling under H_2 atmosphere 27
- RNi_5 compounds and their hydrides
neutron diffraction investigations and magnetic properties of $\text{RNi}_{3.5}\text{Al}_{1.5}$ compounds and their hydrides (deuterides) 64
- Ruthenium nanoparticles
hydrogen generation from hydrolysis of sodium borohydride using Ru(0) nanoclusters as catalyst 728
- Scanning and transmission electron microscopy
TEM study of the dislocations generated by hydrogen absorption/desorption in LaNi_5 and derivatives 570
- Scanning electron microscope
some kinetic and microstructural aspects during hydrogen-induced phase transformations in $\text{Nd}_2\text{Fe}_{14}\text{B}$ alloys 588
- Scanning electron microscopy
dependence of hydrogen storage characteristics of Mg–TiFe_{0.92}Mn_{0.08} composite on amount of TiFe_{0.92}Mn_{0.08} 511
hydrogen sorption properties of Mg–1 wt.% Ni–0.2 wt.% Pd prepared by reactive milling 413
- Scanning tunneling microscopy
microstructural origin of the optical black state in Mg_2NiH_x thin films 481
- Scattering theory
possible effects of attosecond quantum entanglement involving protons on fast processes in M–H and other systems 784
- Semiconductors
electronic and optical properties of pressure induced phases of MgH_2 220
- Separation factor
an experimental system to investigate kinetics and isotopic properties of the electrolytic metal hydride formation 720
- Sodium alanate
chemical state of Ti in sodium alanate doped with TiCl_3 using X-ray photoelectron spectroscopy 766
- Sodium borohydride
production of sodium borohydride by using dynamic behaviors of protide at the extreme surface of magnesium particles 643
hydrogen generation from hydrolysis of sodium borohydride using Ru(0) nanoclusters as catalyst 728
- Solid solutions
current progress in the magnetism of rare-earth–hydrogen systems 131
- Sorption properties
structural analysis of activated $\text{Mg}(\text{Nb})\text{H}_2$ 541
- Spark synthesis
hydrogenation of nanocrystalline Zr–Fe–H powder 537
- Specific heat
specific heat anomalies in $\text{RMn}_2(\text{H},\text{D})_x$ hydrides 51
- μ SR
dynamics of positive muons in CaB_6 360
- Strain relaxation
hydrogen-straining effects in Al 269
- Strain-induced interaction
hydrogen interaction with dissolved atoms in metal solid solutions 230
- Strains
the nature of deformation effects in metal–hydrogen systems 550
- Stresses
the diffusion of hydrogen and deuterium through self-stressed $\text{Pd}_{77}\text{Ag}_{23}$ membrane 243
- Structural instability
hydrogenation process of the Gd_3M (M=Ni or Co) intermetallics compound 584
- Structural stability
theoretical modeling of hydrogen storage materials: Prediction of structure, chemical bond character, and high-pressure behavior 377
- Structural transformation
hydrogenation process of the Gd_3M (M=Ni or Co) intermetallics compound 584
- Superabundant-vacancy
in situ X-ray diffraction analysis of the Pd–H system at high pressure 77

- Surface
 production of sodium borohydride by using dynamic behaviors of protide at the extreme surface of magnesium particles 643
- Surface and interface
 interaction of hydrogen with a nickel surface in the low-temperature field evaporation 303
- Surface area
 nanostructures with high surface area for hydrogen storage 399
- Surface modification
 electrocatalytic abilities of hydrogen storage alloy as anode electrocatalyst of alkaline fuel cell 661
- Surfaces and interfaces
 studying hydrogen permeability by method of concentration pulses 279
- Surfactants
 hydrogen absorption behaviour in nanometer sized palladium samples stabilised in soft and hard matrix 523
- Synchrotron radiation
 hydrogen sites analysed by X-ray synchrotron diffraction in $\text{Mg}_7\text{TiH}_{13-16}$ made at gigapascal high-pressures 68
 Ce-valence state and hydrogen-induced volume effects in Ce-based intermetallic compounds and their hydrides 144
 hydrogen absorption behaviour in nanometer sized palladium samples stabilised in soft and hard matrix 523
 in situ SR-XRD studies of hydrogen absorption–desorption in $\text{LaNi}_{4.7}\text{Sn}_{0.3}$ 604
 thermal decomposition of $\text{Mg}(\text{AlH}_4)_2$ studied by in situ synchrotron X-ray diffraction 752
- Synthesis
 synthesis of the dihydride phase of vanadium 35
- TEM
 synthesis and H_2 adsorption on graphitic nanofibres 634
- Temperature dependence
 the electrolyte temperature dependence of the electrochemical hydrogen storage property of Mg–Ni alloy codeposited from aqueous solution 694
- Theoretical modeling
 theoretical modeling of hydrogen storage materials: Prediction of structure, chemical bond character, and high-pressure behavior 377
- Thermal analysis
 chemical tuning of the thermal decomposition temperature of inorganic hydrides: Computational aspects 31
 modeling high-temperature TDS-spectra peaks of metal–hydrogen systems 332
 high-pressure synthesis and energetics of MgCu with a CsCl-type structure 372
 vanadium-based BCC alloys: phase-structural characteristics and hydrogen sorption properties 421
 hydrogen storage properties in Ti catalyzed Li–N–H system 435
 desorption behaviours from metal–N–H systems synthesized by ball milling 443
 nanocrystalline and non-crystalline hydrides synthesized by controlled reactive mechanical alloying/milling of Mg and Mg–X (X=Fe, Co, Mn, B) systems 494
 dependence of hydrogen storage characteristics of Mg– $\text{TiFe}_{0.92}\text{Mn}_{0.08}$ composite on amount of $\text{TiFe}_{0.92}\text{Mn}_{0.08}$ 511
 pressure dependence of hydrogen-induced amorphization in C14 Laves phase NdMn_2 599
 hydrogenation properties and structural change of $\text{Hf}_x\text{Zr}_{7-x}\text{Ni}_{10}$ ($x > 0-7$) 609
 effect of Ti catalyst with different chemical form on Li–N–H hydrogen storage properties 439
 catalytic effect of Ni nano-particle and Nb oxide on H-desorption properties in MgH_2 prepared by ball milling 716
 applications of Zr–V hydrogen getters in vacuum-plasma devices: Phase-structural and hydrogen sorption characteristics 724
- Thermal desorption spectroscopy (TDS)
 high fugacity hydrogen effects at room temperature in titanium based alloys 613
- Thermodesorption
 structural properties of RT_3 deuterides synthesized under high pressure of deuterium 103
- Thermodynamic characterization
 towards a viable hydrogen storage system for transportation application 392
- Thermodynamic properties
 thermodynamic characteristics of the Al- and Cu-doped NdNiIn hydrides 43
- Thermodynamics
 some thermodynamic aspects of metal hydrogen systems 16
- Thin films
 distortion of the fcc lattice in superstoichiometric $\beta\text{-YH}_{2+\delta}$ and cubic $\text{YH}_{3-\eta}$ thin films 82
 optical properties of YH_x ($0 \leq x \leq 2.1$) thin films 453
 hydrogen storage in thin film magnesium–scandium alloys 457
 thermochromic metal-hydride bilayer devices 465
 thermodynamics of hydrogen uptake in Mg films studied by resistance measurements 469
 hydrogen electrosorption and structural properties of nanostructured Pd–Mg thin films elaborated by pulsed laser deposition 473
 microstructural origin of the optical black state in Mg_2NiH_x thin films 481
 double layer formation in Mg–TM switchable mirrors (TM: Ni, Co, Fe) 490
 combinatorial method for the development of a catalyst promoting hydrogen uptake 699
 Ti-catalyzed $\text{Mg}(\text{AlH}_4)_2$: A reversible hydrogen storage material 775
- Thin palladium hydride films
 chemical and structural components of work function changes in the process of palladium hydride formation within thin Pd film 284
- Ti–6Al–4V
 high fugacity hydrogen effects at room temperature in titanium based alloys 613
 hydrogen cracking in titanium-based alloys 621
- Ti-based precursor
 chemical state of Ti in sodium alanate doped with TiCl_3 using X-ray photoelectron spectroscopy 766
- Ti–Cr–V alloy
 improvement of cyclic durability of BCC structured Ti–Cr–V alloys 417
- TiFe alloys
 characteristics of hydride electrodes using Ti–Fe–Pd–X alloys 675
- Ti–Nb alloys
 hydrogen cracking in titanium-based alloys 621
- TiNi intermetallic compound
 hydrogen permeation characteristics of (V, Ta)–Ti–Ni alloys 273
- Titanium
 study of the kinetics of hydrogen sorption and desorption from titanium 335
 helium release behavior of aged titanium tritides 365
- Titanium alloys
 hydrogen cracking in titanium-based alloys 621
- Titanium hydrides
 high fugacity hydrogen effects at room temperature in titanium based alloys 613
- Titanium–chromium
 mechanically driven b.c.c. TiCr alloy and its hydrogen solubility 533
- Transformation
 process and mechanism of hydrogen-induced amorphization in C15 Laves phases RFe_2 559
- Transmission electron microscope
 pressure dependence of hydrogen-induced amorphization in C14 Laves phase NdMn_2 599
- Transmission electron microscopy
 transmission electron microscopy of hydrogen effects in internally oxidized palladium–chromium alloys 617
- Transmission electron microscopy (TEM)
 microstructure of MmM_5/Mg multi-layer films prepared by magnetron sputtering 485

- Tritium
helium release behavior of aged titanium tritides 365
- Vacancy
effects of surface modification by ion irradiation on the electrochemical hydrogen absorption rate of Pd 288
- Vacancy-hydrogen clusters
a relation between the vacancy concentration and hydrogen concentration in the Ni–H, Co–H and Pd–H systems 247
- Vacancy–hydrogen clusters
the phase diagram and superabundant vacancy formation in Fe–H alloys revisited 252
- Vanadium
synthesis of the dihydride phase of vanadium 35
- Vapor deposition
optical properties of YH_x ($0 \leq x \leq 2.1$) thin films 453
- Vapour deposition
microstructural origin of the optical black state in Mg_2NiH_x thin films 481
- V-based solid solution
phase structures and electrochemical performance of $\text{V}_{2.1}\text{TiNi}_{0.5}\text{Hf}_{0.05}\text{Co}_x$ ($x = 0\text{--}0.192$) hydrogen storage alloys 657
- XPS
synthesis and H_2 adsorption on graphitic nanofibres 634
chemical state of Ti in sodium alanate doped with TiCl_3 using X-ray photoelectron spectroscopy 766
- X-ray and neutron diffraction
electronic and crystallographic properties of the system $\text{CeY}_2\text{Ni}_9\text{D}_x$ ($0 \leq x \leq 8.7$) measured by X-ray absorption spectroscopy 60
- X-ray diffraction
thermodynamic properties and absorption–desorption kinetics of $\text{Mg}_{87}\text{Ni}_{10}\text{Al}_3$ alloy synthesised by reactive ball milling under H_2 atmosphere 27
structure of nano-crystalline FeTiD_x by neutron and X-ray diffraction 95
hydrogen absorption–desorption properties and crystal structure analysis of Ti–Cr–Mo alloys 99
hydrogen sites analysed by X-ray synchrotron diffraction in $\text{Mg}_7\text{TiH}_{13\text{--}16}$ made at gigapascal high-pressures 68
hydrogen assisted order–disorder transformations in Cu–Sn sublattices of the (La,Ce)CuSn– D_2 systems 112
synthesis and crystal structure of $\kappa\text{-Zr}_9\text{V}_4\text{SH}_{\sim 23}$ 118
Ce-valence state and hydrogen-induced volume effects in Ce-based intermetallic compounds and their hydrides 144
structure and magnetism of a new series of UTSn hydrides 165
a relation between the vacancy concentration and hydrogen concentration in the Ni–H, Co–H and Pd–H systems 247
structural and magnetic properties of rare earth-transition metal compounds for hydrogen storage materials 216
the phase diagram and superabundant vacancy formation in Fe–H alloys revisited 252
- interaction of hydrogen with an Mg–Al alloy 323
origin of the first order magnetostructural transition in $\text{YFe}_2\text{D}_{4.2}$ 355
isotope effect in a Cu–H(D) system with hexagonal hydride phase 368
vanadium-based BCC alloys: phase-structural characteristics and hydrogen sorption properties 421
desorption behaviours from metal–N–H systems synthesized by ball milling 443
high-pressure synthesis of novel hydride in Mg–M systems (M=Li, Pd) 448
nanocrystalline and non-crystalline hydrides synthesized by controlled reactive mechanical alloying/milling of Mg and Mg–X (X=Fe, Co, Mn, B) systems 494
peculiarities of structural state and hydrogen storage properties of Ti–Zr–Ni based intermetallic compounds 515
hydrogenation of nanocrystalline Zr–Fe–H powder 537
relationship between polymorphism and hydrogenation properties in $\text{Ti}_{0.64}\text{Zr}_{0.36}\text{Ni}$ alloy 545
TEM study of the dislocations generated by hydrogen absorption/desorption in LaNi_5 and derivatives 570
hydrogenation properties and structural change of $\text{Hf}_x\text{Zr}_{7-x}\text{Ni}_{10}$ ($x \geq 0\text{--}7$) 609
hydrogen sorption properties of Mg–1 wt.% Ni–0.2 wt.% Pd prepared by reactive milling 413
catalytic effect of Ni nano-particle and Nb oxide on H-desorption properties in MgH_2 prepared by ball milling 716
applications of Zr–V hydrogen getters in vacuum-plasma devices: Phase-structural and hydrogen sorption characteristics 724
nanocrystalline alanates—Phase transformations, and catalysts 732
the use of complex metal hydrides as hydrogen storage materials: Synthesis and XRD-studies of $\text{Ca}(\text{AlH}_4)_2$ and $\text{Mg}(\text{AlH}_4)_2$ 762
- X-ray diffraction C
hydrogen-induced defects in niobium studied by positron annihilation spectroscopy 580
- X-ray spectroscopy
valence band and magnetic moment of Mn in TbMn_2 and TbMn_2D_2 studied by $\text{K}_{\beta 5}$ emission X-ray spectroscopy 160
- X-ray synchrotron diffraction
hydrogenation and crystal structures of the $\text{Nd}(\text{Ni}_{1-x}\text{Cu}_x)(\text{In}_{1-y}\text{Al}_y)$ intermetallics and their hydrides 107
- Zeolites
hydrogen storage in ion-exchanged zeolites 637
- Zr-based alloy
phase composition and electrochemical performances of the $\text{Zr}_{1-x}\text{Ti}_x\text{Cr}_{0.4}\text{Mn}_{0.2}\text{V}_{0.1}\text{Ni}_{1.3}$ alloys with $0.1 \leq x \leq 0.3$ 687
- Zr–Nb alloys
role of hydrides on the oxidation and deuterium pickup of Zr–2.5Nb in D_2O at 573 K 297