

## Subject Index of Volumes 434–435

- Acetylene  
carbon fiber formation on Pd and Ni catalysts by acetylene decomposition 846
- AFM  
a unified study of crack propagation in amorphous silica: Using experiments and simulations 60
- AlN–Cu powder  
thermomechanical properties of AlN–Cu composite materials prepared by solid state processing 375
- Al–V alloys  
peculiarities of electrical resistivity during transformations in amorphous and nanocrystalline alloys 248
- Amorphisation  
thermal stability and hardness of Mg–Cu–Au–Y amorphous alloys 183  
bulk amorphous alloy  $\text{Fe}_{72}\text{Al}_5\text{Ga}_2\text{C}_6\text{B}_4\text{P}_{10}\text{Si}_1$  produced by mechanical alloying 327  
influence of initial phase composition on glass-forming ability of Co-based alloys 394  
comparative study of NiW, NiMo and MoW prepared by mechanical alloying 525  
glass formation and magnetic characterization of  $(\text{Fe}_{78}\text{B}_{14}\text{Si}_8)\text{–Nb–Y}$  alloys 628  
effect of hydrogenation on the martensite transformation in nanocrystalline  $\text{Ti}_{50}\text{Ni}_{25}\text{Cu}_{25}$  751
- Amorphous  
crystallization and thermal stability of the  $\text{Mg}_{65}\text{Cu}_{25-x}\text{Gd}_{10}\text{Ag}_x$  ( $x = 0\text{–}10$ ) amorphous alloys 221
- Amorphous alloys  
crystallization steps in Zr- and Hf-based bulk metallic glasses 244
- Amorphous materials  
plastic deformability and precipitation of nanocrystallites during compression for a Cu–Zr–Ti–Sn bulk metallic glass 10  
effects of loading rates, notch root radius and specimen thickness on fracture toughness in bulk metallic glasses 22  
tribological behavior of the kinetic sprayed  $\text{Ni}_{59}\text{Ti}_{16}\text{Zr}_{20}\text{Si}_2\text{Sn}_3$  bulk metallic glass 64  
influence of air and vacuum environment on fatigue behavior of Zr-based bulk metallic glasses 68  
indentation creep behavior of a Zr-based bulk metallic glass 75  
mechanical behaviour of nanocomposites derived from zirconium based bulk amorphous alloys 79  
shear rate dependence of viscosity and configurational entropy of the  $\text{Zr}_{41.2}\text{Ti}_{13.8}\text{Cu}_{12.5}\text{Ni}_{10.0}\text{Be}_{22.5}$  metallic glass forming liquid 88  
thermo-plastic expansion of amorphous metallic foam 92  
superplastic nanoforming of optical components of Pt-based metallic glass 97  
joining of Zr-based bulk metallic glasses using the friction welding method 102  
influence of microalloying on glass formation and crystallization 115  
structural study of Zr-based metallic glasses 119  
phase separation and nanocrystal formation in Al-based metallic glasses 126  
analyses of glass transition phenomena by solving differential equation with delay effect 131  
enthalpy relaxation of the  $\text{Zr}_{58.5}\text{Cu}_{15.6}\text{Ni}_{12.8}\text{Al}_{10.3}\text{Nb}_{2.8}$  bulk metallic glass forming alloy 141  
fragility and glass-forming ability of the Ca–Mg–Cu system 145  
 $\text{Fe}_{65.5}\text{Cr}_4\text{Mo}_4\text{Ga}_4\text{P}_{12}\text{C}_5\text{B}_{5.5}$  BMGs: Sample preparation, thermal stability and mechanical properties 171  
Fe-based bulk metallic glasses with Y addition 176  
atomic configuration of metal atoms in  $(\text{Ti}_{0.676}\text{Zr}_{0.324})\text{D}_{0.31}$  metallic glass studied by X-ray, neutron diffraction and reverse Monte Carlo modeling 180  
thermal stability and hardness of Mg–Cu–Au–Y amorphous alloys 183  
a direct extension of the Avrami equation to describe the non-isothermal crystallization of Al-base alloys 187  
free volume change in crystallization process of Zr–Cu–Al metallic glass studied by positron annihilation techniques 207  
high temperature oxidation of the refractory alloy glass  $\text{Nb}_{35}\text{Ni}_{60}\text{Sn}_5$  225  
corrosion behaviors of  $\text{Fe}_{45-x}\text{Cr}_{18}\text{Mo}_{14}\text{C}_{15}\text{B}_6\text{Y}_2\text{M}_x$  ( $M = \text{Al, Co, Ni, N}$  and  $x = 0, 2$ ) bulk metallic glasses under conditions simulating fuel cell environment 237  
formation and corrosion behavior of glassy Ni–Nb–Ti–Zr–Co(–Cu) alloys 240  
amorphous and crystalline phases in rapidly solidified Al–Ta and Al–Ta–V alloys 255  
synthesis and characterization of copper fiber reinforced  $\text{Zr}_{41.2}\text{Ti}_{13.8}\text{Cu}_{12.5}\text{Ni}_{10.0}\text{Be}_{22.5}$  bulk metallic glass 259  
amorphous multielementary alloys: A preparation route for shape memory alloys 268  
fabrication of Ti–Zr–Ni bulk quasicrystal by mechanical alloying and pulse current sintering 315  
bulk amorphous alloy  $\text{Fe}_{72}\text{Al}_5\text{Ga}_2\text{C}_6\text{B}_4\text{P}_{10}\text{Si}_1$  produced by mechanical alloying 327  
influence of initial phase composition on glass-forming ability of Co-based alloys 394  
deformation-induced alloying and reactions in nanostructured multilayers 459  
evolution of nanoclusters at the coagulation of supersaturated solutions, a computer study 577  
magnetic softening of bulk amorphous FeCrMoGaPCB rods by current annealing technique 618  
mechanochemical synthesis of nanostructured chemical hydrides in hydrogen alloying mills 743
- Amorphous metals  
calorimetric and microstructural analysis of deformation induced crystallization reactions in amorphous  $\text{Al}_{88}\text{Y}_7\text{Fe}_5$  alloy 18  
microhardness and devitrification studies of Al–TM–RE alloys 36  
strain rate dependence of deformation behavior in Zr-based bulk metallic glasses in the supercooled liquid region 40  
synthesis routes for controlling the microstructure in nanostructured  $\text{Al}_{88}\text{Y}_7\text{Fe}_5$  alloys 252
- Amorphous phase  
characterization of  $\text{Ni}_{57}\text{Zr}_{20}\text{Ti}_{20}\text{Sn}_3$  amorphous powders obtained by mechanical alloying 386  
formation of Cu–Zr–Ti amorphous powders with B and Si additions by mechanical alloying technique 390

- Amorphous powder consolidation  
consolidation of amorphous ball-milled Zr–Cu–Al and Zr–Ni–Ti–Cu powders 333
- Amorphous selenium  
peculiar crystallization of amorphous selenium in the presence of organic liquids: Effects of addition of titanium oxides 275
- Anatase  
photodecomposition of NO by sol–gel TiO<sub>2</sub> catalysts under atmospheric conditions: Effect of the method on the textural and morphologic properties 788
- Anelasticity  
direct observation of the changes in atomic arrangement of Cu<sub>50</sub>Zr<sub>50</sub> metallic glass during tensile deformation by EXAFS 44
- Anisotropy  
synthesis and characterization of copper fiber reinforced Zr<sub>41.2</sub>Ti<sub>13.8</sub>Cu<sub>12.5</sub>Ni<sub>10.0</sub>Be<sub>22.5</sub> bulk metallic glass 259  
structural and microstructural study of Fe–31Cr–12Co mixture prepared by ball milling 477  
residual stresses and texture in Ni/SiC nanocomposite coatings 704
- Annealing  
giant magnetoresistance effect in Co/Cu/Co nanostructures 598
- Arc-submerged nanoparticle synthesis system (ASNSS)  
copper-oxide brake nanofluid manufactured using arc-submerged nanoparticle synthesis system 672
- Aspect ratio  
the electromagnetic shielding effectiveness of carbon nanotubes polymer composites 641
- Atomic force microscopy (AFM)  
in situ characterization of a crack trajectory and shear bands interaction in metallic glasses 52
- Atomic scale modeling  
an atomistic study of mechanical deformation of nanostructured Ni<sub>3</sub>Al synthesized by cluster compaction 559
- Atomic scale structure  
effect of Al on the local structure and stability of Zr-based metallic glasses 135  
atomic configuration of metal atoms in (Ti<sub>0.676</sub>Zr<sub>0.324</sub>)D<sub>0.31</sub> metallic glass studied by X-ray, neutron diffraction and reverse Monte Carlo modeling 180  
mechanical properties of nano-grained Zr<sub>2</sub>Ni systems by molecular dynamics simulations 546
- Atomistic theory  
glass transition and viscosity in metallic glasses and liquids 110
- B mechanical alloying  
the effects of process control agents on mechanical alloying behavior of a Fe–Zr based alloy 472
- Ball milling  
nanocrystalline FeSiBNbCu alloys: Differences between mechanical and thermal crystallization process in amorphous precursors 199  
microstructure and hydrogen sorption kinetics of Mg nanopowders with catalyst 725
- Band calculations  
stability and electronic structure of Zr-based ternary metallic glasses and relevant compounds 149
- Barium titanate  
smart mechanochemistry—Charge transfer control for tailored solid-state reaction under minimum external energy 768  
BaTiO<sub>3</sub> devices doped with Zr using mechanical alloying 806
- Barkhausen noise  
zipping method applied to Barkhausen noise: A new tool to investigate the micromagnetic disorder in amorphous magnetic materials 604
- Bimetallic electrodes  
electrochemical study of Pt–Pd, Pt–Ru, Pt–Rh and Pt–Sn/C in acid media for hydrogen adsorption–desorption reaction 764
- Biocompatible magnetic fluid  
the effect of the particle concentration in biocompatible magnetic fluids: A dynamical susceptibility investigation 608
- Biomass—*Phragmites australis*  
natural carbon nanoprecursors for special utilization 833
- Biomedical applications  
new Pd-based bulk glassy alloys with high glass-forming ability 138
- Blends  
accelerated crystal growth in cryogenic mechanically milled polymers and polymer blends 447
- Brittleness  
a unified study of crack propagation in amorphous silica: Using experiments and simulations 60
- Bulk glassy alloys  
new Pd-based bulk glassy alloys with high glass-forming ability 138  
volume change in Zr<sub>50</sub>Cu<sub>40</sub>Al<sub>10</sub> glassy alloys 160
- Bulk metallic glasses  
synthesis and mechanical behavior of nanocomposite Mg-based bulk metallic glasses 84  
the effect of Zr addition in glass forming ability of Ni–Nb alloy system 156  
corrosion resistance of Cu–Zr–Al–Y and Zr–Cu–Ni–Al–Nb bulk metallic glasses 234  
crystallization steps in Zr- and Hf-based bulk metallic glasses 244
- Calorimetry  
indentation creep behavior of a Zr-based bulk metallic glass 75  
enthalpy relaxation of the Zr<sub>58.5</sub>Cu<sub>15.6</sub>Ni<sub>12.8</sub>Al<sub>10.3</sub>Nb<sub>2.8</sub> bulk metallic glass forming alloy 141  
fragility and glass-forming ability of the Ca–Mg–Cu system 145  
a direct extension of the Avrami equation to describe the non-isothermal crystallization of Al-base alloys 187  
high temperature oxidation of the refractory alloy glass Nb<sub>35</sub>Ni<sub>60</sub>Sn<sub>5</sub> 225  
phase equilibria and phase diagrams of nanoscaled systems 286  
structural transformation in mechanosynthesized bcc Fe–Al–Si(Ge) solid solutions during heating 467  
magnetic properties and structure of Fe–Pt–M–B (M = Zr, Nb and Ti) alloys produced by quenching technique 614
- Carbides  
nanostructures obtained from a mechanically alloyed and heat treated molybdenum carbide 799
- Carbon aerogels  
structural properties of some transition metal highly doped carbon aerogels 854
- Carbon fiber  
carbon fiber formation on Pd and Ni catalysts by acetylene decomposition 846
- Carbon nanotubes  
the electromagnetic shielding effectiveness of carbon nanotubes polymer composites 641
- Casting  
effects of loading rates, notch root radius and specimen thickness on fracture toughness in bulk metallic glasses 22  
bulk ultra-fine eutectic structure in Ti–Fe–base alloys 28  
influence of air and vacuum environment on fatigue behavior of Zr-based bulk metallic glasses 68  
microstructure and mechanical properties of spray co-deposited Al–8.9 wt.% Si–3.2 wt.% Cu–0.9 wt.% Fe + (Al–3 wt.% Mn–4 wt.% Si)<sub>p</sub> composite 371  
magnetic softening of bulk amorphous FeCrMoGaPCB rods by current annealing technique 618
- Catalysis  
a study of process optimization using the combined submerged arc nanoparticle synthesis system for preparing TiO<sub>2</sub> nanoparticle suspension 668
- Catalyst  
influence of the Nb<sub>2</sub>O<sub>5</sub> distribution on the electrochemical hydrogenation of nanocrystalline magnesium 753
- Cementite  
dissolution of cementite in carbon steels by ball drop deformation and laser heating 497

- Ceramics  
 morphological instabilities of thin films during thermal relaxation: A Monte Carlo study 555
- Charge transfer  
 smart mechanochemistry—Charge transfer control for tailored solid-state reaction under minimum external energy 768
- Charge transfer complex  
 smart mechanochemistry—Charge transfer control for tailored solid-state reaction under minimum external energy 768
- Chemical inhomogeneity  
 the effect of Zr addition in glass forming ability of Ni–Nb alloy system 156
- Chemical synthesis  
 magnetic properties of nanostructured  $\text{Co}_x\text{Fe}_{3-x}\text{O}_4$  ( $0 < x < 0.2$ ) thin films obtained by a low-temperature soft solution processing method 637  
 preparation of Au and Au-coated Fe nanopowder by microemulsion 675  
 studies on chemical bath deposited zinc sulphide thin films with special optical properties 697  
 crystal phase transition and properties of titanium oxide nanotube arrays prepared by anodization 792  
 synthesis and characterisation of europium activated yttrium oxide fine powders 809  
 structural and morphological studies on poly(3-hydroxybutyrate acid) (PHB)/chitosan drug releasing microspheres prepared by both single and double emulsion processes 826
- Chemical vapor deposition (CVD)  
 carbon fiber formation on Pd and Ni catalysts by acetylene decomposition 846
- Clusters  
 metropolis Monte Carlo predictions of free Co–Pt nanoclusters 550  
 an atomistic study of mechanical deformation of nanostructured  $\text{Ni}_3\text{Al}$  synthesized by cluster compaction 559  
 evolution of nanoclusters at the coagulation of supersaturated solutions, a computer study 577  
 catalytic properties of nanostructured Pt and Ru metal clusters over alumina promoted by  $\text{CeO}_2$  796
- Co/Cu bilayer  
 giant magnetoresistance effect in Co/Cu/Co nanostructures 598
- Colloidal stability  
 the quantum mechanical description of the dot–dot interaction in ionic colloids 565
- $(\eta + \alpha)$  colonies  
 strain-induced microstructural evolution and work softening behavior of Zn–15% Al alloy 311
- Complex systems  
 zipping method applied to Barkhausen noise: A new tool to investigate the micromagnetic disorder in amorphous magnetic materials 604
- Composites  
 the electromagnetic shielding effectiveness of carbon nanotubes polymer composites 641
- Composition fluctuations  
 surface properties and activity of Fe–Ni–B ternary glasses 229  
 kinetics of spinodal decomposition in driven nanocrystalline alloys 535
- Computer simulations  
 analyses of glass transition phenomena by solving differential equation with delay effect 131  
 morphological instabilities of thin films during thermal relaxation: A Monte Carlo study 555
- Copper  
 fatigue behavior of nano-grained copper prepared by ECAP 304
- Copper-based alloy  
 plastic deformability and precipitation of nanocrystallites during compression for a Cu–Zr–Ti–Sn bulk metallic glass 10
- Copper-oxide brake nanofluid (CBN)  
 copper-oxide brake nanofluid manufactured using arc-submerged nanoparticle synthesis system 672
- Corrosion  
 surface properties and activity of Fe–Ni–B ternary glasses 229  
 corrosion resistance of Cu–Zr–Al–Y and Zr–Cu–Ni–Al–Nb bulk metallic glasses 234  
 corrosion behaviors of  $\text{Fe}_{45-x}\text{Cr}_{18}\text{Mo}_{14}\text{C}_{15}\text{B}_6\text{Y}_2\text{M}_x$  ( $M = \text{Al}, \text{Co}, \text{Ni}, \text{N}$  and  $x = 0, 2$ ) bulk metallic glasses under conditions simulating fuel cell environment 237  
 formation and corrosion behavior of glassy Ni–Nb–Ti–Zr–Co(–Cu) alloys 240
- Corrosion fatigue  
 a unified study of crack propagation in amorphous silica: Using experiments and simulations 60
- Critical cooling rate  
 new Pd-based bulk glassy alloys with high glass-forming ability 138  
 estimation of the glass forming ability of the Ni–Zr and the Cu–Zr alloys 152
- Cryogenic mechanical milling  
 accelerated crystal growth in cryogenic mechanically milled polymers and polymer blends 447
- Crystal growth  
 individual grain orientations and texture development of nanocrystalline electrodeposits showing abnormal grain growth 714
- Crystal structure  
 residual stresses and texture in Ni/SiC nanocomposite coatings 704
- Crystal structure and symmetry  
 zirconia and titania nanoparticles studied by electric hyperfine interactions, XRD and TEM 590
- Crystallinity  
 tribological behavior of the kinetic sprayed  $\text{Ni}_{59}\text{Ti}_{16}\text{Zr}_{20}\text{Si}_2\text{Sn}_3$  bulk metallic glass 64
- Crystallite size  
 Cu hydrotalcite-like compounds: Morphological, structural and microstructural properties 783
- Crystallization  
 mechanical behaviour of nanocomposites derived from zirconium based bulk amorphous alloys 79  
 synthesis and mechanical behavior of nanocomposite Mg-based bulk metallic glasses 84  
 estimation of the glass forming ability of the Ni–Zr and the Cu–Zr alloys 152  
 crystallization steps in Zr- and Hf-based bulk metallic glasses 244  
 crystallization and thermal stability of the  $\text{Mg}_{65}\text{Cu}_{25-x}\text{Gd}_{10}\text{Ag}_x$  ( $x = 0–10$ ) amorphous alloys 221  
 accelerated crystal growth in cryogenic mechanically milled polymers and polymer blends 447
- Crystallization kinetics  
 evolution of lattice parameter and process rates during nanocrystallization of amorphous Fe–Co–Si–B alloy 211
- Crystallization of Se  
 peculiar crystallization of amorphous selenium in the presence of organic liquids: Effects of addition of titanium oxides 275
- $\text{Cu}_{50}\text{Zr}_{50}$  alloy  
 direct observation of the changes in atomic arrangement of  $\text{Cu}_{50}\text{Zr}_{50}$  metallic glass during tensile deformation by EXAFS 44
- Current Annealing  
 magnetic softening of bulk amorphous FeCrMoGaPCB rods by current annealing technique 618
- Cyclic voltammetry  
 electrochemical study of Pt–Pd, Pt–Ru, Pt–Rh and Pt–Sn/C in acid media for hydrogen adsorption–desorption reaction 764
- Damping material  
 internal friction induced by interstitial atoms in multicomponent glassy alloy and composite 196
- Deformation  
 dissolution of cementite in carbon steels by ball drop deformation and laser heating 497
- Deformation mechanism  
 deformation behavior of a  $\text{Ti}_{66}\text{Cu}_8\text{Ni}_{4.8}\text{Sn}_{7.2}\text{Nb}_{14}$  nanostructured composite containing ductile dendrites 13
- Devitrification  
 a glance on the glass-transition phenomenon from the viewpoint of devitrification 121

- Devitrification behaviour  
 microhardness and devitrification studies of Al–TM–RE alloys 36
- Differential scanning calorimetry  
 mechanochemical synthesis of nanostructured chemical hydrides in hydrogen alloying mills 743
- Diffusion  
 kinetics of spinodal decomposition in driven nanocrystalline alloys 535
- Disordered systems  
 shear rate dependence of viscosity and configurational entropy of the  $Zr_{41.2}Ti_{13.8}Cu_{12.5}Ni_{10.0}Be_{22.5}$  metallic glass forming liquid 88
- Dissolution  
 dissolution of cementite in carbon steels by ball drop deformation and laser heating 497
- DNA immobilization  
 nanoporous silicon matrix used as biomaterial 830
- Domain wall motion  
 zipping method applied to Barkhausen noise: A new tool to investigate the micromagnetic disorder in amorphous magnetic materials 604
- DOT3  
 copper-oxide brake nanofluid manufactured using arc-submerged nanoparticle synthesis system 672
- Dot–dot interaction  
 the quantum mechanical description of the dot–dot interaction in ionic colloids 565
- DSC  
 effect of nanosized oxides on  $MgH_2$  (de)hydrogenating kinetics 738
- Dynamic recrystallization  
 strain-induced microstructural evolution and work softening behavior of Zn–15% Al alloy 311
- Dynamical susceptibility  
 the effect of the particle concentration in biocompatible magnetic fluids: A dynamical susceptibility investigation 608
- ECAP  
 fatigue behavior of nano-grained copper prepared by ECAP 304
- Effective medium approximation  
 modeling of magneto-optical properties of lamellar nanogratings 581
- Elasticity  
 correlations for predicting plasticity or brittleness of metallic glasses 2  
 an atomistic study of mechanical deformation of nanostructured  $Ni_3Al$  synthesized by cluster compaction 559
- Elastomer nano-composites  
 polyisoprene–carbon nano-composites for application in multifunctional sensors 850
- Electrical resistivity  
 peculiarities of electrical resistivity during transformations in amorphous and nanocrystalline alloys 248
- Electrochemical insertion  
 electrochemical hydrogen insertion in  $Mg$ –La(Mm)Ni<sub>5</sub> nanocomposites 760
- Electrochemical reactions  
 corrosion resistance of Cu–Zr–Al–Y and Zr–Cu–Ni–Al–Nb bulk metallic glasses 234  
 corrosion behaviors of  $Fe_{45-x}Cr_{18}Mo_{14}C_{15}B_6Y_2M_x$  ( $M = Al, Co, Ni, N$  and  $x = 0, 2$ ) bulk metallic glasses under conditions simulating fuel cell environment 237  
 oxygen reduction reaction on cobalt–nickel alloys prepared by mechanical alloying 522  
 the phase transition of calcium phosphate coatings deposited on a Ti–6Al–4V substrate by an electrolytic method 693  
 influence of the  $Nb_2O_5$  distribution on the electrochemical hydrogenation of nanocrystalline magnesium 753
- Electrode materials  
 ball-milling with a fluid: A powerful means for new syntheses 410  
 structural modification of carbon nanotubes by various ball milling 428  
 photocurrent of nanoassembled Si film in contact with electrolyte 718
- Electrodeposition  
 formation of high-strength nano-micro duplex structures in electrodeposited Ni-based alloys 283
- Electromagnetic wave  
 the electromagnetic shielding effectiveness of carbon nanotubes polymer composites 641
- Electron beam processing  
 surface modification of Ni (50.6 at.%) Ti by high current pulsed electron beam treatment 682  
 microstructures and phase formations in the surface layer of an AISI D2 steel treated with pulsed electron beam 707
- Electron energy loss spectroscopy  
 TEM characterization of Al–C–Cu–Al<sub>2</sub>O<sub>3</sub> composites produced by mechanical milling 514
- Electronic band structure  
 photocurrent of nanoassembled Si film in contact with electrolyte 718
- Electronic properties  
 polyisoprene–carbon nano-composites for application in multifunctional sensors 850
- Electronic states  
 free volume change in crystallization process of Zr–Cu–Al metallic glass studied by positron annihilation techniques 207
- Electronic structure  
 stability and electronic structure of Zr-based ternary metallic glasses and relevant compounds 149
- Embollic material  
 biomedical applications of superparamagnetic iron oxide nanoparticles encapsulated within chitosan 633
- Energy storage materials  
 structural modification of carbon nanotubes by various ball milling 428
- Entropy estimation  
 zipping method applied to Barkhausen noise: A new tool to investigate the micromagnetic disorder in amorphous magnetic materials 604
- Eutectic alloys  
 bulk ultra-fine eutectic structure in Ti–Fe–base alloys 28
- EXAFS  
 direct observation of the changes in atomic arrangement of  $Cu_{50}Zr_{50}$  metallic glass during tensile deformation by EXAFS 44  
 effect of Al on the local structure and stability of Zr-based metallic glasses 135  
 the effect of Zr addition in glass forming ability of Ni–Nb alloy system 156
- Fatigue  
 fatigue behavior of nano-grained copper prepared by ECAP 304
- Fatigue damage  
 fatigue behavior of nano-grained copper prepared by ECAP 304
- Fe based materials  
 the effects of process control agents on mechanical alloying behavior of a Fe–Zr based alloy 472  
 synthesis and characterization of nanocrystalline FeNiZrB developed by mechanical alloying 415
- Fe–Ni–Ag system  
 effect of pre-alloying FeNi on Ag diffusion on the ternary system 442
- Fe–Ni–Nb–B alloys  
 peculiarities of electrical resistivity during transformations in amorphous and nanocrystalline alloys 248
- Ferroelectrics  
 BaTiO<sub>3</sub> devices doped with Zr using mechanical alloying 806
- Ferrofluid  
 biomedical applications of superparamagnetic iron oxide nanoparticles encapsulated within chitosan 633
- Ferromagnetic  
 giant magnetoresistance effect in Co/Cu/Co nanostructures 598
- Ferromagnetic materials  
 glass formation and magnetic characterization of  $(Fe_{78}B_{14}Si_8)$ –Nb–Y alloys 628
- Flow stress  
 strain rate dependence of deformation behavior in Zr-based bulk metallic glasses in the supercooled liquid region 40
- Focused ion beam  
 shear-band propagation in fully amorphous and partially crystallized Mg-based alloys studied by nanoindentation and transmission electron microscopy 48

- Fracture  
 correlations for predicting plasticity or brittleness of metallic glasses 2
- Fracture and cracks  
 a unified study of crack propagation in amorphous silica: Using experiments and simulations 60
- Friction welding  
 joining of Zr-based bulk metallic glasses using the friction welding method 102
- FTIR  
 the thermal stability of maghemite-silica nanocomposites: An investigation using X-ray diffraction and Raman spectroscopy 650
- Full-potential KKR  
 medium-ranged interactions of transition-metal (3d and 4d) impurity pairs in Al and atomic structures of Al-rich Al–transition-metal alloys 572
- Gas atomization  
 thermoelectric properties of gas atomized p-type  $\text{Sb}_2\text{Te}_3$ –25%  $\text{Bi}_2\text{Te}_3$  alloys 710
- Gas sensing  
 polyisoprene–carbon nano-composites for application in multifunctional sensors 850
- Gas–solid interactions  
 surface properties and activity of Fe–Ni–B ternary glasses 229
- Gas–solid reactions  
 tribological behavior of the kinetic sprayed  $\text{Ni}_{59}\text{Ti}_{16}\text{Zr}_{20}\text{Si}_2\text{Sn}_3$  bulk metallic glass 64  
 complex formation processes at the surface of Cu–O composite nanoparticles with and without external magnetic field 646  
 decomposition of carbon dioxide using mechanically-milled magnetite 803
- Generalized-gradient approximation in density-functional theory  
 medium-ranged interactions of transition-metal (3d and 4d) impurity pairs in Al and atomic structures of Al-rich Al–transition-metal alloys 572
- Giant magnetoresistance  
 giant magnetoresistance effect in Co/Cu/Co nanostructures 598
- Glass formation  
 glass transition and viscosity in metallic glasses and liquids 110
- Glass structural change  
 volume change in  $\text{Zr}_{50}\text{Cu}_{40}\text{Al}_{10}$  glassy alloys 160
- Glass transition  
 glass transition and viscosity in metallic glasses and liquids 110  
 a glance on the glass-transition phenomenon from the viewpoint of devitrification 121  
 characterization of  $\text{Ni}_{57}\text{Zr}_{20}\text{Ti}_{20}\text{Sn}_3$  amorphous powders obtained by mechanical alloying 386
- Glassy alloy  
 a glance on the glass-transition phenomenon from the viewpoint of devitrification 121  
 internal friction induced by interstitial atoms in multicomponent glassy alloy and composite 196
- Glycine  
 smart mechanochemistry—Charge transfer control for tailored solid-state reaction under minimum external energy 768
- Gold  
 preparation of gold nanoparticles by arc discharge in water 655
- $\eta$  grains  
 strain-induced microstructural evolution and work softening behavior of Zn–15% Al alloy 311
- Grain boundaries  
 nanocrystalline FeSiBNbCu alloys: Differences between mechanical and thermal crystallization process in amorphous precursors 199  
 kinetics of spinodal decomposition in driven nanocrystalline alloys 535
- Handlova brown coal  
 mechanochemical activation of humic acids in the brown coal 842
- Heat capacity  
 shear rate dependence of viscosity and configurational entropy of the  $\text{Zr}_{41.2}\text{Ti}_{13.8}\text{Cu}_{12.5}\text{Ni}_{10.0}\text{Be}_{22.5}$  metallic glass forming liquid 88  
 analyses of glass transition phenomena by solving differential equation with delay effect 131
- Heat conduction  
 a simple model to estimate thermal conductivity of fluid with acicular nanoparticles 569
- Heavy tungsten alloy  
 study on the solid-phase sintering of the nano-structured heavy tungsten alloy powder 367
- Hexagonal selenium  
 peculiar crystallization of amorphous selenium in the presence of organic liquids: Effects of addition of titanium oxides 275
- High pressure  
 joining of Zr-based bulk metallic glasses using the friction welding method 102  
 indentation creep behavior of a Zr-based bulk metallic glass 75  
 synthesis routes for controlling the microstructure in nanostructured  $\text{Al}_{88}\text{Y}_7\text{Fe}_5$  alloys 252  
 an atomistic study of mechanical deformation of nanostructured  $\text{Ni}_3\text{Al}$  synthesized by cluster compaction 559
- High velocity oxy-fuel spray forming  
 bulk FeAl nanostructured materials obtained by spray forming and spark plasma sintering 358
- High-energy ball milling  
 bulk amorphous alloy  $\text{Fe}_{72}\text{Al}_5\text{Ga}_2\text{C}_6\text{B}_4\text{P}_{10}\text{Si}_1$  produced by mechanical alloying 327  
 evolution of structure in austenitic steel powders during ball milling and subsequent sintering 340  
 raman spectroscopy sheds new light on TiC formation during the controlled milling of titanium and carbon 405  
 study of early stages of Cu–NbC nanocomposite synthesis 481  
 high-energy ball milling of  $\text{Al}_2\text{O}_3$ – $\text{TiO}_2$  powders 489  
 influence of initial phase composition on glass-forming ability of Co-based alloys 394  
 surface mechanical alloying of an aluminum plate 686  
 mechanochemical synthesis of nanostructured chemical hydrides in hydrogen alloying mills 743  
 preparation of nanosized antimony by mechanochemical reduction of antimony sulphide  $\text{Sb}_2\text{S}_3$  773
- High-pressure  
 consolidation of mechanically alloyed  $\text{Mg}_{49}\text{Y}_{15}\text{Cu}_{36}$  powders by vacuum hot pressing 354
- High-temperature alloys  
 magnetically soft nanomaterials for high-temperature applications 623
- HPLC  
 natural carbon nanoprecursors for special utilization 833
- Humic acid  
 mechanochemical activation of humic acids in the brown coal 842
- Hydrogen  
 internal friction induced by interstitial atoms in multicomponent glassy alloy and composite 196
- Hydrogen absorbing materials  
 influence of impurities on the milling process of  $\text{MgH}_2$  729  
 hydrogen absorption and desorption in nanocrystalline  $\text{LaMg}_2\text{Ni}$  734  
 influence of the  $\text{Nb}_2\text{O}_5$  distribution on the electrochemical hydrogenation of nanocrystalline magnesium 753  
 effect of transition metal additions on the electrochemical properties of a MgNi-based alloy 756
- Hydrogen adsorption–desorption  
 electrochemical study of Pt–Pd, Pt–Ru, Pt–Rh and Pt–Sn/C in acid media for hydrogen adsorption–desorption reaction 764
- Hydrogen sorption kinetics  
 microstructure and hydrogen sorption kinetics of Mg nanopowders with catalyst 725
- Hydrogen storage materials  
 synthesis of nanocrystalline  $\text{MgH}_2$  powder by gas-phase condensation and in situ hydridation: TEM, XPS and XRD study 721  
 mechanochemical synthesis of nanostructured chemical hydrides in hydrogen alloying mills 743

## Hydrotalcite-like compounds

Cu hydrotalcite-like compounds: Morphological, structural and microstructural properties 783

## Hyperfine interactions

mössbauer spectrometry of near equiatomic Fe–Cr alloys: Influence of preparation method 584

mössbauer spectrometry of near equiatomic Fe–Cr alloys: Phase separation at high temperature? 587

## Immiscible metals

Fe (In) solid solution formation during mechanical attrition 455

## Impurities in semiconductors

cation substitution in ZnO obtained by mechanical milling 813

## Interfaces

metropolis Monte Carlo predictions of free Co–Pt nanoclusters 550

## Intermetallics

bulk ultra-fine eutectic structure in Ti–Fe–base alloys 28

nanocrystalline Ni<sub>3</sub>Al alloy produced by mechanical alloying of nickel aluminides and hot-pressing consolidation 344

phase transformations study on Ni<sub>75</sub>Al<sub>25</sub> and Ni<sub>50</sub>Al<sub>50</sub> during mechanical alloying and sintering 348

microstructure and mechanical properties of spray co-deposited Al–8.9 wt.% Si–3.2 wt.% Cu–0.9 wt.% Fe + (Al–3 wt.% Mn–4 wt.% Si)<sub>p</sub> composite 371

mechanical alloying of the FeNi–Ag system 437

mechanical alloying of Ni<sub>3</sub>Fe in the presence of Ni<sub>3</sub>Fe nanocrystalline germs 485

preparation of Nb–25Si, Nb–37.5Si, Nb–66.6Si powders by high-energy ball milling and subsequent heat treatment 509

on the T<sub>2</sub>-phase formation in mechanically alloyed Nb–Si and Nb–Si–B powders 530

metropolis Monte Carlo predictions of free Co–Pt nanoclusters 550

## Internal friction

internal friction induced by interstitial atoms in multicomponent glassy alloy and composite 196

## Ionic colloids

the quantum mechanical description of the dot–dot interaction in ionic colloids 565

## Iron aluminides (based on FeAl)

bulk FeAl nanostructured materials obtained by spray forming and spark plasma sintering 358

## Kaurane

effect of the mechanochemical activation for the extraction of diterpenes from the brown coal 837

## Kinetics

a direct extension of the Avrami equation to describe the non-isothermal crystallization of Al-base alloys 187

studies on the crystallization kinetics of Cu-reinforced partially crystalline Cu<sub>47</sub>Ti<sub>33</sub>Zr<sub>11</sub>Ni<sub>8</sub>Si<sub>1</sub> metallic glass composite 203

influence of impurities on the milling process of MgH<sub>2</sub> 729

effect of nanosized oxides on MgH<sub>2</sub> (de)hydrogenating kinetics 738

empiricism or self-consistent theory in chemical kinetics? 779

## Layered double hydroxides

Cu hydrotalcite-like compounds: Morphological, structural and microstructural properties 783

## Liquid quenching

calorimetric and microstructural analysis of deformation induced crystallization reactions in amorphous Al<sub>88</sub>Y<sub>7</sub>Fe<sub>5</sub> alloy 18

thermo-plastic expansion of amorphous metallic foam 92

influence of microalloying on glass formation and crystallization 115

fragility and glass-forming ability of the Ca–Mg–Cu system 145

synthesis routes for controlling the microstructure in nanostructured Al<sub>88</sub>Y<sub>7</sub>Fe<sub>5</sub> alloys 252

synthesis and characterization of copper fiber reinforced Zr<sub>41.2</sub>Ti<sub>13.8</sub>Cu<sub>12.5</sub>Ni<sub>10.6</sub>Be<sub>22.5</sub> bulk metallic glass 259

phase equilibria and phase diagrams of nanoscaled systems 286

evolution of nanoclusters at the coagulation of supersaturated solutions, a computer study 577

preparation of nanocrystalline Mn–Al–C magnets by melt spinning and subsequent heat treatments 611

magnetic properties and structure of Fe–Pt–M–B (M = Zr, Nb and Ti) alloys produced by quenching technique 614

## Liquid–solid reaction

complex formation processes at the surface of Cu–O composite nanoparticles with and without external magnetic field 646

## Local atomic structure

internal friction induced by interstitial atoms in multicomponent glassy alloy and composite 196

## Low-temperature Supercritical Fluid Extraction

effect of the mechanochemical activation for the extraction of diterpenes from the brown coal 837

## Luminescence

studies on chemical bath deposited zinc sulphide thin films with special optical properties 697

photocurrent of nanoassembled Si film in contact with electrolyte 718

synthesis and characterisation of europium activated yttrium oxide fine powders 809

## Magnesium

microstructure and hydrogen sorption kinetics of Mg nanopowders with catalyst 725

influence of the Nb<sub>2</sub>O<sub>5</sub> distribution on the electrochemical hydrogenation of nanocrystalline magnesium 753

## Magnesium alloys

synthesis and mechanical behavior of nanocomposite Mg-based bulk metallic glasses 84

## Magnesium diboride

mechanochemical synthesis of nanostructured chemical hydrides in hydrogen alloying mills 743

## Magnetic films

magnetic and magnetotransport properties in metastable granular systems 594

## Magnetic films and multilayers

magnetic properties of nanostructured Co<sub>x</sub>Fe<sub>3-x</sub>O<sub>4</sub> (0 < x < 0.2) thin films obtained by a low-temperature soft solution processing method 637

## Magnetic measurements

evolution of structure in austenitic steel powders during ball milling and subsequent sintering 340

structural transformation in mechanothesized bcc Fe–Al–Si(Ge) solid solutions during heating 467

mechanical alloying of Ni<sub>3</sub>Fe in the presence of Ni<sub>3</sub>Fe nanocrystalline germs 485

structure of the nanocrystalline Fe<sub>41</sub>Ni<sub>20</sub>Co<sub>20</sub>Zr<sub>7</sub>B<sub>12</sub> alloy formed by ball milling 493

magnetic and magnetotransport properties in metastable granular systems 594

the effect of the particle concentration in biocompatible magnetic fluids: A dynamical susceptibility investigation 608

preparation of nanocrystalline Mn–Al–C magnets by melt spinning and subsequent heat treatments 611

magnetic properties and structure of Fe–Pt–M–B (M = Zr, Nb and Ti) alloys produced by quenching technique 614

magnetic softening of bulk amorphous FeCrMoGaPCB rods by current annealing technique 618

magnetically soft nanomaterials for high-temperature applications 623

magnetic properties of nanostructured Co<sub>x</sub>Fe<sub>3-x</sub>O<sub>4</sub> (0 < x < 0.2) thin films obtained by a low-temperature soft solution processing method 637

preparation of Au and Au-coated Fe nanopowder by microemulsion 675

## Magnetization

cold compaction of metal–ceramic (ferromagnetic–antiferromagnetic) composites using high pressure torsion 505

complex formation processes at the surface of Cu–O composite nanoparticles with and without external magnetic field 646

- Magneto-optical materials  
 modeling of magneto-optical properties of lamellar nanogratings 581
- Magnetoresistance  
 magnetic and magnetotransport properties in metastable granular systems 594  
 magnetic and magnetotransport properties in Joule-heated granular  $\text{Cu}_{95}\text{Co}_5$  ribbons 601
- Many-body interaction  
 medium-ranged interactions of transition-metal (3d and 4d) impurity pairs in Al and atomic structures of Al-rich Al–transition-metal alloys 572
- Martensitic transformation  
 amorphous multielementary alloys: A preparation route for shape memory alloys 268
- Mechanical activation  
 mechanosynthesis of nanocomposites for chemical interaction with external reagent 540  
 natural carbon nanoprecursors for special utilization 833  
 effect of the mechanochemical activation for the extraction of diterpenes from the brown coal 837  
 mechanochemical activation of humic acids in the brown coal 842
- Mechanical alloying (MA)  
 atomic configuration of metal atoms in  $(\text{Ti}_{0.676}\text{Zr}_{0.324})\text{D}_{0.31}$  metallic glass studied by X-ray, neutron diffraction and reverse Monte Carlo modeling 180  
 properties of nano-structured pure Al produced by mechanical grinding and spark plasma sintering 294  
 hardening in copper-based nanocomposites 301  
 fabrication of Ti–Zr–Ni bulk quasicrystal by mechanical alloying and pulse current sintering 315  
 quasicrystal phase formation in Al–Cu–Fe nanopowders during field-activated sintering (FAST) 319  
 consolidation of amorphous ball-milled Zr–Cu–Al and Zr–Ni–Ti–Cu powders 333  
 nanocrystalline  $\text{Ni}_3\text{Al}$  alloy produced by mechanical alloying of nickel aluminides and hot-pressing consolidation 344  
 phase transformations study on  $\text{Ni}_{75}\text{Al}_{25}$  and  $\text{Ni}_{50}\text{Al}_{50}$  during mechanical alloying and sintering 348  
 consolidation of mechanically alloyed  $\text{Mg}_{49}\text{Y}_{15}\text{Cu}_{36}$  powders by vacuum hot pressing 354  
 high-energy ball-milling synthesis and densification of Fe–Co alloy nanopowders by field-activated sintering (FAST) 362  
 study on the solid-phase sintering of the nano-structured heavy tungsten alloy powder 367  
 thermomechanical properties of AlN–Cu composite materials prepared by solid state processing 375  
 on the formation of intermetallic matrix composites produced by mechanical alloying and sputtering 378  
 characterization of  $\text{Ni}_{57}\text{Zr}_{20}\text{Ti}_{20}\text{Sn}_3$  amorphous powders obtained by mechanical alloying 386  
 synthesis of Mo–Si–B *in situ* composites by mechanical alloying 420  
 high temperature behavior of ball-milled Al–Ni–Ce–Co alloys 424  
 structural modification of carbon nanotubes by various ball milling 428  
 effect of mechanical alloying process on microstructure and mechanical properties of ODS tungsten heavy alloys 433  
 mechanical alloying of the FeNi–Ag system 437  
 effect of pre-alloying FeNi on Ag diffusion on the ternary system 442  
 a possibility of using mechanical alloying for developing metal matrix composites with light-weight reinforcements 451  
 Fe (In) solid solution formation during mechanical attrition 455  
 deformation-induced alloying and reactions in nanostructured multilayers 459  
 structural transformation in mechanosynthesized bcc Fe–Al–Si(Ge) solid solutions during heating 467  
 structural and microstructural study of Fe–31Cr–12Co mixture prepared by ball milling 477  
 mechanical alloying of  $\text{Ni}_3\text{Fe}$  in the presence of  $\text{Ni}_3\text{Fe}$  nanocrystalline germs 485  
 structure of the nanocrystalline  $\text{Fe}_{41}\text{Ni}_{20}\text{Co}_{20}\text{Zr}_7\text{B}_{12}$  alloy formed by ball milling 493  
 cold compaction of metal–ceramic (ferromagnetic–antiferromagnetic) composites using high pressure torsion 505  
 preparation of Nb–25Si, Nb–37.5Si, Nb–66.6Si powders by high-energy ball milling and subsequent heat treatment 509  
 oxygen reduction reaction on cobalt–nickel alloys prepared by mechanical alloying 522  
 comparative study of NiW, NiMo and MoW prepared by mechanical alloying 525  
 on the  $\text{T}_2$ -phase formation in mechanically alloyed Nb–Si and Nb–Si–B powders 530  
 mechanical alloying of lithium-base systems 542  
 mössbauer spectrometry of near equiatomic Fe–Cr alloys: Influence of preparation method 584  
 formation of Cu–Zr–Ti amorphous powders with B and Si additions by mechanical alloying technique 390  
 synthesis and characterization of nanocrystalline FeNiZrB developed by mechanical alloying 415  
 surface mechanical alloying of an aluminum plate 686  
 a new method for production of a copper coating reinforced with nano-diamonds 689  
 influence of impurities on the milling process of  $\text{MgH}_2$  729  
 hydrogen absorption and desorption in nanocrystalline  $\text{LaMg}_2\text{Ni}$  734  
 effect of nanosized oxides on  $\text{MgH}_2$  (de)hydrogenation kinetics 738  
 hydrogen absorption in amorphous and quasicrystalline  $\text{Ti}_{45}\text{Ni}_{17}\text{Zr}_{38}$  powders synthesized by mechanical alloying 747  
 effect of transition metal additions on the electrochemical properties of a MgNi-based alloy 756  
 electrochemical hydrogen insertion in Mg–La(Mm)Ni<sub>5</sub> nanocomposites 760  
 nanostructures obtained from a mechanically alloyed and heat treated molybdenum carbide 799  
 decomposition of carbon dioxide using mechanically-milled magnetite 803  
 BaTiO<sub>3</sub> devices doped with Zr using mechanical alloying 806  
 cation substitution in ZnO obtained by mechanical milling 813
- Mechanical nanocrystallization  
 nanocrystalline FeSiBNbCu alloys: Differences between mechanical and thermal crystallization process in amorphous precursors 199
- Mechanical properties  
 plastic deformability and precipitation of nanocrystallites during compression for a Cu–Zr–Ti–Sn bulk metallic glass 10  
 deformation behavior of a  $\text{Ti}_{66}\text{Cu}_8\text{Ni}_{4.8}\text{Sn}_{7.2}\text{Nb}_{14}$  nanostructured composite containing ductile dendrites 13  
 bulk ultra-fine eutectic structure in Ti–Fe–base alloys 28  
 investigation of high strength metastable hypereutectic ternary Ti–Fe–Co and quaternary Ti–Fe–Co–(V, Sn) alloys 32  
 glass forming ability and mechanical properties of the NiZrTiSi amorphous alloys modified with Al, Cu and Nb additions 56  
 thermal and mechanical properties of Cu–Zr–Al bulk metallic glasses 71  
 mechanical behaviour of nanocomposites derived from zirconium based bulk amorphous alloys 79  
 microstructural investigation of a deformed  $\text{Ti}_{66.1}\text{Cu}_8\text{Ni}_{4.8}\text{Sn}_{7.2}\text{Nb}_{13.9}$  nanostructure–dendrite composite 106  
 thermo-mechanical behaviour of nanostructured copper 279  
 mechanical behavior of a bulk nanocrystalline Ni–Fe alloy 298  
 deformation of nanocrystalline pure metals and alloys based on Fe and Al 307  
 on the formation of intermetallic matrix composites produced by mechanical alloying and sputtering 378  
 effect of mechanical alloying process on microstructure and mechanical properties of ODS tungsten heavy alloys 433  
 aluminum–graphite composite produced by mechanical milling and hot extrusion 518
- Mechanochemical processing  
 synthesis of nanopowders under high frequency electric discharge assisted mechanical milling 463

- mechanosynthesis and process characterization of some nanostructured intermetallics–ceramics composites 501  
 direct determination of the cation disorder in nanoscale spinels by NMR, XPS, and Mössbauer spectroscopy 776  
 empiricism or self-consistent theory in chemical kinetics? 779  
 polyisoprene–carbon nano-composites for application in multifunctional sensors 850
- Mechanochemical synthesis**  
 synthesis of nanostructured SnO<sub>2</sub> materials by reactive ball-milling 400  
 raman spectroscopy sheds new light on TiC formation during the controlled milling of titanium and carbon 405  
 ball-milling with a fluid: A powerful means for new syntheses 410  
 mechanochemical synthesis of nanostructured chemical hydrides in hydrogen alloying mills 743  
 preparation of nanosized antimony by mechanochemical reduction of antimony sulphide Sb<sub>2</sub>S<sub>3</sub> 773
- Mechanocomposites**  
 mechanosynthesis of nanocomposites for chemical interaction with external reagent 540
- Medium-ranged X–X interaction**  
 medium-ranged interactions of transition-metal (3d and 4d) impurity pairs in Al and atomic structures of Al-rich Al–transition-metal alloys 572
- Metal and alloy**  
 effect of hydrogenation on the martensite transformation in nanocrystalline Ti<sub>50</sub>Ni<sub>25</sub>Cu<sub>25</sub> 751
- Metal hydride**  
 effect of nanosized oxides on MgH<sub>2</sub> (de)hydriding kinetics 738
- Metal matrix composites**  
 properties of nano-structured pure Al produced by mechanical grinding and spark plasma sintering 294  
 mechanosynthesis and process characterization of some nanostructured intermetallics–ceramics composites 501  
 TEM characterization of Al–C–Cu–Al<sub>2</sub>O<sub>3</sub> composites produced by mechanical milling 514  
 aluminum–graphite composite produced by mechanical milling and hot extrusion 518
- Metal system**  
 mechanosynthesis of nanocomposites for chemical interaction with external reagent 540
- Metallic glasses**  
 correlations for predicting plasticity or brittleness of metallic glasses 2  
 ductilization of BMGs by optimization of nanoparticle dispersion 6  
 direct observation of the changes in atomic arrangement of Cu<sub>50</sub>Zr<sub>50</sub> metallic glass during tensile deformation by EXAFS 44  
 shear-band propagation in fully amorphous and partially crystallized Mg-based alloys studied by nanoindentation and transmission electron microscopy 48  
 in situ characterization of a crack trajectory and shear bands interaction in metallic glasses 52  
 glass forming ability and mechanical properties of the NiZrTiSi amorphous alloys modified with Al, Cu and Nb additions 56  
 thermal and mechanical properties of Cu–Zr–Al bulk metallic glasses 71  
 analyses of glass transition phenomena by solving differential equation with delay effect 131  
 effect of Al on the local structure and stability of Zr-based metallic glasses 135  
 stability and electronic structure of Zr-based ternary metallic glasses and relevant compounds 149  
 estimation of the glass forming ability of the Ni–Zr and the Cu–Zr alloys 152  
 formation of Cu–Hf–Ti bulk metallic glasses 164  
 the best glass-forming compositions in Al–Co(or Ni)–Y ternary systems 167  
 glass formability and thermal stability of Al–Ni–Y–Be amorphous alloys 190  
 crystallization accelerated by ultrasound in Pd-based metallic glasses 194  
 studies on the crystallization kinetics of Cu-reinforced partially crystalline Cu<sub>47</sub>Ti<sub>33</sub>Zr<sub>11</sub>Ni<sub>8</sub>Si<sub>1</sub> metallic glass composite 203  
 evolution of lattice parameter and process rates during nanocrystallization of amorphous Fe–Co–Si–B alloy 211  
 effect of Zr on the crystallization behavior of multi-component Zr-based metallic glasses 217  
 surface properties and activity of Fe–Ni–B ternary glasses 229  
 peculiarities of electrical resistivity during transformations in amorphous and nanocrystalline alloys 248  
 consolidation behavior of Cu- and Ni-based bulk metallic glass composites 336  
 consolidation of mechanically alloyed Mg<sub>49</sub>Y<sub>15</sub>Cu<sub>36</sub> powders by vacuum hot pressing 354
- Metals**  
 shear rate dependence of viscosity and configurational entropy of the Zr<sub>41.2</sub>Ti<sub>13.8</sub>Cu<sub>12.5</sub>Ni<sub>10.0</sub>Be<sub>22.5</sub> metallic glass forming liquid 88  
 thermo-plastic expansion of amorphous metallic foam 92  
 influence of microalloying on glass formation and crystallization 115  
 hardening in copper-based nanocomposites 301  
 microstructure and mechanical properties of spray co-deposited Al–8.9 wt.% Si–3.2 wt.% Cu–0.9 wt.% Fe + (Al–3 wt.% Mn–4 wt.% Si)<sub>p</sub> composite 371  
 a possibility of using mechanical alloying for developing metal matrix composites with light-weight reinforcements 451  
 structural transformation in mechanosynthesized bcc Fe–Al–Si(Ge) solid solutions during heating 467  
 study of early stages of Cu–NbC nanocomposite synthesis 481  
 metropolis Monte Carlo predictions of free Co–Pt nanoclusters 550  
 using diamond as a metastable phase carbon source to facilitate the synthesis of graphite encapsulated metal (GEM) nanoparticles by an arc-discharge method 678  
 a new method for production of a copper coating reinforced with nano-diamonds 689  
 individual grain orientations and texture development of nanocrystalline electrodeposits showing abnormal grain growth 714  
 preparation of nanosized antimony by mechanochemical reduction of antimony sulphide Sb<sub>2</sub>S<sub>3</sub> 773  
 catalytic properties of nanostructured Pt and Ru metal clusters over alumina promoted by CeO<sub>2</sub> 796
- Metals and alloys**  
 a shape memory gold alloy processed by rapid solidification 264  
 thermo-mechanical behaviour of nanostructured copper 279  
 microstructural characteristics and mechanical properties of Al–2.5 wt.% Li–1.2 wt.% Cu–xMg alloys 324  
 nanostructured coated powders for structural net shape components 383  
 mechanical alloying of lithium-base systems 542  
 mössbauer spectrometry of near equiatomic Fe–Cr alloys: Influence of preparation method 584  
 mössbauer spectrometry of near equiatomic Fe–Cr alloys: Phase separation at high temperature? 587
- Mg composites**  
 electrochemical hydrogen insertion in Mg–La(Mm)Ni<sub>5</sub> nanocomposites 760
- Mg<sub>65</sub>Cu<sub>25</sub>Gd<sub>10</sub>**  
 synthesis and mechanical behavior of nanocomposite Mg-based bulk metallic glasses 84
- Microhardness**  
 microhardness and devitrification studies of Al–TM–RE alloys 36
- Micro-Raman spectroscopy**  
 the thermal stability of maghemite-silica nanocomposites: An investigation using X-ray diffraction and Raman spectroscopy 650
- Microstrain**  
 Cu hydroxalcite-like compounds: Morphological, structural and microstructural properties 783
- Microstructure**  
 deformation behavior of a Ti<sub>66</sub>Cu<sub>8</sub>Ni<sub>4.8</sub>Sn<sub>7.2</sub>Nb<sub>14</sub> nanostructured composite containing ductile dendrites 13  
 glass formability and thermal stability of Al–Ni–Y–Be amorphous alloys 190  
 thermal evolution of nanoquasicrystalline Al<sub>93</sub>Fe<sub>3</sub>Cr<sub>2</sub>Ti<sub>2</sub> alloy 215



- role of strain gradient on the formation of nanocrystalline structure produced by severe plastic deformation 290
- deformation of nanocrystalline pure metals and alloys based on Fe and Al 307
- effect of mechanical alloying process on microstructure and mechanical properties of ODS tungsten heavy alloys 433
- evaluating arc spray process parameters to synthesize highly spherical TiO<sub>2</sub> nanoparticles 663
- preparation of Au and Au-coated Fe nanopowder by microemulsion 675
- Microwave-assisted extraction
- natural carbon nanoprecursors for special utilization 833
- Mixed oxides
- Cu hydroxalite-like compounds: Morphological, structural and micro-structural properties 783
- Molecular dynamics simulations
- mechanical properties of nano-grained Zr<sub>2</sub>Ni systems by molecular dynamics simulations 546
- Molybdenum silicides
- synthesis of Mo–Si–B *in situ* composites by mechanical alloying 420
- Monoclinic selenium
- peculiar crystallization of amorphous selenium in the presence of organic liquids: Effects of addition of titanium oxides 275
- Mossbauer spectroscopy
- Fe (In) solid solution formation during mechanical attrition 455
- Mössbauer spectroscopy
- structure of the nanocrystalline Fe<sub>41</sub>Ni<sub>20</sub>Co<sub>20</sub>Zr<sub>7</sub>B<sub>12</sub> alloy formed by ball milling 493
- mössbauer spectrometry of near equiatomic Fe–Cr alloys: Influence of preparation method 584
- mössbauer spectrometry of near equiatomic Fe–Cr alloys: Phase separation at high temperature? 587
- Nanocomposites
- mechanosynthesis of nanocomposites for chemical interaction with external reagent 540
- the thermal stability of maghemite-silica nanocomposites: An investigation using X-ray diffraction and Raman spectroscopy 650
- Nanocrystalline
- copper-oxide brake nanofluid manufactured using arc-submerged nanoparticle synthesis system 672
- microstructure and hydrogen sorption kinetics of Mg nanopowders with catalyst 725
- influence of the Nb<sub>2</sub>O<sub>5</sub> distribution on the electrochemical hydrogenation of nanocrystalline magnesium 753
- Nanocrystalline Al
- microhardness and devitrification studies of Al–TM–RE alloys 36
- Nanocrystalline materials
- synthesis and characterization of nanocrystalline FeNiZrB developed by mechanical alloying 415
- Nanocrystallization
- peculiarities of electrical resistivity during transformations in amorphous and nanocrystalline alloys 248
- Nanocrystals
- ductilization of BMGs by optimization of nanoparticle dispersion 6
- Nanofabrications
- superplastic nanoforming of optical components of Pt-based metallic glass 97
- synthesis of nanopowders under high frequency electric discharge assisted mechanical milling 463
- an atomistic study of mechanical deformation of nanostructured Ni<sub>3</sub>Al synthesized by cluster compaction 559
- preparation of gold nanoparticles by arc discharge in water 655
- preparation of silver nanofluid by the submerged arc nanoparticle synthesis system (SANSS) 659
- evaluating arc spray process parameters to synthesize highly spherical TiO<sub>2</sub> nanoparticles 663
- a study of process optimization using the combined submerged arc nanoparticle synthesis system for preparing TiO<sub>2</sub> nanoparticle suspension 668
- crystal phase transition and properties of titanium oxide nanotube arrays prepared by anodization 792
- nanoporous silicon matrix used as biomaterial 830
- Nano-grain
- fatigue behavior of nano-grained copper prepared by ECAP 304
- Nanoimprint
- superplastic nanoforming of optical components of Pt-based metallic glass 97
- Nanoindentation
- shear-band propagation in fully amorphous and partially crystallized Mg-based alloys studied by nanoindentation and transmission electron microscopy 48
- Nano-micro duplex structure
- formation of high-strength nano-micro duplex structures in electrodeposited Ni-based alloys 283
- Nanoparticles
- nanocrystalline FeSiBNbCu alloys: Differences between mechanical and thermal crystallization process in amorphous precursors 199
- biomedical applications of superparamagnetic iron oxide nanoparticles encapsulated within chitosan 633
- nanostructures obtained from a mechanically alloyed and heat treated molybdenum carbide 799
- Nanostructured composite
- deformation behavior of a Ti<sub>66</sub>Cu<sub>8</sub>Ni<sub>4.8</sub>Sn<sub>7.2</sub>Nb<sub>14</sub> nanostructured composite containing ductile dendrites 13
- Nano-structured materials
- complex formation processes at the surface of Cu–O composite nanoparticles with and without external magnetic field 646
- Nanostructured materials
- microstructural investigation of a deformed Ti<sub>66.1</sub>Cu<sub>8</sub>Ni<sub>4.8</sub>Sn<sub>7.2</sub>Nb<sub>13.9</sub> nanostructure–dendrite composite 106
- thermal evolution of nanoquasicrystalline Al<sub>93</sub>Fe<sub>3</sub>Cr<sub>2</sub>Ti<sub>2</sub> alloy 215
- amorphous and crystalline phases in rapidly solidified Al–Ta and Al–Ta–V alloys 255
- fabrication and structure of bulk nanocrystalline Al–Si–Ni–mishmetal alloys 272
- thermo-mechanical behaviour of nanostructured copper 279
- role of strain gradient on the formation of nanocrystalline structure produced by severe plastic deformation 290
- properties of nano-structured pure Al produced by mechanical grinding and spark plasma sintering 294
- mechanical behavior of a bulk nanocrystalline Ni–Fe alloy 298
- deformation of nanocrystalline pure metals and alloys based on Fe and Al 307
- nanocrystalline Ni<sub>3</sub>Al alloy produced by mechanical alloying of nickel aluminides and hot-pressing consolidation 344
- phase transformations study on Ni<sub>75</sub>Al<sub>25</sub> and Ni<sub>50</sub>Al<sub>50</sub> during mechanical alloying and sintering 348
- high-energy ball-milling synthesis and densification of Fe–Co alloy nanopowders by field-activated sintering (FAST) 362
- synthesis of nanostructured SnO<sub>2</sub> materials by reactive ball-milling 400
- raman spectroscopy sheds new light on TiC formation during the controlled milling of titanium and carbon 405
- high temperature behavior of ball-milled Al–Ni–Ce–Co alloys 424
- structural modification of carbon nanotubes by various ball milling 428
- synthesis of nanopowders under high frequency electric discharge assisted mechanical milling 463
- structural and microstructural study of Fe–31Cr–12Co mixture prepared by ball milling 477
- structure of the nanocrystalline Fe<sub>41</sub>Ni<sub>20</sub>Co<sub>20</sub>Zr<sub>7</sub>B<sub>12</sub> alloy formed by ball milling 493
- cold compaction of metal–ceramic (ferromagnetic–antiferromagnetic) composites using high pressure torsion 505
- aluminum–graphite composite produced by mechanical milling and hot extrusion 518
- oxygen reduction reaction on cobalt–nickel alloys prepared by mechanical alloying 522

- mechanical properties of nano-grained  $Zr_2Ni$  systems by molecular dynamics simulations 546
- mössbauer spectrometry of near equiatomic Fe–Cr alloys: Influence of preparation method 584
- magnetic and magnetotransport properties in Joule-heated granular  $Cu_{95}Co_5$  ribbons 601
- magnetically soft nanomaterials for high-temperature applications 623
- preparation of gold nanoparticles by arc discharge in water 655
- preparation of silver nanofluid by the submerged arc nanoparticle synthesis system (SANSS) 659
- evaluating arc spray process parameters to synthesize highly spherical  $TiO_2$  nanoparticles 663
- preparation of Au and Au-coated Fe nanopowder by microemulsion 675
- surface modification of Ni (50.6 at.%) Ti by high current pulsed electron beam treatment 682
- a new method for production of a copper coating reinforced with nano-diamonds 689
- residual stresses and texture in Ni/SiC nanocomposite coatings 704
- microstructures and phase formations in the surface layer of an AISI D2 steel treated with pulsed electron beam 707
- synthesis of nanocrystalline  $MgH_2$  powder by gas-phase condensation and in situ hydridation: TEM, XPS and XRD study 721
- hydrogen absorption and desorption in nanocrystalline  $LaMg_2Ni$  734
- effect of transition metal additions on the electrochemical properties of a MgNi-based alloy 756
- electrochemical hydrogen insertion in Mg–La(Mm)Ni<sub>5</sub> nanocomposites 760
- direct determination of the cation disorder in nanoscale spinels by NMR, XPS, and Mössbauer spectroscopy 776
- crystal phase transition and properties of titanium oxide nanotube arrays prepared by anodization 792
- preparation of titanium dioxide nanostructures facilitated by poly-L-lysine peptide 820
- nanoporous silicon matrix used as biomaterial 830
- Nanostructured titania
- photodecomposition of NO by sol–gel  $TiO_2$  catalysts under atmospheric conditions: Effect of the method on the textural and morphologic properties 788
- Nanostructures
- plastic deformability and precipitation of nanocrystallites during compression for a Cu–Zr–Ti–Sn bulk metallic glass 10
- calorimetric and microstructural analysis of deformation induced crystallization reactions in amorphous  $Al_{88}Y_7Fe_5$  alloy 18
- influence of microalloying on glass formation and crystallization 115
- phase separation and nanocrystal formation in Al-based metallic glasses 126
- synthesis routes for controlling the microstructure in nanostructured  $Al_{88}Y_7Fe_5$  alloys 252
- phase equilibria and phase diagrams of nanoscaled systems 286
- hardening in copper-based nanocomposites 301
- evolution of structure in austenitic steel powders during ball milling and subsequent sintering 340
- bulk FeAl nanostructured materials obtained by spray forming and spark plasma sintering 358
- ball-milling with a fluid: A powerful means for new syntheses 410
- mechanical alloying of the FeNi–Ag system 437
- deformation-induced alloying and reactions in nanostructured multilayers 459
- study of early stages of Cu–NbC nanocomposite synthesis 481
- high-energy ball milling of  $Al_2O_3$ – $TiO_2$  powders 489
- metropolis Monte Carlo predictions of free Co–Pt nanoclusters 550
- an atomistic study of mechanical deformation of nanostructured  $Ni_3Al$  synthesized by cluster compaction 559
- a simple model to estimate thermal conductivity of fluid with acicular nanoparticles 569
- evolution of nanoclusters at the coagulation of supersaturated solutions, a computer study 577
- zirconia and titania nanoparticles studied by electric hyperfine interactions, XRD and TEM 590
- giant magnetoresistance effect in Co/Cu/Co nanostructures 598
- magnetic properties and structure of Fe–Pt–M–B (M = Zr, Nb and Ti) alloys produced by quenching technique 614
- using diamond as a metastable phase carbon source to facilitate the synthesis of graphite encapsulated metal (GEM) nanoparticles by an arc-discharge method 678
- individual grain orientations and texture development of nanocrystalline electrodeposits showing abnormal grain growth 714
- mechanochemical synthesis of nanostructured chemical hydrides in hydrogen alloying mills 743
- preparation of nanosized antimony by mechanochemical reduction of antimony sulphide  $Sb_2S_3$  773
- catalytic properties of nanostructured Pt and Ru metal clusters over alumina promoted by  $CeO_2$  796
- structural and microstructural characterization of Co-hydroxalcalite-like compounds by X-ray diffraction 816
- electrosynthesis of organic–inorganic nanocomposites 823
- Nanotubes
- nanostructures obtained from a mechanically alloyed and heat treated molybdenum carbide 799
- Natural cellulose
- natural carbon nanoprecursors for special utilization 833
- Neutron diffraction
- atomic configuration of metal atoms in  $(Ti_{0.676}Zr_{0.324})D_{0.31}$  metallic glass studied by X-ray, neutron diffraction and reverse Monte Carlo modeling 180
- Ni-based alloys
- formation and corrosion behavior of glassy Ni–Nb–Ti–Zr–Co(–Cu) alloys 240
- characterization of  $Ni_{57}Zr_{20}Ti_{20}Sn_3$  amorphous powders obtained by mechanical alloying 386
- Ni–Nb-based alloy
- the effect of Zr addition in glass forming ability of Ni–Nb alloy system 156
- Nitride materials
- mechanical alloying of lithium-base systems 542
- Ni–W
- formation of high-strength nano-micro duplex structures in electrodeposited Ni-based alloys 283
- Optical properties
- superplastic nanoforming of optical components of Pt-based metallic glass 97
- studies on chemical bath deposited zinc sulphide thin films with special optical properties 697
- Optical spectroscopy
- cation substitution in ZnO obtained by mechanical milling 813
- Order–disorder effects
- direct determination of the cation disorder in nanoscale spinels by NMR, XPS, and Mössbauer spectroscopy 776
- Organic solid-state reactions
- smart mechanochemistry—Charge transfer control for tailored solid-state reaction under minimum external energy 768
- Orientation
- the electromagnetic shielding effectiveness of carbon nanotubes polymer composites 641
- Oxidation
- high temperature oxidation of the refractory alloy glass  $Nb_{35}Ni_{60}Sn_5$  225
- Oxide dispersion strengthened (ODS)
- effect of mechanical alloying process on microstructure and mechanical properties of ODS tungsten heavy alloys 433
- Oxide materials
- synthesis of nanostructured  $SnO_2$  materials by reactive ball-milling 400
- mechanochemical synthesis and process characterization of some nanostructured intermetallics–ceramics composites 501
- complex formation processes at the surface of Cu–O composite nanoparticles with and without external magnetic field 646
- a study of process optimization using the combined submerged arc nanoparticle synthesis system for preparing  $TiO_2$  nanoparticle suspension 668

- crystal phase transition and properties of titanium oxide nanotube arrays prepared by anodization 792
- decomposition of carbon dioxide using mechanically-milled magnetite 803
- PAHs  
natural carbon nanoprecursors for special utilization 833
- Pearlite  
dissolution of cementite in carbon steels by ball drop deformation and laser heating 497
- Periodic nanostructures  
modeling of magneto-optical properties of lamellar nanogratings 581
- Permanent magnets  
preparation of nanocrystalline Mn–Al–C magnets by melt spinning and subsequent heat treatments 611  
magnetic properties and structure of Fe–Pt–M–B (M = Zr, Nb and Ti) alloys produced by quenching technique 614
- Perturbed angular correlations  
crystallization steps in Zr- and Hf-based bulk metallic glasses 244
- Phase stability  
stability and electronic structure of Zr-based ternary metallic glasses and relevant compounds 149
- Phase transformations  
evolution of lattice parameter and process rates during nanocrystallization of amorphous Fe–Co–Si–B alloy 211
- Phase transition  
studies on the crystallization kinetics of Cu-reinforced partially crystalline  $\text{Cu}_{47}\text{Ti}_{33}\text{Zr}_{11}\text{Ni}_8\text{Si}_1$  metallic glass composite 203
- Phase transitions  
glass formability and thermal stability of Al–Ni–Y–Be amorphous alloys 190  
crystallization accelerated by ultrasound in Pd-based metallic glasses 194  
properties of nano-structured pure Al produced by mechanical grinding and spark plasma sintering 294  
microstructural characteristics and mechanical properties of Al–2.5 wt.% Li–1.2 wt.% Cu–xMg alloys 324  
kinetics of spinodal decomposition in driven nanocrystalline alloys 535  
mechanical alloying of lithium-base systems 542  
surface modification of Ni (50.6 at.%) Ti by high current pulsed electron beam treatment 682  
microstructures and phase formations in the surface layer of an AISI D2 steel treated with pulsed electron beam 707  
effect of hydrogenation on the martensite transformation in nanocrystalline  $\text{Ti}_{50}\text{Ni}_{25}\text{Cu}_{25}$  751  
decomposition of carbon dioxide using mechanically-milled magnetite 803
- Phosphors  
synthesis and characterisation of europium activated yttrium oxide fine powders 809
- Photocatalytic effect  
peculiar crystallization of amorphous selenium in the presence of organic liquids: Effects of addition of titanium oxides 275
- Photocurrent  
photocurrent of nanoassembled Si film in contact with electrolyte 718
- Photodecomposition  
photodecomposition of NO by sol–gel  $\text{TiO}_2$  catalysts under atmospheric conditions: Effect of the method on the textural and morphologic properties 788
- Photoelectron spectroscopies  
preparation of silver nanofluid by the submerged arc nanoparticle synthesis system (SANSS) 659  
synthesis of nanocrystalline  $\text{MgH}_2$  powder by gas-phase condensation and in situ hydridation: TEM, XPS and XRD study 721
- Plastic deformation  
formation of high-strength nano-micro duplex structures in electrodeposited Ni-based alloys 283
- Plasticity  
correlations for predicting plasticity or brittleness of metallic glasses 2
- Polymer  
electrosynthesis of organic–inorganic nanocomposites 823
- Polymers, elastomers and plastics  
structural and morphological studies on poly(3-hydroxybutyrate acid) (PHB)/chitosan drug releasing microspheres prepared by both single and double emulsion processes 826
- Positron spectroscopies  
free volume change in crystallization process of Zr–Cu–Al metallic glass studied by positron annihilation techniques 207  
cation substitution in ZnO obtained by mechanical milling 813
- Powder metallurgy  
thermal evolution of nanoquasicrystalline  $\text{Al}_{93}\text{Fe}_3\text{Cr}_2\text{Ti}_2$  alloy 215  
studies on the crystallization kinetics of Cu-reinforced partially crystalline  $\text{Cu}_{47}\text{Ti}_{33}\text{Zr}_{11}\text{Ni}_8\text{Si}_1$  metallic glass composite 203  
thermo-mechanical behaviour of nanostructured copper 279  
fabrication of Ti–Zr–Ni bulk quasicrystal by mechanical alloying and pulse current sintering 315  
quasicrystal phase formation in Al–Cu–Fe nanopowders during field-activated sintering (FAST) 319  
consolidation behavior of Cu- and Ni-based bulk metallic glass composites 336  
nanocrystalline  $\text{Ni}_3\text{Al}$  alloy produced by mechanical alloying of nickel aluminides and hot-pressing consolidation 344  
high-energy ball-milling synthesis and densification of Fe–Co alloy nanopowders by field-activated sintering (FAST) 362  
microstructure and mechanical properties of spray co-deposited Al–8.9 wt.% Si–3.2 wt.% Cu–0.9 wt.% Fe + (Al–3 wt.% Mn–4 wt.% Si)<sub>p</sub> composite 371  
on the formation of intermetallic matrix composites produced by mechanical alloying and sputtering 378  
nanostructured coated powders for structural net shape components 383  
synthesis of nanostructured  $\text{SnO}_2$  materials by reactive ball-milling 400  
thermoelectric properties of gas atomized p-type  $\text{Sb}_2\text{Te}_3$ –25%  $\text{Bi}_2\text{Te}_3$  alloys 710
- Precipitation  
phase separation and nanocrystal formation in Al-based metallic glasses 126  
evolution of nanoclusters at the coagulation of supersaturated solutions, a computer study 577  
the effect of the particle concentration in biocompatible magnetic fluids: A dynamical susceptibility investigation 608  
structural and microstructural characterization of Co-hydroxalcite-like compounds by X-ray diffraction 816  
electrosynthesis of organic–inorganic nanocomposites 823
- Process controlled agents  
the effects of process control agents on mechanical alloying behavior of a Fe–Zr based alloy 472
- Pseudogap  
stability and electronic structure of Zr-based ternary metallic glasses and relevant compounds 149
- p-Type  $\text{Bi}_2\text{Te}_3$ – $\text{Sb}_2\text{Te}_3$   
thermoelectric properties of gas atomized p-type  $\text{Sb}_2\text{Te}_3$ –25%  $\text{Bi}_2\text{Te}_3$  alloys 710
- PVDF  
accelerated crystal growth in cryogenic mechanically milled polymers and polymer blends 447
- Quasicrystals  
effect of Al on the local structure and stability of Zr-based metallic glasses 135  
thermal evolution of nanoquasicrystalline  $\text{Al}_{93}\text{Fe}_3\text{Cr}_2\text{Ti}_2$  alloy 215  
effect of Zr on the crystallization behavior of multi-component Zr-based metallic glasses 217  
fabrication of Ti–Zr–Ni bulk quasicrystal by mechanical alloying and pulse current sintering 315  
quasicrystal phase formation in Al–Cu–Fe nanopowders during field-activated sintering (FAST) 319

- hydrogen absorption in amorphous and quasicrystalline  $\text{Ti}_{45}\text{Ni}_{17}\text{Zr}_{38}$  powders synthesized by mechanical alloying 747
- Quenching  
 crystallization accelerated by ultrasound in Pd-based metallic glasses 194  
 magnetic and magnetotransport properties in metastable granular systems 594  
 magnetically soft nanomaterials for high-temperature applications 623
- Radial structure function  
 direct observation of the changes in atomic arrangement of  $\text{Cu}_{50}\text{Zr}_{50}$  metallic glass during tensile deformation by EXAFS 44
- Raman spectra  
 carbon fiber formation on Pd and Ni catalysts by acetylene decomposition 846
- Raman spectroscopy  
 structural properties of some transition metal highly doped carbon aerogels 854
- Rapid solidification  
 glass forming ability and mechanical properties of the NiZrTiSi amorphous alloys modified with Al, Cu and Nb additions 56  
 formation of Cu–Hf–Ti bulk metallic glasses 164  
 crystallization accelerated by ultrasound in Pd-based metallic glasses 194  
 effect of Zr on the crystallization behavior of multi-component Zr-based metallic glasses 217  
 amorphous and crystalline phases in rapidly solidified Al–Ta and Al–Ta–V alloys 255  
 a shape memory gold alloy processed by rapid solidification 264  
 amorphous multielementary alloys: A preparation route for shape memory alloys 268  
 fabrication and structure of bulk nanocrystalline Al–Si–Ni–mishmetal alloys 272  
 magnetic and magnetotransport properties in metastable granular systems 594  
 magnetic and magnetotransport properties in Joule-heated granular  $\text{Cu}_{95}\text{Co}_5$  ribbons 601  
 magnetically soft nanomaterials for high-temperature applications 623  
 surface modification of Ni (50.6 at.%) Ti by high current pulsed electron beam treatment 682  
 microstructures and phase formations in the surface layer of an AISI D2 steel treated with pulsed electron beam 707
- Relevant compound  
 stability and electronic structure of Zr-based ternary metallic glasses and relevant compounds 149
- Reverse micelle  
 preparation of Au and Au-coated Fe nanopowder by microemulsion 675
- Robustness design  
 a study of process optimization using the combined submerged arc nanoparticle synthesis system for preparing  $\text{TiO}_2$  nanoparticle suspension 668
- Scanning and transmission electron microscopy  
 influence of air and vacuum environment on fatigue behavior of Zr-based bulk metallic glasses 68  
 deformation-induced alloying and reactions in nanostructured multilayers 459  
 comparative study of NiW, NiMo and MoW prepared by mechanical alloying 525  
 using diamond as a metastable phase carbon source to facilitate the synthesis of graphite encapsulated metal (GEM) nanoparticles by an arc-discharge method 678  
 individual grain orientations and texture development of nanocrystalline electrodeposits showing abnormal grain growth 714
- Scanning and transmission microscopy  
 zirconia and titania nanoparticles studied by electric hyperfine interactions, XRD and TEM 590
- Scanning electron microscopy (SEM)  
 effects of loading rates, notch root radius and specimen thickness on fracture toughness in bulk metallic glasses 22  
 investigation of high strength metastable hypereutectic ternary Ti–Fe–Co and quaternary Ti–Fe–Co–(V, Sn) alloys 32  
 high temperature oxidation of the refractory alloy glass  $\text{Nb}_{35}\text{Ni}_{60}\text{Sn}_5$  225  
 a possibility of using mechanical alloying for developing metal matrix composites with light-weight reinforcements 451  
 evaluating arc spray process parameters to synthesize highly spherical  $\text{TiO}_2$  nanoparticles 663  
 a new method for production of a copper coating reinforced with nano-diamonds 689  
 synthesis and characterisation of europium activated yttrium oxide fine powders 809
- SEM  
 high temperature oxidation of the refractory alloy glass  $\text{Nb}_{35}\text{Ni}_{60}\text{Sn}_5$  225  
 preparation of gold nanoparticles by arc discharge in water 655
- Semiconductors  
 magnetic properties of nanostructured  $\text{Co}_x\text{Fe}_{3-x}\text{O}_4$  ( $0 < x < 0.2$ ) thin films obtained by a low-temperature soft solution processing method 637  
 cation substitution in ZnO obtained by mechanical milling 813
- Semi-solid slurry  
 ductilization of BMGs by optimization of nanoparticle dispersion 6
- Severe plastic deformation  
 role of strain gradient on the formation of nanocrystalline structure produced by severe plastic deformation 290
- Shape memory  
 a shape memory gold alloy processed by rapid solidification 264  
 amorphous multielementary alloys: A preparation route for shape memory alloys 268
- Shear band  
 shear-band propagation in fully amorphous and partially crystallized Mg-based alloys studied by nanoindentation and transmission electron microscopy 48
- Shear bands  
 ductilization of BMGs by optimization of nanoparticle dispersion 6  
 deformation behavior of a  $\text{Ti}_{66}\text{Cu}_8\text{Ni}_{4.8}\text{Sn}_{7.2}\text{Nb}_{14}$  nanostructured composite containing ductile dendrites 13  
 in situ characterization of a crack trajectory and shear bands interaction in metallic glasses 52
- Shielding effectiveness  
 the electromagnetic shielding effectiveness of carbon nanotubes polymer composites 641
- Short range order  
 crystallization steps in Zr- and Hf-based bulk metallic glasses 244
- Short range ordering  
 estimation of the glass forming ability of the Ni–Zr and the Cu–Zr alloys 152
- Short range structure change  
 direct observation of the changes in atomic arrangement of  $\text{Cu}_{50}\text{Zr}_{50}$  metallic glass during tensile deformation by EXAFS 44
- Silica  
 a unified study of crack propagation in amorphous silica: Using experiments and simulations 60
- Simulations  
 a unified study of crack propagation in amorphous silica: Using experiments and simulations 60
- Sintering  
 fabrication and structure of bulk nanocrystalline Al–Si–Ni–mishmetal alloys 272  
 quasicrystal phase formation in Al–Cu–Fe nanopowders during field-activated sintering (FAST) 319  
 high-energy ball-milling synthesis and densification of Fe–Co alloy nanopowders by field-activated sintering (FAST) 362
- Slovak brown coal  
 effect of the mechanochemical activation for the extraction of diterpenes from the brown coal 837
- Small addition elements  
 volume change in  $\text{Zr}_{50}\text{Cu}_{40}\text{Al}_{10}$  glassy alloys 160

- Sol–gel method  
 photodecomposition of NO by sol–gel TiO<sub>2</sub> catalysts under atmospheric conditions: Effect of the method on the textural and morphologic properties 788
- Sol–gel processes  
 morphological instabilities of thin films during thermal relaxation: A Monte Carlo study 555  
 preparation of titanium dioxide nanostructures facilitated by poly-L-lysine peptide 820
- Sol–gel synthesis  
 the thermal stability of maghemite-silica nanocomposites: An investigation using X-ray diffraction and Raman spectroscopy 650  
 structural properties of some transition metal highly doped carbon aerogels 854
- Solid-phase sintering  
 study on the solid-phase sintering of the nano-structured heavy tungsten alloy powder 367
- Sonochemical method  
 biomedical applications of superparamagnetic iron oxide nanoparticles encapsulated within chitosan 633
- Spark plasma sintering  
 bulk FeAl nanostructured materials obtained by spray forming and spark plasma sintering 358  
 synthesis of Mo–Si–B *in situ* composites by mechanical alloying 420
- sp-d Hybridization  
 medium-ranged interactions of transition-metal (3d and 4d) impurity pairs in Al and atomic structures of Al-rich Al–transition-metal alloys 572
- Spheroidite  
 dissolution of cementite in carbon steels by ball drop deformation and laser heating 497
- Strain  
 thermo-plastic expansion of amorphous metallic foam 92  
 superplastic nanoforming of optical components of Pt-based metallic glass 97  
 indentation creep behavior of a Zr-based bulk metallic glass 75  
 synthesis routes for controlling the microstructure in nanostructured Al<sub>88</sub>Y<sub>7</sub>Fe<sub>5</sub> alloys 252  
 an atomistic study of mechanical deformation of nanostructured Ni<sub>3</sub>Al synthesized by cluster compaction 559
- Strain gradient  
 role of strain gradient on the formation of nanocrystalline structure produced by severe plastic deformation 290
- Strain rate  
 strain rate dependence of deformation behavior in Zr-based bulk metallic glasses in the supercooled liquid region 40
- Strain sensing  
 polyisoprene–carbon nano-composites for application in multifunctional sensors 850
- Structure  
 dissolution of cementite in carbon steels by ball drop deformation and laser heating 497
- Sub-wavelength lamellar gratings  
 modeling of magneto-optical properties of lamellar nanogratings 581
- Supercooled liquid  
 a glance on the glass-transition phenomenon from the viewpoint of devitrification 121
- Supercooled liquid region  
 strain rate dependence of deformation behavior in Zr-based bulk metallic glasses in the supercooled liquid region 40  
 characterization of Ni<sub>57</sub>Zr<sub>20</sub>Ti<sub>20</sub>Sn<sub>3</sub> amorphous powders obtained by mechanical alloying 386  
 formation of Cu–Zr–Ti amorphous powders with B and Si additions by mechanical alloying technique 390
- Superparamagnetic iron oxide  
 biomedical applications of superparamagnetic iron oxide nanoparticles encapsulated within chitosan 633
- Superplasticity  
 strain rate dependence of deformation behavior in Zr-based bulk metallic glasses in the supercooled liquid region 40
- Surfaces  
 metropolis Monte Carlo predictions of free Co–Pt nanoclusters 550
- Surfaces and interfaces  
 surface properties and activity of Fe–Ni–B ternary glasses 229  
 phase equilibria and phase diagrams of nanoscaled systems 286  
 nanostructured coated powders for structural net shape components 383  
 surface mechanical alloying of an aluminum plate 686
- Synchrotron radiation  
 ductilization of BMGs by optimization of nanoparticle dispersion 6  
 structural study of Zr-based metallic glasses 119  
 phase separation and nanocrystal formation in Al-based metallic glasses 126
- TEM  
 shear-band propagation in fully amorphous and partially crystallized Mg-based alloys studied by nanoindentation and transmission electron microscopy 48  
 amorphous and crystalline phases in rapidly solidified Al–Ta and Al–Ta–V alloys 255  
 TEM characterization of Al–C–Cu–Al<sub>2</sub>O<sub>3</sub> composites produced by mechanical milling 514  
 structural properties of some transition metal highly doped carbon aerogels 854
- Tensile deformation  
 direct observation of the changes in atomic arrangement of Cu<sub>50</sub>Zr<sub>50</sub> metallic glass during tensile deformation by EXAFS 44
- Tensile strength  
 formation of high-strength nano-micro duplex structures in electrodeposited Ni-based alloys 283
- Ternary systems  
 effect of pre-alloying FeNi on Ag diffusion on the ternary system 442
- Thermal analysis  
 calorimetric and microstructural analysis of deformation induced crystallization reactions in amorphous Al<sub>88</sub>Y<sub>7</sub>Fe<sub>5</sub> alloy 18  
 glass forming ability and mechanical properties of the NiZrTiSi amorphous alloys modified with Al, Cu and Nb additions 56  
 thermal and mechanical properties of Cu–Zr–Al bulk metallic glasses 71  
 influence of microalloying on glass formation and crystallization 115  
 structural study of Zr-based metallic glasses 119  
 analyses of glass transition phenomena by solving differential equation with delay effect 131  
 formation of Cu–Hf–Ti bulk metallic glasses 164  
 the best glass-forming compositions in Al–Co(or Ni)–Y ternary systems 167  
 Fe<sub>65.5</sub>Cr<sub>4</sub>Mo<sub>2</sub>Ga<sub>4</sub>P<sub>12</sub>C<sub>5</sub>B<sub>5.5</sub> BMGs: Sample preparation, thermal stability and mechanical properties 171  
 Fe-based bulk metallic glasses with Y addition 176  
 thermal stability and hardness of Mg–Cu–Au–Y amorphous alloys 183  
 studies on the crystallization kinetics of Cu-reinforced partially crystalline Cu<sub>47</sub>Ti<sub>33</sub>Zr<sub>11</sub>Ni<sub>8</sub>Si<sub>1</sub> metallic glass composite 203  
 formation and corrosion behavior of glassy Ni–Nb–Ti–Zr–Co(–Cu) alloys 240  
 synthesis and characterization of copper fiber reinforced Zr<sub>41.2</sub>Ti<sub>13.8</sub>Cu<sub>12.5</sub>Ni<sub>10.0</sub>Be<sub>22.5</sub> bulk metallic glass 259  
 bulk amorphous alloy Fe<sub>72</sub>Al<sub>5</sub>Ga<sub>2</sub>C<sub>6</sub>B<sub>4</sub>P<sub>10</sub>Si<sub>1</sub> produced by mechanical alloying 327  
 consolidation behavior of Cu- and Ni-based bulk metallic glass composites 336  
 consolidation of mechanically alloyed Mg<sub>49</sub>Y<sub>15</sub>Cu<sub>36</sub> powders by vacuum hot pressing 354  
 influence of initial phase composition on glass-forming ability of Co-based alloys 394  
 high temperature behavior of ball-milled Al–Ni–Ce–Co alloys 424  
 deformation-induced alloying and reactions in nanostructured multilayers 459  
 mechanosynthesis and process characterization of some nanostructured intermetallics–ceramics composites 501

- preparation of nanocrystalline Mn–Al–C magnets by melt spinning and subsequent heat treatments 611
- magnetic softening of bulk amorphous FeCrMoGaPCB rods by current annealing technique 618
- glass formation and magnetic characterization of (Fe<sub>78</sub>B<sub>14</sub>Si<sub>8</sub>)–Nb–Y alloys 628
- preparation of molybdenum oxide thin films by MOCVD 701
- electrosynthesis of organic–inorganic nanocomposites 823
- Thermal conductivity
  - thermomechanical properties of AlN–Cu composite materials prepared by solid state processing 375
- Thermal expansion
  - thermomechanical properties of AlN–Cu composite materials prepared by solid state processing 375
- Thermal property
  - crystallization and thermal stability of the Mg<sub>65</sub>Cu<sub>25–x</sub>Gd<sub>10</sub>Ag<sub>x</sub> ( $x = 0–10$ ) amorphous alloys 221
- Thermodynamic modeling
  - empiricism or self-consistent theory in chemical kinetics? 779
- Thermoelectric properties
  - thermoelectric properties of gas atomized p-type Sb<sub>2</sub>Te<sub>3</sub>–25% Bi<sub>2</sub>Te<sub>3</sub> alloys 710
- Thin films
  - nanostuctured coated powders for structural net shape components 383
  - morphological instabilities of thin films during thermal relaxation: A Monte Carlo study 555
  - surface modification of Ni (50.6 at.%) Ti by high current pulsed electron beam treatment 682
  - studies on chemical bath deposited zinc sulphide thin films with special optical properties 697
  - preparation of molybdenum oxide thin films by MOCVD 701
  - microstructures and phase formations in the surface layer of an AISI D2 steel treated with pulsed electron beam 707
  - photocurrent of nanoassembled Si film in contact with electrolyte 718
  - electrosynthesis of organic–inorganic nanocomposites 823
  - nanoporous silicon matrix used as biomaterial 830
- Ti–Al intermetallics
  - on the formation of intermetallic matrix composites produced by mechanical alloying and sputtering 378
- Transition metal alloys
  - magnetic softening of bulk amorphous FeCrMoGaPCB rods by current annealing technique 618
- Transmission electron microscopy (TEM)
  - glass forming ability and mechanical properties of the NiZrTiSi amorphous alloys modified with Al, Cu and Nb additions 56
  - microstructural investigation of a deformed Ti<sub>66.1</sub>Cu<sub>8</sub>Ni<sub>4.8</sub>Sn<sub>7.2</sub>Nb<sub>13.9</sub> nanostructure–dendrite composite 106
  - phase equilibria and phase diagrams of nanoscaled systems 286
  - deformation of nanocrystalline pure metals and alloys based on Fe and Al 307
  - microstructural characteristics and mechanical properties of Al–2.5 wt.% Li–1.2 wt.% Cu–xMg alloys 324
  - bulk FeAl nanostructured materials obtained by spray forming and spark plasma sintering 358
  - synthesis of nanopowders under high frequency electric discharge assisted mechanical milling 463
  - TEM characterization of Al–C–Cu–Al<sub>2</sub>O<sub>3</sub> composites produced by mechanical milling 514
  - a new method for production of a copper coating reinforced with nanodiamonds 689
  - catalytic properties of nanostructured Pt and Ru metal clusters over alumina promoted by CeO<sub>2</sub> 796
- Tribology
  - tribological behavior of the kinetic sprayed Ni<sub>59</sub>Ti<sub>16</sub>Zr<sub>20</sub>Si<sub>2</sub>Sn<sub>3</sub> bulk metallic glass 64
- Tungsten heavy alloy
  - effect of mechanical alloying process on microstructure and mechanical properties of ODS tungsten heavy alloys 433
- Ultra-fine and nano-particles
  - effect of the mechanochemical activation for the extraction of diterpenes from the brown coal 837
- Ultrafine structured materials
  - bulk ultra-fine eutectic structure in Ti–Fe–base alloys 28
- Ultrasonics
  - crystallization accelerated by ultrasound in Pd-based metallic glasses 194
- Undercooling behavior
  - new Pd-based bulk glassy alloys with high glass-forming ability 138
- UV-lithographic
  - formation of high-strength nano-micro duplex structures in electrodeposited Ni-based alloys 283
- Vapor deposition
  - on the formation of intermetallic matrix composites produced by mechanical alloying and sputtering 378
  - structural modification of carbon nanotubes by various ball milling 428
  - using diamond as a metastable phase carbon source to facilitate the synthesis of graphite encapsulated metal (GEM) nanoparticles by an arc-discharge method 678
  - preparation of molybdenum oxide thin films by MOCVD 701
- Viscosity
  - glass transition and viscosity in metallic glasses and liquids 110
- Work softening
  - strain-induced microstructural evolution and work softening behavior of Zn–15% Al alloy 311
- X-ray diffraction
  - effects of loading rates, notch root radius and specimen thickness on fracture toughness in bulk metallic glasses 22
  - investigation of high strength metastable hypereutectic ternary Ti–Fe–Co and quaternary Ti–Fe–Co–(V, Sn) alloys 32
  - thermal and mechanical properties of Cu–Zr–Al bulk metallic glasses 71
  - thermo-plastic expansion of amorphous metallic foam 92
  - joining of Zr-based bulk metallic glasses using the friction welding method 102
  - structural study of Zr-based metallic glasses 119
  - effect of Al on the local structure and stability of Zr-based metallic glasses 135
  - formation of Cu–Hf–Ti bulk metallic glasses 164
  - the best glass-forming compositions in Al–Co(or Ni)–Y ternary systems 167
  - Fe-based bulk metallic glasses with Y addition 176
  - atomic configuration of metal atoms in (Ti<sub>0.676</sub>Zr<sub>0.324</sub>)D<sub>0.31</sub> metallic glass studied by X-ray, neutron diffraction and reverse Monte Carlo modeling 180
  - thermal stability and hardness of Mg–Cu–Au–Y amorphous alloys 183
  - crystallization accelerated by ultrasound in Pd-based metallic glasses 194
  - thermal evolution of nanoquasicrystalline Al<sub>93</sub>Fe<sub>3</sub>Cr<sub>2</sub>Ti<sub>2</sub> alloy 215
  - high temperature oxidation of the refractory alloy glass Nb<sub>35</sub>Ni<sub>60</sub>Sn<sub>5</sub> 225
  - synthesis and characterization of copper fiber reinforced Zr<sub>41.2</sub>Ti<sub>13.8</sub>Cu<sub>12.5</sub>Ni<sub>10.0</sub>Be<sub>22.5</sub> bulk metallic glass 259
  - properties of nano-structured pure Al produced by mechanical grinding and spark plasma sintering 294
  - bulk amorphous alloy Fe<sub>72</sub>Al<sub>5</sub>Ga<sub>2</sub>C<sub>6</sub>B<sub>4</sub>P<sub>10</sub>Si<sub>1</sub> produced by mechanical alloying 327
  - evolution of structure in austenitic steel powders during ball milling and subsequent sintering 340
  - phase transformations study on Ni<sub>75</sub>Al<sub>25</sub> and Ni<sub>50</sub>Al<sub>50</sub> during mechanical alloying and sintering 348
  - influence of initial phase composition on glass-forming ability of Co-based alloys 394
  - ball-milling with a fluid: A powerful means for new syntheses 410
  - synthesis of Mo–Si–B *in situ* composites by mechanical alloying 420
  - high temperature behavior of ball-milled Al–Ni–Ce–Co alloys 424
  - mechanical alloying of the FeNi–Ag system 437
  - Fe (In) solid solution formation during mechanical attrition 455

- structural transformation in mechanosynthesized bcc Fe–Al–Si(Ge) solid solutions during heating 467
- mechanical alloying of Ni<sub>3</sub>Fe in the presence of Ni<sub>3</sub>Fe nanocrystalline germs 485
- high-energy ball milling of Al<sub>2</sub>O<sub>3</sub>–TiO<sub>2</sub> powders 489
- structure of the nanocrystalline Fe<sub>41</sub>Ni<sub>20</sub>Co<sub>20</sub>Zr<sub>7</sub>B<sub>12</sub> alloy formed by ball milling 493
- mechanosynthesis and process characterization of some nanostructured intermetallics–ceramics composites 501
- cold compaction of metal–ceramic (ferromagnetic–antiferromagnetic) composites using high pressure torsion 505
- preparation of Nb–25Si, Nb–37.5Si, Nb–66.6Si powders by high-energy ball milling and subsequent heat treatment 509
- oxygen reduction reaction on cobalt–nickel alloys prepared by mechanical alloying 522
- comparative study of NiW, NiMo and MoW prepared by mechanical alloying 525
- on the T<sub>2</sub>-phase formation in mechanically alloyed Nb–Si and Nb–Si–B powders 530
- mechanical alloying of lithium-base systems 542
- a simple model to estimate thermal conductivity of fluid with acicular nanoparticles 569
- preparation of nanocrystalline Mn–Al–C magnets by melt spinning and subsequent heat treatments 611
- magnetic softening of bulk amorphous FeCrMoGaPCB rods by current annealing technique 618
- magnetic properties of nanostructured Co<sub>x</sub>Fe<sub>3–x</sub>O<sub>4</sub> (0 < x < 0.2) thin films obtained by a low-temperature soft solution processing method 637
- the thermal stability of maghemite-silica nanocomposites: An investigation using X-ray diffraction and Raman spectroscopy 650
- preparation of silver nanofluid by the submerged arc nanoparticle synthesis system (SANSS) 659
- the phase transition of calcium phosphate coatings deposited on a Ti–6Al–4V substrate by an electrolytic method 693
- preparation of molybdenum oxide thin films by MOCVD 701
- residual stresses and texture in Ni/SiC nanocomposite coatings 704
- individual grain orientations and texture development of nanocrystalline electrodeposits showing abnormal grain growth 714
- synthesis of nanocrystalline MgH<sub>2</sub> powder by gas-phase condensation and in situ hydridation: TEM, XPS and XRD study 721
- mechanochemical synthesis of nanostructured chemical hydrides in hydrogen alloying mills 743
- hydrogen absorption in amorphous and quasicrystalline Ti<sub>45</sub>Ni<sub>17</sub>Zr<sub>38</sub> powders synthesized by mechanical alloying 747
- catalytic properties of nanostructured Pt and Ru metal clusters over alumina promoted by CeO<sub>2</sub> 796
- decomposition of carbon dioxide using mechanically-milled magnetite 803
- structural and microstructural characterization of Co-hydroxalate-like compounds by X-ray diffraction 816
- structural and morphological studies on poly(3-hydroxybutyrate acid) (PHB)/chitosan drug releasing microspheres prepared by both single and double emulsion processes 826
- nanoporous silicon matrix used as biomaterial 830
- structural properties of some transition metal highly doped carbon aerogels 854
- X-ray diffraction and calorimetry
- effect of hydrogenation on the martensite transformation in nanocrystalline Ti<sub>50</sub>Ni<sub>25</sub>Cu<sub>25</sub> 751
- XRD
- preparation of gold nanoparticles by arc discharge in water 655
- Young's modulus
- volume change in Zr<sub>50</sub>Cu<sub>40</sub>Al<sub>10</sub> glassy alloys 160
- Zeta potential
- mechanochemical activation of humic acids in the brown coal 842
- Zn–15% Al alloy
- strain-induced microstructural evolution and work softening behavior of Zn–15% Al alloy 311
- Zr<sub>50</sub>Cu<sub>40</sub>Al<sub>10</sub>
- volume change in Zr<sub>50</sub>Cu<sub>40</sub>Al<sub>10</sub> glassy alloys 160
- ZrCuAl alloys
- consolidation of amorphous ball-milled Zr–Cu–Al and Zr–Ni–Ti–Cu powders 333
- Zr–Cu–Ni–Al–Nb
- enthalpy relaxation of the Zr<sub>58.5</sub>Cu<sub>15.6</sub>Ni<sub>12.8</sub>Al<sub>10.3</sub>Nb<sub>2.8</sub> bulk metallic glass forming alloy 141
- ZrNiTiCu alloys
- consolidation of amorphous ball-milled Zr–Cu–Al and Zr–Ni–Ti–Cu powders 333