

## Subject Index of Volumes 446–447

- AB<sub>2</sub>-type Laves phase alloy  
structure and electrochemical properties of composite electrodes synthesized by mechanical milling Ni-free TiMn<sub>2</sub>-based alloy with La-based alloys 614
- Acoustic emission  
characterization of initial activation behavior for hydrogen storage alloys by acoustic emission technique 681
- Actinide alloys and compounds  
5f Magnetism studied in complex intermetallic U-based hydrides 606
- Activation  
study of Mg<sub>6</sub>Pd alloy synthesized by cold rolling 147
- Activation energy  
the hydrogen desorption kinetics of Mg<sub>0.9-x</sub>Ti<sub>0.1</sub>Pd<sub>x</sub>Ni (x = 0.04, 0.06, 0.08, 0.1) electrode alloys 121
- Activation property  
the effects of the substitution of Ti and La for Zr in ZrMn<sub>0.7</sub>V<sub>0.2</sub>Co<sub>0.1</sub>Ni<sub>1.2</sub> hydrogen storage alloys on the phase structure and electrochemical properties 630
- Al–H vibration  
Raman scattering and lattice stability of NaAlH<sub>4</sub> and Na<sub>3</sub>AlH<sub>6</sub> 242
- Alkali and alkaline-earth based hydrides  
a new series of high hydrogen content hydrogen-storage materials—A theoretical prediction 44
- Alloying  
the effects of the substitution of Ti and La for Zr in ZrMn<sub>0.7</sub>V<sub>0.2</sub>Co<sub>0.1</sub>Ni<sub>1.2</sub> hydrogen storage alloys on the phase structure and electrochemical properties 630
- Amide  
dehydrogenating and rehydrogenating properties of Mg(NH<sub>2</sub>)<sub>2</sub>–LiH systems 328  
synthesis and characterization of amide–borohydrides: New complex light hydrides for potential hydrogen storage 350
- Ammonia  
Li–Mg–N–H: Recent investigations and development 336
- Ammonia–borane  
a portable hydrogen generation system: Catalytic hydrolysis of ammonia–borane 729
- Amorphization  
structure of amorphous CeFe<sub>2</sub>D<sub>3.9</sub> observed by X-ray and neutron diffraction 19
- Amorphous  
synthesis of composite Mg–Ni–Ca metal hydride by mechanical alloying 129
- Amorphous materials  
structure of amorphous CeFe<sub>2</sub>D<sub>3.9</sub> observed by X-ray and neutron diffraction 19
- Atomic force microscopy (AFM)  
hydrogen-related surface modifications of 20 nm thin straight-sided niobium nano-wires and niobium meander-films 549  
nanoinindentation studies of high-temperature oxidized Zircaloy-4 with and without hydrogen 639
- Atomic scale structure  
structure of amorphous CeFe<sub>2</sub>D<sub>3.9</sub> observed by X-ray and neutron diffraction 19
- Atomization energy  
energy density analysis of the chemical bond between atoms in perovskite-type hydrides 96
- Ball milling  
hydrogen absorption kinetics of the catalyzed MgH<sub>2</sub> by niobium oxide 67
- Borohydride  
synthesis and characterization of amide–borohydrides: New complex light hydrides for potential hydrogen storage 350
- Calcium  
synthesis of composite Mg–Ni–Ca metal hydride by mechanical alloying 129
- Calcium magnesium silicide  
structure and hydrogenation properties of the ternary alloys Ca<sub>2-x</sub>Mg<sub>x</sub>Si (0 ≤ x ≤ 1) 101
- Calorimetry  
kinetics and thermodynamics of the aluminum hydride polymorphs 271  
investigation of ZrMn<sub>2+x</sub>-H<sub>2</sub> by means of calorimetric method 443
- Carbon  
hydrogen uptake in Mg:C thin films 530
- Carbon monoxide  
experimental and theoretical investigation of the cycle durability against CO and degradation mechanism of the LaNi<sub>5</sub> hydrogen storage alloy 208
- Catalysis  
hydrogen absorption kinetics of the catalyzed MgH<sub>2</sub> by niobium oxide 67  
a first-principles study of Sc-doped NaAlH<sub>4</sub> for reversible hydrogen storage 267  
characterization of titanium based catalysts in the Li–N–H hydrogen storage system by X-ray absorption spectroscopy 360
- Catalysts  
catalytic properties on the hydrogen desorption process of metallic additives dispersed in the MgH<sub>2</sub> matrix 58  
synthesis and dehydrogenation of M(AlH<sub>4</sub>)<sub>2</sub> (M = Mg, Ca) 237  
hydrogenation kinetics of an organic hydrogen getter-DPB 402  
thermodynamic destabilization and reaction kinetics in light metal hydride systems 409  
a portable hydrogen generation system: Catalytic hydrolysis of ammonia–borane 729
- Cerium-hydride  
the effect of surface state on the kinetics of cerium-hydride formation 567
- Chemical bond  
energy density analysis of the chemical bond between atoms in perovskite-type hydrides 96
- Chemical synthesis  
hydrogen absorption in Mg–Y–Zn ternary compounds 134  
hydrogen storage properties of Na–Li–Mg–Al–H complex hydrides 228  
thermal properties of AlH<sub>3</sub>-etherate and its desolvation reaction into AlH<sub>3</sub> 276  
synthesis and characterization of amide–borohydrides: New complex light hydrides for potential hydrogen storage 350

- Chromium  
effects of O<sub>2</sub> and H<sub>2</sub>O preadsorptions on the H<sub>2</sub> reactivity with the Cr surface 555
- Cold rolling  
study of Mg<sub>9</sub>Pd alloy synthesized by cold rolling 147
- Combinatorial chemistry  
high throughput screening of the ternary LiNH<sub>2</sub>–MgH<sub>2</sub>–LiBH<sub>4</sub> phase diagram 355
- Complex hydride  
synthesis and dehydrogenation of M(AlH<sub>4</sub>)<sub>2</sub> (M = Mg, Ca) 237  
Raman scattering and lattice stability of NaAlH<sub>4</sub> and Na<sub>3</sub>AlH<sub>6</sub> 242  
reaction steps in the Li–Mg–N–H hydrogen storage system 332
- Complex metal hydrides  
a first-principles study of Sc-doped NaAlH<sub>4</sub> for reversible hydrogen storage 267
- Composite  
synthesis of composite Mg–Ni–Ca metal hydride by mechanical alloying 129
- Composite materials  
improvement of high temperature stability of Pd coating on Nb by intermediate layer comprising NbC and Nb<sub>2</sub>C 539
- Composite membrane  
effect of H<sub>2</sub>S on hydrogen permeation of Pd<sub>60</sub>Cu<sub>40</sub>/V–15Ni composite membrane 575
- Compressed hydrogen  
the energy efficiency of onboard hydrogen storage 723
- Computer simulations  
first principles screening of destabilized metal hydrides for high capacity H<sub>2</sub> storage using scandium 23  
hydrogen in semiconductors and insulators 48  
nanostructured magnesium hydride for pilot tank development 52  
first-principles study on thermodynamical stability of metal borohydrides: Aluminum borohydride Al(BH<sub>4</sub>)<sub>3</sub> 310  
the importance of vibrations in modelling complex metal hydrides 455  
hydrogen-related defects in sodium alanate 459  
the defect structure with superabundant vacancies to be formed from fcc binary metal hydrides: Experiments and simulations 474
- Corrosion  
hydriding kinetics of an organic hydrogen getter-DPB 402  
photoelectrochemical study of hydrogen in oxide films of Zr based alloys for fuel cladding materials of light water reactors 635
- Cr addition  
effects of Cr addition on the microstructures and electrochemical performances of La–Mg–Ni system (PuNi<sub>3</sub>-type) hydrogen storage alloy 625
- Crystal structure  
deuterium site occupancies in Ce<sub>2</sub>Ni<sub>7</sub>D<sub>4</sub> and comparison with CeNi<sub>3</sub>D<sub>2.8</sub> 3  
LaMg<sub>2</sub>PdH<sub>7</sub>, a new complex metal hydride containing tetrahedral [PdH<sub>4</sub>]<sup>4-</sup> anions 34  
hydrogen absorption properties of the γ-Mg<sub>17</sub>Al<sub>12</sub> phase and its Al-rich domain 157  
hydrogen storage properties and structure of La<sub>1-x</sub>Mg<sub>x</sub>(Ni<sub>1-y</sub>Mn<sub>y</sub>)<sub>3</sub> intermetallics and their hydrides 166  
thermal decomposition of AlH<sub>3</sub> studied by *in situ* synchrotron X-ray diffraction and thermal desorption spectroscopy 280  
first-principles study on lithium and magnesium nitrogen hydrides for hydrogen storage 323  
dehydrating and rehydrating properties of Mg(NH<sub>2</sub>)<sub>2</sub>–LiH systems 328  
isotope effect on the thermodynamic and structural properties of Y<sub>1-y</sub>R<sub>y</sub>Fe<sub>2</sub>(H,D)<sub>x(γ)</sub> compounds (R = Tb, Er, Lu; 4.0 ≤ x(γ) ≤ 4.5) 419  
symmetry analysis of hydrogen related structural transformations in Laves phase intermetallic compounds 423  
the importance of vibrations in modelling complex metal hydrides 455  
resistivity changes in Cr/V(001) superlattices during hydrogen absorption 526  
pressure-induced structural change from hexagonal to fcc metal lattice in scandium trihydride 598  
high pressure synthesis and magnetic properties of Dy<sub>7</sub>Rh<sub>3</sub> and Tb<sub>7</sub>Rh<sub>3</sub> hydrides 610
- Crystal structure and symmetry  
crystal structure of the deuteride LaCu<sub>3</sub>D<sub>3.2</sub> studied by neutron powder diffraction 11  
thermodynamical stability and electronic structure of a perovskite-type hydride, NaMgH<sub>3</sub> 162
- Crystal structure of NaBeH<sub>3</sub> and Ca(BH<sub>4</sub>)<sub>2</sub>  
a new series of high hydrogen content hydrogen-storage materials—a theoretical prediction 44
- Cycle durability  
experimental and theoretical investigation of the cycle durability against CO and degradation mechanism of the LaNi<sub>5</sub> hydrogen storage alloy 208
- Cyclic stability  
Li–Mg–N–H: Recent investigations and development 336
- Density distribution of hydrogen  
lattice location of hydrogen in β<sub>1</sub>-V<sub>2</sub>H (tetragonal) 512
- Density functional theory  
a first-principles study of Sc-doped NaAlH<sub>4</sub> for reversible hydrogen storage 267  
on hydrogen storage in metal-decorated *trans*-polyacetylene 373
- DFT  
LiAl-substitution into the MgH<sub>2</sub> structure may improve the hydrogen storage processes 72
- Dielectric response  
effects of microwave irradiation on metal hydrides and complex hydrides 698
- Differential scanning calorimetry  
hydrogen desorption properties of MgH<sub>2</sub> nanocomposites with nano-oxides and Inco micrometric- and nanometric-Ni 63
- Diffraction  
neutron vibrational spectroscopy of the Pr<sub>2</sub>Fe<sub>17</sub>-based hydrides 504
- Diffusion  
nanostructured Mg–Mm–Ni hydrogen storage alloy: Structure–properties relationship 114  
solubility and diffusion of hydrogen in TiNi<sub>1-x</sub>Cu<sub>x</sub> (x = 0.2 and 0.4) shape memory alloys 204  
using density functional theory to study hydrogen diffusion in metals: A brief overview 462  
nuclear magnetic resonance studies of ball-milled hydrides 489  
rate of hydrogen motion in Ni-substituted LaNi<sub>5</sub>H<sub>x</sub> from NMR 495  
NMR to determine rates of motion and structures in metal-hydrides 499  
improvement of high temperature stability of Pd coating on Nb by intermediate layer comprising NbC and Nb<sub>2</sub>C 539  
hydrogen interactions with the PdCu ordered B2 alloy 583  
hydrogen diffusion and trapping process around MnS precipitates in αFe examined by tritium autoradiography 655
- Dioxide  
the effect of surface state on the kinetics of cerium-hydride formation 567
- Ductile-to-brittle transition  
enhanced hydrogen embrittlement of Pd-coated niobium metal membrane detected by *in situ* small punch test under hydrogen permeation 588
- Efficiency  
the energy efficiency of onboard hydrogen storage 723
- Elasticity  
studies on hydrogen loaded V–Fe8 at% films on Al<sub>2</sub>O<sub>3</sub> substrate 534
- Electrochemical hydrogen storage  
the electrochemistry and modelling of hydrogen storage materials 648
- Electrochemical performances  
effects of Cr addition on the microstructures and electrochemical performances of La–Mg–Ni system (PuNi<sub>3</sub>-type) hydrogen storage alloy 625  
investigation on the microstructure and electrochemical performances of as-cast and quenched La<sub>0.7</sub>Mg<sub>0.3</sub>Co<sub>0.45</sub>Ni<sub>2.55-x</sub>M<sub>x</sub> (M = Cu, Al, Mn; x = 0–0.4) electrode alloys 643

- Electrochemical properties  
 structure and electrochemical properties of composite electrodes synthesized by mechanical milling Ni-free TiMn<sub>2</sub>-based alloy with La-based alloys 614
- Electrochemical reactions  
 characterization of initial activation behavior for hydrogen storage alloys by acoustic emission technique 681
- Electrode properties  
 synthesis of composite Mg–Ni–Ca metal hydride by mechanical alloying 129
- Electromotive force  
 studies on hydrogen loaded V–Fe8 at% films on Al<sub>2</sub>O<sub>3</sub> substrate 534
- Electronic band structure  
 ab initio study of the hydrogenation properties of Mg-based binary and ternary compounds Mg<sub>2</sub>X (X = Ni, Si) and YMgNi<sub>4</sub> 90  
 first principles study of the destabilization of Li amide–imide reaction for hydrogen storage 319  
 hydrogen-related defects in sodium alanate 459  
 point defect dynamics in sodium aluminum hydrides—A combined quasielastic neutron scattering and density functional theory study 469  
 new insights from Raman and IR spectroscopy into the metal-insulator transition of YH<sub>x</sub> switchable mirrors 562
- Electronic properties  
 hydrogen in semiconductors and insulators 48  
 ab initio study of the hydrogenation properties of Mg-based binary and ternary compounds Mg<sub>2</sub>X (X = Ni, Si) and YMgNi<sub>4</sub> 90  
 first principles study of the destabilization of Li amide–imide reaction for hydrogen storage 319  
 hydrogen ordering induced resistivity anomalies in the superstoichiometric light rare-earth dihydrides 429
- Electronic structure  
 La(TM)<sub>5</sub> hydrides (TM = Fe, Co, Ni): Theoretical perspectives 188
- Electronic transport  
 phase boundary study of Pd–H(D) systems by means of electrical resistivity measurements 436  
 optical and electrical properties of holmium thin films as a function of hydrogen concentration 522
- Electron–phonon interactions  
 new insights from Raman and IR spectroscopy into the metal-insulator transition of YH<sub>x</sub> switchable mirrors 562  
 photoelectrochemical study of hydrogen in oxide films of Zr based alloys for fuel cladding materials of light water reactors 635
- Element substitution  
 investigation on the microstructure and electrochemical performances of as-cast and quenched La<sub>0.7</sub>Mg<sub>0.3</sub>Co<sub>0.45</sub>Ni<sub>2.55–x</sub>M<sub>x</sub> (M = Cu, Al, Mn; x = 0–0.4) electrode alloys 643
- Energy density analysis  
 energy density analysis of the chemical bond between atoms in perovskite-type hydrides 96
- Energy storage materials  
 kinetics and thermodynamics of the aluminum hydride polymorphs 271  
 intermediate phases observed during decomposition of LiBH<sub>4</sub> 301  
 first-principles study on lithium and magnesium nitrogen hydrides for hydrogen storage 323  
 inelastic neutron scattering of H<sub>2</sub> adsorbed on boron substituted single walled carbon nanotubes 368  
 inelastic neutron scattering of H<sub>2</sub> adsorbed in HKUST-1 385  
 design, fabrication and testing of NaAlH<sub>4</sub> based hydrogen storage systems 707
- Enthalpy  
 La(TM)<sub>5</sub> hydrides (TM = Fe, Co, Ni): Theoretical perspectives 188  
 first-principles study on lithium and magnesium nitrogen hydrides for hydrogen storage 323
- EXAFS  
 on the local structure of Ti during in situ desorption of Ti(OBu)<sub>4</sub> and TiCl<sub>3</sub> doped NaAlH<sub>4</sub> 232  
 characterization of titanium based catalysts in the Li–N–H hydrogen storage system by X-ray absorption spectroscopy 360
- Ferritic steel  
 hydrogen diffusion and trapping process around MnS precipitates in αFe examined by tritium autoradiography 655
- First-principal calculation  
 experimental and theoretical investigation of the cycle durability against CO and degradation mechanism of the LaNi<sub>5</sub> hydrogen storage alloy 208
- First-principles calculation  
 hydriding and dehydriding properties of Ca–Si–X 15  
 Raman scattering and lattice stability of NaAlH<sub>4</sub> and Na<sub>3</sub>AlH<sub>6</sub> 242  
 first-principles study on lithium and magnesium nitrogen hydrides for hydrogen storage 323
- Fuel cells  
 operation of a PEM fuel cell with LaNi<sub>4.8</sub>Sn<sub>0.2</sub> hydride beds 676
- Fullerenes  
 comparison of hydrogen adsorption on nanoporous materials 380
- Gas–solid reactions  
 crystal structure of the deuteride LaCu<sub>5</sub>D<sub>3.2</sub> studied by neutron powder diffraction 11  
 nanostructured Mg–Mm–Ni hydrogen storage alloy: Structure–properties relationship 114  
 hydrogen absorption properties of the γ-Mg<sub>17</sub>Al<sub>12</sub> phase and its Al-rich domain 157  
 hydrogen storage properties and structure of La<sub>1–x</sub>Mg<sub>x</sub>(Ni<sub>1–y</sub>Mn<sub>y</sub>)<sub>3</sub> intermetallics and their hydrides 166  
 hydriding combustion synthesis of TiFe 195  
 NMR studies of the aluminum hydride phases and their stabilities 290  
 dehydriding and rehydriding properties of Mg(NH<sub>2</sub>)<sub>2</sub>–LiH systems 328  
 hydriding kinetics of an organic hydrogen getter-DPB 402  
 hydrogen desorption from pure titanium with different concentration levels of hydrogen 447  
 neutron vibrational spectroscopy of the Pr<sub>2</sub>Fe<sub>17</sub>-based hydrides 504  
 effects of O<sub>2</sub> and H<sub>2</sub>O preadsorptions on the H<sub>2</sub> reactivity with the Cr surface 555  
 synthesis and properties of AB<sub>5</sub>-type hydrides at elevated pressures 603  
 deuterium, tritium, and helium desorption from aged titanium tritides 670  
 operation of a PEM fuel cell with LaNi<sub>4.8</sub>Sn<sub>0.2</sub> hydride beds 676  
 accuracy in hydrogen sorption measurements 687  
 effects of microwave irradiation on metal hydrides and complex hydrides 698  
 development of a high-pressure microbalance for hydrogen storage materials 703  
 performance and degradation of gas-gap heat switches in hydride compressor beds 713  
 preparation of Ni–Al alloys at reduced temperature for fuel cell applications 733
- Graphite  
 mechanical alloying of graphite and magnesium powders, and their hydrogenation 110
- <sup>3</sup>He  
<sup>3</sup>He retention in LaNi<sub>5</sub> and Pd tritides: Dependence on stoichiometry, <sup>3</sup>He distribution and aging effects 660
- Heat capacity  
 5f Magnetism studied in complex intermetallic U-based hydrides 606
- Heat conduction  
 the effects of phase transformation on the heat conduction of hafnium hydrides 439
- High energy ball milling  
 ultrasmall-angle X-ray scattering (USAXS) studies of morphological trends in high energy milled NaAlH<sub>4</sub> powders 248
- High pressure of hydrogen  
 structure, chemical bonds and anisotropy in hydrides IMC with CeNi<sub>3</sub> and PuNi<sub>3</sub> structure 28
- High rate dischargeability  
 the effects of the substitution of Ti and La for Zr in ZrMn<sub>0.7</sub>V<sub>0.2</sub>Co<sub>0.1</sub>Ni<sub>1.2</sub> hydrogen storage alloys on the phase structure and electrochemical properties 630

- High temperature alloys  
preparation of Ni–Al alloys at reduced temperature for fuel cell applications 733
- High throughput characterization  
high throughput screening of the ternary  $\text{LiNH}_2$ – $\text{MgH}_2$ – $\text{LiBH}_4$  phase diagram 355
- High-energy ball milling  
H-sorption behaviour of mechanically activated Mg–Zn powders 173  
point defect dynamics in sodium aluminum hydrides—A combined quasielastic neutron scattering and density functional theory study 469
- High-pressure  
high-pressure synthesis of novel hydride in Mg–Ni–H and Mg–Ni–Cu–H systems 142  
neutron spectroscopy study of single-walled carbon nanotubes hydrogenated under high pressure 389  
*ab initio* prediction of high-pressure structural phase transition in  $\text{BaH}_2$  405  
the defect structure with superabundant vacancies to be formed from fcc binary metal hydrides: Experiments and simulations 474  
pressure induced phase transformation of  $\text{REH}_3$  593  
pressure-induced structural change from hexagonal to fcc metal lattice in scandium trihydride 598  
synthesis and properties of  $\text{AB}_5$ -type hydrides at elevated pressures 603  
development of a high-pressure microbalance for hydrogen storage materials 703
- High-pressure synthesis  
novel hydrides in Mg–TM systems synthesized by high pressure (TM = Zr, Nb, Hf and Ta) 6
- High-throughput characterization  
high-throughput characterization of hydrogen storage materials using thin films on micromachined Si substrates 516
- Hydrides  
structure, chemical bonds and anisotropy in hydrides IMC with  $\text{CeNi}_3$  and  $\text{PuNi}_3$  structure 28  
specific heat of  $\text{YMn}_2\text{H}_x$  and  $\text{HoMn}_2\text{H}_x$  415  
investigation of  $\text{ZrMn}_{2+x}\text{H}_2$  by means of calorimetric method 443  
design, fabrication and testing of  $\text{NaAlH}_4$  based hydrogen storage systems 707
- Hydriding kinetics  
the effect of surface state on the kinetics of cerium-hydride formation 567
- Hydrogen  
resistivity changes in  $\text{Cr/V}(001)$  superlattices during hydrogen absorption 526  
hydrogen uptake in Mg:C thin films 530  
hydrogen diffusion and trapping process around MnS precipitates in  $\alpha\text{Fe}$  examined by tritium autoradiography 655
- Hydrogen absorbing materials  
first principles screening of destabilized metal hydrides for high capacity  $\text{H}_2$  storage using scandium 23  
hydrogen storage properties in a composite of lithium hydride and boron nitride with hydrocarbon groups 39  
hydrogen in semiconductors and insulators 48  
nanostructured magnesium hydride for pilot tank development 52  
hydrogen desorption properties of  $\text{MgH}_2$  nanocomposites with nano-oxides and Inco micrometric- and nanometric-Ni 63  
hydrogen absorption kinetics of the catalyzed  $\text{MgH}_2$  by niobium oxide 67  
*ab initio* study of the hydrogenation properties of Mg-based binary and ternary compounds  $\text{Mg}_2\text{X}$  (X = Ni, Si) and  $\text{YMgNi}_4$  90  
nanostructured Mg–Mm–Ni hydrogen storage alloy: Structure–properties relationship 114  
hydrogen absorption in Mg–Y–Zn ternary compounds 134  
hydrogen storage  $\text{Mg}_2\text{Ni}$  alloy produced by induction field activated combustion synthesis 138  
synthesis of CaMg-based bcc alloys and their hydrogenation properties 152  
the effect of solidification rate on microstructural evolution of a melt-spun Mg–20Ni–8Mm hydrogen storage alloy 178  
metallography and hydrogenation behaviour of the alloy Mg–72 mass%–Ni–20 mass%–La–8 mass% 183  
 $\text{La}(\text{TM})_5$  hydrides (TM = Fe, Co, Ni): Theoretical perspectives 188  
solubility and diffusion of hydrogen in  $\text{TiNi}_{1-x}\text{Cu}_x$  ( $x = 0.2$  and  $0.4$ ) shape memory alloys 204  
application of pressure programmed absorption and desorption to characterize hydriding and dehydriding kinetics of  $\text{LaNi}_5$  during activation 224  
dynamics of defects in alanates 260  
thermal properties of  $\text{AlH}_3$ -etherate and its desolvation reaction into  $\text{AlH}_3$  276  
thermal decomposition of  $\text{AlH}_3$  studied by *in situ* synchrotron X-ray diffraction and thermal desorption spectroscopy 280  
thermodynamical stabilities of metal-borohydrides 296  
materials designing of metal borohydrides: Viewpoints from thermodynamical stabilities 315  
first principles study of the destabilization of Li amide–imide reaction for hydrogen storage 319  
quantity of  $\text{NH}_3$  desorption from the Li–N–H hydrogen storage system examined by Fourier transform infrared spectroscopy 342  
high throughput screening of the ternary  $\text{LiNH}_2$ – $\text{MgH}_2$ – $\text{LiBH}_4$  phase diagram 355  
characterization of titanium based catalysts in the Li–N–H hydrogen storage system by X-ray absorption spectroscopy 360  
H(D)-lattice interactions in single wall carbon nanotubes 376  
comparison of hydrogen adsorption on nanoporous materials 380  
a high-resolution neutron scattering study of the hydrogen-driven metal-insulator phase transition in  $\text{KC}_8\text{H}_x$  397  
hydriding kinetics of an organic hydrogen getter-DPB 402  
thermodynamic destabilization and reaction kinetics in light metal hydride systems 409  
hydrogen ordering induced resistivity anomalies in the superstoichiometric light rare-earth dihydrides 429  
studies on hydrogen loaded V–Fe8 at% films on  $\text{Al}_2\text{O}_3$  substrate 534  
improvement of high temperature stability of Pd coating on Nb by intermediate layer comprising NbC and  $\text{Nb}_2\text{C}$  539  
effects of  $\text{O}_2$  and  $\text{H}_2\text{O}$  preadsorptions on the  $\text{H}_2$  reactivity with the Cr surface 555  
phase stabilities of Pd-based alloys for membranes for hydrogen gas separation: A statistical thermodynamics approach 571  
5f Magnetism studied in complex intermetallic U-based hydrides 606  
deuterium, tritium, and helium desorption from aged titanium tritides 670  
accuracy in hydrogen sorption measurements 687  
Sieverts apparatus and methodology for accurate determination of hydrogen uptake by light-atom hosts 692  
effects of microwave irradiation on metal hydrides and complex hydrides 698  
development of a high-pressure microbalance for hydrogen storage materials 703  
the Planck sorption cooler: Using metal hydrides to produce 20 K 718
- Hydrogen adsorbing materials  
hydrogen interactions with the PdCu ordered B2 alloy 583
- Hydrogen desorption kinetics  
the hydrogen desorption kinetics of  $\text{Mg}_{0.9-x}\text{Ti}_{0.1}\text{Pd}_x\text{Ni}$  ( $x = 0.04, 0.06, 0.08, 0.1$ ) electrode alloys 121
- Hydrogen embrittlement  
enhanced hydrogen embrittlement of Pd-coated niobium metal membrane detected by *in situ* small punch test under hydrogen permeation 588
- Hydrogen generation  
a portable hydrogen generation system: Catalytic hydrolysis of ammonia–borane 729
- Hydrogen permeable metal membrane  
enhanced hydrogen embrittlement of Pd-coated niobium metal membrane detected by *in situ* small punch test under hydrogen permeation 588
- Hydrogen permeation  
effect of  $\text{H}_2\text{S}$  on hydrogen permeation of  $\text{Pd}_{60}\text{Cu}_{40}/\text{V}$ –15Ni composite membrane 575  
microfabricated Pd and Pd–25Ag alloy membranes 579

- Hydrogen storage
- LiAl-substitution into the  $\text{MgH}_2$  structure may improve the hydrogen storage processes 72
  - structure and hydrogenation properties of the ternary alloys  $\text{Ca}_{2-x}\text{Mg}_x\text{Si}$  ( $0 \leq x \leq 1$ ) 101
  - mechanical alloying of graphite and magnesium powders, and their hydrogenation 110
  - on the local structure of Ti during in situ desorption of  $\text{Ti}(\text{OBU})_4$  and  $\text{TiCl}_3$  doped  $\text{NaAlH}_4$  232
  - a first-principles study of Sc-doped  $\text{NaAlH}_4$  for reversible hydrogen storage 267
  - reaction steps in the Li–Mg–N–H hydrogen storage system 332
  - Li–Mg–N–H: Recent investigations and development 336
  - hydrogen storage properties of  $2\text{LiNH}_2 + \text{LiBH}_4 + \text{MgH}_2$  345
  - on hydrogen storage in metal-decorated *trans*-polyacetylene 373
  - high-throughput characterization of hydrogen storage materials using thin films on micromachined Si substrates 516
  - the energy efficiency of onboard hydrogen storage 723
- Hydrogen storage alloy electrodes
- structure and electrochemical properties of composite electrodes synthesized by mechanical milling Ni-free  $\text{TiMn}_2$ -based alloy with La-based alloys 614
- Hydrogen storage alloys
- the hydrogen desorption kinetics of  $\text{Mg}_{0.9-x}\text{Ti}_{0.1}\text{Pd}_x\text{Ni}$  ( $x = 0.04, 0.06, 0.08, 0.1$ ) electrode alloys 121
  - stacking structures and electrode performances of rare earth–Mg–Ni-based alloys for advanced nickel–metal hydride battery 620
- Hydrogen storage materials
- crystal structure of the deuteride  $\text{LaCu}_5\text{D}_{3.2}$  studied by neutron powder diffraction 11
  - hydriding and dehydriding properties of Ca–Si–X 15
  - a new series of high hydrogen content hydrogen-storage materials—A theoretical prediction 44
  - enhanced hydrogen reaction kinetics of nanostructured Mg-based composites with nanoparticle metal catalysts dispersed on supports 84
  - study of  $\text{Mg}_6\text{Pd}$  alloy synthesized by cold rolling 147
  - thermodynamical stability and electronic structure of a perovskite-type hydride,  $\text{NaMgH}_3$  162
  - H-sorption behaviour of mechanically activated Mg–Zn powders 173
  - hydrogen absorption of TiFe alloy synthesized by ball milling and post-annealing 200
  - experimental and theoretical investigation of the cycle durability against CO and degradation mechanism of the  $\text{LaNi}_5$  hydrogen storage alloy 208
  - synthesis and dehydrogenation of  $\text{M}(\text{AlH}_4)_2$  ( $\text{M} = \text{Mg}, \text{Ca}$ ) 237
  - Raman scattering and lattice stability of  $\text{NaAlH}_4$  and  $\text{Na}_3\text{AlH}_6$  242
  - direct synthesis and NMR characterization of calcium alanate 264
  - kinetics and thermodynamics of the aluminum hydride polymorphs 271
  - NMR studies of the aluminum hydride phases and their stabilities 290
  - thermal analysis on the Li–Mg–B–H systems 306
  - dehydriding and rehydriding properties of  $\text{Mg}(\text{NH}_2)_2$ –LiH systems 328
  - synthesis and characterization of amide–borohydrides: New complex light hydrides for potential hydrogen storage 350
  - inelastic neutron scattering of  $\text{H}_2$  adsorbed on boron substituted single walled carbon nanotubes 368
  - inelastic neutron scattering of  $\text{H}_2$  adsorbed in HKUST-1 385
  - dihydrogen in zeolite CaX—An inelastic neutron scattering study 393
  - phase boundary study of Pd–H(D) systems by means of electrical resistivity measurements 436
  - the effects of phase transformation on the heat conduction of hafnium hydrides 439
  - hydrogen-related defects in sodium alanate 459
  - point defect dynamics in sodium aluminum hydrides—A combined quasielastic neutron scattering and density functional theory study 469
  - neutron vibrational spectroscopy of the  $\text{Pr}_2\text{Fe}_{17}$ -based hydrides 504
  - optical and electrical properties of holmium thin films as a function of hydrogen concentration 522
  - hydrogen storage properties of Mg/Cu and Mg/Pd laminate composites and metallographic structure 543
  - operation of a PEM fuel cell with  $\text{LaNi}_{4.8}\text{Sn}_{0.2}$  hydride beds 676
  - characterization of initial activation behavior for hydrogen storage alloys by acoustic emission technique 681
  - performance and degradation of gas-gap heat switches in hydride compressor beds 713
  - the Planck sorption cooler: Using metal hydrides to produce 20 K 718
- Hydrogen sulfide
- effect of  $\text{H}_2\text{S}$  on hydrogen permeation of  $\text{Pd}_{60}\text{Cu}_{40}/\text{V}-15\text{Ni}$  composite membrane 575
- Hydrolysis
- a portable hydrogen generation system: Catalytic hydrolysis of ammonia–borane 729
- Inelastic neutron scattering
- neutron spectroscopy study of single-walled carbon nanotubes hydrogenated under high pressure 389
  - anharmonicity of optical hydrogen vibrations in RhH 508
- Inelastic neutron scattering spectroscopy
- dihydrogen in zeolite CaX—An inelastic neutron scattering study 393
- Inorganic materials
- first-principles study on thermodynamical stability of metal borohydrides: Aluminum borohydride  $\text{Al}(\text{BH}_4)_3$  310
- Intermetallic compounds
- investigation of  $\text{ZrMn}_{2+x}\text{-H}_2$  by means of calorimetric method 443
- Intermetallic compounds (IMC)
- structure, chemical bonds and anisotropy in hydrides IMC with  $\text{CeNi}_3$  and  $\text{PuNi}_3$  structure 28
- Intermetallics
- crystal structure of the deuteride  $\text{LaCu}_5\text{D}_{3.2}$  studied by neutron powder diffraction 11
  - study of  $\text{Mg}_6\text{Pd}$  alloy synthesized by cold rolling 147
  - hydrogen absorption properties of the  $\gamma\text{-Mg}_{17}\text{Al}_{12}$  phase and its Al-rich domain 157
  - hydrogen absorption of TiFe alloy synthesized by ball milling and post-annealing 200
  - a comparison of the evolution during the mechanical alloying of both a  $\text{MmNi}_5\text{-Ni}$  and a  $\text{Mm-Ni}$  mixtures: Stages of milling and microstructural characterization 212
  - relationship between microstructure and hydrogenation properties of  $\text{Ti}_{0.85}\text{Zr}_{0.15}\text{Mn}_{1.5}\text{V}_{0.5}$  alloy 218
  - isotope effect on the thermodynamic and structural properties of  $\text{Y}_{1-x}\text{R}_x\text{Fe}_2(\text{H,D})_{x(\gamma)}$  compounds ( $\text{R} = \text{Tb}, \text{Er}, \text{Lu}; 4.0 \leq x(\gamma) \leq 4.5$ ) 419
  - operation of a PEM fuel cell with  $\text{LaNi}_{4.8}\text{Sn}_{0.2}$  hydride beds 676
  - performance and degradation of gas-gap heat switches in hydride compressor beds 713
  - the Planck sorption cooler: Using metal hydrides to produce 20 K 718
  - preparation of Ni–Al alloys at reduced temperature for fuel cell applications 733
- Interstitial alloys
- neutron vibrational spectroscopy of the  $\text{Pr}_2\text{Fe}_{17}$ -based hydrides 504
  - anharmonicity of optical hydrogen vibrations in RhH 508
  - phase stabilities of Pd-based alloys for membranes for hydrogen gas separation: A statistical thermodynamics approach 571
- Isotherm
- structure and hydrogenation properties of the ternary alloys  $\text{Ca}_{2-x}\text{Mg}_x\text{Si}$  ( $0 \leq x \leq 1$ ) 101
- Kinetics
- hydrogen desorption properties of  $\text{MgH}_2$  nanocomposites with nano-oxides and Inco micrometric- and nanometric-Ni 63
  - hydrogen absorption kinetics of the catalyzed  $\text{MgH}_2$  by niobium oxide 67
  - reversible hydrogen storage in  $\text{Mg}_2\text{CoH}_5$  prepared by a combined milling–sintering procedure 106
  - hydriding kinetics of an organic hydrogen getter-DPB 402

- effects of O<sub>2</sub> and H<sub>2</sub>O preadsorptions on the H<sub>2</sub> reactivity with the Cr surface 555
- design, fabrication and testing of NaAlH<sub>4</sub> based hydrogen storage systems 707
- La–Mg–Ni system electrode alloy
- investigation on the microstructure and electrochemical performances of as-cast and quenched La<sub>0.7</sub>Mg<sub>0.3</sub>Co<sub>0.45</sub>Ni<sub>2.55-x</sub>M<sub>x</sub> (M = Cu, Al, Mn; x = 0–0.4) electrode alloys 643
- La–Mg–Ni-system hydrogen storage alloy
- effects of Cr addition on the microstructures and electrochemical performances of La–Mg–Ni system (PuNi<sub>3</sub>-type) hydrogen storage alloy 625
- Laminate composite
- hydrogen storage properties of Mg/Cu and Mg/Pd laminate composites and metallographic structure 543
- LaNi<sub>5</sub>
- <sup>3</sup>He retention in LaNi<sub>5</sub> and Pd tritides: Dependence on stoichiometry, <sup>3</sup>He distribution and aging effects 660
- Lattice gas model
- the electrochemistry and modelling of hydrogen storage materials 648
- Lattice location of hydrogen
- lattice location of hydrogen in β<sub>1</sub>-V<sub>2</sub>H (tetragonal) 512
- LiAl-substitution
- LiAl-substitution into the MgH<sub>2</sub> structure may improve the hydrogen storage processes 72
- LiBH<sub>4</sub>
- hydrogen storage properties of 2LiNH<sub>2</sub> + LiBH<sub>4</sub> + MgH<sub>2</sub> 345
- Li<sub>2</sub>Mg(NH)<sub>2</sub>
- hydrogen storage properties of 2LiNH<sub>2</sub> + LiBH<sub>4</sub> + MgH<sub>2</sub> 345
- Li<sub>3</sub>N
- phase evolution of Li<sub>2</sub>ND, LiD and LiND<sub>2</sub> in hydriding/dehydriding of Li<sub>3</sub>N 363
- Li<sub>2</sub>NH
- phase evolution of Li<sub>2</sub>ND, LiD and LiND<sub>2</sub> in hydriding/dehydriding of Li<sub>3</sub>N 363
- LiNH<sub>2</sub>
- reaction steps in the Li–Mg–N–H hydrogen storage system 332
  - hydrogen storage properties of 2LiNH<sub>2</sub> + LiBH<sub>4</sub> + MgH<sub>2</sub> 345
  - phase evolution of Li<sub>2</sub>ND, LiD and LiND<sub>2</sub> in hydriding/dehydriding of Li<sub>3</sub>N 363
- Liquid hydrogen
- the energy efficiency of onboard hydrogen storage 723
- Liquid–solid reactions
- thermal analysis on the Li–Mg–B–H systems 306
  - pressure-induced structural change from hexagonal to fcc metal lattice in scandium trihydride 598
- Localized hydrogen motion
- point defect dynamics in sodium aluminum hydrides—A combined quasielastic neutron scattering and density functional theory study 469
- Magnesium
- novel hydrides in Mg–TM systems synthesized by high pressure (TM = Zr, Nb, Hf and Ta) 6
  - mechanical alloying of graphite and magnesium powders, and their hydrogenation 110
  - study of Mg<sub>6</sub>Pd alloy synthesized by cold rolling 147
  - hydrogen uptake in Mg:C thin films 530
  - hydrogen storage properties of Mg/Cu and Mg/Pd laminate composites and metallographic structure 543
- Magnesium alanate
- synthesis and dehydrogenation of M(AlH<sub>4</sub>)<sub>2</sub> (M = Mg, Ca) 237
- Magnesium alloys
- metallography and hydrogenation behaviour of the alloy Mg-72 mass%–Ni-20 mass%–La-8 mass% 183
- Magnesium hydride
- enhanced hydrogen reaction kinetics of nanostructured Mg-based composites with nanoparticle metal catalysts dispersed on supports 84
- Magnetic properties
- specific heat of YMn<sub>2</sub>H<sub>x</sub> and HoMn<sub>2</sub>H<sub>x</sub> 415
  - high pressure synthesis and magnetic properties of Dy<sub>7</sub>Rh<sub>3</sub> and Tb<sub>7</sub>Rh<sub>3</sub> hydrides 610
- Magnetically ordered materials
- neutron vibrational spectroscopy of the Pr<sub>2</sub>Fe<sub>17</sub>-based hydrides 504
- Magnetisation
- 5f Magnetism studied in complex intermetallic U-based hydrides 606
- Manganese sulfide
- hydrogen diffusion and trapping process around MnS precipitates in αFe examined by tritium autoradiography 655
- Mechanical alloying
- nanostructured magnesium hydride for pilot tank development 52
  - reversible hydrogen storage in Mg<sub>2</sub>CoH<sub>5</sub> prepared by a combined milling-sintering procedure 106
  - mechanical alloying of graphite and magnesium powders, and their hydrogenation 110
  - synthesis of CaMg-based bcc alloys and their hydrogenation properties 152
  - hydrogen absorption properties of the γ-Mg<sub>17</sub>Al<sub>12</sub> phase and its Al-rich domain 157
  - thermodynamical stability and electronic structure of a perovskite-type hydride, NaMgH<sub>3</sub> 162
  - hydrogen absorption of TiFe alloy synthesized by ball milling and post-annealing 200
  - a comparison of the evolution during the mechanical alloying of both a MmNi<sub>5</sub>–Ni and a Mm–Ni mixtures: Stages of milling and microstructural characterization 212
  - relationship between microstructure and hydrogenation properties of Ti<sub>0.85</sub>Zr<sub>0.15</sub>Mn<sub>1.5</sub>V<sub>0.5</sub> alloy 218
  - thermodynamical stabilities of metal-borohydrides 296
  - materials designing of metal borohydrides: Viewpoints from thermodynamical stabilities 315
  - high throughput screening of the ternary LiNH<sub>2</sub>–MgH<sub>2</sub>–LiBH<sub>4</sub> phase diagram 355
- Mechanical milling
- structure and electrochemical properties of composite electrodes synthesized by mechanical milling Ni-free TiMn<sub>2</sub>-based alloy with La-based alloys 614
- Mechanical property
- nanoindentation studies of high-temperature oxidized Zircaloy-4 with and without hydrogen 639
- Mechanochemical processing
- hydrogen desorption properties of MgH<sub>2</sub> nanocomposites with nano-oxides and Inco micrometric- and nanometric-Ni 63
  - quantity of NH<sub>3</sub> desorption from the Li–N–H hydrogen storage system examined by Fourier transform infrared spectroscopy 342
  - design, fabrication and testing of NaAlH<sub>4</sub> based hydrogen storage systems 707
- Mechanochemical synthesis
- direct synthesis and NMR characterization of calcium alanate 264
- Metal hydrides
- deuterium site occupancies in Ce<sub>2</sub>Ni<sub>7</sub>D<sub>~4</sub> and comparison with CeNi<sub>3</sub>D<sub>2.8</sub> 3
  - first principles screening of destabilized metal hydrides for high capacity H<sub>2</sub> storage using scandium 23
  - LaMg<sub>2</sub>PdH<sub>7</sub>, a new complex metal hydride containing tetrahedral [PdH<sub>4</sub>]<sup>4-</sup> anions 34
  - nanostructured magnesium hydride for pilot tank development 52
  - catalytic properties on the hydrogen desorption process of metallic additives dispersed in the MgH<sub>2</sub> matrix 58
  - hydrogen storage property of MgH<sub>2</sub> synthesized by hydriding chemical vapor deposition 80
  - ab initio study of the hydrogenation properties of Mg-based binary and ternary compounds Mg<sub>2</sub>X (X = Ni, Si) and YMgNi<sub>4</sub> 90
  - reversible hydrogen storage in Mg<sub>2</sub>CoH<sub>5</sub> prepared by a combined milling-sintering procedure 106
  - Mg<sub>3</sub>Mm compound based hydrogen storage materials 124
  - synthesis of composite Mg–Ni–Ca metal hydride by mechanical alloying 129
  - high-pressure synthesis of novel hydride in Mg–Ni–H and Mg–Ni–Cu–H systems 142

- hydrogen absorption properties of the  $\gamma$ -Mg<sub>17</sub>Al<sub>12</sub> phase and its Al-rich domain 157
- hydrogen storage properties and structure of La<sub>1-x</sub>Mg<sub>x</sub>(Ni<sub>1-y</sub>Mn<sub>y</sub>)<sub>3</sub> intermetallics and their hydrides 166
- metallography and hydrogenation behaviour of the alloy Mg-72 mass%-Ni-20 mass%-La-8 mass% 183
- La(TM)<sub>5</sub> hydrides (TM = Fe, Co, Ni): Theoretical perspectives 188
- hydriding combustion synthesis of TiFe 195
- relationship between microstructure and hydrogenation properties of Ti<sub>0.85</sub>Zr<sub>0.15</sub>Mn<sub>1.5</sub>V<sub>0.5</sub> alloy 218
- application of pressure programmed absorption and desorption to characterize hydriding and dehydriding kinetics of LaNi<sub>3</sub> during activation 224
- hydrogen storage properties of Na–Li–Mg–Al–H complex hydrides 228
- on the local structure of Ti during in situ desorption of Ti(OBu)<sub>4</sub> and TiCl<sub>3</sub> doped NaAlH<sub>4</sub> 232
- ultrasmall-angle X-ray scattering (USAXS) studies of morphological trends in high energy milled NaAlH<sub>4</sub> powders 248
- Ti EELS standards for identification of catalytic species in NaAlH<sub>4</sub> hydrogen storage materials 255
- ab initio* prediction of high-pressure structural phase transition in BaH<sub>2</sub> 405
- thermodynamic destabilization and reaction kinetics in light metal hydride systems 409
- isotope effect on the thermodynamic and structural properties of Y<sub>1-y</sub>R<sub>y</sub>Fe<sub>2</sub>(H,D)<sub>x(γ)</sub> compounds (R = Tb, Er, Lu; 4.0 ≤ x(γ) ≤ 4.5) 419
- symmetry analysis of hydrogen related structural transformations in Laves phase intermetallic compounds 423
- hydrogen desorption from pure titanium with different concentration levels of hydrogen 447
- effect of Nb addition on the terminal solid solubility of hydrogen for Zr and Zircaloy-4 451
- using density functional theory to study hydrogen diffusion in metals: A brief overview 462
- hydrogen-induced defects in niobium 479
- positron annihilation study of hydrogen trapping at open-volume defects: Comparison of nanocrystalline and epitaxial Nb thin films 484
- nuclear magnetic resonance studies of ball-milled hydrides 489
- rate of hydrogen motion in Ni-substituted LaNi<sub>3</sub>H<sub>x</sub> from NMR 495
- NMR to determine rates of motion and structures in metal-hydrides 499
- hydrogen-related surface modifications of 20 nm thin straight-sided niobium nano-wires and niobium meander-films 549
- pressure-induced structural change from hexagonal to fcc metal lattice in scandium trihydride 598
- synthesis and properties of AB<sub>5</sub>-type hydrides at elevated pressures 603
- high pressure synthesis and magnetic properties of Dy<sub>7</sub>Rh<sub>3</sub> and Tb<sub>7</sub>Rh<sub>3</sub> hydrides 610
- the electrochemistry and modelling of hydrogen storage materials 648
- accuracy in hydrogen sorption measurements 687
- development of a high-pressure microbalance for hydrogen storage materials 703
- the Planck sorption cooler: Using metal hydrides to produce 20 K 718
- the energy efficiency of onboard hydrogen storage 723
- Metal silicides
- hydriding and dehydriding properties of Ca–Si–X 15
- Metal-amide-hydride
- Li–Mg–N–H: Recent investigations and development 336
- Metallography
- metallography and hydrogenation behaviour of the alloy Mg-72 mass%-Ni-20 mass%-La-8 mass% 183
- Metals
- the defect structure with superabundant vacancies to be formed from fcc binary metal hydrides: Experiments and simulations 474
- a portable hydrogen generation system: Catalytic hydrolysis of ammonia-borane 729
- Metals and alloys
- using density functional theory to study hydrogen diffusion in metals: A brief overview 462
- hydrogen interactions with the PdCu ordered B2 alloy 583
- Mg-based alloys
- the electrochemistry and modelling of hydrogen storage materials 648
- MgH<sub>2</sub>
- LiAl-substitution into the MgH<sub>2</sub> structure may improve the hydrogen-storage processes 72
- hydrogen storage properties of 2LiNH<sub>2</sub> + LiBH<sub>4</sub> + MgH<sub>2</sub> 345
- Mg–Hf–H
- novel hydrides in Mg–TM systems synthesized by high pressure (TM = Zr, Nb, Hf and Ta) 6
- Mg–Nb–H
- novel hydrides in Mg–TM systems synthesized by high pressure (TM = Zr, Nb, Hf and Ta) 6
- Mg(NH<sub>2</sub>)<sub>2</sub>
- reaction steps in the Li–Mg–N–H hydrogen storage system 332
- Mg–Ta–H
- novel hydrides in Mg–TM systems synthesized by high pressure (TM = Zr, Nb, Hf and Ta) 6
- Mg–Zr–H
- novel hydrides in Mg–TM systems synthesized by high pressure (TM = Zr, Nb, Hf and Ta) 6
- Microstructures
- hydrogen storage property of MgH<sub>2</sub> synthesized by hydriding chemical vapor deposition 80
- the effect of solidification rate on microstructural evolution of a melt-spun Mg–20Ni–8Mm hydrogen storage alloy 178
- effects of Cr addition on the microstructures and electrochemical performances of La–Mg–Ni system (PuNi<sub>3</sub>-type) hydrogen storage alloy 625
- nanindentation studies of high-temperature oxidized Zircaloy-4 with and without hydrogen 639
- investigation on the microstructure and electrochemical performances of as-cast and quenched La<sub>0.7</sub>Mg<sub>0.3</sub>Co<sub>0.45</sub>Ni<sub>2.55-x</sub>M<sub>x</sub> (M = Cu, Al, Mn; x = 0–0.4) electrode alloys 643
- Multi-phase structure
- stacking structures and electrode performances of rare earth–Mg–Ni-based alloys for advanced nickel–metal hydride battery 620
- Nanostructured materials
- hydrogen storage properties in a composite of lithium hydride and boron nitride with hydrocarbon groups 39
- hydrogen storage property of MgH<sub>2</sub> synthesized by hydriding chemical vapor deposition 80
- inelastic neutron scattering of H<sub>2</sub> adsorbed on boron substituted single walled carbon nanotubes 368
- H(D)-lattice interactions in single wall carbon nanotubes 376
- neutron spectroscopy study of single-walled carbon nanotubes hydrogenated under high pressure 389
- thermodynamic destabilization and reaction kinetics in light metal hydride systems 409
- nuclear magnetic resonance studies of ball-milled hydrides 489
- hydrogen-related surface modifications of 20 nm thin straight-sided niobium nano-wires and niobium meander-films 549
- accuracy in hydrogen sorption measurements 687
- Neutron diffraction
- structure of amorphous CeFe<sub>2</sub>D<sub>3.9</sub> observed by X-ray and neutron diffraction 19
- structure, chemical bonds and anisotropy in hydrides IMC with CeNi<sub>3</sub> and PuNi<sub>3</sub> structure 28
- structure and hydrogenation properties of the ternary alloys Ca<sub>2-x</sub>Mg<sub>x</sub>Si (0 ≤ x ≤ 1) 101
- hydrogen storage properties and structure of La<sub>1-x</sub>Mg<sub>x</sub>(Ni<sub>1-y</sub>Mn<sub>y</sub>)<sub>3</sub> intermetallics and their hydrides 166
- phase evolution of Li<sub>2</sub>ND, LiD and LiND<sub>2</sub> in hydriding/dehydriding of Li<sub>3</sub>N 363
- a high-resolution neutron scattering study of the hydrogen-driven metal-insulator phase transition in KC<sub>8</sub>H<sub>x</sub> 397
- 5f Magnetism studied in complex intermetallic U-based hydrides 606

- Neutron scattering  
 inelastic neutron scattering of H<sub>2</sub> adsorbed on boron substituted single walled carbon nanotubes 368  
 inelastic neutron scattering of H<sub>2</sub> adsorbed in HKUST-1 385  
 point defect dynamics in sodium aluminum hydrides—A combined quasielastic neutron scattering and density functional theory study 469  
 neutron vibrational spectroscopy of the Pr<sub>2</sub>Fe<sub>17</sub>-based hydrides 504
- Neutron vibrational spectroscopy  
 structure and hydrogenation properties of the ternary alloys Ca<sub>2-x</sub>Mg<sub>x</sub>Si (0 ≤ x ≤ 1) 101
- New hydride  
 novel hydrides in Mg–TM systems synthesized by high pressure (TM = Zr, Nb, Hf and Ta) 6
- NEXAFS  
 characterization of titanium based catalysts in the Li–N–H hydrogen storage system by X-ray absorption spectroscopy 360
- Ni/Pd nanoparticle catalyst  
 enhanced hydrogen reaction kinetics of nanostructured Mg-based composites with nanoparticle metal catalysts dispersed on supports 84
- Nickel–metal hydride battery  
 stacking structures and electrode performances of rare earth–Mg–Ni-based alloys for advanced nickel–metal hydride battery 620
- Nitride materials  
 Sieverts apparatus and methodology for accurate determination of hydrogen uptake by light-atom hosts 692
- NMR shielding  
 a first-principles study of Sc-doped NaAlH<sub>4</sub> for reversible hydrogen storage 267
- Nuclear reaction channelling  
 lattice location of hydrogen in β<sub>1</sub>-V<sub>2</sub>H (tetragonal) 512
- Nuclear reactor materials  
 effect of Nb addition on the terminal solid solubility of hydrogen for Zr and Zircaloy-4 451  
 photoelectrochemical study of hydrogen in oxide films of Zr based alloys for fuel cladding materials of light water reactors 635  
 nanoindentation studies of high-temperature oxidized Zircaloy-4 with and without hydrogen 639
- Nuclear resonances  
 direct synthesis and NMR characterization of calcium alanate 264  
 NMR studies of the aluminum hydride phases and their stabilities 290  
 nuclear magnetic resonance studies of ball-milled hydrides 489  
 rate of hydrogen motion in Ni-substituted LaNi<sub>5</sub>H<sub>x</sub> from NMR 495  
 NMR to determine rates of motion and structures in metal-hydrides 499
- Optical properties  
 hydrogen incorporation and gasochromic coloration of tungsten oxide films 558
- Optical spectroscopy  
 quantity of NH<sub>3</sub> desorption from the Li–N–H hydrogen storage system examined by Fourier transform infrared spectroscopy 342  
 new insights from Raman and IR spectroscopy into the metal-insulator transition of YH<sub>x</sub> switchable mirrors 562
- Order–disorder effects  
 symmetry analysis of hydrogen related structural transformations in Laves phase intermetallic compounds 423  
 hydrogen ordering induced resistivity anomalies in the superstoichiometric light rare-earth dihydrides 429
- Oxidation  
 nanoindentation studies of high-temperature oxidized Zircaloy-4 with and without hydrogen 639
- Oxide materials  
 hydrogen in semiconductors and insulators 48  
 hydrogen incorporation and gasochromic coloration of tungsten oxide films 558
- Palladium  
 study of Mg<sub>0</sub>Pd alloy synthesized by cold rolling 147  
 microfabricated Pd and Pd–25Ag alloy membranes 579
- Palladium–silver alloy  
 microfabricated Pd and Pd–25Ag alloy membranes 579
- Pd  
<sup>3</sup>He retention in LaNi<sub>5</sub> and Pd tritides: Dependence on stoichiometry, <sup>3</sup>He distribution and aging effects 660
- Pd–Cu films  
 effect of H<sub>2</sub>S on hydrogen permeation of Pd<sub>60</sub>Cu<sub>40</sub>/V–15Ni composite membrane 575
- Perovskite-type hydrides  
 energy density analysis of the chemical bond between atoms in perovskite-type hydrides 96
- Perovskite-type oxides  
 energy density analysis of the chemical bond between atoms in perovskite-type hydrides 96
- Phase analysis  
 phase evolution of Li<sub>2</sub>ND, LiD and LiND<sub>2</sub> in hydriding/dehydriding of Li<sub>3</sub>N 363
- Phase diagrams  
 hydrogen absorption properties of the γ-Mg<sub>17</sub>Al<sub>12</sub> phase and its Al-rich domain 157  
 phase stabilities of Pd-based alloys for membranes for hydrogen gas separation: A statistical thermodynamics approach 571
- Phase transformation  
 pressure induced phase transformation of REH<sub>3</sub> 593
- Phase transitions  
 hydrogen absorption in Mg–Y–Zn ternary compounds 134  
 thermal decomposition of AlH<sub>3</sub> studied by *in situ* synchrotron X-ray diffraction and thermal desorption spectroscopy 280  
 a high-resolution neutron scattering study of the hydrogen-driven metal-insulator phase transition in KC<sub>8</sub>H<sub>x</sub> 397  
*ab initio* prediction of high-pressure structural phase transition in BaH<sub>2</sub> 405  
 specific heat of YMn<sub>2</sub>H<sub>x</sub> and HoMn<sub>2</sub>H<sub>x</sub> 415  
 symmetry analysis of hydrogen related structural transformations in Laves phase intermetallic compounds 423  
 effect of Nb addition on the terminal solid solubility of hydrogen for Zr and Zircaloy-4 451  
 hydrogen-related surface modifications of 20 nm thin straight-sided niobium nano-wires and niobium meander-films 549
- Phonons  
 the importance of vibrations in modelling complex metal hydrides 455  
 hydrogen interactions with the PdCu ordered B2 alloy 583
- Point defects  
 dynamics of defects in alanates 260  
 H(D)-lattice interactions in single wall carbon nanotubes 376  
 hydrogen-related defects in sodium alanate 459  
 the defect structure with superabundant vacancies to be formed from fcc binary metal hydrides: Experiments and simulations 474  
 hydrogen-induced defects in niobium 479  
 positron annihilation study of hydrogen trapping at open-volume defects: Comparison of nanocrystalline and epitaxial Nb thin films 484
- Polyol method  
 enhanced hydrogen reaction kinetics of nanostructured Mg-based composites with nanoparticle metal catalysts dispersed on supports 84
- Positron spectroscopies  
 hydrogen-induced defects in niobium 479  
 positron annihilation study of hydrogen trapping at open-volume defects: Comparison of nanocrystalline and epitaxial Nb thin films 484
- Potentiostatic discharge  
 the hydrogen desorption kinetics of Mg<sub>0.9-x</sub>Ti<sub>0.1</sub>Pd<sub>x</sub>Ni (x = 0.04, 0.06, 0.08, 0.1) electrode alloys 121
- Powder metallurgy  
 hydriding combustion synthesis of TiFe 195
- Precipitation  
 effect of Nb addition on the terminal solid solubility of hydrogen for Zr and Zircaloy-4 451



- Proton conductive ceramic catalyst  
enhanced hydrogen reaction kinetics of nanostructured Mg-based composites with nanoparticle metal catalysts dispersed on supports 84
- Pure niobium metal  
enhanced hydrogen embrittlement of Pd-coated niobium metal membrane detected by in situ small punch test under hydrogen permeation 588
- Raman spectroscopy  
Raman scattering and lattice stability of  $\text{NaAlH}_4$  and  $\text{Na}_3\text{AlH}_6$  242
- Rapid quenching  
investigation on the microstructure and electrochemical performances of as-cast and quenched  $\text{La}_{0.7}\text{Mg}_{0.3}\text{Co}_{0.45}\text{Ni}_{2.55-x}\text{M}_x$  ( $\text{M} = \text{Cu}, \text{Al}, \text{Mn}; x = 0-0.4$ ) electrode alloys 643
- Rapid-solidification  
the effect of solidification rate on microstructural evolution of a melt-spun Mg–20Ni–8Mm hydrogen storage alloy 178
- Rare earth alloys and compounds  
Mg<sub>3</sub>Mm compound based hydrogen storage materials 124  
a comparison of the evolution during the mechanical alloying of both a MmNi<sub>5</sub>–Ni and a Mm–Ni mixtures: Stages of milling and microstructural characterization 212  
symmetry analysis of hydrogen related structural transformations in Laves phase intermetallic compounds 423  
hydrogen ordering induced resistivity anomalies in the superstoichiometric light rare-earth dihydrides 429  
high pressure synthesis and magnetic properties of Dy<sub>7</sub>Rh<sub>3</sub> and Tb<sub>7</sub>Rh<sub>3</sub> hydrides 610
- Rare earth hydrides  
pressure induced phase transformation of REH<sub>3</sub> 593
- Rare-earth compounds  
La(TM)<sub>5</sub> hydrides (TM = Fe, Co, Ni): Theoretical perspectives 188
- RBS  
hydrogen incorporation and gasochromic coloration of tungsten oxide films 558
- Reaction energy/barrier of dehydrating  
LiAl-substitution into the MgH<sub>2</sub> structure may improve the hydrogen storage processes 72
- Resistivity  
resistivity changes in Cr/V(001) superlattices during hydrogen absorption 526
- Retention  
<sup>3</sup>He retention in LaNi<sub>5</sub> and Pd tritides: Dependence on stoichiometry, <sup>3</sup>He distribution and aging effects 660
- Rietveld analysis  
stacking structures and electrode performances of rare earth–Mg–Ni-based alloys for advanced nickel–metal hydride battery 620
- Scanning electron microscopy  
characterization of initial activation behavior for hydrogen storage alloys by acoustic emission technique 681
- Self-catalyzing  
hydrogen storage properties of  $2\text{LiNH}_2 + \text{LiBH}_4 + \text{MgH}_2$  345
- Semiconductors  
hydrogen in semiconductors and insulators 48
- Sesquioxide  
the effect of surface state on the kinetics of cerium-hydride formation 567
- SEXAFS  
characterization of titanium based catalysts in the Li–N–H hydrogen storage system by X-ray absorption spectroscopy 360
- Shape memory  
solubility and diffusion of hydrogen in  $\text{TiNi}_{1-x}\text{Cu}_x$  ( $x = 0.2$  and  $0.4$ ) shape memory alloys 204
- Small punch test  
enhanced hydrogen embrittlement of Pd-coated niobium metal membrane detected by in situ small punch test under hydrogen permeation 588
- Sodium alanate  
on the local structure of Ti during in situ desorption of  $\text{Ti}(\text{OBU})_4$  and  $\text{TiCl}_3$  doped  $\text{NaAlH}_4$  232
- Solid state reactions  
hydrogen storage properties in a composite of lithium hydride and boron nitride with hydrocarbon groups 39  
hydrogen storage properties of Na–Li–Mg–Al–H complex hydrides 228  
first-principles study on lithium and magnesium nitrogen hydrides for hydrogen storage 323  
characterization of titanium based catalysts in the Li–N–H hydrogen storage system by X-ray absorption spectroscopy 360  
improvement of high temperature stability of Pd coating on Nb by intermediate layer comprising NbC and Nb<sub>2</sub>C 539  
design, fabrication and testing of  $\text{NaAlH}_4$  based hydrogen storage systems 707
- Specific heat  
specific heat of  $\text{YMn}_2\text{H}_x$  and  $\text{HoMn}_2\text{H}_x$  415
- Surface modification  
structure and electrochemical properties of composite electrodes synthesized by mechanical milling Ni-free  $\text{TiMn}_2$ -based alloy with La-based alloys 614
- Surfaces  
a first-principles study of Sc-doped  $\text{NaAlH}_4$  for reversible hydrogen storage 267
- Surfaces and interfaces  
improvement of high temperature stability of Pd coating on Nb by intermediate layer comprising NbC and Nb<sub>2</sub>C 539  
effects of O<sub>2</sub> and H<sub>2</sub>O preadsorptions on the H<sub>2</sub> reactivity with the Cr surface 555
- Synchrotron radiation  
thermodynamical stability and electronic structure of a perovskite-type hydride,  $\text{NaMgH}_3$  162  
thermal decomposition of  $\text{AlH}_3$  studied by *in situ* synchrotron X-ray diffraction and thermal desorption spectroscopy 280
- Synchrotron XRD measurement  
stacking structures and electrode performances of rare earth–Mg–Ni-based alloys for advanced nickel–metal hydride battery 620
- Temperature programmed desorption  
synthesis and characterization of amide–borohydrides: New complex light hydrides for potential hydrogen storage 350
- Temperature-programmed desorption  
experimental and theoretical investigation of the cycle durability against CO and degradation mechanism of the LaNi<sub>5</sub> hydrogen storage alloy 208
- Thermal analysis  
hydrogen storage properties in a composite of lithium hydride and boron nitride with hydrocarbon groups 39  
catalytic properties on the hydrogen desorption process of metallic additives dispersed in the MgH<sub>2</sub> matrix 58  
hydrogen absorption of TiFe alloy synthesized by ball milling and post-annealing 200  
kinetics and thermodynamics of the aluminum hydride polymorphs 271  
thermodynamical stabilities of metal-borohydrides 296  
thermal analysis on the Li–Mg–B–H systems 306  
materials designing of metal borohydrides: Viewpoints from thermodynamical stabilities 315  
quantity of NH<sub>3</sub> desorption from the Li–N–H hydrogen storage system examined by Fourier transform infrared spectroscopy 342  
high throughput screening of the ternary  $\text{LiNH}_2$ – $\text{MgH}_2$ – $\text{LiBH}_4$  phase diagram 355  
the effects of phase transformation on the heat conduction of hafnium hydrides 439  
hydrogen desorption from pure titanium with different concentration levels of hydrogen 447  
deuterium, tritium, and helium desorption from aged titanium tritides 670

- design, fabrication and testing of NaAlH<sub>4</sub> based hydrogen storage systems 707
- preparation of Ni–Al alloys at reduced temperature for fuel cell applications 733
- Thermodynamic modeling
- comparison of hydrogen adsorption on nanoporous materials 380
  - phase stabilities of Pd-based alloys for membranes for hydrogen gas separation: A statistical thermodynamics approach 571
  - hydrogen interactions with the PdCu ordered B2 alloy 583
- Thermodynamic properties
- first principles screening of destabilized metal hydrides for high capacity H<sub>2</sub> storage using scandium 23
  - hydrogen storage properties in a composite of lithium hydride and boron nitride with hydrocarbon groups 39
  - solubility and diffusion of hydrogen in TiNi<sub>1-x</sub>Cu<sub>x</sub> (x = 0.2 and 0.4) shape memory alloys 204
  - thermal properties of AlH<sub>3</sub>-etherate and its desolvation reaction into AlH<sub>3</sub> 276
  - materials designing of metal borohydrides: Viewpoints from thermodynamical stabilities 315
  - quantity of NH<sub>3</sub> desorption from the Li–N–H hydrogen storage system examined by Fourier transform infrared spectroscopy 342
  - isotope effect on the thermodynamic and structural properties of Y<sub>1-y</sub>R<sub>y</sub>Fe<sub>2</sub>(H,D)<sub>x(γ)</sub> compounds (R = Tb, Er, Lu; 4.0 ≤ x(γ) ≤ 4.5) 419
  - effect of Nb addition on the terminal solid solubility of hydrogen for Zr and Zircaloy-4 451
  - synthesis and properties of AB<sub>5</sub>-type hydrides at elevated pressures 603
  - accuracy in hydrogen sorption measurements 687
  - development of a high-pressure microbalance for hydrogen storage materials 703
- Thermodynamical properties
- thermodynamical stabilities of metal-borohydrides 296
  - first-principles study on thermodynamical stability of metal borohydrides: Aluminum borohydride Al(BH<sub>4</sub>)<sub>3</sub> 310
- Thermodynamics
- Mg<sub>3</sub>Mm compound based hydrogen storage materials 124
  - Li–Mg–N–H: Recent investigations and development 336
- Thin films
- positron annihilation study of hydrogen trapping at open-volume defects: Comparison of nanocrystalline and epitaxial Nb thin films 484
  - high-throughput characterization of hydrogen storage materials using thin films on micromachined Si substrates 516
  - optical and electrical properties of holmium thin films as a function of hydrogen concentration 522
  - hydrogen uptake in Mg:C thin films 530
  - studies on hydrogen loaded V–Fe8 at% films on Al<sub>2</sub>O<sub>3</sub> substrate 534
  - hydrogen incorporation and gasochromic coloration of tungsten oxide films 558
  - new insights from Raman and IR spectroscopy into the metal-insulator transition of YH<sub>x</sub> switchable mirrors 562
- Three-dimensional diffusion
- the hydrogen desorption kinetics of Mg<sub>0.9-x</sub>Ti<sub>0.1</sub>Pd<sub>x</sub>Ni (x = 0.04, 0.06, 0.08, 0.1) electrode alloys 121
- Transition metal atoms
- on hydrogen storage in metal-decorated *trans*-polyacetylene 373
- Transmission electron microscopy
- the effect of solidification rate on microstructural evolution of a melt-spun Mg–20Ni–8Mm hydrogen storage alloy 178
  - relationship between microstructure and hydrogenation properties of Ti<sub>0.85</sub>Zr<sub>0.15</sub>Mn<sub>1.5</sub>V<sub>0.5</sub> alloy 218
  - Ti EELS standards for identification of catalytic species in NaAlH<sub>4</sub> hydrogen storage materials 255
- trans*-Polyacetylene
- on hydrogen storage in metal-decorated *trans*-polyacetylene 373
- Tritium
- <sup>3</sup>He retention in LaNi<sub>5</sub> and Pd tritides: Dependence on stoichiometry, <sup>3</sup>He distribution and aging effects 660
  - Tritium autoradiography
    - hydrogen diffusion and trapping process around MnS precipitates in αFe examined by tritium autoradiography 655
- Tunnelling
- using density functional theory to study hydrogen diffusion in metals: A brief overview 462
- Ultrasmall-angle X-ray scattering (USAXS)
- ultrasmall-angle X-ray scattering (USAXS) studies of morphological trends in high energy milled NaAlH<sub>4</sub> powders 248
- Vacuum annealing
- the effect of surface state on the kinetics of cerium-hydride formation 567
- Vanadium nickel alloy
- effect of H<sub>2</sub>S on hydrogen permeation of Pd<sub>60</sub>Cu<sub>40</sub>/V–15Ni composite membrane 575
- Vapor deposition
- hydrogen storage property of MgH<sub>2</sub> synthesized by hydriding chemical vapor deposition 80
  - new insights from Raman and IR spectroscopy into the metal-insulator transition of YH<sub>x</sub> switchable mirrors 562
- V<sub>2</sub>H
- lattice location of hydrogen in β<sub>1</sub>-V<sub>2</sub>H (tetragonal) 512
- XANES
- on the local structure of Ti during in situ desorption of Ti(OBu)<sub>4</sub> and TiCl<sub>3</sub> doped NaAlH<sub>4</sub> 232
- X-ray and neutron diffraction
- crystal structure of the deuteride LaCu<sub>3</sub>D<sub>3.2</sub> studied by neutron powder diffraction 11
- X-ray diffraction
- novel hydrides in Mg–TM systems synthesized by high pressure (TM = Zr, Nb, Hf and Ta) 6
  - structure of amorphous CeFe<sub>2</sub>D<sub>3.9</sub> observed by X-ray and neutron diffraction 19
  - hydrogen desorption properties of MgH<sub>2</sub> nanocomposites with nano-oxides and Inco micrometric- and nanometric-Ni 63
  - mechanical alloying of graphite and magnesium powders, and their hydrogenation 110
  - nanostructured Mg–Mm–Ni hydrogen storage alloy: Structure–properties relationship 114
  - Mg<sub>3</sub>Mm compound based hydrogen storage materials 124
  - hydrogen absorption in Mg–Y–Zn ternary compounds 134
  - hydrogen storage Mg<sub>2</sub>Ni alloy produced by induction field activated combustion synthesis 138
  - high-pressure synthesis of novel hydride in Mg–Ni–H and Mg–Ni–Cu–H systems 142
  - thermodynamical stability and electronic structure of a perovskite-type hydride, NaMgH<sub>3</sub> 162
  - relationship between microstructure and hydrogenation properties of Ti<sub>0.85</sub>Zr<sub>0.15</sub>Mn<sub>1.5</sub>V<sub>0.5</sub> alloy 218
  - hydrogen storage properties of Na–Li–Mg–Al–H complex hydrides 228
  - intermediate phases observed during decomposition of LiBH<sub>4</sub> 301
  - thermal analysis on the Li–Mg–B–H systems 306
  - high throughput screening of the ternary LiNH<sub>2</sub>–MgH<sub>2</sub>–LiBH<sub>4</sub> phase diagram 355
  - isotope effect on the thermodynamic and structural properties of Y<sub>1-y</sub>R<sub>y</sub>Fe<sub>2</sub>(H,D)<sub>x(γ)</sub> compounds (R = Tb, Er, Lu; 4.0 ≤ x(γ) ≤ 4.5) 419
  - the defect structure with superabundant vacancies to be formed from fcc binary metal hydrides: Experiments and simulations 474
  - hydrogen-induced defects in niobium 479
  - positron annihilation study of hydrogen trapping at open-volume defects: Comparison of nanocrystalline and epitaxial Nb thin films 484
  - pressure-induced structural change from hexagonal to fcc metal lattice in scandium trihydride 598
  - effects of microwave irradiation on metal hydrides and complex hydrides 698

- preparation of Ni–Al alloys at reduced temperature for fuel cell applications 733
- X-ray photoelectron spectroscopy
  - the effect of surface state on the kinetics of cerium-hydride formation 567
- X-rays diffraction
  - catalytic properties on the hydrogen desorption process of metallic additives dispersed in the  $\text{MgH}_2$  matrix 58
- Zeolites
  - dihydrogen in zeolite CaX—An inelastic neutron scattering study 393
- Zr-based Laves phase
  - the effects of the substitution of Ti and La for Zr in  $\text{ZrMn}_{0.7}\text{V}_{0.2}\text{Co}_{0.1}\text{Ni}_{1.2}$  hydrogen storage alloys on the phase structure and electrochemical properties 630
- $\text{ZrMn}_{2+x}$ 
  - investigation of  $\text{ZrMn}_{2+x}\text{-H}_2$  by means of calorimetric method 443
- ZrNi phase
  - the effects of the substitution of Ti and La for Zr in  $\text{ZrMn}_{0.7}\text{V}_{0.2}\text{Co}_{0.1}\text{Ni}_{1.2}$  hydrogen storage alloys on the phase structure and electrochemical properties 630