

Subject Index of Volume 452

- Absolute entropy
thermodynamic study of the systems $\text{PrSe}_{2.00}$ – $\text{PrSe}_{1.50}$ and $\text{GdSe}_{1.875}$ – $\text{GdSe}_{1.50}$ 94
- Absorption/desorption kinetics
tests on mechanically alloyed Mg_2Ni for hydrogen storage 456
- AC conductivity
electrical properties of $x\text{NiFe}_2\text{O}_4 + (1-x)\text{Ba}_{0.7}\text{Sr}_{0.3}\text{TiO}_3$ composites 414
- Actinide alloys and compounds
solidus and liquidus of plutonium and uranium mixed oxide 48
thermal conductivities of (U, Pu, Am) O_2 solid solutions 54
- Ag–Yb system
thermodynamic assessment of the Ag–Yb system 304
- Alumina scale
surface morphology of scale on FeCrAl (Pd, Pt, Y) alloys 16
- Al–Yb
thermodynamic optimization of the Al–Yb binary system 279
- Al–Zn–Y system
thermodynamic assessment of the Zn–Y and Al–Zn–Y systems 283
- Amorphous materials
production of eco-materials from organic wastes by pyrolysis process 188
corrosion and oxidation behavior of Pr-based bulk metallic glasses 273
the structure and magnetic property for bulk Fe–Zr–Nd–Y–B alloys 373
- Anderson model
magnetic properties of liquid Ti–Si, V–Si and Cr–Si alloys 178
- Anisotropy
the strain energy and shape evolution of hydrides precipitated at free surfaces of metals 325
- Annealing
electrical and thermoelectric properties of PbSe doped with Sm 200
- Atomic scale structure
surface and transport properties of Ni–Ti liquid alloys 167
- Atomic vacancy
atomic vacancy defect in (1 1 0) oriented TbDyFe alloy and its effect on the magnetostrictions 419
- Au–Ge
structure of eutectic alloys of Au with Si and Ge 149
- Au–Si
structure of eutectic alloys of Au with Si and Ge 149
- $\text{Ba}_2\text{LaBiO}_6$
PTCR behaviour of $\text{Ba}_2\text{LaBiO}_6$ -doped BaTiO_3 ceramics 397
- Ball milling
pressure un-assisted reactive powder processing of high-density aluminide composites 367
- Bulk metallic glass
bulk metallic glass formation in a ternary Ti–Cu–Ni alloy system 268
- CaF_2
interface reaction and wetting in the CaF_2/Me systems 154
- Calorimeter
thermodynamic investigation of the Cu–Zr system 73
- Calorimetry
effect of heat-treatment on cobalt–molybdenum system 384
- CALPHAD
thermodynamic optimization of the Al–Yb binary system 279
- CALPHAD method
thermodynamic assessment of the Zn–Y and Al–Zn–Y systems 283
- Carbon onions
TEM investigation on the initial stage growth of carbon onions synthesized by CVD 258
- Ceramic
lanthanum zirconate ceramic toughened by BaTiO_3 secondary phase 406
dielectric ferroelectric and piezoelectric properties of $\text{BaTi}_{0.975}(\text{Zn}_{1/3}\text{Nb}_{2/3})_{0.025}\text{O}_3$ ceramic 441
new relaxor ceramic with composition $\text{BaTi}_{1-x}(\text{Zn}_{1/3}\text{Nb}_{2/3})_x\text{O}_3$ 451
- Ceramics
thermal conductivities of (U, Pu, Am) O_2 solid solutions 54
thermochemistry of $\text{Nd}_{4-2x}\text{Ba}_{2+2x}\text{Cu}_2\text{O}_z$ ($x = 0, 0.1$) 99
- Ce_7Rh_3
ferromagnetic properties of Ce_7Rh_3 and Pr_7Rh_3 single crystals 210
- Charge–charge structure factor
dielectric screening properties in molten noble-metal halides 182
- Chemical synthesis
effect of heat-treatment on cobalt–molybdenum system 384
systematic investigations into SrSnO_3 nanocrystals (II) photoluminescent properties of the as-synthesized nanocrystals 432
- Chemical vapor deposition
TEM investigation on the initial stage growth of carbon onions synthesized by CVD 258
- Chemical vapour deposition model
chemical vapour deposition of WSi_2 thin films: Equilibrium W–Si–H–Cl–Ar system 116
- Cluster variation method
first principles calculations of thermodynamic and mechanical properties of high temperature bcc Ta–W and Mo–Ta alloys 127
- Coating material
electrochemical deposition of TiB_2 in high temperature molten salts 32
- Coherent potential approximation
first principles calculations of thermodynamic and mechanical properties of high temperature bcc Ta–W and Mo–Ta alloys 127
- Cold-working
hydriding and structural characteristics of thermally cycled and cold-worked V–0.5 at.%C alloy 312
- Collective dynamics
high frequency collective excitations in molten Fe/Ni alloys studied by inelastic neutron scattering 140
collective particle motions in molten KCl 143
- Colossal magnetoresistance
phase competition driven temperature broadening of colossal magnetoresistance in $\text{La}_{0.815}\text{Sr}_{0.185}\text{MnO}_3$ 230
- Colossal magnetoresistance
the influence of tilt angle on the CMR in $\text{Sm}_{0.6}\text{Sr}_{0.4}\text{MnO}_3$ 245

- Combustion synthesis
 pressure un-assisted reactive powder processing of high-density aluminate composites 367
- Composite materials
 densification and micro-structure evolution of BaTiO₃/ZrO₂ composites 36
- Copper
 evolution process of the synthesis of TiC in the Cu–Ti–C system 298
- Corrosion
 corrosion and oxidation behavior of Pr-based bulk metallic glasses 273
- Corrosion behavior
 high temperature corrosion of superalloys in a molten salt under an oxidizing atmosphere 11
- Creep property
 precipitation behavior of oxide particles in mechanically alloyed powder of oxide-dispersion-strengthened steel 2
- Critical current density
 enhanced superconducting properties of Cu_{0.5}(Tl_{0.5–y}Hg_y)Ba₂Ca₃Cu₄O_{12–8} (y = 0, 0.15, 0.25, 0.35) superconductor 435
- Crystal growth
 subsolidus phase relations in the systems K₂O–ZnO–AO₃ (A = Mo, W) 263
- Crystal structure
 structural and magnetic properties of the (Ca_{1–x}Na_x)(Fe_{2–x}Ti_x)O₄ solid solution (0 ≤ x ≤ 1) 234
 effect of mixed alkali-element substitution on structural and magnetic properties of praseodymium manganites Pr_{0.9}(Na_{1–x}K_x)_{0.1}MnO₃ 249
 the Ag₂S–In₂S₃–Si(Ge)S₂ systems and crystal structure of quaternary sulfides Ag₂In₂Si(Ge)S₆ 348
- Crystal structure and symmetry
 structural study of metastable tetragonal YSZ powders produced via a sol–gel route 377
- Cu_{0.5}(Tl_{0.5–y}Hg_y)Ba₂Ca₃Cu₄O_{12–8} superconductor
 enhanced superconducting properties of Cu_{0.5}(Tl_{0.5–y}Hg_y)Ba₂Ca₃Cu₄O_{12–8} (y = 0, 0.15, 0.25, 0.35) superconductor 435
- CuI
 ionic dynamics of molten cuprous iodide 136
- Cuprous iodide
 ionic dynamics of molten cuprous iodide 136
- Curie temperature
 Bi doping effects on the physical properties of Pr_{0.6}Sr_{0.4}Mn_{1–x}Bi_xO₃ (0 ≤ x ≤ 0.2) manganese oxides 195
- Cu-13Zn-15Al shape memory alloy
 macroscopic shape change of Cu13Zn15Al shape memory alloy on successive heating 307
- DC resistivity
 electrical properties of xNiFe₂O₄ + (1 – x)Ba_{0.7}Sr_{0.3}TiO₃ composites 414
- Degradation
 thermodynamic and kinetic considerations on degradations in solid oxide fuel cell cathodes 41
- Deposition
 electrochemical deposition of TiB₂ in high temperature molten salts 32
- Dielectric
 dielectric ferroelectric and piezoelectric properties of BaTi_{0.975}(Zn_{1/3}Nb_{2/3})_{0.025}O₃ ceramic 441
 new relaxor ceramic with composition BaTi_{1–x}(Zn_{1/3}Nb_{2/3})_xO₃ 451
- Dielectric constant
 electrical properties of xNiFe₂O₄ + (1 – x)Ba_{0.7}Sr_{0.3}TiO₃ composites 414
- Dielectric properties
 ferroelectric properties of mixed bismuth layer-structured Na_{0.5}Bi_{8.5}Ti₇O₂₇ ceramic and Sr_xNa_{0.5–x/2}Bi_{8.5–x/2}Ti₇O₂₇ solid solutions 467
- Dielectric screening
 dielectric screening properties in molten noble-metal halides 182
- Differential thermal analysis
 evolution process of the synthesis of TiC in the Cu–Ti–C system 298
- Diffusion
 thermodynamic and kinetic considerations on degradations in solid oxide fuel cell cathodes 41
 determination of phase equilibria in the Fe₃Al–Cr–Mo–C semi-quaternary system using a new diffusion-multiple technique 67
- Dilute magnetic semiconductors
 phase relations in the Ga–Mn–N system 105
- Disordered system
 structure of new metastable cubic TbO_{2–x} 254
- Domain structure
 hydriding and structural characteristics of thermally cycled and cold-worked V–0.5 at.%C alloy 312
- DTA
 subsolidus phase relations in the systems K₂O–ZnO–AO₃ (A = Mo, W) 263
- Dynamic recrystallization
 characterization and properties of nanocrystalline surface layer in Mg alloy induced by surface mechanical attrition treatment 336
- Dynamics
 ionic dynamics of molten cuprous iodide 136
- Electrical and dielectric properties
 electrical conduction and magnetoelectric effect in ferroelectric rich (x)Ni_{0.9}Zn_{0.1}Fe₂O₄ + (1 – x)PZT ME composites 205
- Electrical property
 PTCR behaviour of Ba₂LaBiO₆-doped BaTiO₃ ceramics 397
- Electrical resistivity
 ferromagnetic properties of Ce₇Rh₃ and Pr₇Rh₃ single crystals 210
 superconductivity and physical properties of a LaRhSn single crystal 241
- Electrochemical reactions
 preparation and melting of uranium from U₃O₈ 23
 electrochemical deposition of TiB₂ in high temperature molten salts 32
 synthesis and characterization of the metal-doped high-voltage spinel LiNi_{0.5}Mn_{1.5}O₄ by mechanochemical process 389
- Electron emission spectroscopies
 quasicrystalline phase in melt-spun Al–Mn–Be ribbons 343
- Electron emission spectroscopy
 alloys of aluminium and tungsten in the micrometer scale L1
- Electronic properties
 viscosity of liquid In–Se–Tl alloys in the miscibility gap region 174
- Energy storage materials
 synthesis and characterization of the metal-doped high-voltage spinel LiNi_{0.5}Mn_{1.5}O₄ by mechanochemical process 389
- Enthalpy
 thermodynamic investigation of the Cu–Zr system 73
 thermochemistry of Nd_{4–2x}Ba_{2+2x}Cu₂O_z (x = 0, 0.1) 99
 thermophysical properties of the Ni-based alloy Nimonic 80A up to 2400 K, II 102
- Enthalpy of formation
 thermodynamic study of the systems PrSe_{2.00}–PrSe_{1.50} and GdSe_{1.875}–GdSe_{1.50} 94
- Eutectic Liquid
 structure of eutectic alloys of Au with Si and Ge 149
- Evolution process
 evolution process of the synthesis of TiC in the Cu–Ti–C system 298
- Ferroelectric
 dielectric ferroelectric and piezoelectric properties of BaTi_{0.975}(Zn_{1/3}Nb_{2/3})_{0.025}O₃ ceramic 441
 new relaxor ceramic with composition BaTi_{1–x}(Zn_{1/3}Nb_{2/3})_xO₃ 451
- Ferroelectric properties
 ferroelectric properties of mixed bismuth layer-structured Na_{0.5}Bi_{8.5}Ti₇O₂₇ ceramic and Sr_xNa_{0.5–x/2}Bi_{8.5–x/2}Ti₇O₂₇ solid solutions 467
- Ferromagnetism
 Bi doping effects on the physical properties of Pr_{0.6}Sr_{0.4}Mn_{1–x}Bi_xO₃ (0 ≤ x ≤ 0.2) manganese oxides 195
 effect of mixed alkali-element substitution on structural and magnetic properties of praseodymium manganites Pr_{0.9}(Na_{1–x}K_x)_{0.1}MnO₃ 249
- Fe_xNi_yCo_{1–x–y}Sb₃
 thermoelectric properties of skutterudites Fe_xNi_yCo_{1–x–y}Sb₃ (x = y) 225

- Fixed point
the dependence of the iron–carbon eutectic transition temperature on thermal history and its implications for thermometry 61
- Flux pinning
enhanced superconducting properties of $\text{Cu}_{0.5}(\text{Ti}_{0.5-y}\text{Hg}_y)\text{Ba}_2\text{Ca}_3\text{Cu}_4\text{O}_{12-8}$ ($y = 0, 0.15, 0.25, 0.35$) superconductor 435
- Fuel cells
thermodynamic and kinetic considerations on degradations in solid oxide fuel cell cathodes 41
- Gas–solid reactions
high temperature mass spectrometric study of the vaporization behaviour of SiC–SiO₂ system 85
production of eco-materials from organic wastes by pyrolysis process 188
novel Sieverts' type volumetric measurements of hydrogen storage properties for very small sample quantities 410
morphology and luminescence of (Y,Gd)BO₃:Eu phosphor particles prepared by urea-assisted spray pyrolysis 462
- Ge–Hf–Zr system
phase equilibria in the system Hf–Zr–Ge at 1350 °C 80
- Glass-forming ability
bulk metallic glass formation in a ternary Ti–Cu–Ni alloy system 268
corrosion and oxidation behavior of Pr-based bulk metallic glasses 273
- Halogen effect
improving the oxidation resistance of TiAl-alloys with fluorine 7
- Heat capacity
thermochemistry of $\text{Nd}_{4-2x}\text{Ba}_{2+2x}\text{Cu}_2\text{O}_z$ ($x = 0, 0.1$) 99
thermophysical properties of the Ni-based alloy Nimonic 80A up to 2400 K, II 102
superconductivity and physical properties of a LaRhSn single crystal 241
- Heat conduction
thermophysical properties of the Ni-based alloy Nimonic 80A up to 2400 K, II 102
- Heat content
thermodynamic investigation of the Cu–Zr system 73
- Hg doping
enhanced superconducting properties of $\text{Cu}_{0.5}(\text{Ti}_{0.5-y}\text{Hg}_y)\text{Ba}_2\text{Ca}_3\text{Cu}_4\text{O}_{12-8}$ ($y = 0, 0.15, 0.25, 0.35$) superconductor 435
- High temperature
the dependence of the iron–carbon eutectic transition temperature on thermal history and its implications for thermometry 61
- High temperature alloys
thermophysical properties of the Ni-based alloy Nimonic 80A up to 2400 K, II 102
surface and transport properties of Ni–Ti liquid alloys 167
- High-pressure
lanthanum zirconate ceramic toughened by BaTiO₃ secondary phase 406
- High-temperature alloys
high-temperature solid–vapor and liquid–vapor transitions in binary and ternary chalcogenides La₂S₃, MoS₂, Mo₂S₃ and LiInSe₂ 89
- High-temperature X-ray diffraction
the application of the *in situ* high-temperature X-ray diffraction quantitative analysis 446
- Hot corrosion
high temperature corrosion of superalloys in a molten salt under an oxidizing atmosphere 11
- Hydriding/dehydriding
investigations on synthesis and hydrogenation properties of Mg–20 wt% Ni–1 wt% TiO₂ composite prepared by reactive mechanical alloying 421
- Hydrogen storage device
tests on mechanically alloyed Mg₂Ni for hydrogen storage 456
- Hydrogen storage materials
novel Sieverts' type volumetric measurements of hydrogen storage properties for very small sample quantities 410
- Icosahedral phase
formation of icosahedral phase in $\text{Zr}_{65}\text{Al}_{7.5}\text{Ni}_{10}\text{Cu}_{12.5}\text{Ag}_5$ metallic glass 359
- Impurity susceptibility
magnetic properties of liquid Ti–Si, V–Si and Cr–Si alloys 178
- Indirect electrolytic reduction
preparation of metallic niobium from niobium pentoxide by an indirect electrochemical reduction in a LiCl–Li₂O molten salt 27
- Inelastic neutron scattering
high frequency collective excitations in molten Fe/Ni alloys studied by inelastic neutron scattering 140
- Inorganic materials
high temperature mass spectrometric study of the vaporization behaviour of SiC–SiO₂ system 85
- Interface interaction
interface reaction and wetting in the CaF₂/Me systems 154
- Interface reactions
thermodynamic and kinetic considerations on degradations in solid oxide fuel cell cathodes 41
- Interlayer coupling
enhanced superconducting properties of $\text{Cu}_{0.5}(\text{Ti}_{0.5-y}\text{Hg}_y)\text{Ba}_2\text{Ca}_3\text{Cu}_4\text{O}_{12-8}$ ($y = 0, 0.15, 0.25, 0.35$) superconductor 435
- Intermetallic composites
pressure un-assisted reactive powder processing of high-density aluminide composites 367
- Intermetallic compounds
study on low-cycle fatigue behaviours of the aluminium cast alloys 425
- Intermetallics
improving the oxidation resistance of TiAl-alloys with fluorine 7
determination of phase equilibria in the Fe₃Al–Cr–Mo–C semi-quaternary system using a new diffusion-multiple technique 67
statistical-thermodynamic description of the order–disorder transformation of D0₁₉-type phase in Ti–Al alloy 122
superconductivity and physical properties of a LaRhSn single crystal 241
IMC formation on BGA package with Sn–Ag–Cu and Sn–Ag–Cu–Ni–Ge solder balls 291
- Kinetics
densification and micro-structure evolution of BaTiO₃/ZrO₂ composites 36
- Kondo effect
ferromagnetic properties of Ce₇Rh₃ and Pr₇Rh₃ single crystals 210
negative magnetoresistivity of the RM₄Al₈ (R = Sc, Y, Ce, Yb, Lu; M = Cr, Mn, Fe) ternaries with the ThMn₁₂-type crystal structure 217
- Lead-free solders
surface tension and wetting behaviour of molten Cu–Sn alloys 161
- LiCl–Li₂O molten salt
preparation of metallic niobium from niobium pentoxide by an indirect electrochemical reduction in a LiCl–Li₂O molten salt 27
- LiNbO₃
preparation of metallic niobium from niobium pentoxide by an indirect electrochemical reduction in a LiCl–Li₂O molten salt 27
- Liquid Si
magnetic properties of liquid Ti–Si, V–Si and Cr–Si alloys 178
- Lithium molten salt
high temperature corrosion of superalloys in a molten salt under an oxidizing atmosphere 11
- Low-cycle fatigue
study on low-cycle fatigue behaviours of the aluminium cast alloys 425
- Luminescence
systematic investigations into SrSnO₃ nanocrystals (II) photoluminescent properties of the as-synthesized nanocrystals 432
morphology and luminescence of (Y,Gd)BO₃:Eu phosphor particles prepared by urea-assisted spray pyrolysis 462
- Magnesium-based hydrogen storage materials
investigations on synthesis and hydrogenation properties of Mg–20 wt% Ni–1 wt% TiO₂ composite prepared by reactive mechanical alloying 421
- Magnetic anisotropy
ferromagnetic properties of Ce₇Rh₃ and Pr₇Rh₃ single crystals 210

- Magnetic measurements
structural and magnetic properties of the $(\text{Ca}_{1-x}\text{Na}_x)(\text{Fe}_2-x\text{Ti}_x)\text{O}_4$ solid solution ($0 \leq x \leq 1$) 234
- Magnetic properties
effect of mixed alkali-element substitution on structural and magnetic properties of praseodymium manganites $\text{Pr}_{0.9}(\text{Na}_{1-x}\text{K}_x)_{0.1}\text{MnO}_3$ 249
- Magnetic susceptibility
magnetic properties of liquid Ti–Si, V–Si and Cr–Si alloys 178
ferromagnetic properties of Ce_7Rh_3 and Pr_7Rh_3 single crystals 210
- Magnetization
ferromagnetic properties of Ce_7Rh_3 and Pr_7Rh_3 single crystals 210
- Magneto-caloric effect
Bi doping effects on the physical properties of $\text{Pr}_{0.6}\text{Sr}_{0.4}\text{Mn}_{1-x}\text{Bi}_x\text{O}_3$ ($0 \leq x \leq 0.2$) manganese oxides 195
- Magnetostriction
atomic vacancy defect in $\langle 110 \rangle$ oriented TbDyFe alloy and its effect on the magnetostrictions 419
- Manganites
Bi doping effects on the physical properties of $\text{Pr}_{0.6}\text{Sr}_{0.4}\text{Mn}_{1-x}\text{Bi}_x\text{O}_3$ ($0 \leq x \leq 0.2$) manganese oxides 195
phase competition driven temperature broadening of colossal magnetoresistance in $\text{La}_{0.815}\text{Sr}_{0.185}\text{MnO}_3$ 230
the influence of tilt angle on the CMR in $\text{Sm}_{0.6}\text{Sr}_{0.4}\text{MnO}_3$ 245
- Martensite stabilization
macroscopic shape change of Cu13Zn15Al shape memory alloy on successive heating 307
- ME effect
electrical properties of $x\text{NiFe}_2\text{O}_4 + (1-x)\text{Ba}_{0.7}\text{Sr}_{0.3}\text{TiO}_3$ composites 414
- ME voltage coefficient
electrical conduction and magnetoelectric effect in ferroelectric rich $(x)\text{Ni}_{0.5}\text{Zn}_{0.1}\text{Fe}_2\text{O}_4 + (1-x)\text{PZT}$ ME composites 205
- Mechanical alloying
precipitation behavior of oxide particles in mechanically alloyed powder of oxide-dispersion-strengthened steel 2
synthesis and characterization of the metal-doped high-voltage spinel $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ by mechanochemical process 389
- Mechanical milling
tests on mechanically alloyed Mg_2Ni for hydrogen storage 456
- Mechanical properties
bulk metallic glass formation in a ternary Ti–Cu–Ni alloy system 268
lanthanum zirconate ceramic toughened by BaTiO_3 secondary phase 406
- Melting
preparation and melting of uranium from U_3O_8 23
- Metal hydrides
hydriding and structural characteristics of thermally cycled and cold-worked V–0.5 at.%C alloy 312
the strain energy and shape evolution of hydrides precipitated at free surfaces of metals 325
- Metal–carbon eutectic
the dependence of the iron–carbon eutectic transition temperature on thermal history and its implications for thermometry 61
- Metallic glasses
formation of icosahedral phase in $\text{Zr}_{65}\text{Al}_{7.5}\text{Ni}_{10}\text{Cu}_{12.5}\text{Ag}_5$ metallic glass 359
- Metallic niobium
preparation of metallic niobium from niobium pentoxide by an indirect electrochemical reduction in a LiCl–Li₂O molten salt 27
- Metallography
improving the oxidation resistance of TiAl-alloys with fluorine 7
quasicrystalline phase in melt-spun Al–Mn–Be ribbons 343
- Metals
interface reaction and wetting in the CaF_2/Me systems 154
characterization and properties of nanocrystalline surface layer in Mg alloy induced by surface mechanical attrition treatment 336
- Metals and alloys
viscosity of liquid In–Se–Tl alloys in the miscibility gap region 174
- Metastable phase
structural study of metastable tetragonal YSZ powders produced via a sol–gel route 377
- MgB_2
properties of MgB_2/In composite thick films on ceramic substrates prepared by a screen printing method 401
- Micro-hardness
characterization and properties of nanocrystalline surface layer in Mg alloy induced by surface mechanical attrition treatment 336
- Microstructural observation
precipitation behavior of oxide particles in mechanically alloyed powder of oxide-dispersion-strengthened steel 2
- Microstructure
determination of phase equilibria in the $\text{Fe}_3\text{Al–Cr–Mo–C}$ semi-quaternary system using a new diffusion-multiple technique 67
quasicrystalline phase in melt-spun Al–Mn–Be ribbons 343
the structure and magnetic property for bulk Fe–Zr–Nd–Y–B alloys 373
PTCR behaviour of $\text{Ba}_2\text{LaBiO}_6$ -doped BaTiO_3 ceramics 397
properties of MgB_2/In composite thick films on ceramic substrates prepared by a screen printing method 401
- Molecular dynamics simulation
dielectric screening properties in molten noble-metal halides 182
- Molten fluoride salt
thermodynamic study of $\text{LiF–BeF}_2\text{–ZrF}_4\text{–UF}_4$ system 110
- Molten salt
ionic dynamics of molten cuprous iodide 136
- Molten salts
collective particle motions in molten KCl 143
- $\text{Na}_{0.5}\text{Bi}_{8.5}\text{Ti}_7\text{O}_{27}$
ferroelectric properties of mixed bismuth layer-structured $\text{Na}_{0.5}\text{Bi}_{8.5}\text{Ti}_7\text{O}_{27}$ ceramic and $\text{Sr}_x\text{Na}_{0.5-x/2}\text{Bi}_{8.5-x/2}\text{Ti}_7\text{O}_{27}$ solid solutions 467
- Nanofabrications
ordered nanostructures array fabricated by nanosphere lithography 473
- Nanostructured materials
ordered nanostructures array fabricated by nanosphere lithography 473
- Nb_2O_5
preparation of metallic niobium from niobium pentoxide by an indirect electrochemical reduction in a LiCl–Li₂O molten salt 27
- Negative magnetoresistance
negative magnetoresistivity of the RM_4Al_8 ($\text{R} = \text{Sc, Y, Ce, Yb, Lu; M} = \text{Cr, Mn, Fe}$) ternaries with the ThMn_{12} -type crystal structure 217
- Neutron
ionic dynamics of molten cuprous iodide 136
- Neutron diffraction
structural and magnetic properties of the $(\text{Ca}_{1-x}\text{Na}_x)(\text{Fe}_2-x\text{Ti}_x)\text{O}_4$ solid solution ($0 \leq x \leq 1$) 234
- Nickel aluminide
pressure un-assisted reactive powder processing of high-density aluminide composites 367
- Nitride materials
phase relations in the Ga–Mn–N system 105
- Noble-metal halides
dielectric screening properties in molten noble-metal halides 182
- Nuclear fuel
thermodynamic study of $\text{LiF–BeF}_2\text{–ZrF}_4\text{–UF}_4$ system 110
- Nuclear materials
solidus and liquidus of plutonium and uranium mixed oxide 48
- Optical materials
morphology and luminescence of $(\text{Y,Gd})\text{BO}_3\text{:Eu}$ phosphor particles prepared by urea-assisted spray pyrolysis 462
- Order–disorder phase transitions
statistical-thermodynamic description of the order–disorder transformation of $D0_{19}$ -type phase in Ti–Al alloy 122
- $\langle 110 \rangle$ oriented TbDyFe alloy
atomic vacancy defect in $\langle 110 \rangle$ oriented TbDyFe alloy and its effect on the magnetostrictions 419
- Oxidation
improving the oxidation resistance of TiAl-alloys with fluorine 7
preparation and melting of uranium from U_3O_8 23
corrosion and oxidation behavior of Pr-based bulk metallic glasses 273

- Oxide adherence
 surface morphology of scale on FeCrAl (Pd, Pt, Y) alloys 16
- Oxide materials
 thermodynamic and kinetic considerations on degradations in solid oxide fuel cell cathodes 41
 solidus and liquidus of plutonium and uranium mixed oxide 48
 structural and magnetic properties of the $(Ca_{1-x}Na_x)(Fe_{2-x}Ti_x)O_4$ solid solution ($0 \leq x \leq 1$) 234
 structure of new metastable cubic TbO_{2-x} 254
 the application of the *in situ* high-temperature X-ray diffraction quantitative analysis 446
- Oxide-dispersion-strengthened steel
 precipitation behavior of oxide particles in mechanically alloyed powder of oxide-dispersion-strengthened steel 2
- Oxides
 effect of mixed alkali-element substitution on structural and magnetic properties of praseodymium manganites $Pr_{0.9}(Na_{1-x}K_x)_{0.1}MnO_3$ 249
- Palladium
 surface morphology of scale on FeCrAl (Pd, Pt, Y) alloys 16
- PbSe
 electrical and thermoelectric properties of PbSe doped with Sm 200
- Permanent magnets
 the structure and magnetic property for bulk Fe–Zr–Nd–Y–B alloys 373
- Perovskite
 dielectric ferroelectric and piezoelectric properties of $BaTi_{0.975}(Zn_{1/3}Nb_{2/3})_{0.025}O_3$ ceramic 441
 new relaxor ceramic with composition $BaTi_{1-x}(Zn_{1/3}Nb_{2/3})_xO_3$ 451
- Phase diagram
 solidus and liquidus of plutonium and uranium mixed oxide 48
 determination of phase equilibria in the Fe_3Al –Cr–Mo–C semi-quaternary system using a new diffusion-multiple technique 67
 phase equilibria in the system Hf–Zr–Ge at 1350 °C 80
 thermodynamic study of the systems $PrSe_{2.00}$ – $PrSe_{1.50}$ and $GdSe_{1.875}$ – $GdSe_{1.50}$ 94
 phase relations in the Ga–Mn–N system 105
 thermodynamic study of LiF – BeF_2 – ZrF_4 – UF_4 system 110
 chemical vapour deposition of WSi_2 thin films: Equilibrium W–Si–H–Cl–Ar system 116
 statistical-thermodynamic description of the order–disorder transformation of DO_{19} -type phase in Ti–Al alloy 122
 PhDi—Software package for calculation of binary phase diagrams 133
 viscosity of liquid In–Se–Te alloys in the miscibility gap region 174
 subsolidus phase relations in the systems K_2O – ZnO – AO_3 ($A = Mo, W$) 263
 thermodynamic assessment of the Zn–Y and Al–Zn–Y systems 283
 thermodynamic assessment of the Ag–Yb system 304
 the Ag_2S – In_2S_3 – $Si(Ge)S_2$ systems and crystal structure of quaternary sulfides $Ag_2In_2Si(Ge)S_6$ 348
- Phase transformation
 formation of icosahedral phase in $Zr_{65}Al_{7.5}Ni_{10}Cu_{12.5}Ag_5$ metallic glass 359
- Phase transitions
 high-temperature solid–vapor and liquid–vapor transitions in binary and ternary chalcogenides La_3S_3 , MoS_2 , Mo_2S_3 and $LiInSe_2$ 89
 viscosity of liquid In–Se–Te alloys in the miscibility gap region 174
- Piezoelectric
 dielectric ferroelectric and piezoelectric properties of $BaTi_{0.975}(Zn_{1/3}Nb_{2/3})_{0.025}O_3$ ceramic 441
- Piezoelectricity
 lanthanum zirconate ceramic toughened by $BaTiO_3$ secondary phase 406
- Platinum
 surface morphology of scale on FeCrAl (Pd, Pt, Y) alloys 16
- Positron lifetime
 atomic vacancy defect in $\langle 110 \rangle$ oriented TbDyFe alloy and its effect on the magnetostrictions 419
- Post-annealing
 enhanced superconducting properties of $Cu_{0.5}(Tl_{0.5-y}Hg_y)Ba_2Ca_3Cu_4O_{12-8}$ ($y = 0, 0.15, 0.25, 0.35$) superconductor 435
- Power factor
 electrical and thermoelectric properties of PbSe doped with Sm 200
- Pr- and Gd-polyselenides
 thermodynamic study of the systems $PrSe_{2.00}$ – $PrSe_{1.50}$ and $GdSe_{1.875}$ – $GdSe_{1.50}$ 94
- Precipitation
 determination of phase equilibria in the Fe_3Al –Cr–Mo–C semi-quaternary system using a new diffusion-multiple technique 67
 the strain energy and shape evolution of hydrides precipitated at free surfaces of metals 325
 study on low-cycle fatigue behaviours of the aluminium cast alloys 425
- Precipitation behavior
 precipitation behavior of oxide particles in mechanically alloyed powder of oxide-dispersion-strengthened steel 2
- Pressure–composition isotherm (PCI)
 tests on mechanically alloyed Mg_2Ni for hydrogen storage 456
- Pr_7Rh_3
 ferromagnetic properties of Ce_7Rh_3 and Pr_7Rh_3 single crystals 210
- PTC
 PTCR behaviour of Ba_2LaBiO_6 -doped $BaTiO_3$ ceramics 397
- Quasicrystals
 quasicrystalline phase in melt-spun Al–Mn–Be ribbons 343
 formation of icosahedral phase in $Zr_{65}Al_{7.5}Ni_{10}Cu_{12.5}Ag_5$ metallic glass 359
- Quenching
 the application of the *in situ* high-temperature X-ray diffraction quantitative analysis 446
- Radiation thermometer
 the dependence of the iron–carbon eutectic transition temperature on thermal history and its implications for thermometry 61
- Rapid solidification
 quasicrystalline phase in melt-spun Al–Mn–Be ribbons 343
- Rare earth intermetallics
 negative magnetoresistivity of the RM_4Al_8 ($R = Sc, Y, Ce, Yb, Lu; M = Cr, Mn, Fe$) ternaries with the $ThMn_{12}$ -type crystal structure 217
- Reactive mechanical alloying
 investigations on synthesis and hydrogenation properties of Mg–20 wt% Ni–1 wt% TiO_2 composite prepared by reactive mechanical alloying 421
- Relaxor
 new relaxor ceramic with composition $BaTi_{1-x}(Zn_{1/3}Nb_{2/3})_xO_3$ 451
- SEM
 properties of MgB_2/In composite thick films on ceramic substrates prepared by a screen printing method 401
- Semiconductors
 the Ag_2S – In_2S_3 – $Si(Ge)S_2$ systems and crystal structure of quaternary sulfides $Ag_2In_2Si(Ge)S_6$ 348
- Shape change
 macroscopic shape change of Cu13Zn15Al shape memory alloy on successive heating 307
- Shape memory
 surface and transport properties of Ni–Ti liquid alloys 167
- Sintering
 densification and micro-structure evolution of $BaTiO_3/ZrO_2$ composites 36
- Skutterudite
 thermoelectric properties of skutterudites $Fe_xNi_yCo_{1-x-y}Sb_3$ ($x = y$) 225
- Sol–gel
 structural study of metastable tetragonal YSZ powders produced via a sol–gel route 377
- Solid-state reaction method
 ferroelectric properties of mixed bismuth layer-structured $Na_{0.5}Bi_{8.5}Ti_7O_{27}$ ceramic and $Sr_xNa_{0.5-x/2}Bi_{8.5-x/2}Ti_7O_{27}$ solid solutions 467
- Statistical moment method
 first principles calculations of thermodynamic and mechanical properties of high temperature bcc Ta–W and Mo–Ta alloys 127

- Strain
the strain energy and shape evolution of hydrides precipitated at free surfaces of metals 325
- Structure
structure of eutectic alloys of Au with Si and Ge 149
the influence of tilt angle on the CMR in $\text{Sm}_{0.6}\text{Sr}_{0.4}\text{MnO}_3$ 245
- Superconductors
superconductivity and physical properties of a LaRhSn single crystal 241
properties of MgB_2/In composite thick films on ceramic substrates prepared by a screen printing method 401
- Surface and interfaces
surface and transport properties of Ni–Ti liquid alloys 167
- Surface mechanical attrition treatment
characterization and properties of nanocrystalline surface layer in Mg alloy induced by surface mechanical attrition treatment 336
- Surface nanocrystallization
characterization and properties of nanocrystalline surface layer in Mg alloy induced by surface mechanical attrition treatment 336
- Surface tension
surface tension and wetting behaviour of molten Cu–Sn alloys 161
- T5 treatment
study on low-cycle fatigue behaviours of the aluminium cast alloys 425
- Ta–W and Mo–Ta alloys
first principles calculations of thermodynamic and mechanical properties of high temperature bcc Ta–W and Mo–Ta alloys 127
- TB-LMTO method
first principles calculations of thermodynamic and mechanical properties of high temperature bcc Ta–W and Mo–Ta alloys 127
- Temperature standard
the dependence of the iron–carbon eutectic transition temperature on thermal history and its implications for thermometry 61
- Thermal analysis
densification and micro-structure evolution of $\text{BaTiO}_3/\text{ZrO}_2$ composites 36
solidus and liquidus of plutonium and uranium mixed oxide 48
high-temperature solid–vapor and liquid–vapor transitions in binary and ternary chalcogenides La_2S_3 , MoS_2 , Mo_2S_3 and LiInSe_2 89
- Thermal conductivity
thermoelectric properties of skutterudites $\text{Fe}_x\text{Ni}_y\text{Co}_{1-x-y}\text{Sb}_3$ ($x = y$) 225
- Thermal cycling
hydriding and structural characteristics of thermally cycled and cold-worked V–0.5 at.%C alloy 312
- Thermochemistry
thermodynamic and kinetic considerations on degradations in solid oxide fuel cell cathodes 41
thermochemistry of $\text{Nd}_{4-2x}\text{Ba}_{2+2x}\text{Cu}_2\text{O}_z$ ($x = 0, 0.1$) 99
production of eco-materials from organic wastes by pyrolysis process 188
- Thermodynamic analysis
interface reaction and wetting in the CaF_2/Me systems 154
- Thermodynamic assessment
thermodynamic assessment of the Zn–Y and Al–Zn–Y systems 283
- Thermodynamic calculation
thermodynamic assessment of the Ag–Yb system 304
- Thermodynamic modeling
phase relations in the Ga–Mn–N system 105
PhDi—Software package for calculation of binary phase diagrams 133
the strain energy and shape evolution of hydrides precipitated at free surfaces of metals 325
- Thermodynamic modelling
surface and transport properties of Ni–Ti liquid alloys 167
- Thermodynamic optimization
thermodynamic optimization of the Al–Yb binary system 279
- Thermodynamic properties
thermal conductivities of (U, Pu, Am) O_2 solid solutions 54
thermodynamic investigation of the Cu–Zr system 73
high temperature mass spectrometric study of the vaporization behaviour of SiC–SiO $_2$ system 85
thermophysical properties of the Ni-based alloy Nimonic 80A up to 2400K, II 102
- PhDi—Software package for calculation of binary phase diagrams 133
- Thermodynamics
thermodynamic study of LiF–BeF $_2$ –ZrF $_4$ –UF $_4$ system 110
- Thermoelectric materials
electrical and thermoelectric properties of PbSe doped with Sm 200
- Thermoelectric properties
thermoelectric properties of skutterudites $\text{Fe}_x\text{Ni}_y\text{Co}_{1-x-y}\text{Sb}_3$ ($x = y$) 225
- Thick film
properties of MgB_2/In composite thick films on ceramic substrates prepared by a screen printing method 401
- Thin films
electrochemical deposition of TiB $_2$ in high temperature molten salts 32
- Ti–Cu–Ni
bulk metallic glass formation in a ternary Ti–Cu–Ni alloy system 268
- Tilt
the influence of tilt angle on the CMR in $\text{Sm}_{0.6}\text{Sr}_{0.4}\text{MnO}_3$ 245
- Titanium aluminides
improving the oxidation resistance of TiAl-alloys with fluorine 7
- Titanium carbide
evolution process of the synthesis of TiC in the Cu–Ti–C system 298
pressure un-assisted reactive powder processing of high-density aluminide composites 367
- Titanium diboride
electrochemical deposition of TiB $_2$ in high temperature molten salts 32
- Transition metal
magnetic properties of liquid Ti–Si, V–Si and Cr–Si alloys 178
- Transition metal germanides
phase equilibria in the system Hf–Zr–Ge at 1350 °C 80
- Transmission electron microscopy
TEM investigation on the initial stage growth of carbon onions synthesized by CVD 258
- Tungsten silicides
chemical vapour deposition of WS $_2$ thin films: Equilibrium W–Si–H–Cl–Ar system 116
- Uranium metal
preparation and melting of uranium from U $_3\text{O}_8$ 23
- V–0.5 at.%C alloy
hydriding and structural characteristics of thermally cycled and cold-worked V–0.5 at.%C alloy 312
- Valence fluctuations
structure of new metastable cubic TbO $_{2-x}$ 254
- Valence stability
thermodynamic and kinetic considerations on degradations in solid oxide fuel cell cathodes 41
- Vapor deposition
alloys of aluminium and tungsten in the micrometer scale L1
- Vapor pressure measurements
thermodynamic study of the systems PrSe $_{2.00}$ –PrSe $_{1.50}$ and GdSe $_{1.875}$ –GdSe $_{1.50}$ 94
- Viscosity
viscosity of liquid In–Se–Tl alloys in the miscibility gap region 174
- Wetting
interface reaction and wetting in the CaF_2/Me systems 154
surface tension and wetting behaviour of molten Cu–Sn alloys 161
- X-ray diffraction
phase equilibria in the system Hf–Zr–Ge at 1350 °C 80
structure of eutectic alloys of Au with Si and Ge 149
electrical conduction and magnetoelectric effect in ferroelectric rich (x)Ni $_{0.9}$ Zn $_{0.1}$ Fe $_2\text{O}_4$ + (1 – x)PZT ME composites 205
structure of new metastable cubic TbO $_{2-x}$ 254
subsolidus phase relations in the systems K $_2\text{O}$ –ZnO–AO $_3$ (A = Mo, W) 263
structural study of metastable tetragonal YSZ powders produced via a sol–gel route 377
effect of heat-treatment on cobalt–molybdenum system 384

- synthesis and characterization of the metal-doped high-voltage spinel $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ by mechanochemical process 389
- X-ray powder diffraction
- the $\text{Ag}_2\text{S}-\text{In}_2\text{S}_3-\text{Si}(\text{Ge})\text{S}_2$ systems and crystal structure of quaternary sulfides $\text{Ag}_2\text{In}_2\text{Si}(\text{Ge})\text{S}_6$ 348
- ferroelectric properties of mixed bismuth layer-structured $\text{Na}_{0.5}\text{Bi}_{8.5}\text{Ti}_7\text{O}_{27}$ ceramic and $\text{Sr}_x\text{Na}_{0.5-x/2}\text{Bi}_{8.5-x/2}\text{Ti}_7\text{O}_{27}$ solid solutions 467
- X-ray scattering
- collective particle motions in molten KCl 143
- XRD
- electrical properties of $x\text{NiFe}_2\text{O}_4 + (1-x)\text{Ba}_{0.7}\text{Sr}_{0.3}\text{TiO}_3$ composites 414
- YSZ
- structural study of metastable tetragonal YSZ powders produced via a sol-gel route 377
- Yttrium
- surface morphology of scale on FeCrAl (Pd, Pt, Y) alloys 16
- ZnO
- subsolidus phase relations in the systems $\text{K}_2\text{O}-\text{ZnO}-\text{AO}_3$ (A = Mo, W) 263
- Zn-Y system
- thermodynamic assessment of the Zn-Y and Al-Zn-Y systems 283