



Subject Index of Volume 480

- Absorption**
fluorescence and Judd–Ofelt analysis of Nd³⁺ doped P₂O₅–Na₂O–K₂O glass 208
- A₂B₇-type electrode alloy**
investigation on the structures and electrochemical performances of La_{0.75–x}Zr_xMg_{0.25}Ni_{3.2}Co_{0.2}Al_{0.1} (x = 0–0.2) electrode alloys prepared by melt spinning 547
- AC conductivity**
AC conductivity and dielectric measurements of bulk magnesium phthalocyanine (MgPc) 564
- AC-HVAF**
microstructure and properties of AC-HVAF sprayed Ni60/WC composite coating 254
- Acidic solutions**
corrosion behavior of G-X CrNiMoNb 18-10 austenitic stainless steel in acidic solutions 885
- Activation energy**
a study of Re and Al diffusion in Ni 987
- Activity**
phase equilibria on Ni–Al interface under low oxygen pressure 299
- AE42 Mg alloy**
microstructural modification and mechanical property improvement in friction stir zone of thixo-molded AE42 Mg alloy 340
- Aging**
aging-induced, defect-mediated double ferroelectric hysteresis loops and large recoverable electrostrains in Mn-doped orthorhombic KNbO₃-based ceramics L29
- ²⁷Al NMR**
NMR evidence for Co–Al–Co molecular groups trapped in cages of Co₄Al₁₃ 141
- Al–Cr**
combustion synthesis of Al–Cr preforms activated in microwave field 369
- Al–Cu–Dy system**
thermodynamic assessment of Al–Cu–Dy system 403
- Alloy**
re-formation of AlP compound in Al–Si melt 376
- AlP**
re-formation of AlP compound in Al–Si melt 376
- Al–Si**
re-formation of AlP compound in Al–Si melt 376
- Al–Ti–B alloy**
Al–Ti–B grain refiners via powder metallurgy processing of Al/K₂TiF₆/KBF₄ powder blends 311
- Aluminum alloys**
effects and on-line prediction of electromagnetic stirring on microstructure refinement of the 319 Al–Si hypoeutectic alloy 416
- Ammonium perchlorate**
bimetallic nanoalloys: Preparation, characterization and their catalytic activity 270
- Amorphous**
effect of heat treatment on the microstructure and mechanical properties of Fe-based amorphous coatings 422
- Amorphous FeCrMnN alloys**
microstructural, thermal and magnetic properties of amorphous/nanocrystalline FeCrMnN alloys prepared by mechanical alloying and subsequent heat treatment 617
- Amorphous materials**
microstructure evolution and thermal stability of an Fe-based amorphous alloy powder and thermally sprayed coatings 351
effect of Li₂O on structure and optical properties of lithium bisosilicate glasses 516
- Anisotropy**
optical anisotropy of Au-doped ReS₂ crystals 94
- Annealing**
composition of electrodeposited Zn–Cr alloy coatings and phase transformations induced by thermal treatment 259
- Anode-supported**
fabrication and study on Ni_{1–x}Fe_xO–YSZ anodes for intermediate temperature anode-supported solid oxide fuel cells 286
dip coating technique in fabrication of cone-shaped anode-supported solid oxide fuel cells 554
- Antiferromagnetic phases**
magnetoresistance in CePtSn under high hydrostatic pressures 147
- Antiferromagnetic semiconductors**
influence of temperature on the critical fields in ZnCr_{2–x}Al_xSe₄ antiferromagnets 67
- Antiferromagnetics**
influence of solubility of MoO₃ in SbVO₅ on the magnetic spin arrangement 16
- Antiferromagnets**
effect of cation substitution on electrical conduction of the n-type Zn_xSn_yCr_zSe₄ spinels 63
- Anti-structure atoms Fe-AS**
point defect structure in B2-ordered Fe–Al alloys 84
- Approximants**
NMR evidence for Co–Al–Co molecular groups trapped in cages of Co₄Al₁₃ 141
- Austenitic stainless steel**
corrosion behavior of G-X CrNiMoNb 18-10 austenitic stainless steel in acidic solutions 885
- Ball milling**
correlation between the milling time and hydrogen-storage properties of nanostructured ZrFeNi ternary alloy 325
synthesis of HCP, FCC and BCC structure alloys in the Mg–Ti binary system by means of ball milling 558
- Band-structure calculations**
first-principles calculations and X-ray spectroscopy studies of the electronic structure of CuWO₄ 184

- Barium zirconate titanate
effects of grain size on domain structure and ferroelectric properties of barium zirconate titanate ceramics 870
- BiFeO₃
preparation of high-quality BiFeO₃ nanopowders via a polyacrylamide gel route 889
- Bimetal anode
fabrication and study on Ni_{1-x}Fe_xO-YSZ anodes for intermediate temperature anode-supported solid oxide fuel cells 286
- Bimetallic nanoalloys
bimetallic nanoalloys: Preparation, characterization and their catalytic activity 270
- Bismuth telluride
synthesis of micro/nanostructured p-type Bi_{0.4}Sb_{1.6}Te₃ and its thermoelectrical properties 954
- Bond energy
far-infrared study of amorphous Ge_{0.17}Se_{0.83-x}Sb_x chalcogenide glasses 934
- Bulk amorphous alloy
microstructure identification of devitrified Cu-Ti-Zr-Ni bulk amorphous alloy 329
- Bulk metallic glasses
correlations between the relaxed excess free volume and the plasticity in Zr-based bulk metallic glasses L37
- Burning rate
bimetallic nanoalloys: Preparation, characterization and their catalytic activity 270
- Ca substitution
structural investigation and electrochemical properties of La_{5-x}Ca_xMg₂Ni₂₃ (x = 0, 1, 2 and 3) hydrogen storage alloys 756
- Calcination
industrial precipitation of yttrium chloride and zirconyl chloride: Effect of pH on ceramic properties for yttria partially stabilised zirconia 639
- CALPHAD
thermodynamic assessment of Al-Cu-Dy system 403
- Carbon
the effect of organic additive in Mg/graphite composite as hydrogen storage materials 238
- Carbon combustion synthesis
carbon combustion synthesis of LiNi_{0.5}Mn_{1.5}O₄ and its use as a cathode material for lithium ion batteries 802
- Casting
microstructural evolution behavior of Mg-5Si-1Al alloy modified with Sr-Sb during isothermal heat treatment L25
internal cooling to produce aluminium alloy slurries for rheocasting 365
- Cathode
properties of LiNi_{1/3}Co_{1/3}Mn_{1/3}O₂ cathode material synthesized by a modified Pechini method for high-power lithium-ion batteries 696
- Cathode material
synthesis, characterization and electrochemical performance of Li₂MnSiO₄/C cathode material by solid-state reaction L1
carbon combustion synthesis of LiNi_{0.5}Mn_{1.5}O₄ and its use as a cathode material for lithium ion batteries 802
- CdZnSse
the effects of substrate temperature on refractive index dispersion and optical constants of CdZn(S_{0.8}Se_{0.2})₂ alloy thin films 234
- Ceramics
dielectric and magnetic properties of 0.7Bi(Fe_{1-x}Cr_x)O₃-0.1BaTiO₃-0.2PbTiO₃ solid solutions L41
FT-Raman and FT-IR vibrational spectroscopic studies of nanocrystalline Ba₂RESbO₆ (RE = Sm, Gd, Dy and Y) perovskites 167
structure, microstructure and electrical properties of (1 - x - y) Bi_{0.5}Na_{0.5}TiO₃-xBi_{0.5}K_{0.5}TiO₃-yBi_{0.5}Li_{0.5}TiO₃ lead-free piezoelectric ceramics 246
effects of Y₂O₃ addition on the phase evolution and thermophysical properties of lanthanum zirconate 220
new dielectric material system of La(Mg_{1/2}Ti_{1/2})O₃-Ca_{0.6}La_{0.8/3}TiO₃ for microwave applications 265
combustion synthesis of Ti(C, N)-TiB₂ from a Ti-C-BN system 315
a polyethylene glycol-assisted route to synthesize Pb(Ni_{1/3}Nb_{2/3})O₃-PbTiO₃ in pure perovskite phase 510
industrial precipitation of yttrium chloride and zirconyl chloride: Effect of pH on ceramic properties for yttria partially stabilised zirconia 639
solution combustion synthesis of α-cordierite 702
structural and dielectric properties of La(Mg_{1/2}Ti_{1/2})O₃-Ca_{0.6}La_{0.8/3}TiO₃-doped CuO 820
coprecipitation synthesis and thermal conductivity of La₂Zr₂O₇ 843
microstructure, mechanical properties and thermal shock resistance of ZrO₂-LaPO₄ composites 863
effects of grain size on domain structure and ferroelectric properties of barium zirconate titanate ceramics 870
combustion synthesis of hexagonal AlN-SiC solid solution under low nitrogen pressure 928
- Ceramics (A)
synthesis of single phase rhombohedral LaNiO₃ at low temperature and its characterization 942
- Chalcogenide glasses
far-infrared study of amorphous Ge_{0.17}Se_{0.83-x}Sb_x chalcogenide glasses 934
- Chemical synthesis
unprecedented ∞¹(P₁₀³⁻) band anion in the crystal structure of HgAg₆P₂₀I₂ 2
phase equilibria in the quasi-ternary system Ag₂S-In₂S₃-CdS at 870 K 360
phase transition and IR properties of tungsten-doped vanadium dioxide nanopowders 537
synthesis and electromagnetic wave absorption property of Ni-Ag alloy nanoparticles 674
synthesis and magnetic characterization of MCM-41/CoFe₂O₄ nano-composite 681
solution combustion synthesis of α-cordierite 702
oriented ZnO nanoplates on Al substrate by solution growth technique 741
on the Fe₃O₄/Mn_{1-x}Zn_xFe₂O₄ core/shell magnetic nanoparticles 947
- Chemical synthesis (B)
synthesis of single phase rhombohedral LaNiO₃ at low temperature and its characterization 942
- Chemical vapor transport
phase equilibria and chemical vapor transport in the system Mo-Ta-As 397
- Clathrate structure
NMR evidence for Co-Al-Co molecular groups trapped in cages of Co₄Al₁₃ 141
- CMR materials
study of calcium doping effect on thermophysical properties of some perovskite manganites 727
- Co₄Al₁₃
NMR evidence for Co-Al-Co molecular groups trapped in cages of Co₄Al₁₃ 141
- Coating materials
microstructure evolution and thermal stability of an Fe-based amorphous alloy powder and thermally sprayed coatings 351
- Cold working
influence of prior cold working on the tribological behavior of Cu-0.65 wt.%Cr alloy 505
- Color tuneability
Yb³⁺-Er³⁺ co-doped sol-gel transparent nano-glass-ceramics containing NaYF₄ nanocrystals for tuneable up-conversion phosphors 706
- Complex metallic alloys
NMR evidence for Co-Al-Co molecular groups trapped in cages of Co₄Al₁₃ 141
- Composite
combustion synthesis of Al-Cr preforms activated in microwave field 369
- Composite materials
phase transition and IR properties of tungsten-doped vanadium dioxide nanopowders 537
synthesis and electromagnetic wave absorption property of Ni-Ag alloy nanoparticles 674
effect of the aluminum content on the behavior of mechanochemical reactions in the WO₃-C-Al system 824
on the Fe₃O₄/Mn_{1-x}Zn_xFe₂O₄ core/shell magnetic nanoparticles 947
thermal stability of europium(III) chelate encapsulated by sol-gel glass 908

- Composite solid propellant
bimetallic nanoalloys: Preparation, characterization and their catalytic activity 270
- Composites
strengthening mechanism of SiC-particulate reinforced Sn-3.7Ag-0.9Zn lead-free solder 662
microstructure, mechanical properties and thermal shock resistance of ZrO₂-LaPO₄ composites 863
stability and conductivity study of NH₄PO₃-PTFE composites at intermediate temperatures 874
- Composites material
high-temperature property of carbon/carbon composite joints bonded with ternary Ti-Si-C compound 747
- Computer simulations
the cause of anomaly of temperature dependence of electroresistance of the ordering nonstoichiometric FeCo compounds based on a b.c.c. lattice 13
a first-principles study of the La-H system 111
influence of a transition metal atom on the geometry and electronic structure of Mg and Mg-H clusters 114
optical properties and critical points in ordered Be_xZn_{1-x}Se alloys 717
adsorption and dissociation of hydrogen on MgO surface: A first-principles study 788
- Conductivity
stability and conductivity study of NH₄PO₃-PTFE composites at intermediate temperatures 874
- Cone-shaped
dip coating technique in fabrication of cone-shaped anode-supported solid oxide fuel cells 554
- Cooperative phenomena
magnetic and structural properties of the chromium-based Mn_{1-x}Cd_xCr₂S₄ thiospinel 291
- Copper
effect of indium on the microstructure of the interface between Sn_{3.13}Ag_{0.74}CuIn solder and Cu substrate 409
- Copper tungstate
first-principles calculations and X-ray spectroscopy studies of the electronic structure of CuWO₄ 184
- Copper-chromium alloy
influence of prior cold working on the tribological behavior of Cu-0.65 wt.%Cr alloy 505
- Coprecipitation
coprecipitation synthesis and thermal conductivity of La₂Zr₂O₇ 843
- Corrosion
influence of flux containing YCl₃ additions on purifying effectiveness and properties of Mg-10Gd-3Y-0.5Zr alloy 386
microstructures, mechanical properties and corrosion behavior of high-pressure die-cast Mg-4Al-0.4Mn-xPr (x = 1, 2, 4, 6) alloys 810
structural features and corrosion analysis of thermally oxidized titanium 849
corrosion behavior of G-X CrNiMoNb 18-10 austenitic stainless steel in acidic solutions 885
- Corrosion resistance
microstructure and properties of AC-HVAF sprayed Ni60/WC composite coating 254
- Critical current density
complete flux jumping in nano-structured MgB₂ superconductors prepared by mechanical alloying 203
- Cross-section
fluorescence and Judd-Ofelt analysis of Nd³⁺ doped P₂O₅-Na₂O-K₂O glass 208
- Crystal binding and equation of state
some applications of the bond valence model to transition metal chalcogenides 131
- Crystal growth
optical anisotropy of Au-doped ReS₂ crystals 94
raman and infrared spectromicroscopy of manganese oxides 97
synthesis and characterization of needle-like IrSe₂ microrods 70
effects of polydispersity index and molecular weight on crystallization kinetics of syndiotactic polystyrene (sPS) 658
- Na-Si binary phase diagram and solution growth of silicon crystals 723
dielectric properties of a low-loss (1-x)(Mg_{0.95}Zn_{0.05})₂TiO₄-xSrTiO₃ ceramic system at microwave frequencies 794
growth and spectral properties of Nd³⁺-doped Li₃Ba₂Ln₃(MoO₄) (Ln = La, Gd) crystals 839
- Crystal structure
unprecedented [∞](P₁₀³⁻) band anion in the crystal structure of HgAg₆P₂₀I₂ 2
synthesis and properties of oxygen-bearing c-Zr₃N₄ and c-Hf₃N₄ 46
structural archetypes in nickel(II) hybrid vanadates. Towards a directed hydrothermal synthesis 54
syntheses, structures and properties of the pnictide oxides R₂PnO₂ (R = Ce, Pr; Pn = Sb, Bi) 57
high-pressure high-temperature phase transition of γ'-Fe₄N 76
new nitridocobaltates(I): Crystal structures and physical properties 138
low-temperature thermal expansion of metastable intermetallic Fe-Cr phases 152
FT-Raman and FT-IR vibrational spectroscopic studies of nanocrystalline Ba_xRE₃Bo₆ (RE = Sm, Gd, Dy and Y) perovskites 167
phase equilibria and chemical vapor transport in the system Mo-Ta-As 397
synthesis of HCP, FCC and BCC structure alloys in the Mg-Ti binary system by means of ball milling 558
lattice constant of orthorhombic perovskite solids 650
- Crystal structure and symmetry
monoclinic phases and stress-relief conditions in (1-x)Pb(Mg_{1/3}Nb_{2/3})TiO₃-xPbTiO₃ solid solutions 568
crystallization behaviors of TiO₂ films derived from thermal oxidation of evaporated and sputtered titanium films 938
- Crystal structure (C)
synthesis of single phase rhombohedral LaNiO₃ at low temperature and its characterization 942
- Crystal symmetry
influence of cation substitution on electrical conductivity of the n-type Cu_xIn_yCr₂Se₄ spinels 60
- Crystalline-electric-field effect
direct observation of remarkable crystalline-electric-field effect in quasi-two-dimensional antiferromagnet Er₅Ir₄Si₁₀ single crystal by low-temperature specific heat 35
- Crystallization
crystallization of amorphous NiTiCu thin films L13
microstructural, thermal and magnetic properties of amorphous/nanocrystalline FeCrMnN alloys prepared by mechanical alloying and subsequent heat treatment 617
- Cu-Ni-Cr-Al alloy
oxidation of a quaternary two-phase Cu-40Ni-17.5Cr-2.5Al alloy at 973-1073 K in 101 kPa O₂ 449
- CuWO₄
first-principles calculations and X-ray spectroscopy studies of the electronic structure of CuWO₄ 184
- Debye temperature
iron containing 3d-4f compounds: Effect of alternative processing on local interactions and storage properties 157
- Defects
aging-induced, defect-mediated double ferroelectric hysteresis loops and large recoverable electrostrains in Mn-doped orthorhombic KNbO₃-based ceramics L29
complete flux jumping in nano-structured MgB₂ superconductors prepared by mechanical alloying 203
- Devitrification
microstructure identification of devitrified Cu-Ti-Zr-Ni bulk amorphous alloy 329
- Dielectric constants
the effect of organic additive in Mg/graphite composite as hydrogen storage materials 238
- Dielectric properties
structure, microstructure and electrical properties of (1-x-y)Bi_{0.5}Na_{0.5}TiO₃-xBi_{0.5}K_{0.5}TiO₃-yBi_{0.5}Li_{0.5}TiO₃ lead-free piezoelectric ceramics 246

- Dielectric relaxation
AC conductivity and dielectric measurements of bulk magnesium phthalocyanine (MgPc) 564
- Dielectric response
dielectric and magnetic properties of $0.7\text{Bi}(\text{Fe}_{1-x}\text{Cr}_x)\text{O}_3-0.1\text{BaTiO}_3-0.2\text{PbTiO}_3$ solid solutions L41
dielectric properties and conductivity of zinc ferrite and zinc ferrite doped with yttrium 241
dielectric properties of a low-loss $(1-x)(\text{Mg}_{0.95}\text{Zn}_{0.05})_2\text{TiO}_4-x\text{SrTiO}_3$ ceramic system at microwave frequencies 794
- Diffusion
hydrogen uptake of multiwalled carbon nanotubes decorated with Pt–Pd alloy using thermal vapour deposition method L20
atomic diffusion in Ni–Mn mechanical alloys around Ni_3Mn composition proved from magnetic measurements 87
- Diffusion behavior
a study of Re and Al diffusion in Ni 987
- Dilatometry
an evaluation of the properties of As-cast U-rich U–Zr alloys 857
- Dip coating
dip coating technique in fabrication of cone-shaped anode-supported solid oxide fuel cells 554
- Domain
effects of grain size on domain structure and ferroelectric properties of barium zirconate titanate ceramics 870
- Double ferroelectric hysteresis loop
aging-induced, defect-mediated double ferroelectric hysteresis loops and large recoverable electrostrains in Mn-doped orthorhombic KNbO_3 -based ceramics L29
- Dropping order
coprecipitation synthesis and thermal conductivity of $\text{La}_2\text{Zr}_2\text{O}_7$ 843
- Dynamic viscosity
a statistical approach to estimate the experimental uncertainty of viscosity data obtained by the oscillating cup technique 629
- Elasticity
monoclinic phases and stress-relief conditions in $(1-x)\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{TiO}_3-x\text{PbTiO}_3$ solid solutions 568
effect of Ba-site substitution by Sr on ultrasonic velocity and electron-phonon coupling constant of $\text{DyBa}_{2-x}\text{Sr}_x\text{Cu}_3\text{O}_{7-\delta}$ superconductors 777
- Elastomers and plastics
effects of polydispersity index and molecular weight on crystallization kinetics of syndiotactic polystyrene (sPS) 658
- Electrical conductivity
influence of cation substitution on electrical conductivity of the n-type $\text{Cu}_x\text{In}_y\text{Cr}_z\text{Se}_4$ spinels 60
effect of cation substitution on electrical conduction of the n-type $\text{Zn}_x\text{Sn}_y\text{Cr}_z\text{Se}_4$ spinels 63
effect of Ca^{2+} and Zn^{2+} cations substitution on the properties of $\text{La}_{0.85}\text{Sr}_{0.15}\text{CrO}_3$ as SOFC interconnect 958
- Electrical transport
the cause of anomaly of temperature dependence of electroresistance of the ordering nonstoichiometric FeCo compounds based on a b.c.c. lattice 13
synthesis and characterization of needle-like IrSe_2 microrods 70
low-temperature thermal expansion of metastable intermetallic Fe–Cr phases 152
dielectric properties and conductivity of zinc ferrite and zinc ferrite doped with yttrium 241
- Electrochemical hydrogen storage
electrochemical hydrogen storage characteristics of nanocrystalline and amorphous $\text{Mg}_{20}\text{Ni}_{10-x}\text{Co}_x$ ($x = 0-4$) alloys prepared by melt spinning 750
- Electrochemical hydrogenation
hydrogenation of Zr–Cu–Al–Ni–Pd metallic glasses by electrochemical means 321
- Electrochemical performance
synthesis, characterization and electrochemical performance of $\text{Li}_2\text{MnSiO}_4/\text{C}$ cathode material by solid-state reaction L1
investigation on the structures and electrochemical performances of $\text{La}_{0.75-x}\text{Zr}_x\text{Mg}_{0.25}\text{Ni}_{3.2}\text{Co}_{0.2}\text{Al}_{0.1}$ ($x = 0-0.2$) electrode alloys prepared by melt spinning 547
- Electrochemical property
structural investigation and electrochemical properties of $\text{La}_{5-x}\text{Ca}_x\text{Mg}_2\text{Ni}_{23}$ ($x = 0, 1, 2$ and 3) hydrogen storage alloys 756
- Electrochemical reactions
synthesis of $\text{Er}_2\text{Ti}_2\text{O}_7$ nanocrystals and its electrochemical hydrogen storage behavior L45
a study on electrochemical growth behavior of the Co–Ni alloy nanowires in anodic aluminum oxide template 275
structural and electrochemical properties of $\text{Ti}_x\text{Zr}_{7-x}\text{Ni}_{10}$ 521
pressure–composition–temperature hysteresis in C14 Laves phase alloys. Part 2. Applications in NiMH batteries 434
corrosion resistance of electrodeposited Ni–B and Ni–B– Si_3N_4 composite coatings 765
- Electrode materials
carbon nanotube–zinc oxide electrode and gel polymer electrolyte for electrochemical supercapacitors L17
- Electrodeposited
giant magnetoimpedance in electrodeposited CoNiFe/Cu wire: A study on thickness dependence 771
- Electrodeposition
composition of electrodeposited Zn–Cr alloy coatings and phase transformations induced by thermal treatment 259
- Electrolyte
stability and conductivity study of NH_4PO_3 –PTFE composites at intermediate temperatures 874
- Electromagnetic stirring
effects and on-line prediction of electromagnetic stirring on microstructure refinement of the 319 Al–Si hypoeutectic alloy 416
- Electromechanical activity
phase transition-induced high electromechanical activity in $[(\text{K}_{0.5}\text{Na}_{0.5})_{1-x}\text{Li}_x](\text{Nb}_{0.8}\text{Ta}_{0.2})\text{O}_3$ lead-free ceramic system L5
- Electron beam physical vapor deposition
influence of temperature on thermophysical properties of EB-PVD porous coatings and dense ceramics of 4 mol% Y_2O_3 -stabilized ZrO_2 806
- Electron paramagnetic resonance
effect of the synthesis route on the microstructure and the reducibility of LaCoO_3 279
- Electron spin resonance
electron spin resonance of dense Yb-based heavy-fermion compounds: New experimental data 126
- Electronic applications
influence of indium addition on structure, mechanical, thermal and electrical properties of tin–antimony based metallic alloys quenched from melt 334
- Electronic band structure
new nitridocobaltates(I): Crystal structures and physical properties 138
- Electronic properties
a first-principles study of the La–H system 111
X-ray absorption spectroscopic analysis of CuIr_2S_4 120
preparation of electrically conductive nano-powder of zinc oxide and application to transparent film coating 123
cobalt charge states in sodium cobaltates at intermediate dopings 144
optical properties and critical points in ordered $\text{Be}_x\text{Zn}_{1-x}\text{Se}$ alloys 717
adsorption and dissociation of hydrogen on MgO surface: A first-principles study 788
- Electronic structure
first-principles calculations and X-ray spectroscopy studies of the electronic structure of CuWO_4 184
- Electron–phonon interaction
effect of Ba-site substitution by Sr on ultrasonic velocity and electron-phonon coupling constant of $\text{DyBa}_{2-x}\text{Sr}_x\text{Cu}_3\text{O}_{7-\delta}$ superconductors 777
- Electrophoresis
production of MgB_2 superconducting coatings by electrophoresis on metal substrates 575

- Electrospark deposition
isothermal oxidation behavior of electrospark deposited MCrAlX-type coatings on a Ni-based superalloy 454
- Energy storage materials
synthesis of $\text{Er}_2\text{Ti}_2\text{O}_7$ nanocrystals and its electrochemical hydrogen storage behavior L45
- Eutectic microstructure
microstructure identification of devitrified Cu-Ti-Zr-Ni bulk amorphous alloy 329
- Exchange and superexchange interactions
influence of temperature on the critical fields in $\text{ZnCr}_{2-x}\text{Al}_x\text{Se}_4$ antiferromagnets 67
- Exchange bias
influence of cooling field on the magnetic properties of Ni/NiO nanostructure 193
- Exchange coupling
microstructure and magnetic properties of $(\text{Nd}_{1-y}\text{Pr}_y)_{4.5}\text{Fe}_{77}\text{B}_{18.5}$ nanocomposite alloys 670
- Excitons
anisotropic optical characteristics of Au-doped rhenium diselenide single crystals 104
- Experimental error
a statistical approach to estimate the experimental uncertainty of viscosity data obtained by the oscillating cup technique 629
- Far-infrared transmission
far-infrared study of amorphous $\text{Ge}_{0.17}\text{Se}_{0.83-x}\text{Sb}_x$ chalcogenide glasses 934
- Fe
fabrication and study on $\text{Ni}_{1-x}\text{Fe}_x\text{O}$ -YSZ anodes for intermediate temperature anode-supported solid oxide fuel cells 286
- $\text{Fe}_3\text{B}/\text{Nd}_2\text{Fe}_{14}\text{B}$ nanocomposite
microstructure and magnetic properties of $(\text{Nd}_{1-y}\text{Pr}_y)_{4.5}\text{Fe}_{77}\text{B}_{18.5}$ nanocomposite alloys 670
- Fe-Co-Zr alloy flake
microwave properties of surface modified Fe-Co-Zr alloy flakes with mechanochemically synthesized polystyrene 761
- Fe_2O_3
mechanoactivated interaction of hematite and gallium 31
- Ferrimagnetic perovskites
magnetic and structural properties of the chromium-based $\text{Mn}_{1-x}\text{Cd}_x\text{Cr}_2\text{S}_4$ thiospinel 291
- Ferrimagnets
influence of spin arrangement on thermopower in $\text{Zn}_x\text{Cu}_y\text{Cr}_2\text{Se}_4$ spinels 19
- Ferrites
study of ac impedance spectroscopy of Al doped $\text{MnFe}_{2-2x}\text{Al}_{2x}\text{O}_4$ 596
- Ferroelectrics
structure, microstructure and electrical properties of $(1-x-y)\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3-x\text{Bi}_{0.5}\text{K}_{0.5}\text{TiO}_3-y\text{Bi}_{0.5}\text{Li}_{0.5}\text{TiO}_3$ lead-free piezoelectric ceramics 246
a polyethylene glycol-assisted route to synthesize $\text{Pb}(\text{Ni}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - PbTiO_3 in pure perovskite phase 510
monoclinic phases and stress-relief conditions in $(1-x)\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{TiO}_3-x\text{PbTiO}_3$ solid solutions 568
lattice constant of orthorhombic perovskite solids 650
- Ferroelectromagnetics
applications of iron (III) nitrate to obtain the multiferroic $\text{Pb}(\text{Fe}_{1/2}\text{Nb}_{1/2})\text{O}_3$ ceramics by the sol-gel method 732
- Ferromagnetic conductors
influence of spin arrangement on thermopower in $\text{Zn}_x\text{Cu}_y\text{Cr}_2\text{Se}_4$ spinels 19
- Ferromagnetic shape memory alloys
microstructure and martensitic transformation of Ni-Fe-Ga-Si ferromagnetic shape memory alloys 230
- Ferromagnetism
anisotropic magnetism in PrCrSb_3 and NdCrSb_3 28
- FESEM
catalyst-free shape controlled synthesis of In_2O_3 pyramids and octahedron: Structural properties and growth mechanism L9
- Films
effect of potassium fluoride on structure and corrosion resistance of plasma electrolytic oxidation films formed on AZ31 magnesium alloy 469
- Fluorescence
fluorescence and Judd-Ofelt analysis of Nd^{3+} doped P_2O_5 - Na_2O - K_2O glass 208
- Flux growth
anisotropic magnetism in PrCrSb_3 and NdCrSb_3 28
- Flux jumping
complete flux jumping in nano-structured MgB_2 superconductors prepared by mechanical alloying 203
- Force constant
far-infrared study of amorphous $\text{Ge}_{0.17}\text{Se}_{0.83-x}\text{Sb}_x$ chalcogenide glasses 934
- Formation enthalpy
prediction of the formation enthalpies of Bi-Cd-Ga-In-Pb-Sn-Zn liquid alloys by binary infinitely dilute enthalpies 625
- Friction
influence of prior cold working on the tribological behavior of Cu-0.65 wt.%Cr alloy 505
- FSW
microstructural modification and mechanical property improvement in friction stir zone of thixo-molded AE42 Mg alloy 340
- Ga
mechanoactivated interaction of hematite and gallium 31
- Gallium nitride
effect of ion irradiation on current-voltage characteristics of Au/n-GaN Schottky diodes 962
- GaN
investigations of GaN metal-oxide-semiconductor capacitors with sputtered HfO_2 gate dielectrics 541
effects of temperature and $\text{HCl}:\text{NH}_3$ flow ratio on the growth of GaN nanorods 853
- Gas quenching
research on compressor utilizing hydrogen storage materials for application in heat treatment facilities 612
- Gas-solid reactions
hydrogen sorption in transition metal modified NaETS-4 580
self-ignition combustion synthesis of TiFe in hydrogen atmosphere 592
adsorption and dissociation of hydrogen on MgO surface: A first-principles study 788
- Glass transition
microstructural, thermal and magnetic properties of amorphous/nanocrystalline FeCrMnN alloys prepared by mechanical alloying and subsequent heat treatment 617
- Grain boundaries
an investigation of thermal aging effects on the mechanical properties of a Ni_3Al -based alloy by nanoindentation 347
- Grain size
new dielectric material system of $\text{La}(\text{Mg}_{1/2}\text{Ti}_{1/2})\text{O}_3$ - $\text{Ca}_{0.6}\text{La}_{0.8/3}\text{TiO}_3$ for microwave applications 265
effects and on-line prediction of electromagnetic stirring on microstructure refinement of the 319 Al-Si hypoeutectic alloy 416
structural and dielectric properties of $\text{La}(\text{Mg}_{1/2}\text{Ti}_{1/2})\text{O}_3$ - $\text{Ca}_{0.6}\text{La}_{0.8/3}\text{TiO}_3$ -doped CuO 820
effects of grain size on domain structure and ferroelectric properties of barium zirconate titanate ceramics 870
- Halides impurities
the effect of organic additive in Mg/graphite composite as hydrogen storage materials 238
- Hall effect
superconductivity in highly correlated $\text{Rh}_{17}\text{S}_{15}$ 25
- 6h- BaTiO_3
densification, microstructural evolution, and dielectric properties of hexagonal $\text{Ba}(\text{Ti}_{1-x}\text{Mn}_x)\text{O}_3$ ceramics sintered with fluxes 499
- Heat capacity
physical phenomena of the cage compounds $\text{RE}_3\text{Pd}_{20}\text{Si}_6$ ($\text{RE} = \text{Yb}, \text{Lu}$) 150

- effect of Pt on the superconducting and magnetic properties of $\text{ErNi}_2\text{B}_2\text{C}$ 190
 study of calcium doping effect on thermophysical properties of some perovskite manganites 727
- Heat conduction
 physical phenomena of the cage compounds $\text{RE}_3\text{Pd}_{20}\text{Si}_6$ ($\text{RE} = \text{Yb}, \text{Lu}$) 150
- Heat treatment
 effect of heat treatment on the microstructure and mechanical properties of Fe-based amorphous coatings 422
- Heavy fermions
 electron spin resonance of dense Yb-based heavy-fermion compounds: New experimental data 126
- Hf
 the time differential perturbed angular correlation study of the Ni-5 at.% Hf alloy 40
- HfO_2
 investigations of GaN metal-oxide-semiconductor capacitors with sputtered HfO_2 gate dielectrics 541
- High pressure study
 magnetoresistance in CePtSn under high hydrostatic pressures 147
- High-energy ball milling
 study on morphology and magnetic behavior of SmCo_5 and SmCo_5/Fe nanoparticles synthesized by surfactant-assisted ball milling 645
- High-pressure
 synthesis and properties of oxygen-bearing $\text{c-Zr}_3\text{N}_4$ and $\text{c-Hf}_3\text{N}_4$ 46
 high-pressure high-temperature phase transition of γ' - Fe_4N 76
- High-pressure *in situ* ADXD
 structural stability and Raman scattering of ZnSe nanoribbons under high pressure 798
- High-pressure Raman scattering
 structural stability and Raman scattering of ZnSe nanoribbons under high pressure 798
- High- T_c superconductor
 effect of Ba-site substitution by Sr on ultrasonic velocity and electron-phonon coupling constant of $\text{DyBa}_{2-x}\text{Sr}_x\text{Cu}_3\text{O}_{7-\delta}$ superconductors 777
- High- T_c superconductors
 FT-Raman and FT-IR vibrational spectroscopic studies of nanocrystalline $\text{Ba}_2\text{RE}\text{SbO}_6$ ($\text{RE} = \text{Sm}, \text{Gd}, \text{Dy}$ and Y) perovskites 167
- High-temperature alloys
 dynamic globularization kinetics during hot working of a two phase titanium alloy with a colony alpha microstructure 922
- High-temperature oxidation
 oxidation of a quaternary two-phase Cu-40Ni-17.5Cr-2.5Al alloy at 973-1073 K in 101 kPa O_2 449
- Hot-pressing
 synthesis of micro/nanostructured p-type $\text{Bi}_{0.4}\text{Sb}_{1.6}\text{Te}_3$ and its thermoelectrical properties 954
- HPHT
 HPHT synthesis and thermoelectric properties of CoSb_3 and $\text{Fe}_{0.6}\text{Co}_{3.4}\text{Sb}_{12}$ skutterudites 882
- HVPE
 effects of temperature and $\text{HCl}:\text{NH}_3$ flow ratio on the growth of GaN nanorods 853
- HWCV
 plasmon loss and valence band structure of silicon-based alloys deposited by hot wire chemical vapor deposition 878
- Hybrid nickel(II) vanadates
 structural archetypes in nickel(II) hybrid vanadates. Towards a directed hydrothermal synthesis 54
- Hydrogen absorbing materials
 hydrogen storage in Ti-Mn-(FeV) BCC alloys 5
 various magnetic behaviors of the hydrides deriving from the tetragonal CeFeSi-type compounds 43
 influence of a transition metal atom on the geometry and electronic structure of Mg and Mg-H clusters 114
 pressure-composition-temperature hysteresis in C14 Laves phase alloys: Part 1. Simple ternary alloys 428
 pressure-composition-temperature hysteresis in C14 Laves phase alloys. Part 2. Applications in NiMH batteries 434
 pressure-composition-temperature hysteresis in C14 Laves phase alloys: Part 3. Empirical formula 440
 structural and electrochemical properties of $\text{Ti}_x\text{Zr}_{7-x}\text{Ni}_{10}$ 521
 hydrogen sorption in transition metal modified NaETS-4 580
 adsorption and dissociation of hydrogen on MgO surface: A first-principles study 788
 effects of ball-milling on the hydrogen sorption properties of LaNi_5 912
- Hydrogen recycling
 research on compressor utilizing hydrogen storage materials for application in heat treatment facilities 612
- Hydrogen storage
 iron containing 3d-4f compounds: Effect of alternative processing on local interactions and storage properties 157
 the effect of organic additive in Mg/graphite composite as hydrogen storage materials 238
 synthesis of HCP, FCC and BCC structure alloys in the Mg-Ti binary system by means of ball milling 558
- Hydrogen storage materials
 research on compressor utilizing hydrogen storage materials for application in heat treatment facilities 612
- Hydrogenation
 hydrogen induced structural phenomena in amorphous and crystalline shape memory alloys 91
- Hydrophobicity
 rapid reduction in gelation time and impregnation of hydrophobic property in the tetraethoxysilane (TEOS) based silica aerogels using NH_4F catalyzed single step sol-gel process 689
- Hyperfine interactions
 the time differential perturbed angular correlation study of the Ni-5 at.% Hf alloy 40
- Hysteresis loop
 effects of grain size on domain structure and ferroelectric properties of barium zirconate titanate ceramics 870
- Ignition delay
 bimetallic nanoalloys: Preparation, characterization and their catalytic activity 270
- Impedance spectroscopy
 effect of potassium fluoride on structure and corrosion resistance of plasma electrolytic oxidation films formed on AZ31 magnesium alloy 469
 study of ac impedance spectroscopy of Al doped $\text{MnFe}_{2-2x}\text{Al}_{2x}\text{O}_4$ 596
- Impurities in semiconductors
 optical properties of PbTe and PbSnTe doped with Cr 893
- Impurity and defect levels
 influence of solubility of MoO_3 in SbVO_5 on the magnetic spin arrangement 16
- in situ* TEM
 crystallization of amorphous NiTiCu thin films L13
- Indium-doped
 thermoelectric properties of Zn-Sb alloys doped with In 73
- Inelastic light scattering
 raman and infrared spectromicroscopy of manganese oxides 97
- In_2O_3
 catalyst-free shape controlled synthesis of In_2O_3 pyramids and octahedron: Structural properties and growth mechanism L9
- Interaction
 effect of indium on the microstructure of the interface between $\text{Sn}_{3.13}\text{Ag}_{0.74}\text{CuIn}$ solder and Cu substrate 409
- Interconnect
 effect of Ca^{2+} and Zn^{2+} cations substitution on the properties of $\text{La}_{0.85}\text{Sr}_{0.15}\text{CrO}_3$ as SOFC interconnect 958
- Interfacial energy
 crystallization of amorphous NiTiCu thin films L13
- Intermetallic compounds
 phase equilibria on Ni-Al interface under low oxygen pressure 299
- Intermetallics
 Al-Ti-C-Sr master alloy-A melt inoculant for simultaneous grain refinement and modification of hypoeutectic Al-Si alloys L49

- the time differential perturbed angular correlation study of the Ni-5 at.% Hf alloy 40
- low-temperature thermal expansion of metastable intermetallic Fe-Cr phases 152
- influence of Co substitution on magnetoelastic properties of $\text{Er}_2\text{Fe}_{14-x}\text{Co}_x\text{B}$ ($x = 1, 3$ and 5) intermetallic compounds 198
- magnetic properties of $\text{Ce}_{3-x}\text{Gd}_x\text{Co}_{11}\text{B}_4$ borides 216
- an investigation of thermal aging effects on the mechanical properties of a Ni_3Al -based alloy by nanoindentation 347
- characterization and formation mechanism of nanocrystalline $(\text{Fe,Ti})_3\text{Al}$ intermetallic compound prepared by mechanical alloying 392
- thermal vacancy formation in Co-based Heusler-type alloys Co_2MnZ ($Z = \text{Si, Ge, Sn}$) 462
- effects of ball-milling on the hydrogen sorption properties of LaNi_5 912
- Ion irradiation
- effect of ion irradiation on current-voltage characteristics of Au/n-GaN Schottky diodes 962
- Ion-exchange
- preparation and optical properties of $\text{Eu}^{3+}/\text{Eu}^{2+}$ in phosphors based on exchanging Eu^{3+} -zeolite 13X 867
- Iron aluminides
- point defect structure in B2-ordered Fe-Al alloys 84
- Isothermal stability diagram
- phase equilibria on Ni-Al interface under low oxygen pressure 299
- I-V characteristics
- effect of ion irradiation on current-voltage characteristics of Au/n-GaN Schottky diodes 962
- Kinetics
- effects of polydispersity index and molecular weight on crystallization kinetics of syndiotactic polystyrene (sPS) 658
 - dynamic globularization kinetics during hot working of a two phase titanium alloy with a colony alpha microstructure 922
- $\text{La}_5\text{Mg}_2\text{Ni}_{23}$ alloy
- structural investigation and electrochemical properties of $\text{La}_{5-x}\text{Ca}_x\text{Mg}_2\text{Ni}_{23}$ ($x = 0, 1, 2$ and 3) hydrogen storage alloys 756
- $\text{LaNi}_{5-x}\text{Fe}_x$
- iron containing 3d-4f compounds: Effect of alternative processing on local interactions and storage properties 157
- Lanthanum zirconate
- effects of Y_2O_3 addition on the phase evolution and thermophysical properties of lanthanum zirconate 220
 - coprecipitation synthesis and thermal conductivity of $\text{La}_2\text{Zr}_2\text{O}_7$ 843
- Laser processing
- microstructure evolution in laser solid forming of Ti-50 wt% Ni alloy 782
- Layered compounds
- properties of $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ cathode material synthesized by a modified Pechini method for high-power lithium-ion batteries 696
- Lead free
- influence of indium addition on structure, mechanical, thermal and electrical properties of tin-antimony based metallic alloys quenched from melt 334
- Lead-free ceramics
- phase transition-induced high electromechanical activity in $[(\text{K}_{0.5}\text{Na}_{0.5})_{1-x}\text{Li}_x](\text{Nb}_{0.8}\text{Ta}_{0.2})\text{O}_3$ lead-free ceramic system L5
 - aging-induced, defect-mediated double ferroelectric hysteresis loops and large recoverable electrostrains in Mn-doped orthorhombic KNbO_3 -based ceramics L29
- Lead-free solders
- effect of indium on the microstructure of the interface between $\text{Sn}_{3.13}\text{Ag}_{0.74}\text{CuIn}$ solder and Cu substrate 409
 - strengthening mechanism of SiC-particulate reinforced Sn-3.7Ag-0.9Zn lead-free solder 662
 - investigation on properties of Sn-8Zn-3Bi lead-free solder by Nd addition 903
- Lifetime
- fluorescence and Judd-Ofelt analysis of Nd^{3+} doped P_2O_5 - Na_2O - K_2O glass 208
- Light absorption and reflection
- preparation of electrically conductive nano-powder of zinc oxide and application to transparent film coating 123
- $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$
- carbon combustion synthesis of $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ and its use as a cathode material for lithium ion batteries 802
- $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$
- properties of $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ cathode material synthesized by a modified Pechini method for high-power lithium-ion batteries 696
- Liquid alloys
- a statistical approach to estimate the experimental uncertainty of viscosity data obtained by the oscillating cup technique 629
- Liquid phase sintering
- densification, microstructural evolution, and dielectric properties of hexagonal $\text{Ba}(\text{Ti}_{1-x}\text{Mn}_x)\text{O}_3$ ceramics sintered with fluxes 499
- Lithium manganese oxide
- sputtered Al-doped lithium manganese oxide films for the cathode of lithium ion battery: The post-deposition annealing temperature effect 981
- Lithium manganese silicate
- synthesis, characterization and electrochemical performance of $\text{Li}_2\text{MnSiO}_4/\text{C}$ cathode material by solid-state reaction L1
- Lithium nitride
- reduction of WO_3 to W-metal by mechanochemical reaction 666
- Lithium-ion batteries
- properties of $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ cathode material synthesized by a modified Pechini method for high-power lithium-ion batteries 696
 - carbon combustion synthesis of $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ and its use as a cathode material for lithium ion batteries 802
 - sputtered Al-doped lithium manganese oxide films for the cathode of lithium ion battery: The post-deposition annealing temperature effect 981
- Luminescence
- polymer-assisted sol-gel synthesis and characterization of $\text{Zn}_2\text{SiO}_4:\text{Eu}^{3+}$ powders 494
 - improvement of optical properties of nanocrystalline Fe-doped ZnO powders through precipitation method from citrate-modified zinc nitrate solution 603
 - growth and spectral properties of Nd^{3+} -doped $\text{Li}_3\text{Ba}_2\text{Ln}_3(\text{MoO}_4)$ ($\text{Ln} = \text{La, Gd}$) crystals 839
 - doping optimization of Eu and Ho activator ions in polycrystalline CaAl_2O_4 966
 - thermal stability of europium(III) chelate encapsulated by sol-gel glass 908
- Magnesium alloy
- effect of potassium fluoride on structure and corrosion resistance of plasma electrolytic oxidation films formed on AZ31 magnesium alloy 469
- Magnesium composites
- the effect of organic additive in Mg/graphite composite as hydrogen storage materials 238
- Magnesium-titanium alloys
- synthesis of HCP, FCC and BCC structure alloys in the Mg-Ti binary system by means of ball milling 558
- Magnetic hysteresis
- influence of cooling field on the magnetic properties of Ni/NiO nanostructure 193
- Magnetic layers
- structural and magnetic properties of Ni_3N synthesized by multidipolar microwave plasma-assisted reactive sputtering 225
- Magnetic measurements
- magnetic and structural properties of the $\text{Lu}_2\text{Fe}_{17}\text{H}_y$ hydrides 23
 - syntheses, structures and properties of the pnictide oxides R_2PnO_2 ($\text{R} = \text{Ce, Pr; Pn} = \text{Sb, Bi}$) 57
 - atomic diffusion in Ni-Mn mechanical alloys around Ni_3Mn composition probed from magnetic measurements 87
 - new nitridocobaltates(I): Crystal structures and physical properties 138

- milling and subsequent thermal annealing effects on the microstructural and magnetic properties of nanostructured $\text{Fe}_{90}\text{Co}_{10}$ and $\text{Fe}_{65}\text{Co}_{35}$ powders 161
- magnetic properties of $\text{Ce}_{3-x}\text{Gd}_x\text{Co}_{11}\text{B}_4$ borides 216
- a study on electrochemical growth behavior of the Co–Ni alloy nanowires in anodic aluminum oxide template 275
- fabrication and microwave absorbing properties of Ni–Zn spinel ferrites 634
- study on morphology and magnetic behavior of SmCo_5 and SmCo_5/Fe nanoparticles synthesized by surfactant-assisted ball milling 645
- synthesis and magnetic characterization of MCM-41/ CoFe_2O_4 nanocomposite 681
- on the $\text{Fe}_3\text{O}_4/\text{Mn}_{1-x}\text{Zn}_x\text{Fe}_2\text{O}_4$ core/shell magnetic nanoparticles 947
- synthesis of $\alpha\text{-Fe}_2\text{O}_3$ hexagons and their magnetic properties 970
- Magnetic properties**
- magnetic properties of GdPdSb and GdNiSb studied by ^{155}Gd -Mössbauer spectroscopy 117
- iron containing 3d–4f compounds: Effect of alternative processing on local interactions and storage properties 157
- microstructural, thermal and magnetic properties of amorphous/nanocrystalline FeCrMnN alloys prepared by mechanical alloying and subsequent heat treatment 617
- Magnetically ordered materials**
- dielectric and magnetic properties of $0.7\text{Bi}(\text{Fe}_{1-x}\text{Cr}_x)\text{O}_3\text{-}0.1\text{BaTiO}_3\text{-}0.2\text{PbTiO}_3$ solid solutions L41
- various magnetic behaviors of the hydrides deriving from the tetragonal CeFeSi-type compounds 43
- magneto-resistance in magnetite: Switching of the magnetic easy axis 128
- a neutron diffraction study of the hexagonal pseudo-ternary compounds $\text{ErMn}_{6-x}\text{Fe}_x\text{Sn}_6$ ($x = 0.2, 0.4, 0.6, 0.8, 1.0, 2.0, 3.0, 4.0$) 171
- magnetic properties of $\text{Ce}_{3-x}\text{Gd}_x\text{Co}_{11}\text{B}_4$ borides 216
- synthesis and magnetic characterization of MCM-41/ CoFe_2O_4 nanocomposite 681
- investigation of structural and magnetic properties of nanocrystalline $\text{Ni}_{0.3}\text{Zn}_{0.7}\text{Fe}_2\text{O}_4$ prepared by high energy ball milling 737
- Magnetisation**
- a neutron diffraction study of the hexagonal pseudo-ternary compounds $\text{ErMn}_{6-x}\text{Fe}_x\text{Sn}_6$ ($x = 0.2, 0.4, 0.6, 0.8, 1.0, 2.0, 3.0, 4.0$) 171
- influence of Co substitution on magnetoelastic properties of $\text{Er}_2\text{Fe}_{14-x}\text{Co}_x\text{B}$ ($x = 1, 3$ and 5) intermetallic compounds 198
- Magnetism**
- bulk and local properties of DyRhSn 81
- structural stability and magnetism of $\gamma\text{-Fe}_4\text{N}$ and CoFe_3N compounds 475
- Magnetization**
- fabrication of nano-sized $\text{Ba}_x\text{Mg}_{1-x}\text{Fe}_2\text{O}_4$ ferrite powders by using self-propagating high temperature synthesis reaction and mechanical milling 134
- synthesis of $\alpha\text{-Fe}_2\text{O}_3$ hexagons and their magnetic properties 970
- Magnetoimpedance**
- giant magnetoimpedance in electrodeposited CoNiFe/Cu wire: A study on thickness dependence 771
- Magneto-resistance**
- magneto-resistance in magnetite: Switching of the magnetic easy axis 128
- Magnetostriction**
- influence of Co substitution on magnetoelastic properties of $\text{Er}_2\text{Fe}_{14-x}\text{Co}_x\text{B}$ ($x = 1, 3$ and 5) intermetallic compounds 198
- Martensitic transformation**
- microstructure and martensitic transformation of Ni–Fe–Ga–Si ferromagnetic shape memory alloys 230
- MCrAlX**
- isothermal oxidation behavior of electrospark deposited MCrAlX-type coatings on a Ni-based superalloy 454
- Mechanical alloying**
- mechanoactivated interaction of hematite and gallium 31
- milling and subsequent thermal annealing effects on the microstructural and magnetic properties of nanostructured $\text{Fe}_{90}\text{Co}_{10}$ and $\text{Fe}_{65}\text{Co}_{35}$ powders 161
- complete flux jumping in nano-structured MgB_2 superconductors prepared by mechanical alloying 203
- characterization and formation mechanism of nanocrystalline $(\text{Fe,Ti})_3\text{Al}$ intermetallic compound prepared by mechanical alloying 392
- synthesis of HCP, FCC and BCC structure alloys in the Mg–Ti binary system by means of ball milling 558
- microstructural, thermal and magnetic properties of amorphous/nanocrystalline FeCrMnN alloys prepared by mechanical alloying and subsequent heat treatment 617
- investigation of structural and magnetic properties of nanocrystalline $\text{Ni}_{0.3}\text{Zn}_{0.7}\text{Fe}_2\text{O}_4$ prepared by high energy ball milling 737
- effects of ball-milling on the hydrogen sorption properties of LaNi_5 912
- Mechanical alloys**
- atomic diffusion in Ni–Mn mechanical alloys around Ni_3Mn composition proved from magnetic measurements 87
- Mechanical properties**
- the microstructures and mechanical properties of cast Mg–Zn–Al–RE alloys L33
- synthesis and properties of oxygen-bearing c- Zr_3N_4 and c- Hf_3N_4 46
- the microstructure development in $\text{Fe}_{32}\text{Cu}_{20}\text{Ni}_{28}\text{P}_{10}\text{Si}_5\text{B}_5$ immiscible alloy and possibilities of formation of amorphous/crystalline composite 306
- influence of indium addition on structure, mechanical, thermal and electrical properties of tin–antimony based metallic alloys quenched from melt 334
- microstructural modification and mechanical property improvement in friction stir zone of thixo-molded AE42 Mg alloy 340
- an investigation of thermal aging effects on the mechanical properties of a Ni_3Al -based alloy by nanoindentation 347
- influence of flux containing YCl_3 additions on purifying effectiveness and properties of Mg–10Gd–3Y–0.5Zr alloy 386
- effect of heat treatment on the microstructure and mechanical properties of Fe-based amorphous coatings 422
- high-temperature property of carbon/carbon composite joints bonded with ternary Ti–Si–C compound 747
- microstructures, mechanical properties and corrosion behavior of high-pressure die-cast Mg–4Al–0.4Mn–xPr ($x = 1, 2, 4, 6$) alloys 810
- microstructure, mechanical properties and thermal shock resistance of $\text{ZrO}_2\text{-LaPO}_4$ composites 863
- Mechanochemical processing**
- effect of the aluminum content on the behavior of mechanochemical reactions in the $\text{WO}_3\text{-C-Al}$ system 824
- Mechanochemical reaction**
- reduction of WO_3 to W-metal by mechanochemical reaction 666
- Melt spinning**
- the microstructure development in $\text{Fe}_{32}\text{Cu}_{20}\text{Ni}_{28}\text{P}_{10}\text{Si}_5\text{B}_5$ immiscible alloy and possibilities of formation of amorphous/crystalline composite 306
- Melt treatments**
- effects and on-line prediction of electromagnetic stirring on microstructure refinement of the 319 Al–Si hypoeutectic alloy 416
- Melt-convection**
- effect of melt convection on the secondary dendritic arm spacing in peritectic Nd–Fe–B alloy 295
- Melt-spinning**
- investigation on the structures and electrochemical performances of $\text{La}_{0.75-x}\text{Zr}_x\text{Mg}_{0.25}\text{Ni}_{3.2}\text{Co}_{0.2}\text{Al}_{0.1}$ ($x = 0\text{-}0.2$) electrode alloys prepared by melt spinning 547
- electrochemical hydrogen storage characteristics of nanocrystalline and amorphous $\text{Mg}_{20}\text{Ni}_{10-x}\text{Co}_x$ ($x = 0\text{-}4$) alloys prepared by melt spinning 750
- Metal hydride**
- pressure–composition–temperature hysteresis in C14 Laves phase alloys: Part 1. Simple ternary alloys 428
- pressure–composition–temperature hysteresis in C14 Laves phase alloys: Part 2. Applications in NiMH batteries 434
- pressure–composition–temperature hysteresis in C14 Laves phase alloys: Part 3. Empirical formula 440
- structural and electrochemical properties of $\text{Ti}_x\text{Zr}_{7-x}\text{Ni}_{10}$ 521
- Metal hydrides**
- hydrogen storage in Ti–Mn–(FeV) BCC alloys 5
- a first-principles study of the La–H system 111
- hydrogen sorption in transition metal modified NaETS-4 580
- self-ignition combustion synthesis of TiFe in hydrogen atmosphere 592

- Metal matrix composites
Al-Ti-C-Sr master alloy—A melt inoculant for simultaneous grain refinement and modification of hypoeutectic Al-Si alloys L49
- Metal organic chemical vapor deposition
growth and structural characterization of well-aligned RuO₂ nanorods on LiNbO₃ (1 0 0) via MOCVD 100
synthesis and structural characterization of twinned V-shaped IrO₂ nanowedges on TiO₂ nanorods via MOCVD 107
- Metal-oxide semiconductor structure
the effect of deposition temperature and chamber pressure on the electrical and physical properties of the MgTiO₃ thin films 897
- Metals
microstructural evolution behavior of Mg-5Si-1Al alloy modified with Sr-Sb during isothermal heat treatment L25
Al-Ti-B grain refiners via powder metallurgy processing of Al/K₂TiF₆/KBF₄ powder blends 311
internal cooling to produce aluminium alloy slurries for rheocasting 365
influence of flux containing YCl₃ additions on purifying effectiveness and properties of Mg-10Gd-3Y-0.5Zr alloy 386
- Metals and alloys
Al-Ti-C-Sr master alloy—A melt inoculant for simultaneous grain refinement and modification of hypoeutectic Al-Si alloys L49
the 473 K isothermal section of the Cu-Ti-Sn ternary system 382
a high-working-temperature CuAlMnZr shape memory alloy 481
microstructural evolution during upward and downward transient directional solidification of hypomonotectic and monotectic Al-Bi alloys 485
nanocrystalline spherical iron-nickel (Fe-Ni) alloy particles prepared by ultrasonic spray pyrolysis and hydrogen reduction (USP-HR) 529
effect of Ce addition on the microstructure and damping properties of Cu-Al-Mn shape memory alloys 608
synthesis and electromagnetic wave absorption property of Ni-Ag alloy nanoparticles 674
microstructure evolution in laser solid forming of Ti-50 wt% Ni alloy 782
- Metamagnetism
influence of temperature on the critical fields in ZnCr_{2-x}Al_xSe₄ antiferromagnets 67
- Mg and Mg alloys
the characterization of surface films formed on molten magnesium and AZ91D alloy in air/1,1,1,2-tetrafluoroethane atmospheres 711
- Mg-Al-Mn-Pr alloy
microstructures, mechanical properties and corrosion behavior of high-pressure die-cast Mg-4Al-0.4Mn-xPr (x = 1, 2, 4, 6) alloys 810
- MgB₂
production of MgB₂ superconducting coatings by electrophoresis on metal substrates 575
- MgB₂ superconductor
complete flux jumping in nano-structured MgB₂ superconductors prepared by mechanical alloying 203
- Mg₂Ni-type electrode alloy
electrochemical hydrogen storage characteristics of nanocrystalline and amorphous Mg₂₀Ni_{10-x}Co_x (x = 0-4) alloys prepared by melt spinning 750
- MgPc
AC conductivity and dielectric measurements of bulk magnesium phthalocyanine (MgPc) 564
- MgTe
phase transition and thermodynamic properties of MgTe under high pressure 587
- Mg-Zn-Al-RE alloys
the microstructures and mechanical properties of cast Mg-Zn-Al-RE alloys L33
- Microhardness
strengthening mechanism of SiC-particulate reinforced Sn-3.7Ag-0.9Zn lead-free solder 662
- Microstructures
the microstructures and mechanical properties of cast Mg-Zn-Al-RE alloys L33
- Al-Ti-C-Sr master alloy—A melt inoculant for simultaneous grain refinement and modification of hypoeutectic Al-Si alloys L49
milling and subsequent thermal annealing effects on the microstructural and magnetic properties of nanostructured Fe₉₀Co₁₀ and Fe₆₅Co₃₅ powders 161
structure, microstructure and electrical properties of (1 - x - y) Bi_{0.5}Na_{0.5}TiO₃-xBi_{0.5}K_{0.5}TiO₃-yBi_{0.5}Li_{0.5}TiO₃ lead-free piezoelectric ceramics 246
microstructure and properties of AC-HVAF sprayed Ni60/WC composite coating 254
microstructural modification and mechanical property improvement in friction stir zone of thixo-molded AE42 Mg alloy 340
an investigation of thermal aging effects on the mechanical properties of a Ni₃Al-based alloy by nanoindentation 347
microstructure evolution and thermal stability of an Fe-based amorphous alloy powder and thermally sprayed coatings 351
a high-working-temperature CuAlMnZr shape memory alloy 481
effect of heat treatment on the microstructure and mechanical properties of Fe-based amorphous coatings 422
microstructural evolution during upward and downward transient directional solidification of hypomonotectic and monotectic Al-Bi alloys 485
polymer-assisted sol-gel synthesis and characterization of Zn₂SiO₄:Eu³⁺ powders 494
densification, microstructural evolution, and dielectric properties of hexagonal Ba(Ti_{1-x}Mn_x)O₃ ceramics sintered with fluxes 499
surface functionalization of multi-walled carbon nanotubes via electron reduction of benzophenone by potassium metal 534
investigation on the structures and electrochemical performances of La_{0.75-x}Zr_xMg_{0.25}Ni_{3.2}Co_{0.2}Al_{0.1} (x = 0-0.2) electrode alloys prepared by melt spinning 547
effect of Ce addition on the microstructure and damping properties of Cu-Al-Mn shape memory alloys 608
strengthening mechanism of SiC-particulate reinforced Sn-3.7Ag-0.9Zn lead-free solder 662
synthesis and electromagnetic wave absorption property of Ni-Ag alloy nanoparticles 674
microstructures, mechanical properties and corrosion behavior of high-pressure die-cast Mg-4Al-0.4Mn-xPr (x = 1, 2, 4, 6) alloys 810
an evaluation of the properties of As-cast U-rich U-Zr alloys 857
microstructure, mechanical properties and thermal shock resistance of ZrO₂-LaPO₄ composites 863
dynamic globularization kinetics during hot working of a two phase titanium alloy with a colony alpha microstructure 922
combustion synthesis of hexagonal AlN-SiC solid solution under low nitrogen pressure 928
- Microwave
combustion synthesis of Al-Cr preforms activated in microwave field 369
a facile microwave solvothermal process to synthesize ZnWO₄ nanoparticles 684
- Microwave absorber
microwave properties of surface modified Fe-Co-Zr alloy flakes with mechanochemically synthesized polystyrene 761
- Microwave properties
densification, microstructural evolution, and dielectric properties of hexagonal Ba(Ti_{1-x}Mn_x)O₃ ceramics sintered with fluxes 499
- Mild hydrothermal synthesis
structural archetypes in nickel(II) hybrid vanadates. Towards a directed hydrothermal synthesis 54
- Milling
reduction of WO₃ to W-metal by mechanochemical reaction 666
- Moessbauer spectroscopy
some applications of the bond valence model to transition metal chalcogenides 131
- Molecular dynamics
pressure-induced phase transition in AlN: An *ab initio* molecular dynamics study 917
- Molecular interaction volume model
prediction of the formation enthalpies of Bi-Cd-Ga-In-Pb-Sn-Zn liquid alloys by binary infinitely dilute enthalpies 625

- Morphology
re-formation of AlP compound in Al–Si melt 376
- Morphotropic phase boundary (MPB)
phase transition-induced high electromechanical activity in $[(K_{0.5}Na_{0.5})_{1-x}Li_x](Nb_{0.8}Ta_{0.2})O_3$ lead-free ceramic system L5
- MOS
investigations of GaN metal-oxide-semiconductor capacitors with sputtered HfO_2 gate dielectrics 541
- Mossbauer spectroscopy
mechanoactivated interaction of hematite and gallium 31
- Mo–Ta–As system
phase equilibria and chemical vapor transport in the system Mo–Ta–As 397
- Mössbauer
iron containing 3d–4f compounds: Effect of alternative processing on local interactions and storage properties 157
- Mössbauer spectroscopy
bulk and local properties of DyRhSn 81
point defect structure in B2-ordered Fe–Al alloys 84
magnetic properties of GdPdSb and GdNiSb studied by ^{155}Gd -Mössbauer spectroscopy 117
- Multicomponent liquid alloys
prediction of the formation enthalpies of Bi–Cd–Ga–In–Pb–Sn–Zn liquid alloys by binary infinitely dilute enthalpies 625
- Multiferroics
applications of iron (III) nitrate to obtain the multiferroic $Pb(Fe_{1/2}Nb_{1/2})O_3$ ceramics by the sol–gel method 732
- $NaBH_4$ reduction
a single pot synthesis of crystalline and porous Ni–Pt sponges 830
- Nanocomposite
mechanoactivated interaction of hematite and gallium 31
the microstructure development in $Fe_{32}Cu_{20}Ni_{28}P_{10}Si_5B_3$ immiscible alloy and possibilities of formation of amorphous/crystalline composite 306
- Nanocrystalline materials
influence of cooling field on the magnetic properties of Ni/NiO nanostructure 193
- Nanofabrications
study on morphology and magnetic behavior of $SmCo_5$ and $SmCo_5/Fe$ nanoparticles synthesized by surfactant-assisted ball milling 645
corrosion resistance of electrodeposited Ni–B and Ni–B– Si_3N_4 composite coatings 765
- Nano-glass-ceramics
 Yb^{3+} – Er^{3+} co-doped sol–gel transparent nano-glass-ceramics containing $NaYF_4$ nanocrystals for tuneable up-conversion phosphors 706
- Nanoparticles
a facile microwave solvothermal process to synthesize $ZnWO_4$ nanoparticles 684
preparation of high-quality $BiFeO_3$ nanopowders via a polyacrylamide gel route 889
- Nanopore
influence of temperature on thermophysical properties of EB-PVD porous coatings and dense ceramics of 4 mol% Y_2O_3 -stabilized ZrO_2 806
- Nanorods
growth and structural characterization of well-aligned RuO_2 nanorods on $LiNbO_3$ (1 0 0) via MOCVD 100
effects of temperature and HCl: NH_3 flow ratio on the growth of GaN nanorods 853
- Nanostructured materials
hydrogen uptake of multiwalled carbon nanotubes decorated with Pt–Pd alloy using thermal vapour deposition method L20
milling and subsequent thermal annealing effects on the microstructural and magnetic properties of nanostructured $Fe_{90}Co_{10}$ and $Fe_{65}Co_{35}$ powders 161
FT-Raman and FT-IR vibrational spectroscopic studies of nanocrystalline Ba_2REsBO_6 (RE = Sm, Gd, Dy and Y) perovskites 167
dielectric properties and conductivity of zinc ferrite and zinc ferrite doped with yttrium 241
a study on electrochemical growth behavior of the Co–Ni alloy nanowires in anodic aluminum oxide template 275
- characterization and formation mechanism of nanocrystalline (Fe,Ti) $_3$ Al intermetallic compound prepared by mechanical alloying 392
nanocrystalline spherical iron–nickel (Fe–Ni) alloy particles prepared by ultrasonic spray pyrolysis and hydrogen reduction (USP-HR) 529
surface functionalization of multi-walled carbon nanotubes via electron reduction of benzophenone by potassium metal 534
improvement of optical properties of nanocrystalline Fe-doped ZnO powders through precipitation method from citrate-modified zinc nitrate solution 603
synthesis and electromagnetic wave absorption property of Ni–Ag alloy nanoparticles 674
investigation of structural and magnetic properties of nanocrystalline $Ni_{0.3}Zn_{0.7}Fe_2O_4$ prepared by high energy ball milling 737
- Nanostructures
study on morphology and magnetic behavior of $SmCo_5$ and $SmCo_5/Fe$ nanoparticles synthesized by surfactant-assisted ball milling 645
corrosion resistance of electrodeposited Ni–B and Ni–B– Si_3N_4 composite coatings 765
effects of temperature and HCl: NH_3 flow ratio on the growth of GaN nanorods 853
- Nd–Fe–B
effect of melt convection on the secondary dendritic arm spacing in peritectic Nd–Fe–B alloy 295
- Neutron diffraction
a neutron diffraction study of the hexagonal pseudo-ternary compounds $ErMn_{6-x}Fe_xSn_6$ ($x = 0.2, 0.4, 0.6, 0.8, 1.0, 2.0, 3.0, 4.0$) 171
- Ni
the time differential perturbed angular correlation study of the Ni–5 at.% Hf alloy 40
- Ni60/WC coating
microstructure and properties of AC-HVAF sprayed Ni60/WC composite coating 254
- Ni–Al–O
phase equilibria on Ni–Al interface under low oxygen pressure 299
- Nickel nitrides
structural and magnetic properties of Ni_3N synthesized by multidipolar microwave plasma-assisted reactive sputtering 225
- Nickel-based superalloy
a study of Re and Al diffusion in Ni 987
- Ni–Fe–Ga
microstructure and martensitic transformation of Ni–Fe–Ga–Si ferromagnetic shape memory alloys 230
- NiPt
a single pot synthesis of crystalline and porous Ni–Pt sponges 830
- NiTiCu
crystallization of amorphous NiTiCu thin films L13
- Nitride materials
synthesis and properties of oxygen-bearing c- Zr_3N_4 and c- Hf_3N_4 46
high-pressure high-temperature phase transition of γ' - Fe_4N 76
new nitridocobaltates(I): Crystal structures and physical properties 138
combustion synthesis of hexagonal AlN–SiC solid solution under low nitrogen pressure 928
- Nuclear resonances
cobalt charge states in sodium cobaltates at intermediate dopings 144
- Octahedrons
catalyst-free shape controlled synthesis of In_2O_3 pyramids and octahedron: Structural properties and growth mechanism L9
- Optical anisotropy
optical anisotropy of near band-edge transitions in zinc oxide nanostructures 50
- Optical constants
the effects of substrate temperature on refractive index dispersion and optical constants of $CdZn(S_{0.8}Se_{0.2})_2$ alloy thin films 234
- Optical materials
effect of Li_2O on structure and optical properties of lithium bisosilicate glasses 516
- Optical properties
preparation of electrically conductive nano-powder of zinc oxide and application to transparent film coating 123

- polymer-assisted sol-gel synthesis and characterization of $\text{Zn}_2\text{SiO}_4:\text{Eu}^{3+}$ powders 494
- effect of Li_2O on structure and optical properties of lithium bisosilicate glasses 516
- phase transition and IR properties of tungsten-doped vanadium dioxide nanopowders 537
- improvement of optical properties of nanocrystalline Fe-doped ZnO powders through precipitation method from citrate-modified zinc nitrate solution 603
- optical properties and critical points in ordered $\text{Be}_x\text{Zn}_{1-x}\text{Se}$ alloys 717
- oriented ZnO nanoplates on Al substrate by solution growth technique 741
- thermal stability of europium(III) chelate encapsulated by sol-gel glass 908
- Optical spectroscopy
- raman and infrared spectromicroscopy of manganese oxides 97
- effect of Li_2O on structure and optical properties of lithium bisosilicate glasses 516
- phase transition and IR properties of tungsten-doped vanadium dioxide nanopowders 537
- optical properties of PbTe and PbSnTe doped with Cr 893
- Organic additive
- the effect of organic additive in Mg/graphite composite as hydrogen storage materials 238
- Oscillating cup viscometer
- a statistical approach to estimate the experimental uncertainty of viscosity data obtained by the oscillating cup technique 629
- Oxidation
- investigation on properties of Sn-8Zn-3Bi lead-free solder by Nd addition 903
- Oxidation behavior
- isothermal oxidation behavior of electrospray deposited MCrAlX-type coatings on a Ni-based superalloy 454
- Oxidation product
- the characterization of surface films formed on molten magnesium and AZ91D alloy in air/1,1,1,2-tetrafluoroethane atmospheres 711
- Oxidation resistance
- effect of adding Ge on rapid whisker growth of Sn-3Ag-0.5Cu-0.5Ce alloy 974
- Oxide materials
- syntheses, structures and properties of the pnictide oxides $R_2\text{PnO}_2$ ($R = \text{Ce}, \text{Pr}; \text{Pn} = \text{Sb}, \text{Bi}$) 57
- raman and infrared spectromicroscopy of manganese oxides 97
- growth and structural characterization of well-aligned RuO_2 nanorods on LiNbO_3 (1 0 0) via MOCVD 100
- magnetoresistance in magnetite: Switching of the magnetic easy axis 128
- fabrication of nano-sized $\text{Ba}_x\text{Mg}_{1-x}\text{Fe}_2\text{O}_4$ ferrite powders by using self-propagating high temperature synthesis reaction and mechanical milling 134
- effect of the synthesis route on the microstructure and the reducibility of LaCoO_3 279
- hydrogen sorption in transition metal modified NaETS-4 580
- improvement of optical properties of nanocrystalline Fe-doped ZnO powders through precipitation method from citrate-modified zinc nitrate solution 603
- oriented ZnO nanoplates on Al substrate by solution growth technique 741
- on the $\text{Fe}_3\text{O}_4/\text{Mn}_{1-x}\text{Zn}_x\text{Fe}_2\text{O}_4$ core/shell magnetic nanoparticles 947
- synthesis of $\alpha\text{-Fe}_2\text{O}_3$ hexagons and their magnetic properties 970
- Oxide materials (A)
- synthesis of single phase rhombohedral LaNiO_3 at low temperature and its characterization 942
- PAC
- the time differential perturbed angular correlation study of the Ni-5 at.% Hf alloy 40
- Partial remelting
- microstructural evolution behavior of Mg-5Si-1Al alloy modified with Sr-Sb during isothermal heat treatment L25
- P-C isotherm
- correlation between the milling time and hydrogen-storage properties of nanostructured ZrFeNi ternary alloy 325
- Pechini method
- properties of $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ cathode material synthesized by a modified Pechini method for high-power lithium-ion batteries 696
- Peritectic solidification
- effect of melt convection on the secondary dendritic arm spacing in peritectic Nd-Fe-B alloy 295
- Permanent magnets
- fabrication and microwave absorbing properties of Ni-Zn spinel ferrites 634
- study on morphology and magnetic behavior of SmCo_5 and SmCo_5/Fe nanoparticles synthesized by surfactant-assisted ball milling 645
- microstructure and magnetic properties of $(\text{Nd}_{1-y}\text{Pr}_y)_{4.5}\text{Fe}_{77}\text{B}_{18.5}$ nanocomposite alloys 670
- Perovskite nitrides
- structural stability and magnetism of $\gamma\text{'-Fe}_4\text{N}$ and CoFe_3N compounds 475
- PFN ceramics
- applications of iron (III) nitrate to obtain the multiferroic $\text{Pb}(\text{Fe}_{1/2}\text{Nb}_{1/2})\text{O}_3$ ceramics by the sol-gel method 732
- Phase analysis
- effect of indium on the microstructure of the interface between Sn3.13Ag0.74CuIn solder and Cu substrate 409
- Phase composition
- composition of electrodeposited Zn-Cr alloy coatings and phase transformations induced by thermal treatment 259
- Phase diagrams
- the 473 K isothermal section of the Cu-Ti-Sn ternary system 382
- phase equilibria and chemical vapor transport in the system Mo-Ta-As 397
- thermodynamic assessment of Al-Cu-Dy system 403
- Na-Si binary phase diagram and solution growth of silicon crystals 723
- phase diagram and electrical conductivity of the AgBr-NdBr₃ binary system 834
- Phase equilibrium
- sputtered Al-doped lithium manganese oxide films for the cathode of lithium ion battery: The post-deposition annealing temperature effect 981
- Phase structure
- structural investigation and electrochemical properties of $\text{La}_{5-x}\text{Ca}_x\text{Mg}_2\text{Ni}_{23}$ ($x = 0, 1, 2$ and 3) hydrogen storage alloys 756
- Phase transformations
- the microstructures and mechanical properties of cast Mg-Zn-Al-RE alloys L33
- composition of electrodeposited Zn-Cr alloy coatings and phase transformations induced by thermal treatment 259
- pressure-induced phase transition in AlN: An *ab initio* molecular dynamics study 917
- Phase transitions
- phase transition-induced high electromechanical activity in $[(\text{K}_{0.5}\text{Na}_{0.5})_{1-x}\text{Li}_x](\text{Nb}_{0.8}\text{Ta}_{0.2})\text{O}_3$ lead-free ceramic system L5
- magnetic and structural properties of the $\text{Lu}_2\text{Fe}_{17}\text{H}_y$ hydrides 23
- hydrogen induced structural phenomena in amorphous and crystalline shape memory alloys 91
- effect of Pt on the superconducting and magnetic properties of $\text{ErNi}_2\text{B}_2\text{C}$ 190
- a high-working-temperature CuAlMnZr shape memory alloy 481
- phase transition and thermodynamic properties of MgTe under high pressure 587
- effect of Ce addition on the microstructure and damping properties of Cu-Al-Mn shape memory alloys 608
- microstructure evolution in laser solid forming of Ti-50 wt% Ni alloy 782
- Phosphate glass
- fluorescence and Judd-Ofelt analysis of Nd^{3+} doped $\text{P}_2\text{O}_5\text{-Na}_2\text{O-K}_2\text{O}$ glass 208
- Phosphors
- polymer-assisted sol-gel synthesis and characterization of $\text{Zn}_2\text{SiO}_4:\text{Eu}^{3+}$ powders 494
- doping optimization of Eu and Ho activator ions in polycrystalline CaAl_2O_4 966
- Photocatalytic activity
- a facile microwave solvothermal process to synthesize ZnWO_4 nanoparticles 684

- Photoelectron spectroscopies
 growth and spectral properties of Nd³⁺-doped Li₃Ba₂Ln₃(MoO₄)₉ (Ln = La, Gd) crystals 839
- Photoluminescence
 preparation and optical properties of Eu³⁺/Eu²⁺ in phosphors based on exchanging Eu³⁺-zeolite 13X 867
- Photoreflectance
 anisotropic optical characteristics of Au-doped rhenium diselenide single crystals 104
- Physical vapour deposition
 the effect of deposition temperature and chamber pressure on the electrical and physical properties of the MgTiO₃ thin films 897
- Piezoelectricity
 structure, microstructure and electrical properties of (1 - x - y) Bi_{0.5}Na_{0.5}TiO₃-xBi_{0.5}K_{0.5}TiO₃-yBi_{0.5}Li_{0.5}TiO₃ lead-free piezoelectric ceramics 246
- Pinning centres
 complete flux jumping in nano-structured MgB₂ superconductors prepared by mechanical alloying 203
- Plasma electrolytic oxidation
 effect of potassium fluoride on structure and corrosion resistance of plasma electrolytic oxidation films formed on AZ31 magnesium alloy 469
- Plasma-assisted deposit
 structural and magnetic properties of Ni₃N synthesized by multidipolar microwave plasma-assisted reactive sputtering 225
- Plasticity
 correlations between the relaxed excess free volume and the plasticity in Zr-based bulk metallic glasses L37
- Point defects
 point defect structure in B2-ordered Fe-Al alloys 84
 thermal vacancy formation in Co-based Heusler-type alloys Co₂MnZ (Z = Si, Ge, Sn) 462
- Polarized piezoreflectance
 anisotropic optical characteristics of Au-doped rhenium diselenide single crystals 104
- Polyacrylamide gel
 preparation of high-quality BiFeO₃ nanopowders via a polyacrylamide gel route 889
- Polymers
 carbon nanotube-zinc oxide electrode and gel polymer electrolyte for electrochemical supercapacitors L17
 effects of polydispersity index and molecular weight on crystallization kinetics of syndiotactic polystyrene (sPS) 658
- Polystyrene
 microwave properties of surface modified Fe-Co-Zr alloy flakes with mechanochemically synthesized polystyrene 761
- Positron spectroscopies
 thermal vacancy formation in Co-based Heusler-type alloys Co₂MnZ (Z = Si, Ge, Sn) 462
- Potentiodynamic curve
 effect of potassium fluoride on structure and corrosion resistance of plasma electrolytic oxidation films formed on AZ31 magnesium alloy 469
- Potentiodynamic scanning curve
 effect of potassium fluoride on structure and corrosion resistance of plasma electrolytic oxidation films formed on AZ31 magnesium alloy 469
- Powder metallurgy
 fabrication of nano-sized Ba_xMg_{1-x}Fe₂O₄ ferrite powders by using self-propagating high temperature synthesis reaction and mechanical milling 134
 Al-Ti-B grain refiners via powder metallurgy processing of Al/K₂TiF₆/KBF₄ powder blends 311
 self-ignition combustion synthesis of TiFe in hydrogen atmosphere 592
 fabrication and microwave absorbing properties of Ni-Zn spinel ferrites 634
- Precipitation
 influence of prior cold working on the tribological behavior of Cu-0.65 wt.%Cr alloy 505
 improvement of optical properties of nanocrystalline Fe-doped ZnO powders through precipitation method from citrate-modified zinc nitrate solution 603
 industrial precipitation of yttrium chloride and zirconyl chloride: Effect of pH on ceramic properties for yttria partially stabilised zirconia 639
- Preform
 combustion synthesis of Al-Cr preforms activated in microwave field 369
- Pyramids
 catalyst-free shape controlled synthesis of In₂O₃ pyramids and octahedron: Structural properties and growth mechanism L9
- Quasi-two-dimensional antiferromagnet
 direct observation of remarkable crystalline-electric-field effect in quasi-two-dimensional antiferromagnet Er₃Ir₄Si₁₀ single crystal by low-temperature specific heat 35
- Rapid-solidification
 microstructure evolution in laser solid forming of Ti-50 wt% Ni alloy 782
- Rare earth alloys and compounds
 magnetic and structural properties of the Lu₂Fe₁₇H_y hydrides 23
 syntheses, structures and properties of the pnictide oxides R₂PnO₂ (R = Ce, Pr; Pn = Sb, Bi) 57
 a neutron diffraction study of the hexagonal pseudo-ternary compounds ErMn_{6-x}Fe_xSn₆ (x = 0.2, 0.4, 0.6, 0.8, 1.0, 2.0, 3.0, 4.0) 171
 effect of Pt on the superconducting and magnetic properties of ErNi₂B₂C 190
 study of calcium doping effect on thermophysical properties of some perovskite manganites 727
 phase diagram and electrical conductivity of the AgBr-NdB₃ binary system 834
- Rare earth compounds
 magnetic properties of GdPdSb and GdNiSb studied by ¹⁵⁵Gd-Mössbauer spectroscopy 117
- Rare earth element
 effect of adding Ge on rapid whisker growth of Sn-3Ag-0.5Cu-0.5Ce alloy 974
- Rare earth elements and compounds
 influence of flux containing YCl₃ additions on purifying effectiveness and properties of Mg-10Gd-3Y-0.5Zr alloy 386
- RCrSb₃
 anisotropic magnetism in PrCrSb₃ and NdCrSb₃ 28
- Recoverable electrostrains
 aging-induced, defect-mediated double ferroelectric hysteresis loops and large recoverable electrostrains in Mn-doped orthorhombic KNbO₃-based ceramics L29
- Reduction
 effect of the synthesis route on the microstructure and the reducibility of LaCoO₃ 279
- Refinement
 re-formation of AIP compound in Al-Si melt 376
- Reflection loss
 microwave properties of surface modified Fe-Co-Zr alloy flakes with mechanochemically synthesized polystyrene 761
- Relaxed excess free volume
 correlations between the relaxed excess free volume and the plasticity in Zr-based bulk metallic glasses L37
- Repair
 isothermal oxidation behavior of electrospark deposited MCrAlX-type coatings on a Ni-based superalloy 454
- Rhenium
 a study of Re and Al diffusion in Ni 987
- Rheocasting
 internal cooling to produce aluminium alloy slurries for rheocasting 365
- Scanning and transmission electron microscopy
 fabrication and microwave absorbing properties of Ni-Zn spinel ferrites 634
 doping optimization of Eu and Ho activator ions in polycrystalline CaAl₂O₄ 966
- Scanning electron microscopy
 growth and structural characterization of well-aligned RuO₂ nanorods on LiNbO₃ (1 0 0) via MOCVD 100

- synthesis and structural characterization of twinned V-shaped IrO₂ nanowedges on TiO₂ nanorods via MOCVD 107
- oriented ZnO nanoplates on Al substrate by solution growth technique 741
- microstructure, mechanical properties and thermal shock resistance of ZrO₂-LaPO₄ composites 863
- Scanning electron microscopy (SEM)
- Al-Ti-C-Sr master alloy—A melt inoculant for simultaneous grain refinement and modification of hypoeutectic Al-Si alloys L49
- the 473 K isothermal section of the Cu-Ti-Sn ternary system 382
- Schottky diode
- effect of ion irradiation on current-voltage characteristics of Au/n-GaN Schottky diodes 962
- Secondary dendritic arm spacing
- effect of melt convection on the secondary dendritic arm spacing in peritectic Nd-Fe-B alloy 295
- SEM
- hydrogen induced structural phenomena in amorphous and crystalline shape memory alloys 91
- synthesis and characterization of needle-like IrSe₂ microrods 70
- carbon nanotube-zinc oxide electrode and gel polymer electrolyte for electrochemical supercapacitors L17
- effect of the synthesis route on the microstructure and the reducibility of LaCoO₃ 279
- Semiconductor
- pressure-induced phase transition in AlN: An *ab initio* molecular dynamics study 917
- Semiconductor compounds
- influence of solubility of MoO₃ in SbVO₅ on the magnetic spin arrangement 16
- Semiconductors
- phase equilibria in the quasi-ternary system Ag₂S-In₂S₃-CdS at 870 K 360
- optical properties and critical points in ordered Be_xZn_{1-x}Se alloys 717
- optical properties of PbTe and PbSnTe doped with Cr 893
- Semi-solid processing
- internal cooling to produce aluminium alloy slurries for rheocasting 365
- Shape memory
- a high-working-temperature CuAlMnZr shape memory alloy 481
- Shape memory alloys
- hydrogen induced structural phenomena in amorphous and crystalline shape memory alloys 91
- Shear bands
- correlations between the relaxed excess free volume and the plasticity in Zr-based bulk metallic glasses L37
- SHS
- combustion synthesis of Ti(C, N)-TiB₂ from a Ti-C-BN system 315
- combustion synthesis of Al-Cr preforms activated in microwave field 369
- Silica aerogels
- rapid reduction in gelation time and impregnation of hydrophobic property in the tetraethoxysilane (TEOS) based silica aerogels using NH₄F catalyzed single step sol-gel process 689
- Silicon-based alloys
- plasmon loss and valence band structure of silicon-based alloys deposited by hot wire chemical vapor deposition 878
- Single oscillator
- the effects of substrate temperature on refractive index dispersion and optical constants of CdZn(S_{0.8}Se_{0.2})₂ alloy thin films 234
- Single step sol-gel process
- rapid reduction in gelation time and impregnation of hydrophobic property in the tetraethoxysilane (TEOS) based silica aerogels using NH₄F catalyzed single step sol-gel process 689
- Sinterability
- effect of Ca²⁺ and Zn²⁺ cations substitution on the properties of La_{0.85}Sr_{0.15}CrO₃ as SOFC interconnect 958
- Sintering
- new dielectric material system of La(Mg_{1/2}Ti_{1/2})O₃-Ca_{0.6}La_{0.8/3}TiO₃ for microwave applications 265
- production of MgB₂ superconducting coatings by electrophoresis on metal substrates 575
- structural and dielectric properties of La(Mg_{1/2}Ti_{1/2})O₃-Ca_{0.6}La_{0.8/3}TiO₃-doped CuO 820
- Sintering-resistance
- effects of Y₂O₃ addition on the phase evolution and thermophysical properties of lanthanum zirconate 220
- Skutterudite
- HPHT synthesis and thermoelectric properties of CoSb₃ and Fe_{0.6}Co_{3.4}Sb₁₂ skutterudites 882
- Smart materials
- applications of iron (III) nitrate to obtain the multiferroic Pb(Fe_{1/2}Nb_{1/2})O₃ ceramics by the sol-gel method 732
- Sn-3Ag-0.5Cu-0.5Ce-0.5Ge
- effect of adding Ge on rapid whisker growth of Sn-3Ag-0.5Cu-0.5Ce alloy 974
- SOFC
- effect of Ca²⁺ and Zn²⁺ cations substitution on the properties of La_{0.85}Sr_{0.15}CrO₃ as SOFC interconnect 958
- Solder
- influence of indium addition on structure, mechanical, thermal and electrical properties of tin-antimony based metallic alloys quenched from melt 334
- Soldering
- influence of indium addition on structure, mechanical, thermal and electrical properties of tin-antimony based metallic alloys quenched from melt 334
- Sol-gel
- Yb³⁺-Er³⁺ co-doped sol-gel transparent nano-glass-ceramics containing NaYF₄ nanocrystals for tuneable up-conversion phosphors 706
- Sol-gel method
- applications of iron (III) nitrate to obtain the multiferroic Pb(Fe_{1/2}Nb_{1/2})O₃ ceramics by the sol-gel method 732
- Sol-gel processes
- effect of the synthesis route on the microstructure and the reducibility of LaCoO₃ 279
- polymer-assisted sol-gel synthesis and characterization of Zn₂SiO₄:Eu³⁺ powders 494
- thermal stability of europium(III) chelate encapsulated by sol-gel glass 908
- Sol-gel synthesis
- synthesis of Er₂Ti₂O₇ nanocrystals and its electrochemical hydrogen storage behavior L45
- Solid oxide fuel cell
- fabrication and study on Ni_{1-x}Fe_xO-YSZ anodes for intermediate temperature anode-supported solid oxide fuel cells 286
- dip coating technique in fabrication of cone-shaped anode-supported solid oxide fuel cells 554
- Solid state reactions
- synthesis, characterization and electrochemical performance of Li₂MnSiO₄/C cathode material by solid-state reaction L1
- X-ray absorption spectroscopic analysis of CuIr₂S₄ 120
- a polyethylene glycol-assisted route to synthesize Pb(Ni_{1/3}Nb_{2/3})O₃-PbTiO₃ in pure perovskite phase 510
- high-temperature property of carbon/carbon composite joints bonded with ternary Ti-Si-C compound 747
- combustion synthesis of hexagonal AlN-SiC solid solution under low nitrogen pressure 928
- synthesis of α-Fe₂O₃ hexagons and their magnetic properties 970
- Solvothermal
- a facile microwave solvothermal process to synthesize ZnWO₄ nanoparticles 684
- Spin dynamics
- investigation of structural and magnetic properties of nanocrystalline Ni_{0.3}Zn_{0.7}Fe₂O₄ prepared by high energy ball milling 737
- Spin glass
- spin glass-like behaviour in Ce-based Kondo systems arising from d-type nonmagnetic atoms disorder 9
- Spin reorientation
- influence of Co substitution on magnetoelastic properties of Er₂Fe_{14-x}Co_xB (x = 1, 3 and 5) intermetallic compounds 198

- Spin reversal
magnetic and structural properties of the chromium-based $Mn_{1-x}Cd_xCr_2S_4$ thiospinel 291
- Spin waves
influence of spin arrangement on thermopower in $Zn_xCu_yCr_zSe_4$ spinels 19
- Spinels
influence of cation substitution on electrical conductivity of the n-type $Cu_xIn_yCr_zSe_4$ spinels 60
- Spongy alloy
a single pot synthesis of crystalline and porous Ni–Pt sponges 830
- Sputter
investigations of GaN metal-oxide-semiconductor capacitors with sputtered HfO_2 gate dielectrics 541
- SQUID
production of MgB_2 superconducting coatings by electrophoresis on metal substrates 575
- Strain
dynamic globularization kinetics during hot working of a two phase titanium alloy with a colony alpha microstructure 922
- Strengthening
the microstructures and mechanical properties of cast Mg–Zn–Al–RE alloys L33
- Strong correlations
superconductivity in highly correlated $Rh_{17}S_{15}$ 25
- Strongly correlated electron systems
spin glass-like behaviour in Ce-based Kondo systems arising from d-type nonmagnetic atoms disorder 9
- Structural stability
structural stability and magnetism of γ' - Fe_4N and $CoFe_3N$ compounds 475
- Structural transition
structural stability and Raman scattering of ZnSe nanoribbons under high pressure 798
- Structure
electrochemical hydrogen storage characteristics of nanocrystalline and amorphous $Mg_{20}Ni_{10-x}Co_x$ ($x = 0-4$) alloys prepared by melt spinning 750
- Substitution of Zr for La
investigation on the structures and electrochemical performances of $La_{0.75-x}Zr_xMg_{0.25}Ni_{3.2}Co_{0.2}Al_{0.1}$ ($x = 0-0.2$) electrode alloys prepared by melt spinning 547
- Superconductivity
superconductivity in highly correlated $Rh_{17}S_{15}$ 25
- Superconductors
effect of Pt on the superconducting and magnetic properties of $ErNi_2B_2C$ 190
- Surface and interface
surface functionalization of multi-walled carbon nanotubes via electron reduction of benzophenone by potassium metal 534
- Surface film
the characterization of surface films formed on molten magnesium and AZ91D alloy in air/1,1,1,2-tetrafluoroethane atmospheres 711
- Surface tension
investigation on properties of Sn–8Zn–3Bi lead-free solder by Nd addition 903
- Surfaces and interfaces
corrosion resistance of electrodeposited Ni–B and Ni–B– Si_3N_4 composite coatings 765
- TEC
effect of Ca^{2+} and Zn^{2+} cations substitution on the properties of $La_{0.85}Sr_{0.15}CrO_3$ as SOFC interconnect 958
- TEM
catalyst-free shape controlled synthesis of In_2O_3 pyramids and octahedron: Structural properties and growth mechanism L9
optical anisotropy of Au-doped ReS_2 crystals 94
rapid reduction in gelation time and impregnation of hydrophobic property in the tetraethoxysilane (TEOS) based silica aerogels using NH_4F catalyzed single step sol–gel process 689
- 1,1,1,2-Tetrafluoroethane
the characterization of surface films formed on molten magnesium and AZ91D alloy in air/1,1,1,2-tetrafluoroethane atmospheres 711
- Tetrahydrofuran
the effect of organic additive in Mg/graphite composite as hydrogen storage materials 238
- Thermal analysis
Al–Ti–B grain refiners via powder metallurgy processing of Al/ K_2TiF_6 / KBF_4 powder blends 311
microstructure evolution and thermal stability of an Fe-based amorphous alloy powder and thermally sprayed coatings 351
effects and on-line prediction of electromagnetic stirring on microstructure refinement of the 319 Al–Si hypoeutectic alloy 416
microstructural evolution during upward and downward transient directional solidification of hypomonotectic and monotectic Al–Bi alloys 485
a polyethylene glycol-assisted route to synthesize $Pb(Ni_{1/3}Nb_{2/3})O_3$ – $PbTiO_3$ in pure perovskite phase 510
surface functionalization of multi-walled carbon nanotubes via electron reduction of benzophenone by potassium metal 534
phase diagram and electrical conductivity of the AgBr– $NdBr_3$ binary system 834
crystallization behaviors of TiO_2 films derived from thermal oxidation of evaporated and sputtered titanium films 938
- Thermal conductivity
influence of temperature on thermophysical properties of EB-PVD porous coatings and dense ceramics of 4 mol% Y_2O_3 -stabilized ZrO_2 806
coprecipitation synthesis and thermal conductivity of $La_2Zr_2O_7$ 843
- Thermal decomposition
bimetallic nanoalloys: Preparation, characterization and their catalytic activity 270
- Thermal desorption
hydrogenation of Zr–Cu–Al–Ni–Pd metallic glasses by electrochemical means 321
- Thermal diffusivity
influence of temperature on thermophysical properties of EB-PVD porous coatings and dense ceramics of 4 mol% Y_2O_3 -stabilized ZrO_2 806
- Thermal expansion
low-temperature thermal expansion of metastable intermetallic Fe–Cr phases 152
influence of Co substitution on magnetoelastic properties of $Er_2Fe_{14-x}Co_xB$ ($x = 1, 3$ and 5) intermetallic compounds 198
effects of Y_2O_3 addition on the phase evolution and thermophysical properties of lanthanum zirconate 220
solution combustion synthesis of α -cordierite 702
- Thermal oxidation
structural features and corrosion analysis of thermally oxidized titanium 849
- Thermal properties
influence of indium addition on structure, mechanical, thermal and electrical properties of tin–antimony based metallic alloys quenched from melt 334
- Thermal spraying
microstructure evolution and thermal stability of an Fe-based amorphous alloy powder and thermally sprayed coatings 351
- Thermal stability
hydrogenation of Zr–Cu–Al–Ni–Pd metallic glasses by electrochemical means 321
- Thermochemistry
phase diagram and electrical conductivity of the AgBr– $NdBr_3$ binary system 834
- Thermodynamic calculation
thermodynamic assessment of Al–Cu–Dy system 403
- Thermodynamic properties
influence of flux containing YCl_3 additions on purifying effectiveness and properties of Mg–10Gd–3Y–0.5Zr alloy 386
pressure–composition–temperature hysteresis in C14 Laves phase alloys: Part 1. Simple ternary alloys 428
pressure–composition–temperature hysteresis in C14 Laves phase alloys: Part 3. Empirical formula 440
phase transition and thermodynamic properties of MgTe under high pressure 587
effect of Ce addition on the microstructure and damping properties of Cu–Al–Mn shape memory alloys 608

- phase diagram and electrical conductivity of the AgBr–NdBr₃ binary system 834
- Thermodynamics
correlation between the milling time and hydrogen-storage properties of nanostructured ZrFeNi ternary alloy 325
- Thermoelectric effects
influence of solubility of MoO₃ in SbVO₅ on the magnetic spin arrangement 16
- Thermoelectric materials
thermoelectric properties of Zn–Sb alloys doped with In 73
HPHT synthesis and thermoelectric properties of CoSb₃ and Fe_{0.6}Co_{3.4}Sb₁₂ skutterudites 882
- Thermoelectric power
influence of cation substitution on electrical conductivity of the n-type Cu_xIn_yCr₂Se₄ spinels 60
- Thermoelectric properties
HPHT synthesis and thermoelectric properties of CoSb₃ and Fe_{0.6}Co_{3.4}Sb₁₂ skutterudites 882
synthesis of micro/nanostructured p-type Bi_{0.4}Sb_{1.6}Te₃ and its thermoelectrical properties 954
- Thermophysical properties
study of calcium doping effect on thermophysical properties of some perovskite manganites 727
- Thermopower
effect of cation substitution on electrical conduction of the n-type Zn_xSn_yCr₂Se₄ spinels 63
- Thermopower effects
influence of spin arrangement on thermopower in Zn_xCu_yCr₂Se₄ spinels 19
- Thick films
production of MgB₂ superconducting coatings by electrophoresis on metal substrates 575
- Thickness
giant magnetoimpedance in electrodeposited CoNiFe/Cu wire: A study on thickness dependence 771
- Thin films
crystallization of amorphous NiTiCu thin films L13
low-temperature thermal expansion of metastable intermetallic Fe–Cr phases 152
oriented ZnO nanoplates on Al substrate by solution growth technique 741
crystallization behaviors of TiO₂ films derived from thermal oxidation of evaporated and sputtered titanium films 938
sputtered Al-doped lithium manganese oxide films for the cathode of lithium ion battery: The post-deposition annealing temperature effect 981
- Thixo-molded
microstructural modification and mechanical property improvement in friction stir zone of thixo-molded AE42 Mg alloy 340
- Tin whiskers
effect of adding Ge on rapid whisker growth of Sn–3Ag–0.5Cu–0.5Ce alloy 974
- TiO₂ and IrO₂
synthesis and structural characterization of twinned V-shaped IrO₂ nanowedges on TiO₂ nanorods via MOCVD 107
- Titanium
structural features and corrosion analysis of thermally oxidized titanium 849
- Titanium carbonitrides
combustion synthesis of Ti(C, N)–TiB₂ from a Ti–C–BN system 315
- Total energy
structural stability and magnetism of γ′-Fe₄N and CoFe₃N compounds 475
- Transition metal alloys and compounds
unprecedented ∞¹(P₁₀³⁻) band anion in the crystal structure of HgAg₆P₂₀I₂ 2
the cause of anomaly of temperature dependence of electroresistance of the ordering nonstoichiometric FeCo compounds based on a b.c.c. lattice 13
synthesis and properties of oxygen-bearing c-Zr₃N₄ and c-Hf₃N₄ 46
synthesis and characterization of needle-like IrSe₂ microrods 70
atomic diffusion in Ni–Mn mechanical alloys around Ni₃Mn composition proved from magnetic measurements 87
X-ray absorption spectroscopic analysis of CuI₂S₄ 120
- some applications of the bond valence model to transition metal chalcogenides 131
cobalt charge states in sodium cobaltates at intermediate dopings 144
physical phenomena of the cage compounds RE₃Pd₂₀Si₆ (RE = Yb, Lu) 150
low-temperature thermal expansion of metastable intermetallic Fe–Cr phases 152
a neutron diffraction study of the hexagonal pseudo-ternary compounds ErMn_{6-x}Fe_xSn₆ (x = 0.2, 0.4, 0.6, 0.8, 1.0, 2.0, 3.0, 4.0) 171
pressure–composition–temperature hysteresis in C14 Laves phase alloys:
Part 1. Simple ternary alloys 428
pressure–composition–temperature hysteresis in C14 Laves phase alloys:
Part 3. Empirical formula 440
structural and electrochemical properties of Ti_xZr_{7-x}Ni₁₀ 521
pressure–composition–temperature hysteresis in C14 Laves phase alloys.
Part 2. Applications in NiMH batteries 434
effect of the aluminum content on the behavior of mechanochemical reactions in the WO₃–C–Al system 824
- Transition-metal alloys and compounds
optical anisotropy of Au-doped ReS₂ crystals 94
- Transition-metal dichalcogenides
anisotropic optical characteristics of Au-doped rhenium diselenide single crystals 104
- Transmission electron microscopy
hydrogen uptake of multiwalled carbon nanotubes decorated with Pt–Pd alloy using thermal vapour deposition method L20
synthesis and structural characterization of twinned V-shaped IrO₂ nanowedges on TiO₂ nanorods via MOCVD 107
a study on electrochemical growth behavior of the Co–Ni alloy nanowires in anodic aluminum oxide template 275
the microstructure development in Fe₃₂Cu₂₀Ni₂₈P₁₀Si₅B₅ immiscible alloy and possibilities of formation of amorphous/crystalline composite 306
an investigation of thermal aging effects on the mechanical properties of a Ni₃Al-based alloy by nanoindentation 347
surface functionalization of multi-walled carbon nanotubes via electron reduction of benzophenone by potassium metal 534
- Tungsten
reduction of WO₃ to W-metal by mechanochemical reaction 666
- Tungsten oxide
reduction of WO₃ to W-metal by mechanochemical reaction 666
- Two-phase
oxidation of a quaternary two-phase Cu–40Ni–17.5Cr–2.5Al alloy at 973–1073 K in 101 kPa O₂ 449
- Ultrasonics
effect of Ba-site substitution by Sr on ultrasonic velocity and electron–phonon coupling constant of DyBa_{2-x}Sr_xCu₃O_{7-δ} superconductors 777
- Up-conversion
Yb³⁺–Er³⁺ co-doped sol–gel transparent nano-glass-ceramics containing NaYF₄ nanocrystals for tuneable up-conversion phosphors 706
- Uranium alloy
an evaluation of the properties of As-cast U-rich U–Zr alloys 857
- Vacancies
point defect structure in B2-ordered Fe–Al alloys 84
- Vacancy formation
thermal vacancy formation in Co-based Heusler-type alloys Co₂MnZ (Z = Si, Ge, Sn) 462
- Vapour deposition
hydrogen uptake of multiwalled carbon nanotubes decorated with Pt–Pd alloy using thermal vapour deposition method L20
low-temperature thermal expansion of metastable intermetallic Fe–Cr phases 152
- Wear
influence of prior cold working on the tribological behavior of Cu–0.65 wt.%Cr alloy 505
- Wear resistance
microstructure and properties of AC-HVAF sprayed Ni60/WC composite coating 254

- Wetting behavior
 investigation on properties of Sn–8Zn–3Bi lead-free solder by Nd addition 903
- XPS
 plasmon loss and valence band structure of silicon-based alloys deposited by hot wire chemical vapor deposition 878
- X-ray absorption fine structure
 X-ray absorption spectroscopic analysis of CuIr_2S_4 120
- X-ray absorption spectroscopy
 first-principles calculations and X-ray spectroscopy studies of the electronic structure of CuWO_4 184
- X-ray diffraction
 hydrogen uptake of multiwalled carbon nanotubes decorated with Pt–Pd alloy using thermal vapour deposition method L20
 microstructural evolution behavior of Mg–5Si–1Al alloy modified with Sr–Sb during isothermal heat treatment L25
 syntheses, structures and properties of the pnictide oxides $R_2\text{PnO}_2$ ($R = \text{Ce}, \text{Pr}; \text{Pn} = \text{Sb}, \text{Bi}$) 57
 effect of cation substitution on electrical conduction of the n-type $\text{Zn}_x\text{Sn}_y\text{Cr}_z\text{Se}_4$ spinels 63
 growth and structural characterization of well-aligned RuO_2 nanorods on LiNbO_3 (1 0 0) via MOCVD 100
 synthesis and structural characterization of twinned V-shaped IrO_2 nanowedges on TiO_2 nanorods via MOCVD 107
 low-temperature thermal expansion of metastable intermetallic Fe–Cr phases 152
 composition of electrodeposited Zn–Cr alloy coatings and phase transformations induced by thermal treatment 259
 effect of the synthesis route on the microstructure and the reducibility of LaCoO_3 279
 phase equilibria in the quasi-ternary system Ag_2S – In_2S_3 – CdS at 870 K 360
 the 473 K isothermal section of the Cu–Ti–Sn ternary system 382
 fabrication and microwave absorbing properties of Ni–Zn spinel ferrites 634
 solution combustion synthesis of α -cordierite 702
 corrosion resistance of electrodeposited Ni–B and Ni–B– Si_3N_4 composite coatings 765
 effect of the aluminum content on the behavior of mechanochemical reactions in the WO_3 –C–Al system 824
 an evaluation of the properties of As-cast U-rich U–Zr alloys 857
 the effect of deposition temperature and chamber pressure on the electrical and physical properties of the MgTiO_3 thin films 897
- X-ray diffraction (D)
 synthesis of single phase rhombohedral LaNiO_3 at low temperature and its characterization 942
- X-ray diffraction (XRD)
 the microstructure development in $\text{Fe}_{32}\text{Cu}_{20}\text{Ni}_{28}\text{P}_{10}\text{Si}_5\text{B}_5$ immiscible alloy and possibilities of formation of amorphous/crystalline composite 306
- X-ray emission spectroscopy
 first-principles calculations and X-ray spectroscopy studies of the electronic structure of CuWO_4 184
- X-ray scan
 effect of indium on the microstructure of the interface between $\text{Sn}_{3.13}\text{Ag}_{0.74}\text{CuIn}$ solder and Cu substrate 409
- Yb-compounds
 electron spin resonance of dense Yb-based heavy-fermion compounds: New experimental data 126
- Y_2O_3 -stabilized zirconia
 influence of temperature on thermophysical properties of EB-PVD porous coatings and dense ceramics of 4 mol% Y_2O_3 -stabilized ZrO_2 806
- Yttria
 effects of Y_2O_3 addition on the phase evolution and thermophysical properties of lanthanum zirconate 220
- Yttrium
 industrial precipitation of yttrium chloride and zirconyl chloride: Effect of pH on ceramic properties for yttria partially stabilised zirconia 639
- Zeolite
 preparation and optical properties of $\text{Eu}^{3+}/\text{Eu}^{2+}$ in phosphors based on exchanging Eu^{3+} -zeolite 13X 867
- Zinc antimonide
 thermoelectric properties of Zn–Sb alloys doped with In 73
- Zinc oxide
 optical anisotropy of near band-edge transitions in zinc oxide nanostructures 50
- Zirconia
 industrial precipitation of yttrium chloride and zirconyl chloride: Effect of pH on ceramic properties for yttria partially stabilised zirconia 639
- Zn–Cr alloy coatings
 composition of electrodeposited Zn–Cr alloy coatings and phase transformations induced by thermal treatment 259
- ZnO
 preparation of electrically conductive nano-powder of zinc oxide and application to transparent film coating 123
- ZnSe nanoribbons
 structural stability and Raman scattering of ZnSe nanoribbons under high pressure 798
- ZnWO_4
 a facile microwave solvothermal process to synthesize ZnWO_4 nanoparticles 684
- Zr-based Laves phase
 correlation between the milling time and hydrogen-storage properties of nanostructured ZrFeNi ternary alloy 325
- Zr-based metallic glasses
 hydrogenation of Zr–Cu–Al–Ni–Pd metallic glasses by electrochemical means 321