



Subject Index of Volume 502

- Absorption**
studies on optical absorption and photoluminescence properties of Pr^{3+} and Nd^{3+} doped mixed alkali chloroborate glasses 97
- ac conductivity**
polyol synthesis of (polyvinylpyrrolidone) PVP– Mn_3O_4 nanocomposite 199
- Afterglow duration**
luminescent properties of the $\text{Sr}_{2.97-x}\text{Ba}_x\text{MgSi}_2\text{O}_8:\text{Eu}^{2+}_{0.01}, \text{Dy}^{3+}_{0.02}$ with different Sr/Ba ratio 423
- Ag–Er–Sn**
interaction of the components in the Ag–Er–Sn system at 400 °C 68
- $\text{Al}_{85}\text{Cu}_{15}$ powders**
improvement of corrosion resistance and magnetic properties of Nd–Fe–B sintered magnets by $\text{Al}_{85}\text{Cu}_{15}$ intergranular addition 346
- Al–Mg–Si–Cu alloy**
dynamic strain aging of a commercial Al–Mg–Si–Cu alloy during equal channel angular extrusion process 59
- AIP**
the investigation of continuous nucleation and refinement of primary Si in Al–30Si mushy zone 304
- Alumina**
synthesis of titanium diboride reinforced alumina matrix nanocomposite by mechanochemical reaction of Al– TiO_2 – B_2O_3 508
- Aluminum**
a study of the effect of aluminum on MoSi_2 formation by self-propagation high-temperature synthesis 80
- Aluminum powder**
mechanical properties and deformation behavior of Al/Al7075, two-phase material 123
- $\text{Al}_x\text{Cr}_{1-x}\text{N}$ coatings**
investigation on the structure and properties of $\text{Al}_x\text{Cr}_{1-x}\text{N}$ coatings deposited by reactive magnetron co-sputtering 243
- Annealing**
preparation and characterization of vacuum thermal evaporated trilayer Cu/Se/Al thin films 220
annealing on the structure and properties evolution of the CoCrFeNiCuAl high-entropy alloy 295
- Antiferromagnetic**
antiferromagnetic Kondo lattice behaviour of YbNiAl₂ alloy 275
- Atmospheric pressure chemical vapor deposition**
 TiN_x thin films for energy-saving application prepared by atmospheric pressure chemical vapor deposition 195
- Ba– β – Al_2O_3**
solid-state synthesis and formation mechanism of barium hexaaluminate from mechanically activated Al_2O_3 – BaCO_3 powder mixtures 466
- Ball milling**
rietveld analysis and Mössbauer spectroscopy studies of nanocrystalline hematite α - Fe_2O_3 279
microstructure and room temperature mechanical properties of hot-pressed Nb–Si–Ti–Fe alloys 310
- Bi-based cuprates**
the single crystal superconducting Bi-2212 whiskers fabrication and their thermal transport properties 16
- Bimodal**
mechanical properties and deformation behavior of Al/Al7075, two-phase material 123
- Bismuth oxide**
reverse-microemulsion preparation of visible-light-driven nano-sized BiVO_4 L1
- Bismuth vanadate**
reverse-microemulsion preparation of visible-light-driven nano-sized BiVO_4 L1
- Borate**
subsolidus phase relations and the crystallization region of LiNbO_3 in the system Li_2O – B_2O_3 – Nb_2O_5 211
- Borate glass**
studies on optical absorption and photoluminescence properties of Pr^{3+} and Nd^{3+} doped mixed alkali chloroborate glasses 97
- Carbon**
effects of Fe addition and addition sequence on carbon inoculation of Mg–3%Al alloy 74
- Carbothermal reduction**
carbothermal reduction method for Fe_3O_4 powder synthesis 338
- Cathode**
the influence of holding time on the performance of $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ cathode for lithium ion battery 215
characterization and optimization of $\text{Ln}_{1.7}\text{Sr}_{0.3}\text{CuO}_4$ (Ln = La, Nd)-based cathodes for intermediate temperature solid oxide fuel cells 472
- Cathode material**
effect of MgO nanolayer coated on $\text{Li}_3\text{V}_2(\text{PO}_4)_3/\text{C}$ cathode material for lithium-ion battery 401
synthesis of novel high-voltage cathode material LiCoPO_4 via rheological phase method 407
- Cation distribution**
cation distribution in nanocrystalline Al^{3+} and Cr^{3+} co-substituted CoFe_2O_4 477
- Ceramics**
low temperature spark plasma sintering of YIG powders 132
microwave dielectric properties of B_2O_3 -doped ZnTiO_3 ceramics made with sol-gel technique 147
new dielectric material system of $x\text{La}(\text{Mg}_{1/2}\text{Ti}_{1/2})\text{O}_3-(1-x)\text{Ca}_{0.61}\text{Nd}_{0.83}\text{TiO}_3$ at microwave frequency 153
effects of aging on the characteristics of Nd:YAG nano-powders 206
effects of Sm substitution on microwave dielectric properties of $\text{Ba}_4\text{La}_{9.33}(\text{Ti}_{0.95}\text{Zr}_{0.05})_{18}\text{O}_{54}$ ceramics 333
piezoelectric and dielectric properties of Sm_2O_3 -doped $0.82\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ – $0.18\text{Bi}_{0.5}\text{K}_{0.5}\text{TiO}_3$ ceramics 341
effects of TiC addition on formation of Ti_2SnC by self-propagating combustion of Ti–Sn–C–TiC powder compacts 461

- Chemical synthesis
 reverse-microemulsion preparation of visible-light-driven nano-sized BiVO_4 L1
 core and shell structure of ytterbium sesquioxide nanoparticles 107
 characteristics of the glass powders with low Pb content directly prepared by spray pyrolysis 158
 synthesis, magnetic and electrical properties of Fe-containing SiO_2 nanocomposite 169
 one-step synthesis of maghemite ($\gamma\text{-Fe}_2\text{O}_3$) nano-particles by wet chemical method 257
 synthesis and characterization of carbon nanotube supported Bi_2Te_3 nanocrystals 329
 controlling the size and size distribution of magnetite nanoparticles on carbon nanotubes 365
- Chestnut-like
 large-scale preparation of chestnut-like ZnO and Zn-ZnO hollow nanostructures by chemical vapor deposition 118
- Citrate-nitrate
 synthesis of gadolinium aluminate powder through citrate gel route 396
- Coating
 laser chemical vapor deposition of SiC films with CO_2 laser 238
- Cofiring
 electrical properties of low temperature sintered copper and titanium-codoped copper zinc ferrites 163
- Combustion synthesis
 a study of the effect of aluminum on MoSi_2 formation by self-propagation high-temperature synthesis 80
 effects of TiC addition on formation of Ti_2SnC by self-propagating combustion of Ti-Sn-C-TiC powder compacts 461
 SHS/PHIP of ceramic composites using ilmenite concentrate 491
- Comparison of wear behavior
 a comparative study of the wear behavior of as-cast and hot extruded ZE41A magnesium alloy 495
- Composite materials
 preparation of transparent ordered mesoporous carbon/silica composites and their optical limiting properties L6
 synthesis, magnetic and electrical properties of Fe-containing SiO_2 nanocomposite 169
- Compound additives
 fabrication of Nd:YAG transparent ceramics with TEOS, MgO and compound additives as sintering aids 225
- Compressibility
 in situ observation of the reaction of tantalum with nitrogen in a laser heated diamond anvil cell 5
- Copper zinc ferrites
 electrical properties of low temperature sintered copper and titanium-codoped copper zinc ferrites 163
- Copper zinc oxide
 the alloying effects on the structural and optical properties of nanocrystalline copper zinc oxide thin films fabricated by spin coating and annealing method 445
- Corrosion
 effect of substrate temperature on structural properties and corrosion resistance of carbon thin films used as bipolar plates in polymer electrolyte membrane fuel cells 451
- Corrosion resistance
 improvement of corrosion resistance and magnetic properties of Nd-Fe-B sintered magnets by $\text{Al}_{85}\text{Cu}_{15}$ intergranular addition 346
- Cross-section
 studies on optical absorption and photoluminescence properties of Pr^{3+} and Nd^{3+} doped mixed alkali chloroborate glasses 97
- Crystal growth
 subsolidus phase relations and the crystallization region of LiNbO_3 in the system $\text{Li}_2\text{O-B}_2\text{O}_3\text{-Nb}_2\text{O}_5$ 211
 low-loss microwave dielectrics in the $\text{Mg}_2(\text{Ti}_{0.95}\text{Sn}_{0.05})\text{O}_4\text{-(Ca}_{0.8}\text{Sr}_{0.2})\text{TiO}_3$ ceramic system 324
- Crystal structure
 core and shell structure of ytterbium sesquioxide nanoparticles 107
 crystal structure of $\text{RE}_{12}\text{Fe}_{2+x}\text{Pb}_{3-x}$ (RE = Tm, Lu) compounds 300
 synthesis and characterization of carbon nanotube supported Bi_2Te_3 nanocrystals 329
- Crystallization
 crystallization behavior and dielectric properties of $\text{BaO-ZnO-SrO-CaO-Nd}_2\text{O}_3\text{-TiO}_2\text{-B}_2\text{O}_3\text{-SiO}_2$ glass-ceramics 387
- Czochralski silicon
 influence of nickel precipitation on the formation of denuded zone in Czochralski silicon 351
- DC casting
 an investigation on DC casting of a wrought aluminium alloy at below liquidus temperature by using melt conditioner 382
- Deformation behavior
 mechanical properties and deformation behavior of Al/Al7075, two-phase material 123
- Densification
 fabrication of Nd:YAG transparent ceramics with TEOS, MgO and compound additives as sintering aids 225
- Denuded zone
 influence of nickel precipitation on the formation of denuded zone in Czochralski silicon 351
- Diamond anvil cell
 in situ observation of the reaction of tantalum with nitrogen in a laser heated diamond anvil cell 5
- Dielectric constant
 structural, dielectric properties and AC conductivity of $\text{Ni}_{(1-x)}\text{Zn}_x\text{Fe}_2\text{O}_4$ spinel ferrites 231
- Dielectric properties
 a new $\text{Li}_{0.5}\text{Sm}_{0.5}\text{WO}_4$ low temperature firing microwave dielectric ceramic L20
 new dielectric material system of $x\text{La}(\text{Mg}_{1/2}\text{Ti}_{1/2})\text{O}_3\text{-(1-x)}\text{Ca}_{0.61}\text{Nd}_{0.8/3}\text{TiO}_3$ at microwave frequency 153
 electrical properties of low temperature sintered copper and titanium-codoped copper zinc ferrites 163
- Dielectric response
 synthesis, magnetic and electrical properties of Fe-containing SiO_2 nanocomposite 169
 low-loss microwave dielectrics in the $\text{Mg}_2(\text{Ti}_{0.95}\text{Sn}_{0.05})\text{O}_4\text{-(Ca}_{0.8}\text{Sr}_{0.2})\text{TiO}_3$ ceramic system 324
 effects of Sm substitution on microwave dielectric properties of $\text{Ba}_4\text{La}_{9.33}(\text{Ti}_{0.95}\text{Zr}_{0.05})_{18}\text{O}_{54}$ ceramics 333
- Diffusion
 interfacial reactions of Sn/Ag/Cu tri-layer on a deformed polyimide substrate L17
 fabrication and magnetic properties of Fe-6.5% Si alloys by magnetron sputtering method 1
- Diffusion barrier
 cyclic oxidation and diffusion barrier behaviors of oxides dispersed NiCoCrAlY coatings 411
- Dopamine
 synthesis of protoporphyrin coated superparamagnetic iron oxide nanoparticles via dopamine anchor 439
- Doping
 the alloying effects on the structural and optical properties of nanocrystalline copper zinc oxide thin films fabricated by spin coating and annealing method 445
- Double perovskite
 effect of partial substitution of Cr^{3+} for Fe^{3+} on magnetism, magnetocaloric effect and transport properties of $\text{Ba}_2\text{FeMoO}_6$ double perovskites 376
- Dry sliding wear
 a comparative study of the wear behavior of as-cast and hot extruded ZE41A magnesium alloy 495
- Dynamic strain aging
 dynamic strain aging of a commercial Al-Mg-Si-Cu alloy during equal channel angular extrusion process 59
- Effects of extrusion
 a comparative study of the wear behavior of as-cast and hot extruded ZE41A magnesium alloy 495

- Elastic constants
theoretical study on the stability, elasticity, hardness and electronic structures of W–C binary compounds 28
- Electrical properties
electrical properties of low temperature sintered copper and titanium-codoped copper zinc ferrites 163
- Electrical transport
antiferromagnetic Kondo lattice behaviour of YbNiAl₂ alloy 275
- Electrochemical impedance spectroscopy
synthesis, magnetic and electrical properties of Fe-containing SiO₂ nanocomposite 169
- Electrochemical performance
effect of MgO nanolayer coated on Li₃V₂(PO₄)₃/C cathode material for lithium-ion battery 401
characterization and optimization of Ln_{1.7}Sr_{0.3}CuO₄ (Ln = La, Nd)-based cathodes for intermediate temperature solid oxide fuel cells 472
- Electrochemistry
structural and electrochemical properties of Al³⁺ doped V₂O₅ nanoparticles prepared by an oxalic acid assisted soft-chemical method 92
- Electrolyte
investigation of (CeO₂)_x(Sc₂O₃)_(0.11-x)(ZrO₂)_{0.89} (x = 0.01–0.10) electrolyte materials for intermediate-temperature solid oxide fuel cell 319
- Electron beam-physical vapor deposition (EB-PVD)
cyclic oxidation and diffusion barrier behaviors of oxides dispersed NiCoCrAlY coatings 411
- Electronic properties
microwave dielectric properties of B₂O₃-doped ZnTiO₃ ceramics made with sol-gel technique 147
piezoelectric and dielectric properties of Sm₂O₃-doped 0.82Bi_{0.5}Na_{0.5}TiO₃-0.18Bi_{0.5}K_{0.5}TiO₃ ceramics 341
- Electronic structures
heteroepitaxial growth and surface electronic structures of ordered zinc oxide films on Mo(1 1 0) substrates 127
- Emission spectrum
luminescent properties of the Sr_{2.97-x}Ba_xMgSi₂O₈:Eu²⁺, Dy³⁺ with different Sr/Ba ratio 423
- Energy storage materials
controlled synthesis of single-crystal SrAl₂O₄:Eu²⁺, Dy³⁺ nanosheets with long-lasting phosphorescence 38
- Energy-saving application
TiN_x thin films for energy-saving application prepared by atmospheric pressure chemical vapor deposition 195
- Equal channel angular extrusion
dynamic strain aging of a commercial Al–Mg–Si–Cu alloy during equal channel angular extrusion process 59
- Eu₂O₃
evaluation and preparation of Li_{1+x-y}Nb_{1-x-3y}Ti_{x+4y}O₃ solid solution with superstructure as new phosphor 360
- Fe–6.5% Si alloys
fabrication and magnetic properties of Fe–6.5% Si alloys by magnetron sputtering method 1
- Fe₃O₄
carbothermal reduction method for Fe₃O₄ powder synthesis 338
- Fe₃O₄ nanoparticle
synthesis of protoporphyrin coated superparamagnetic iron oxide nanoparticles *via* dopamine anchor 439
- Ferroelectricity
room-temperature ferromagnetism and ferroelectricity of nanocrystalline La₂Ti₂O₇ 176
- Ferromagnetism
room-temperature ferromagnetism and ferroelectricity of nanocrystalline La₂Ti₂O₇ 176
- First-principles calculations
theoretical study on the stability, elasticity, hardness and electronic structures of W–C binary compounds 28
- Fracture toughness
microstructure and room temperature mechanical properties of hot-pressed Nb–Si–Ti–Fe alloys 310
- Fuel cell
effect of substrate temperature on structural properties and corrosion resistance of carbon thin films used as bipolar plates in polymer electrolyte membrane fuel cells 451
- Gadolinium aluminate
synthesis of gadolinium aluminate powder through citrate gel route 396
- Gas–solid reactions
thermal evaporation route to zinc stannate nanowires and the cathodoluminescence of the individual nanowires L14
characteristics of the glass powders with low Pb content directly prepared by spray pyrolysis 158
- GdAlO₃
synthesis of gadolinium aluminate powder through citrate gel route 396
- Glass–ceramic
crystallization behavior and dielectric properties of BaO–ZnO–SrO–CaO–Nd₂O₃–TiO₂–B₂O₃–SiO₂ glass–ceramics 387
- Glucose
carbothermal reduction method for Fe₃O₄ powder synthesis 338
- Grain refinement
effects of Fe addition and addition sequence on carbon inoculation of Mg–3%Al alloy 74
- Growth mechanism
large-scale preparation of chestnut-like ZnO and Zn–ZnO hollow nanostructures by chemical vapor deposition 118
- Hardness
theoretical study on the stability, elasticity, hardness and electronic structures of W–C binary compounds 28
investigation on the structure and properties of Al_xCr_{1-x}N coatings deposited by reactive magnetron co-sputtering 243
- Heat capacity
theoretical study on the stability, elasticity, hardness and electronic structures of W–C binary compounds 28
antiferromagnetic Kondo lattice behaviour of YbNiAl₂ alloy 275
- Hematite
rietveld analysis and Mössbauer spectroscopy studies of nanocrystalline hematite α -Fe₂O₃ 279
- Heteroepitaxial growth
heteroepitaxial growth and surface electronic structures of ordered zinc oxide films on Mo(1 1 0) substrates 127
- Hexaferrites
SrFe₁₂O₁₉/ZnO hybrid structures: Synthesis, characterization and properties 488
- Hexagonal boron nitride (hBN)
preparation of Ni-precipitated hBN powder by rotary chemical vapor deposition and its consolidation by spark plasma sintering 371
- High pressure
in situ observation of the reaction of tantalum with nitrogen in a laser heated diamond anvil cell 5
- High temperature
in situ observation of the reaction of tantalum with nitrogen in a laser heated diamond anvil cell 5
- High voltage
the influence of holding time on the performance of LiNi_{0.5}Mn_{1.5}O₄ cathode for lithium ion battery 215
- High-energy planetary ball milling
solid-state synthesis and formation mechanism of barium hexaaluminate from mechanically activated Al₂O₃–BaCO₃ powder mixtures 466
- High-pressure hydrogen
a study on 70 MPa metal hydride hydrogen compressor 503
- High-resolution X-ray diffraction
influence of the growth temperature of AlN buffer on the quality and stress of GaN films grown on 6H–SiC substrate by MOVPE 417
- Holding time
the influence of holding time on the performance of LiNi_{0.5}Mn_{1.5}O₄ cathode for lithium ion battery 215
- Hot pressing
microstructure and room temperature mechanical properties of hot-pressed Nb–Si–Ti–Fe alloys 310

- HT-XRD
synthesis of gadolinium aluminate powder through citrate gel route 396
- Hybrid structures
SrFe₁₂O₁₉/ZnO hybrid structures: Synthesis, characterization and properties 488
- Hydrogen compressor
a study on 70 MPa metal hydride hydrogen compressor 503
- Hydrogen storage materials
a study on 70 MPa metal hydride hydrogen compressor 503
- Hypereutectic Al–Si alloy
the investigation of continuous nucleation and refinement of primary Si in Al–30Si mushy zone 304
- II–VI
effect of thickness on the microstructural, optoelectronic and morphological properties of electron beam evaporated ZnTe films 434
- Indentation mechanical properties
nanostructured Mo₃Al-based composites strengthened by Al₂O₃ precipitates 480
- Inter-diffusion
cyclic oxidation and diffusion barrier behaviors of oxides dispersed NiCoCrAlY coatings 411
- Intermetallic rare earth compounds with manganese
magnetic properties of ZrNiAl-type R₃Mn₃SiGa₂ compounds (R = Y, Gd, Tb, Dy and Ho) 261
- Intermetallics
interfacial reactions of Sn/Ag/Cu tri-layer on a deformed polyimide substrate L17
- Iron
effects of Fe addition and addition sequence on carbon inoculation of Mg–3%Al alloy 74
crystal structure of RE₁₂Fe_{2+x}Pb_{3–x} (RE = Tm, Lu) compounds 300
- Isothermal magnetization
magnetocaloric effect above room temperature in the K-doped La_{0.8}Na_{0.2–x}K_xMnO₃ manganites 270
- I–V characteristics
preparation and characterization of vacuum thermal evaporated trilayer Cu/Se/Al thin films 220
- J–O theory calculation
spectroscopic properties of Pr³⁺:Gd₃Ga₅O₁₂ crystal 184
- Kondo effect
antiferromagnetic Kondo lattice behaviour of YbNiAl₂ alloy 275
- Laser CVD
laser chemical vapor deposition of SiC films with CO₂ laser 238
- Laser heating
in situ observation of the reaction of tantalum with nitrogen in a laser heated diamond anvil cell 5
- Lead
crystal structure of RE₁₂Fe_{2+x}Pb_{3–x} (RE = Tm, Lu) compounds 300
- Li_{0.5}Sm_{0.5}WO₄
a new Li_{0.5}Sm_{0.5}WO₄ low temperature firing microwave dielectric ceramic L20
- LiCoPO₄
synthesis of novel high-voltage cathode material LiCoPO₄ via rheological phase method 407
- Light absorption and reflection
reverse-microemulsion preparation of visible-light-driven nano-sized BiVO₄ L1
- LiNbO₃
evaluation and preparation of Li_{1+x–y}Nb_{1–x–3y}Ti_{x+4y}O₃ solid solution with superstructure as new phosphor 360
- Lithium ion battery
the influence of holding time on the performance of LiNi_{0.5}Mn_{1.5}O₄ cathode for lithium ion battery 215
- Lithium nickel manganese oxide
the influence of holding time on the performance of LiNi_{0.5}Mn_{1.5}O₄ cathode for lithium ion battery 215
- Lithium niobate
subsolidus phase relations and the crystallization region of LiNbO₃ in the system Li₂O–B₂O₃–Nb₂O₅ 211
- Lithium-ion batteries
effect of MgO nanolayer coated on Li₃V₂(PO₄)₃/C cathode material for lithium-ion battery 401
synthesis of novel high-voltage cathode material LiCoPO₄ via rheological phase method 407
- Ln₂CuO₄
characterization and optimization of Ln_{1.7}Sr_{0.3}CuO₄ (Ln = La, Nd)-based cathodes for intermediate temperature solid oxide fuel cells 472
- Low temperature sintering
a new Li_{0.5}Sm_{0.5}WO₄ low temperature firing microwave dielectric ceramic L20
- LSO:Ce
luminescent properties of Na-codoped Lu₂SiO₅:Ce phosphor 190
- LTCC
crystallization behavior and dielectric properties of BaO–ZnO–SrO–CaO–Nd₂O₃–TiO₂–B₂O₃–SiO₂ glass–ceramics 387
- Luminescence
afterglow phosphor materials Y₂O₂S: Eu, Mg, Ti doped with various Gd concentrations 180
- Luminescence properties
luminescent properties of Na-codoped Lu₂SiO₅:Ce phosphor 190
- Maghemite
one-step synthesis of maghemite (γ-Fe₂O₃) nano-particles by wet chemical method 257
- Magnesium oxide
effect of MgO nanolayer coated on Li₃V₂(PO₄)₃/C cathode material for lithium-ion battery 401
- Magnetic impurity interactions
Spin glass-like behaviour in Fe-rich phases of Sr₂Fe_{1–x}Mn_xMoO₆ (0.1 ≤ x ≤ 0.4) 13
- Magnetic materials
cation distribution in nanocrystalline Al³⁺ and Cr³⁺ co-substituted CoFe₂O₄ 477
- Magnetic measurements
effect of wheel speed on the microstructures and magnetic properties of rapidly solidified Sm–Co alloys 63
low temperature spark plasma sintering of YIG powders 132
magnetic properties of ZrNiAl-type R₃Mn₃SiGa₂ compounds (R = Y, Gd, Tb, Dy and Ho) 261
magnetic and inductive heating properties of Fe₃O₄/polyethylene glycol composite nanoparticles with core–shell structure 392
- Magnetic properties
annealing on the structure and properties evolution of the CoCrFeNiCuAl high-entropy alloy 295
improvement of corrosion resistance and magnetic properties of Nd–Fe–B sintered magnets by Al₈₅Cu₁₅ intergranular addition 346
effect of partial substitution of Cr³⁺ for Fe³⁺ on magnetism, magnetocaloric effect and transport properties of Ba₂FeMoO₆ double perovskites 376
SrFe₁₂O₁₉/ZnO hybrid structures: Synthesis, characterization and properties 488
- Magnetic structure
magnetic properties of ZrNiAl-type R₃Mn₃SiGa₂ compounds (R = Y, Gd, Tb, Dy and Ho) 261
- Magnetically ordered materials
low temperature spark plasma sintering of YIG powders 132
- Magnetism
synthesis of protoporphyrin coated superparamagnetic iron oxide nanoparticles via dopamine anchor 439
- Magnetization
low temperature spark plasma sintering of YIG powders 132
polyol synthesis of (polyvinylpyrrolidone) PVP–Mn₃O₄ nanocomposite 199
controlling the size and size distribution of magnetite nanoparticles on carbon nanotubes 365

- Magnetocaloric effect
 effect of partial substitution of Cr^{3+} for Fe^{3+} on magnetism, magnetocaloric effect and transport properties of $\text{Ba}_2\text{FeMoO}_6$ double perovskites 376
 magnetocaloric effect above room temperature in the K-doped $\text{La}_{0.8}\text{Na}_{0.2-x}\text{K}_x\text{MnO}_3$ manganites 270
- Magnetoresistance
 antiferromagnetic Kondo lattice behaviour of YbNiAl_2 alloy 275
- Manganese oxides
 magnetocaloric effect above room temperature in the K-doped $\text{La}_{0.8}\text{Na}_{0.2-x}\text{K}_x\text{MnO}_3$ manganites 270
- Manganites
 Fe ion doping effect on electrical and magnetic properties of $\text{La}_{0.7}\text{Ca}_{0.3}\text{Mn}_{1-x}\text{Fe}_x\text{O}_3$ ($0 \leq x \leq 1$) 283
- Martensitic transformation
 influence of the experimental technique on the quench temperature dependence of the martensitic transformation temperature in Cu–Zn–Al alloys 356
- Mass spectrometry
 synthesis of gadolinium aluminate powder through citrate gel route 396
- Mechanical activation
 solid-state synthesis and formation mechanism of barium hexaaluminate from mechanically activated Al_2O_3 – BaCO_3 powder mixtures 466
- Mechanical alloying
 nanostructured Mo_3Al -based composites strengthened by Al_2O_3 precipitates 480
- Mechanical properties
 properties and densification of nanocrystalline MoSi_2 – Si_3N_4 composite from mechanically alloyed powders by pulsed current-activated sintering L10
 microstructural evolution and mechanical properties of Ti_3SiC_2 – TiC composites 49
 dynamic strain aging of a commercial Al–Mg–Si–Cu alloy during equal channel angular extrusion process 59
 evaluation of the machinability of Ti–Sn alloys 112
 annealing on the structure and properties evolution of the CoCrFeNiCuAl high-entropy alloy 295
- Mechanical properties testing
 temperature dependence of critical stress and pseudoelasticity in a Fe–Mn–Si–Cr pre-rolled alloy 54
- Mechanochemical processing
 synthesis of titanium diboride reinforced alumina matrix nanocomposite by mechanochemical reaction of Al– TiO_2 – B_2O_3 508
- Metal hydrides
 a study on 70 MPa metal hydride hydrogen compressor 503
- Metal-insulator transition
 Fe ion doping effect on electrical and magnetic properties of $\text{La}_{0.7}\text{Ca}_{0.3}\text{Mn}_{1-x}\text{Fe}_x\text{O}_3$ ($0 \leq x \leq 1$) 283
- Metals
 effect of wheel speed on the microstructures and magnetic properties of rapidly solidified Sm–Co alloys 63
- Metals and alloys
 interfacial reactions of Sn/Ag/Cu tri-layer on a deformed polyimide substrate L17
 evaluation of the machinability of Ti–Sn alloys 112
 serrated flow and work hardening characteristics of Al-5356 alloy 139
 influence of the experimental technique on the quench temperature dependence of the martensitic transformation temperature in Cu–Zn–Al alloys 356
- Methylene blue
 reverse-microemulsion preparation of visible-light-driven nano-sized BiVO_4 L1
- $(\text{Mg}_{1/2}\text{Zn}_{1/2})\text{Al}_2\text{O}_4$ ceramics
 dielectric characteristics of $(\text{Mg}_{1/2}\text{Zn}_{1/2})\text{Al}_2\text{O}_4$ ceramics at microwave frequencies 136
- Mg–Al alloy
 effects of Fe addition and addition sequence on carbon inoculation of Mg–3%Al alloy 74
- Microstructure
 interfacial reactions of Sn/Ag/Cu tri-layer on a deformed polyimide substrate L17
 core and shell structure of ytterbium sesquioxide nanoparticles 107
 serrated flow and work hardening characteristics of Al-5356 alloy 139
 fabrication of Nd:YAG transparent ceramics with TEOS, MgO and compound additives as sintering aids 225
 laser chemical vapor deposition of SiC films with CO_2 laser 238
 investigation on the structure and properties of $\text{Al}_x\text{Cr}_{1-x}\text{N}$ coatings deposited by reactive magnetron co-sputtering 243
 annealing on the structure and properties evolution of the CoCrFeNiCuAl high-entropy alloy 295
 microstructure and room temperature mechanical properties of hot-pressed Nb–Si–Ti–Fe alloys 310
 effects of Sm substitution on microwave dielectric properties of $\text{Ba}_4\text{La}_{9.33}(\text{Ti}_{0.95}\text{Zr}_{0.05})_{18}\text{O}_{54}$ ceramics 333
 an investigation on DC casting of a wrought aluminium alloy at below liquidus temperature by using melt conditioner 382
- Microwave ceramic
 a new $\text{Li}_{0.5}\text{Sm}_{0.5}\text{WO}_4$ low temperature firing microwave dielectric ceramic L20
- Microwave dielectric properties
 dielectric characteristics of $(\text{Mg}_{1/2}\text{Zn}_{1/2})\text{Al}_2\text{O}_4$ ceramics at microwave frequencies 136
- Milling
 mechanochemical synthesis of nanostructured SiO_2 –SiC composite through high-energy milling 250
- Mo-matrix composites
 nanostructured Mo_3Al -based composites strengthened by Al_2O_3 precipitates 480
- Morphology
 a promising sol–gel route to suppress pyrochlore phase during the synthesis of multiferroic $\text{Pb}(\text{Fe}_{2/3}\text{W}_{1/3})\text{O}_3$ using inorganic salts 429
- MoSi_2 formation
 a study of the effect of aluminum on MoSi_2 formation by self-propagation high-temperature synthesis 80
- Mössbauer
 rietveld analysis and Mössbauer spectroscopy studies of nanocrystalline hematite α - Fe_2O_3 279
- Multiferroic material
 room-temperature ferromagnetism and ferroelectricity of nanocrystalline $\text{La}_2\text{Ti}_2\text{O}_7$ 176
- N_2 flow rate
 investigation on the structure and properties of $\text{Al}_x\text{Cr}_{1-x}\text{N}$ coatings deposited by reactive magnetron co-sputtering 243
- Na^+ codopant
 luminescent properties of Na-codoped Lu_2SiO_5 :Ce phosphor 190
- Nanocoating
 effect of MgO nanolayer coated on $\text{Li}_3\text{V}_2(\text{PO}_4)_3/\text{C}$ cathode material for lithium-ion battery 401
- Nanocomposites
 polyol synthesis of (polyvinylpyrrolidone) PVP– Mn_3O_4 nanocomposite 199
 mechanochemical synthesis of nanostructured SiO_2 –SiC composite through high-energy milling 250
 synthesis of titanium diboride reinforced alumina matrix nanocomposite by mechanochemical reaction of Al– TiO_2 – B_2O_3 508
- Nanocrystalline
 room-temperature ferromagnetism and ferroelectricity of nanocrystalline $\text{La}_2\text{Ti}_2\text{O}_7$ 176
- Nanofabrications
 magnetic and inductive heating properties of Fe_3O_4 /polyethylene glycol composite nanoparticles with core–shell structure 392
- Nanomagnetic materials
 polyol synthesis of (polyvinylpyrrolidone) PVP– Mn_3O_4 nanocomposite 199
- Nanoparticles
 one-step synthesis of maghemite (γ - Fe_2O_3) nano-particles by wet chemical method 257
 rietveld analysis and Mössbauer spectroscopy studies of nanocrystalline hematite α - Fe_2O_3 279
- Nanostructured materials
 properties and densification of nanocrystalline MoSi_2 – Si_3N_4 composite from mechanically alloyed powders by pulsed current-activated sintering L10

- thermal evaporation route to zinc stannate nanowires and the cathodoluminescence of the individual nanowires L14
- controlled synthesis of single-crystal $\text{SrAl}_2\text{O}_4:\text{Eu}^{2+},\text{Dy}^{3+}$ nanosheets with long-lasting phosphorescence 38
- structural and electrochemical properties of Al^{3+} doped V_2O_5 nanoparticles prepared by an oxalic acid assisted soft-chemical method 92
- core and shell structure of ytterbium sesquioxide nanoparticles 107
- controlling the size and size distribution of magnetite nanoparticles on carbon nanotubes 365
- Nanostructures**
- magnetic and inductive heating properties of Fe_3O_4 /polyethylene glycol composite nanoparticles with core-shell structure 392
- the alloying effects on the structural and optical properties of nanocrystalline copper zinc oxide thin films fabricated by spin coating and annealing method 445
- Nb-based alloy**
- microstructure and room temperature mechanical properties of hot-pressed Nb-Si-Ti-Fe alloys 310
- Nd:YAG**
- fabrication of Nd:YAG transparent ceramics with TEOS, MgO and compound additives as sintering aids 225
- Nd-Fe-B sintered magnets**
- improvement of corrosion resistance and magnetic properties of Nd-Fe-B sintered magnets by $\text{Al}_{85}\text{Cu}_{15}$ intergranular addition 346
- Neutron diffraction**
- magnetic properties of ZrNiAl-type $\text{R}_3\text{Mn}_3\text{SiGa}_2$ compounds (R = Y, Gd, Tb, Dy and Ho) 261
- Ni**
- preparation of Ni-precipitated hBN powder by rotary chemical vapor deposition and its consolidation by spark plasma sintering 371
- Nickel**
- influence of nickel precipitation on the formation of denuded zone in Czochralski silicon 351
- NiCuZn ferrites**
- electrical properties of low temperature sintered copper and titanium-codoped copper zinc ferrites 163
- Nitrides**
- influence of the growth temperature of AlN buffer on the quality and stress of GaN films grown on 6H-SiC substrate by MOVPE 417
- Nitrogen doping**
- low temperature hydrothermal synthesis of N-doped TiO_2 photocatalyst with high visible-light activity 289
- Ni-Zn ferrite**
- structural, dielectric properties and AC conductivity of $\text{Ni}_{(1-x)}\text{Zn}_x\text{Fe}_2\text{O}_4$ spinel ferrites 231
- Non-stoichiometric**
- TiN_x thin films for energy-saving application prepared by atmospheric pressure chemical vapor deposition 195
- Nucleating substrate**
- effects of Fe addition and addition sequence on carbon inoculation of Mg-3%Al alloy 74
- Nucleation mechanism**
- the investigation of continuous nucleation and refinement of primary Si in Al-30Si mushy zone 304
- Optical band gap**
- preparation and characterization of vacuum thermal evaporated trilayer Cu/Se/Al thin films 220
- Optical limiting properties**
- preparation of transparent ordered mesoporous carbon/silica composites and their optical limiting properties L6
- Optical properties**
- thermal evaporation route to zinc stannate nanowires and the cathodoluminescence of the individual nanowires L14
- controlled synthesis of single-crystal $\text{SrAl}_2\text{O}_4:\text{Eu}^{2+},\text{Dy}^{3+}$ nanosheets with long-lasting phosphorescence 38
- Optical spectroscopy**
- low temperature spark plasma sintering of YIG powders 132
- Order-disorder effects**
- influence of the experimental technique on the quench temperature dependence of the martensitic transformation temperature in Cu-Zn-Al alloys 356
- Organometallic vapor phase epitaxy**
- influence of the growth temperature of AlN buffer on the quality and stress of GaN films grown on 6H-SiC substrate by MOVPE 417
- Oxidation**
- synthesis, magnetic and electrical properties of Fe-containing SiO_2 nanocomposite 169
- cyclic oxidation and diffusion barrier behaviors of oxides dispersed NiCoCrAlY coatings 411
- Oxide ionic conductivity**
- investigation of $(\text{CeO}_2)_x(\text{Sc}_2\text{O}_3)_{(0.11-x)}(\text{ZrO}_2)_{0.89}$ ($x = 0.01-0.10$) electrolyte materials for intermediate-temperature solid oxide fuel cell 319
- Oxide materials**
- solid-state synthesis and formation mechanism of barium hexaaluminate from mechanically activated Al_2O_3 - BaCO_3 powder mixtures 466
- Oxides**
- new dielectric material system of $x\text{La}(\text{Mg}_{1/2}\text{Ti}_{1/2})\text{O}_3-(1-x)\text{Ca}_{0.61}\text{Nd}_{0.8/3}\text{TiO}_3$ at microwave frequency 153
- Particulate film**
- the Ag effect on magnetic properties and microstructure of FePt/ Ag_2Te particulate films 456
- $\text{Pb}(\text{Fe}_{2/3}\text{W}_{1/3})\text{O}_3$**
- a promising sol-gel route to suppress pyrochlore phase during the synthesis of multiferroic $\text{Pb}(\text{Fe}_{2/3}\text{W}_{1/3})\text{O}_3$ using inorganic salts 429
- Pechini sol-gel technique**
- luminescent properties of Na-codoped $\text{Lu}_2\text{SiO}_5:\text{Ce}$ phosphor 190
- Permanent magnets**
- effect of wheel speed on the microstructures and magnetic properties of rapidly solidified Sm-Co alloys 63
- Perovskite**
- a promising sol-gel route to suppress pyrochlore phase during the synthesis of multiferroic $\text{Pb}(\text{Fe}_{2/3}\text{W}_{1/3})\text{O}_3$ using inorganic salts 429
- Perpendicular magnetization**
- the Ag effect on magnetic properties and microstructure of FePt/ Ag_2Te particulate films 456
- Phase diagrams**
- thermodynamic assessments of the Bi-Nd and Bi-Tm systems 43
- interaction of the components in the Ag-Er-Sn system at 400 °C 68
- isothermal section of the Y-Fe-Cr ternary system at 773 K 87
- subsolidus phase relations and the crystallization region of LiNbO_3 in the system $\text{Li}_2\text{O}-\text{B}_2\text{O}_3-\text{Nb}_2\text{O}_5$ 211
- Phosphors**
- afterglow phosphor materials $\text{Y}_2\text{O}_3:\text{Eu, Mg, Ti}$ doped with various Gd concentrations 180
- evaluation and preparation of $\text{Li}_{1+x-y}\text{Nb}_{1-x-3y}\text{Ti}_{x+4y}\text{O}_3$ solid solution with superstructure as new phosphor 360
- luminescent properties of the $\text{Sr}_{2.97-x}\text{Ba}_x\text{MgSi}_2\text{O}_8:\text{Eu}^{2+}_{0.01}, \text{Dy}^{3+}_{0.02}$ with different Sr/Ba ratio 423
- Photocatalysis**
- reverse-microemulsion preparation of visible-light-driven nano-sized BiVO_4 L1
- low temperature hydrothermal synthesis of N-doped TiO_2 photocatalyst with high visible-light activity 289
- Photodecomposition**
- low temperature hydrothermal synthesis of N-doped TiO_2 photocatalyst with high visible-light activity 289
- Photoluminescence**
- optical properties of ZnO/PMMA nanocomposite films 24
- studies on optical absorption and photoluminescence properties of Pr^{3+} and Nd^{3+} doped mixed alkali chloroborate glasses 97
- large-scale preparation of chestnut-like ZnO and Zn-ZnO hollow nanostructures by chemical vapor deposition 118
- Physical vapor deposition**
- fabrication and magnetic properties of Fe-6.5% Si alloys by magnetron sputtering method 1

- Piezoelectricity
piezoelectric and dielectric properties of Sm_2O_3 -doped $0.82\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ - $0.18\text{Bi}_{0.5}\text{K}_{0.5}\text{TiO}_3$ ceramics 341
- PMMA
optical properties of ZnO/PMMA nanocomposite films 24
- Powder metallurgy
properties and densification of nanocrystalline MoSi_2 - Si_3N_4 composite from mechanically alloyed powders by pulsed current-activated sintering L10
- Pr: $\text{Gd}_3\text{Ga}_5\text{O}_{12}$ crystal
spectroscopic properties of Pr^{3+} : $\text{Gd}_3\text{Ga}_5\text{O}_{12}$ crystal 184
- Precipitation
serrated flow and work hardening characteristics of Al-5356 alloy 139
effects of aging on the characteristics of Nd:YAG nano-powders 206
one-step synthesis of maghemite (γ - Fe_2O_3) nano-particles by wet chemical method 257
- Primary Si
the investigation of continuous nucleation and refinement of primary Si in Al-30Si mushy zone 304
- Protoporphyrin IX
synthesis of protoporphyrin coated superparamagnetic iron oxide nanoparticles via dopamine anchor 439
- Pyrochlore
a promising sol-gel route to suppress pyrochlore phase during the synthesis of multiferroic $\text{Pb}(\text{Fe}_{2/3}\text{W}_{1/3})\text{O}_3$ using inorganic salts 429
- Raman scattering
structural and electrochemical properties of Al^{3+} doped V_2O_5 nanoparticles prepared by an oxalic acid assisted soft-chemical method 92
- Rare earth alloys and compounds
thermodynamic assessments of the Bi-Nd and Bi-Tm systems 43
effects of Sm substitution on microwave dielectric properties of $\text{Ba}_4\text{La}_{9.33}(\text{Ti}_{0.95}\text{Zr}_{0.05})_{18}\text{O}_{54}$ ceramics 333
- Rare-earth metals
crystal structure of $\text{RE}_{12}\text{Fe}_{2+x}\text{Pb}_{3-x}$ (RE = Tm, Lu) compounds 300
- Rechargeable lithium batteries
structural and electrochemical properties of Al^{3+} doped V_2O_5 nanoparticles prepared by an oxalic acid assisted soft-chemical method 92
- Refinement
the investigation of continuous nucleation and refinement of primary Si in Al-30Si mushy zone 304
- Resistivity
structural, dielectric properties and AC conductivity of $\text{Ni}_{(1-x)}\text{Zn}_x\text{Fe}_2\text{O}_4$ spinel ferrites 231
- Reverse analysis
nanostructured Mo_3Al -based composites strengthened by Al_2O_3 precipitates 480
- Rheological method
synthesis of novel high-voltage cathode material LiCoPO_4 via rheological phase method 407
- Rietveld
rietveld analysis and Mössbauer spectroscopy studies of nanocrystalline hematite α - Fe_2O_3 279
- Rietveld analysis
synthesis of gadolinium aluminate powder through citrate gel route 396
- Rolling
temperature dependence of critical stress and pseudoelasticity in a Fe-Mn-Si-Cr pre-rolled alloy 54
- Rotary chemical vapor deposition (RCVD)
preparation of Ni-precipitated hBN powder by rotary chemical vapor deposition and its consolidation by spark plasma sintering 371
- RTA annealing
influence of nickel precipitation on the formation of denuded zone in Czochralski silicon 351
- Scan electron microprobe
interaction of the components in the Ag-Er-Sn system at 400 °C 68
- Scandia-stabilized zirconia
investigation of $(\text{CeO}_2)_x(\text{Sc}_2\text{O}_3)_{(0.11-x)}(\text{ZrO}_2)_{0.89}$ ($x = 0.01$ - 0.10) electrolyte materials for intermediate-temperature solid oxide fuel cell 319
- Scanning and transmission electron microscopy
magnetic and inductive heating properties of Fe_3O_4 /polyethylene glycol composite nanoparticles with core-shell structure 392
- Scanning electron microscopy (SEM)
fabrication and magnetic properties of Fe-6.5% Si alloys by magnetron sputtering method 1
controlled synthesis of single-crystal SrAl_2O_4 : Eu^{2+} , Dy^{3+} nanosheets with long-lasting phosphorescence 38
microstructural evolution and mechanical properties of Ti_3SiC_2 -TiC composites 49
evaluation of the machinability of Ti-Sn alloys 112
effects of aging on the characteristics of Nd:YAG nano-powders 206
structural, dielectric properties and AC conductivity of $\text{Ni}_{(1-x)}\text{Zn}_x\text{Fe}_2\text{O}_4$ spinel ferrites 231
effects of TiC addition on formation of Ti_2SnC by self-propagating combustion of Ti-Sn-C-TiC powder compacts 461
- Self-propagation high-temperature synthesis
a study of the effect of aluminum on MoSi_2 formation by self-propagation high-temperature synthesis 80
- Semiconducting silicon compounds
influence of the growth temperature of AlN buffer on the quality and stress of GaN films grown on 6H-SiC substrate by MOVPE 417
- Semiconductors
thermal evaporation route to zinc stannate nanowires and the cathodoluminescence of the individual nanowires L14
effect of thickness on the microstructural, optoelectronic and morphological properties of electron beam evaporated ZnTe films 434
- Serration
serrated flow and work hardening characteristics of Al-5356 alloy 139
- Shape memory alloys (SMA)
temperature dependence of critical stress and pseudoelasticity in a Fe-Mn-Si-Cr pre-rolled alloy 54
- SHS/PHIP
SHS/PHIP of ceramic composites using ilmenite concentrate 491
- Silicon carbide
laser chemical vapor deposition of SiC films with CO_2 laser 238
mechanochemical synthesis of nanostructured SiO_2 -SiC composite through high-energy milling 250
- Sintering
properties and densification of nanocrystalline MoSi_2 - Si_3N_4 composite from mechanically alloyed powders by pulsed current-activated sintering L10
microstructural evolution and mechanical properties of Ti_3SiC_2 -TiC composites 49
low temperature spark plasma sintering of YIG powders 132
effects of Sm substitution on microwave dielectric properties of $\text{Ba}_4\text{La}_{9.33}(\text{Ti}_{0.95}\text{Zr}_{0.05})_{18}\text{O}_{54}$ ceramics 333
controlling the size and size distribution of magnetite nanoparticles on carbon nanotubes 365
crystallization behavior and dielectric properties of BaO - ZnO - SrO - CaO - Nd_2O_3 - TiO_2 - B_2O_3 - SiO_2 glass-ceramics 387
- Sintering aid
investigation of $(\text{CeO}_2)_x(\text{Sc}_2\text{O}_3)_{(0.11-x)}(\text{ZrO}_2)_{0.89}$ ($x = 0.01$ - 0.10) electrolyte materials for intermediate-temperature solid oxide fuel cell 319
- SOFC
characterization and optimization of $\text{Ln}_{1.7}\text{Sr}_{0.3}\text{CuO}_4$ (Ln = La, Nd)-based cathodes for intermediate temperature solid oxide fuel cells 472
- Sol-gel
effect of MgO nanolayer coated on $\text{Li}_3\text{V}_2(\text{PO}_4)_3/\text{C}$ cathode material for lithium-ion battery 401
a promising sol-gel route to suppress pyrochlore phase during the synthesis of multiferroic $\text{Pb}(\text{Fe}_{2/3}\text{W}_{1/3})\text{O}_3$ using inorganic salts 429
- Sol-gel growth
microwave dielectric properties of B_2O_3 -doped ZnTiO_3 ceramics made with sol-gel technique 147
- Sol-gel synthesis
preparation of transparent ordered mesoporous carbon/silica composites and their optical limiting properties L6

- Solid oxide fuel cell
 investigation of $(\text{CeO}_2)_x(\text{Sc}_2\text{O}_3)_{(0.11-x)}(\text{ZrO}_2)_{0.89}$ ($x = 0.01-0.10$) electrolyte materials for intermediate-temperature solid oxide fuel cell 319
- Solid-state reaction
 afterglow phosphor materials Y_2O_3 : Eu, Mg, Ti doped with various Gd concentrations 180
 piezoelectric and dielectric properties of Sm_2O_3 -doped $0.82\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3-0.18\text{Bi}_{0.5}\text{K}_{0.5}\text{TiO}_3$ ceramics 341
- Solid-state synthesis
 solid-state synthesis and formation mechanism of barium hexaaluminate from mechanically activated Al_2O_3 - BaCO_3 powder mixtures 466
- Spark plasma sintering (SPS)
 preparation of Ni-precipitated hBN powder by rotary chemical vapor deposition and its consolidation by spark plasma sintering 371
- Spectroscopic properties
 spectroscopic properties of $\text{Pr}^{3+}:\text{Gd}_3\text{Ga}_5\text{O}_{12}$ crystal 184
- Spin coating
 the alloying effects on the structural and optical properties of nanocrystalline copper zinc oxide thin films fabricated by spin coating and annealing method 445
- Spin glasses and other random magnets
 Spin glass-like behaviour in Fe-rich phases of $\text{Sr}_2\text{Fe}_{1-x}\text{Mn}_x\text{MoO}_6$ ($0.1 \leq x \leq 0.4$) 13
- Stability
 theoretical study on the stability, elasticity, hardness and electronic structures of W-C binary compounds 28
- Stainless steel
 effect of substrate temperature on structural properties and corrosion resistance of carbon thin films used as bipolar plates in polymer electrolyte membrane fuel cells 451
- Structural/optical properties
 the alloying effects on the structural and optical properties of nanocrystalline copper zinc oxide thin films fabricated by spin coating and annealing method 445
- Super-exchange interaction
 Fe ion doping effect on electrical and magnetic properties of $\text{La}_{0.7}\text{Ca}_{0.3}\text{Mn}_{1-x}\text{Fe}_x\text{O}_3$ ($0 \leq x \leq 1$) 283
- Superstructure
 evaluation and preparation of $\text{Li}_{1+x-y}\text{Nb}_{1-x-3y}\text{Ti}_{x+4y}\text{O}_3$ solid solution with superstructure as new phosphor 360
- Surface topography
 preparation and characterization of vacuum thermal evaporated trilayer Cu/Se/Al thin films 220
- Tantalum nitride
 in situ observation of the reaction of tantalum with nitrogen in a laser heated diamond anvil cell 5
- TEM
 fabrication and magnetic properties of Fe-6.5% Si alloys by magnetron sputtering method 1
 synthesis and characterization of carbon nanotube supported Bi_2Te_3 nanocrystals 329
- TG-DSC
 synthesis of gadolinium aluminate powder through citrate gel route 396
- The oxidation of aluminum
 a study of the effect of aluminum on MoSi_2 formation by self-propagation high-temperature synthesis 80
- Thermal analysis
 synthesis, magnetic and electrical properties of Fe-containing SiO_2 nanocomposite 169
 subsolidus phase relations and the crystallization region of LiNbO_3 in the system $\text{Li}_2\text{O}-\text{B}_2\text{O}_3-\text{Nb}_2\text{O}_5$ 211
- Thermal barrier coatings (TBCs)
 cyclic oxidation and diffusion barrier behaviors of oxides dispersed NiCoCrAlY coatings 411
- Thermal properties of glasses
 the single crystal superconducting Bi-2212 whiskers fabrication and their thermal transport properties 16
- Thermodynamic modeling
 thermodynamic assessments of the Bi-Nd and Bi-Tm systems 43
- Thermoelectric materials
 synthesis and characterization of carbon nanotube supported Bi_2Te_3 nanocrystals 329
- Thermoluminescence
 luminescent properties of the $\text{Sr}_{2.97-x}\text{Ba}_x\text{MgSi}_2\text{O}_8:\text{Eu}^{2+}_{0.01}, \text{Dy}^{3+}_{0.02}$ with different Sr/Ba ratio 423
- Thermomechanical processing
 temperature dependence of critical stress and pseudoelasticity in a Fe-Mn-Si-Cr pre-rolled alloy 54
- Thin films
 effect of thickness on the microstructural, optoelectronic and morphological properties of electron beam evaporated ZnTe films 434
 the alloying effects on the structural and optical properties of nanocrystalline copper zinc oxide thin films fabricated by spin coating and annealing method 445
 effect of substrate temperature on structural properties and corrosion resistance of carbon thin films used as bipolar plates in polymer electrolyte membrane fuel cells 451
- TiB_2
 SHS/PHIP of ceramic composites using ilmenite concentrate 491
- TiC
 SHS/PHIP of ceramic composites using ilmenite concentrate 491
- TiO_2
 evaluation and preparation of $\text{Li}_{1+x-y}\text{Nb}_{1-x-3y}\text{Ti}_{x+4y}\text{O}_3$ solid solution with superstructure as new phosphor 360
- Ti_3SiC_2 -TiC composite
 microstructural evolution and mechanical properties of Ti_3SiC_2 -TiC composites 49
- Ti_2SnC
 effects of TiC addition on formation of Ti_2SnC by self-propagating combustion of Ti-Sn-C-TiC powder compacts 461
- Titanium diboride
 synthesis of titanium diboride reinforced alumina matrix nanocomposite by mechanochemical reaction of Al-TiO₂-B₂O₃ 508
- Titanium dioxide
 low temperature hydrothermal synthesis of N-doped TiO_2 photocatalyst with high visible-light activity 289
- Titanium nitride
 TiN_x thin films for energy-saving application prepared by atmospheric pressure chemical vapor deposition 195
- Tough ceramic
 SHS/PHIP of ceramic composites using ilmenite concentrate 491
- Transition-metal compounds
 Spin glass-like behaviour in Fe-rich phases of $\text{Sr}_2\text{Fe}_{1-x}\text{Mn}_x\text{MoO}_6$ ($0.1 \leq x \leq 0.4$) 13
- Transmission electron microscopy (TEM)
 temperature dependence of critical stress and pseudoelasticity in a Fe-Mn-Si-Cr pre-rolled alloy 54
 synthesis and characterization of carbon nanotube supported Bi_2Te_3 nanocrystals 329
 controlling the size and size distribution of magnetite nanoparticles on carbon nanotubes 365
- Transparent ceramics
 fabrication of Nd:YAG transparent ceramics with TEOS, MgO and compound additives as sintering aids 225
- Transport properties
 effect of partial substitution of Cr^{3+} for Fe^{3+} on magnetism, magnetocaloric effect and transport properties of $\text{Ba}_2\text{FeMoO}_6$ double perovskites 376
- Transport properties (electric and thermal conductivity, thermoelectric effects)
 the single crystal superconducting Bi-2212 whiskers fabrication and their thermal transport properties 16
- Trilayer thin films
 preparation and characterization of vacuum thermal evaporated trilayer Cu/Se/Al thin films 220

- Vapor deposition
 investigation on the structure and properties of $\text{Al}_x\text{Cr}_{1-x}\text{N}$ coatings deposited by reactive magnetron co-sputtering 243
 effect of substrate temperature on structural properties and corrosion resistance of carbon thin films used as bipolar plates in polymer electrolyte membrane fuel cells 451
- Varshni formula
 optical properties of ZnO/PMMA nanocomposite films 24
- V_2O_5
 structural and electrochemical properties of Al^{3+} doped V_2O_5 nanoparticles prepared by an oxalic acid assisted soft-chemical method 92
- Wear mechanisms
 a comparative study of the wear behavior of as-cast and hot extruded ZE41A magnesium alloy 495
- Wet chemical method
 one-step synthesis of maghemite ($\gamma\text{-Fe}_2\text{O}_3$) nano-particles by wet chemical method 257
- Whiskers
 the single crystal superconducting Bi-2212 whiskers fabrication and their thermal transport properties 16
- Working pressure
 investigation on the structure and properties of $\text{Al}_x\text{Cr}_{1-x}\text{N}$ coatings deposited by reactive magnetron co-sputtering 243
- Wrought alloy
 an investigation on DC casting of a wrought aluminium alloy at below liquidus temperature by using melt conditioner 382
- X-ray diffraction
 a new $\text{Li}_{0.5}\text{Sm}_{0.5}\text{WO}_4$ low temperature firing microwave dielectric ceramic L20
 controlled synthesis of single-crystal $\text{SrAl}_2\text{O}_4:\text{Eu}^{2+},\text{Dy}^{3+}$ nanosheets with long-lasting phosphorescence 38
 interaction of the components in the Ag–Er–Sn system at 400 °C 68
 isothermal section of the Y–Fe–Cr ternary system at 773 K 87
 core and shell structure of ytterbium sesquioxide nanoparticles 107
 serrated flow and work hardening characteristics of Al-5356 alloy 139
 new dielectric material system of $x\text{La}(\text{Mg}_{1/2}\text{Ti}_{1/2})\text{O}_3-(1-x)\text{Ca}_{0.61}\text{Nd}_{0.8/3}\text{TiO}_3$ at microwave frequency 153
 afterglow phosphor materials Y_2O_3 : Eu, Mg, Ti doped with various Gd concentrations 180
 effects of aging on the characteristics of Nd:YAG nano-powders 206
 magnetocaloric effect above room temperature in the K-doped $\text{La}_{0.8}\text{Na}_{0.2-x}\text{K}_x\text{MnO}_3$ manganites 270
 rietveld analysis and Mössbauer spectroscopy studies of nanocrystalline hematite $\alpha\text{-Fe}_2\text{O}_3$ 279
 crystal structure of $\text{RE}_{12}\text{Fe}_{2+x}\text{Pb}_{3-x}$ (RE = Tm, Lu) compounds 300
 synthesis and characterization of carbon nanotube supported Bi_2Te_3 nanocrystals 329
 piezoelectric and dielectric properties of Sm_2O_3 -doped $0.82\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3-0.18\text{Bi}_{0.5}\text{K}_{0.5}\text{TiO}_3$ ceramics 341
 magnetic and inductive heating properties of Fe_3O_4 /polyethylene glycol composite nanoparticles with core-shell structure 392
 luminescent properties of the $\text{Sr}_{2.97-x}\text{Ba}_x\text{MgSi}_2\text{O}_8:\text{Eu}^{2+}_{0.01},\text{Dy}^{3+}_{0.02}$ with different Sr/Ba ratio 423
 effects of TiC addition on formation of Ti_2SnC by self-propagating combustion of Ti–Sn–C–TiC powder compacts 461
 solid-state synthesis and formation mechanism of barium hexaaluminate from mechanically activated $\text{Al}_2\text{O}_3\text{-BaCO}_3$ powder mixtures 466
- X-ray techniques
 cation distribution in nanocrystalline Al^{3+} and Cr^{3+} co-substituted CoFe_2O_4 477
- XRD
 structural, dielectric properties and AC conductivity of $\text{Ni}_{(1-x)}\text{Zn}_x\text{Fe}_2\text{O}_4$ spinel ferrites 231
 preparation and characterization of vacuum thermal evaporated trilayer Cu/Se/Al thin films 220
- Yb compounds
 antiferromagnetic Kondo lattice behaviour of YbNiAl_2 alloy 275
- Y–Fe–Cr system
 isothermal section of the Y–Fe–Cr ternary system at 773 K 87
- ZE41A magnesium alloy
 a comparative study of the wear behavior of as-cast and hot extruded ZE41A magnesium alloy 495
- ZnO
 large-scale preparation of chestnut-like ZnO and Zn–ZnO hollow nanostructures by chemical vapor deposition 118
 heteroepitaxial growth and surface electronic structures of ordered zinc oxide films on Mo(1 1 0) substrates 127
 $\text{SrFe}_{12}\text{O}_{19}/\text{ZnO}$ hybrid structures: Synthesis, characterization and properties 488
- ZnO nanocrystals
 optical properties of ZnO/PMMA nanocomposite films 24
- ZnTe
 effect of thickness on the microstructural, optoelectronic and morphological properties of electron beam evaporated ZnTe films 434
- Zn–ZnO
 large-scale preparation of chestnut-like ZnO and Zn–ZnO hollow nanostructures by chemical vapor deposition 118